

8. References

1. Baloh RW. Vertigo in older people. Curr Treat options Neurol 2000;2:81-89
2. Dieterich M, Eckhardt-Henn A. Neurological and somatoform vertigo syndromes. Nervenarzt. 2004 ;75(3):281-302
3. Gamiz MJ, Lopez-Escamez JA. Health-related quality of life in patients over sixty years old with benign paroxysmal positional vertigo. Gerontology. 2004;50(2):82-6.
4. Davis A., Moorjani P. The epidemiology of hearing and balance disorders. Textbook of Audiological Medicine,Luxan ML,Furmann IM,Martini A,Stephens D,Dunitz M(Eds.),London 2003,S.89-99
5. Uno A, Nagai M, Sakata Y, Moriwaki K, Kato T. Statistical observation of vertigo and dizziness patients. Nippon Jibiinkoka Gakkai Kaiho. 2001 ;104(12):1119-25.
6. Bath AP, Walsh RM, Ranalli P, Tyndel F, Bance ML, Mai R, Rutka JA. Experience from a multidisciplinary "dizzy" clinic. Am J Otol. 2000;21(1):92-7.
7. Narita S, Kurose M, Kobayashi K, Himi T, Study on 242 inpatients reporting vertigo and dizziness, Nippon Jibiinkoka Gakkai Kaiho. 2003 Jan;106(1):21-7
8. Dorland's Illustrated Medical Dictionary,29th ed. Philadelphia:WB Saunders Co;1994.p:1959
9. Mosby's Medical,Nursing and Allied Health Dictionary,5th ed. St Louis:Mosby-Year Book Inc;1998.p.1707
10. Steadman's Medical Dictionary,27th ed.Baltimore:Williams and Wilkins;2000.
11. Random House Webster's College Dictionary. New York:Random House'1992.
12. Drachman DA, Hart CW. An approach to the dizzy patient. Neurology. 1972 ;22(4):323-34.
13. Salvinelli F,Casale M,D Ascanio L, Lamanna F,Greco F,Costantion S. What

is vertigo? Clin Ter.2003;154(5):341-8

14. Brian W,Joel Blakley,Joel Goebel. The meaning of the word vertigo. Otolaryngology-head and neck surgery.2001 sep:147-150
15. Mukherjee A,Chatterjee K,Chadrvarty A.Vertigo and dizziness –a clinical approach. J Assoc physicians India,2003;51:1095-101
16. Sonia Sandhaus. Stop the spinning: diagnosing and managing vertigo.The nurse practitioner. 2002; Aug:11-23
17. Lopez-Gentili LI, Kremenchtzky M, Salgado P. A statistical analysis of 1300 patients with dizziness-vertigo. Its most frequent causes. Rev Neurol. 2003 Mar 1-15;36(5):417-20.
18. Brandt.T.vertigo.Its multisensory syndromes. 1999 Heidelberg:Springer.
19. J.-M.Gulilemany, P.Martinez,E.Prades,II Sanudo,R.De Espana,A.Cuchi. Clinical and epidemiological study of vertigo at an outpatient clinic. Acta Otolaryngol 2004;124:49-52
20. Crespi V. Dizziness and vertigo: an epidemiological survey and patient management in the emergency room. Neurol Sci. 2004;25 Suppl 1:S24-5.
21. Jonsson R, Sixt E, Landahl S, et al. Prevalence of dizziness and vertigo in an urban elderly population. J Vestib Res. 2004;14(1):47-52.
22. Joseph M. Furman, Stephen P. Cass. Vestibular anatomy and physiology. In: Vestibular disorders. New York: Oxford University Press,2003. Wall C,Vrabec JT. Vestibular function and anatomy. In: Head and neck surgery otolaryngology. Philadelphia Lippincott Williams & Wilkins,2001:1641-1650.
- 23..Timothy C.Hain, Michael A.Hillman. Anatomy and physiology of the normal vestibular system.. In: Susan J.Herdman. vestibular rehabilitation. Philadelphia,F.A. Davis company,1994.
24. Balaban CD. Projections from the parabrachial nucleus to the vestibular nuclei: potential substrates for autonomic and limbic influences on vestibular responses. Brain Res. 2004 ;996(1):126-37
25. De Waele C, Baudonnire PM, Lepecq JC, et al. Vestibular projections in the human cortex. Exp Brain Res. 2001;141(4):541-51.

- 26.Traccis S, Zoroddu GF, Zecca MT,et al. Evaluating patients with vertigo: bedside examination. *Neurol Sci.* 2004;25 Suppl 1:S16-9.
- 27.Joseph M.Furman, Stephen P.Cass: *Vestibular disorder*,ed 2.New York:Oxford university Press,2003.
- 28.S.Traccis, G.F.Zoroddu, M.T.Zecca,et al. Evaluating patients with the vertigo:bedside examination. *Neurol Sci.*2004(24):16-19
- 29.Walker MF, Zee DS.Bedsie vestibular examination. *Otolaryngol Clin North Am.* 2000;33(3):495-506.
- 30.Goebel JA. The ten-minute examination of the dizzy patient. *Semin Neurol.* 2001 Dec;21(4):391-8.
- 31.Brodsky MC. Brodsky MC. Three dimensions of skew deviation. *Br J Ophthalmol.* 2003;87(12):1440-1
- 32.Schubert MC, Tusa RJ, Grine LE, et al. Optimizing the sensitivity of the head thrust test for identifying vestibular hypofunction. *Phys Ther.* 2004 ;84(2):151-8.
- 33.Guidetti G, Monzani D, Civiero N. Head shaking nystagmus in the follow-up of patients with vestibular diseases. *Clin Otolaryngol.* 2002 ;27(2):124-8
- 34.Kroenke K, Hoffman RM, Einstadter D. How common are various causes of dizziness? A critical review. *South Med J.* 2000 ;93(2):160-7:168
- 35.Epley JM. The canalith repositioning procedure: for treatment of Benign paroxysmal positional vertigo. *Otolaryngol Head Neck surg*,1992;107:399-404
- 36.Stavros G. Korres, Dimitrios G. Balatsouras. Diagnostic, pathophysiologic, and therapeutic aspects of benign paroxysmal positional vertigo. *Otolaryngol Head Neck surg* 2004;131:438-44
- 37.Lorne S.Parnes,Sumit K.Agrawal,Jason Atlas. Diagnosis and management of benign paroxysmal positional vertigo(BPPV).*CMAJ*,2003;169(7):681-93
- 38.Simhadri S, Panda N, Raghunathan M. Efficacy of particle repositioning maneuver in BPPV: a prospective study. *Am J Otolaryngol.* 2003 ;24(6):355-60.

39. Salvinelli F, Firrissi L, Casale M, et al. Benign paroxysmal positional vertigo: diagnosis and treatment. Clin Ter. 2004;155(9):395-400.
40. Baloh RW, Honrubia V. Clinical neurophysiology of the vestibular system. 3rd ed. New York: Oxford University Press, 2001
41. Baloh RW. Vestibular Neuritis. The new England journal of medicine, 2003; 348(11):1027-1032.
42. Committee on Hearing and Equilibrium guidelines for the diagnosis and evaluation of therapy in Meniere's disease. American Academy of Otolaryngology-Head and Neck Foundation, Inc. Otolaryngol Head Neck Surg. 1995 Sep;113(3):181-5
43. Minor LB, Cremer PD, Carey JP, et al. Symptoms and signs in superior canal dehiscence syndrome. Ann NY Acad sci. 2001;942:259-273
44. Berlit P. Isolated vertigo in vertebrobasilar ischemia--does it exist? HNO. 1998 ;46(4):296-300.
45. Gomez CR, Cruz-Flores S, Malkoff MD, et al. Isolated vertigo as a manifestation of vertebrobasilar ischemia. Neurology. 1996 ;47(1):94-7.
46. Strupp M, Arbusow V. Acute vestibulopathy. Curr Opin Neurol. 2001 ;14(1):11-20
47. Dieterich M. Dizziness. Neurologist. 2004;10(3):154-64.
48. Furman JM, Jacob RG. Psychiatric dizziness. Neurology, 1997;48:1161-1166
49. Jacob RG, Fruman JM. Psychiatric consequences of vestibular dysfunction. Curr Opin Neuro, 2001;14:41-
50. Bernhard Schick, Dominik Brors, Oliver Koch, et al. Magnetic resonance imaging in patients with sudden hearing loss, tinnitus and vertigo. Otol Neurotol, 2001;22:808-812
51. M.G.Bruzzone, M.Grisoli, T.De Simone, et al. Neuroradiological features of vertigo. Neurol Sci, 2004;24:20-23
52. Toru Seo, Satoru Tominaga, Masafumi Sakagami. Relationship between neurological asymptomatic vertigo and the vertebrobasilar system as revealed by magnetic resonance angiography. ORL 2000;62:63-67

53. Yahya Paksoy,Husamettin Vatansev,Muzaffer Seker,et al.Congential morphological abnormalities of the distal vertebral arteries(CMADVA) and their relationship with vertigo and dizziness.Med Sci Monit,2004;10(7):316-323
54. Duran-Ferreras E, Schoeck AP, Barest GD,et al. Overestimation of the degree of stenosis in the intracranial internal carotid artery determined by magnetic resonance angiography compared to conventional arteriography. Rev Neurol. 2003 ;37(8):730-2
55. Hyung lee,Sung il Sohn,Doo Kyo Jung,et al. Migraine and isolated recurrent vertigo of unknown cause. Neurological research, 2002;24:663-665
56. Radtke A, Lempert T, Gresty MA,et al. Migraine and Meniere's disease: is there a link? Neurology. 2002;59(11):1700-4
57. Lempert T, Leopold M, von Brevern M, et al. Migraine and benign positional vertigo. Ann Otol Rhinol Laryngol. 2000 Dec;109(12 Pt 1):1176
58. Ishiyama A, Jacobson KM, Baloh RW. Migraine and benign positional vertigo. Ann Otol Rhinol Laryngol. 2000 ;109(4):377-80
59. Kazmierczak H, Doroszewska G. Metabolic disorders in vertigo, tinnitus, and hearing loss. Int Tinnitus J. 2001;7(1):54-8
60. Doroszewska G, Kazmierczak H. Hyperinsulinemia in vertigo, tinnitus and hearing loss. Otolaryngol Pol. 2002;56(1):57-62.
61. Doroszewska G, Kazmierczak H, Doroszewski W. Risk factors for inner ear diseases. Pol Merkuriusz Lek. 2000 Nov;9(53):751-4.
62. Doroszewska G, Kazmierczak H, Pawlak-Osinska K,et al. Hyperlipidemia in patients with inner ear disturbances. Otolaryngol Pol. 2001;55(2):185-9.
63. Prasansuk S, Siriyananda C, Nakorn AN, et al.Balance disorders in the elderly and the benefit of balance exercise. J Med Assoc Thai. 2004 ;87(10):1225-33.
64. Brandt T, Strupp M. General vestibular testing. Clin Neurophysiol. 2005 ;116(2):406-26

65. T. Brandt, R.B. Daroff. The multisensory physiological and pathological vertigo syndromes. Ann Neurol, 1980; 7(7):194–203
66. Lee H, Cho YW. A case of isolated nodulus infarction presenting as a vestibular neuritis. J Neurol Sci. 2004; 15;221(1-2):117-9.
67. Lee H, Ahn BH, Baloh RW. Sudden deafness with vertigo as a sole manifestation of anterior inferior cerebellar artery infarction. J Neurol Sci. 2004; 15;222(1-2):105-7
68. Lee H, Baloh RW., Sudden deafness in vertebrobasilar ischemia: clinical features, vascular topographical patterns and long-term outcome. J Neurol Sci. 2005; 15;228(1):99-104.
69. Gomez CR, Cruz-Flores S, Malkoff MD, et al. Isolated vertigo as a manifestation of vertebrobasilar ischemia. Neurology. 1996; 47(1):94-7
70. Kim JS. Vertigo and gait ataxia without usual signs of lateral medullary infarction: a clinical variant related to rostral-dorsolateral lesions. Cerebrovasc Dis. 2000; 10(6):471-4.
71. Alpini D, Caputo D, Pugnetti L, et al. Vertigo and multiple sclerosis: aspects of differential diagnosis. Neurol Sci. 2001; 22 Suppl 2:S84-7
72. Bencsik K, Rajda C, Seres E, et al. Familial multiple sclerosis: case study of three affected siblings. Acta Neurol Scand. 2002; 106(6):392-5
73. Haegelen C, Riffaud L, Bernard M, et al. Primary isolated lymphoma of the fourth ventricle: case report. J Neurooncol. 2001; 51(2):129-31.
74. Norrving B, Magnusson M, Holtas S. Isolated acute vertigo in the elderly; vestibular or vascular disease? Acta Neurol Scand. 1995; 91(1):43-8.
75. Brandt Th, Daroff RB. Physical therapy for benign paroxysmal positional vertigo. Arch Otolaryngol. 1980; 106:484–485.
76. Butman JA, Frank JA. Overview of imaging in multiple sclerosis and white matter disease. Neuroimaging Clin N Am. 2000; 10(4):669-87.
77. Martinelli Boneschi F, Rovaris M, et al. The use of magnetic resonance imaging in multiple sclerosis: lessons learned from clinical trials
78. Etgen T, Grafen von Einsiedel H, Rottinger M, et al. Detection of acute

- brainstem infarction by using DWI/MRI. Eur Neurol. 2004;52(3):145-50.
79. Fiebach JB, Schellinger PD. Modern magnetic resonance techniques in stroke. Radiol. 2003 ;43(3):251-63
80. Toi H, Uno M, Harada M, Yoneda K, et al. Diagnosis of acute brain-stem infarcts using diffusion-weighted MRI. Neuroradiology 2003;45:352-356.
81. Oppenheim C, Stanescu R, Dormont D, et al. False-negative diffusion-weighted MR findings in acute ischemic stroke. AJNR Am J Neuroradiol. 2000 ;21(8):1434-40.
82. Kuker W, Weise J, Krapf H, et al. MRI characteristics of acute and subacute brainstem and thalamic infarctions: value of T2- and diffusion-weighted sequences. J Neurol. 2002 ;249(1):33-42.
83. Marx JJ, Thoemke F, Mika-Gruettner A, et al. Diffusion-weighted MRT in vertebrobasilar ischemia. Application, sensitivity, and prognostic value. Nervenarzt. 2004 ;75(4):341-6
84. Inatomi Y, Kimura K, Yonehara T, et al. DWI abnormalities and clinical characteristics in TIA patients. Neurology. 2004 ,10;62(3):376-80.
85. Fujita N, Yamanaka T, Hosoi H. Usefulness of MR angiography in cases of central vertigo. Auris Nasus Larynx. 2002 ;29(3):247-52.
86. Lee H, Yi HA, Baloh RW. Sudden bilateral simultaneous deafness with vertigo as a sole manifestation of vertebrobasilar insufficie. J Neurol Neurosurg Psychiatry., 2003 ;74(4):539-41
87. B. George,.C.Laurian. The vertebral artery. Springer-verlag,Wien,1987:7-23
88. Matula C, Trattnig S, Tschabitscher M, Day JD, Koos WT (1997) The course of the prevertebral segment of the vertebral artery: anatomy and clinical significance. Surg Neurol 48:125–131
89. Lee DH. Magnetic resonance angiography. Adv Neurol. 2003;92:43-52.
90. Jellici E, Beltramello A, Vasori S, et al. Kinking of the vertebral artery. Eur Radiol. 2003;13(6):1469-71
91. Cloud GC, Markus HS. Diagnosis and management of vertebral artery stenosis. QJM. 2003;96(1):27-54

92. Stewart WF, Simon D, Shechter A, Lipton RB. Population variation in migraine prevalence: a meta-analysis. *J Clin Epidemiol* 1995; 48: 269–280.
93. Savundra PA, Carroll JD, Davies RA, Luxon LM. Migraine-associated vertigo. *Cephalgia*. 1997 ;17(4):505-10
94. Lopez-Escamez JA, Lopez-Nevot A. Prevalence of headaches and medication use in patients with recurrent vertigo *Acta Otorrinolaringol Esp.* 2000 ;51(5):377-82
- 95..Neuhauser H,Leopold M,von Brevern M,Arnold C,Lempert T.The interrelations of migraine, vertigo, and migrainous vertigo. *Neurology*. 2001 27;56(4):436-41.
96. Classification and diagnostic criteria for headache disorders, cranial neuralgias and facial pain. Headache Classification Committee of the International Headache Society. *Cephalgia*. 1988;8 Suppl 7:1-96
97. Thakar A, Anjaneyulu C, Deka RC. Vertigo syndromes and mechanisms in migraine. *J Laryngol Otol*. 2001 Oct;115(10):782-7
98. Neuhauser H, Lempert T. Vertigo and dizziness related to migraine: a diagnostic challenge. *Cephalgia*. 2004 ;24(2):83-91
99. Troost BT. Vestibular migraine. *Curr Pain Headache Rep*. 2004 ;8(4):310-4.
- 100 Di Duro JO. Vestibular migraine: objective diagnostic criteria. *Neurol Sci*. 2003 ;24(2):80-1.
- 101 Marcus DA, Kapelewski C, Rudy TE, Jacob RG, Furman JM. Diagnosis of migrainous vertigo: validity of a structured interview. *Med Sci Monit*. 2004 ;10(5):CR197-201. Epub 2004 Apr 28.
- 102 Brandt T. A chameleon among the episodic vertigo syndromes: 'migrainous vertigo' or 'vestibular migraine'. *Cephalgia*. 2004 ;24(2):81-2.
- 103 Celestino D, Rosini E, Carucci ML,et al. Meniere's Disease and anxiety disorders. *Acta Otorhinolaryngol Ital*. 2003 ;23(6):421-7
- 104 Godemann F, Linden M, Neu P,et al. A prospective study on the course of anxiety after vestibular neuronitis. *J Psychosom Res*. 2004 ;56(3):351-4.
- 105 Cohen HS, Kimball KT, Stewart MG.. Benign paroxysmal positional vertigo

- and comorbid conditions. ORL J Otorhinolaryngol Relat Spec. 2004;66(1):11-5
- 106 Persoons P, Luyckx K, Desloovere C, et al. Anxiety and mood disorders in otorhinolaryngology outpatients presenting with dizziness: validation of the self-administered PRIME-MD Patient Health Questionnaire and epidemiology. Gen Hosp Psychiatry. 2003;25(5):316-23.
- 107 Yardley L, Burgneay J, Nazareth I, et al. Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation. J Neurol Neurosurg Psychiatry 1998;65:679-684
- 108 Monzani D, Casolari L, Guidetti G, et al. Psychological distress and disability in patients with vertigo. J Psychosom Res. 2001;50(6):319-23.
- 109 Garcia FV, Coelho MH, Figueira ML. Psychological manifestations of vertigo: a pilot prospective observational study in a Portuguese population. Int Tinnitus J. 2003;9(1):42-7.
- 110 Yardley L. overview of psychologic effects of chronic dizziness and balance disorders. Otolaryngol Clin North Am, 2000;33(3):603-16
- 111 Tecer A, Tukel R, Erdamar B, et al. Audiovestibular functioning in patients with panic disorder. J Psychosom Res. 2004;57(2):177-82.
- 112 Erez O, Gordon CR, Sever J, et al. Balance dysfunction in childhood anxiety: findings and theoretical approach. J Anxiety Disord. 2004;18(3):341-56.
- 113 Furman JM, Jacob RG. A clinical taxonomy of dizziness and anxiety in the otoneurological setting. J Anxiety Disord. 2001;15:9-26
- 114 Jacob RG, Moller MB, Turner SM, et al. Otonurological examination in panic disorder and agoraphobia with panic attacks: a pilot study. Am J Psychiatry, 1985;142:715-20
- 115 Jacob RG, Furman JM. Psychiatric consequences of vestibular dysfunction. Curr Opin Neuro, 2001;14:41-46
- 116 Staab JP, Ruckenstein MJ. Which comes first? Psychogenic dizziness

- versus otogenic anxiety. *Laryngoscope*. 2003 Oct;113(10):1714-8.
- 117 Yardley L, Redfern MS. Psychological factors influencing recovery from balance disorders. *J Anxiety Disord*. 2001r;15(1-2):107-19
- 118 Humphriss RL, Baguley DM, Andersson G, et al. Hyperventilation in the vestibular clinic: use of the Nijmegen Questionnaire. *Clin Otolaryngol*. 2004;29(3):232-7.
- 119 Balaban CD, Thayer JF. Neurological bases for banlance-anxiety links. *J Anxiety Disord*. 2001 ;15(1-2):53-79.
- 120 Differential diagnosis and treatment of vertigo in hypertensive patients. *Ter Arkh*. 2005;77(1):56-9
- 121 Poeck K, Hacke w. *Neurologeie*. Springer verlag, 10 Auflage, 1998: 99-101