

Literaturverzeichnis

- M. L. A. Abrahamsson, H. B. Baudin, A. Tran, C. Philouze, K. E. Berg, M. K. Raymond-Johansson, B. Åkermark, L. Sun, S. Styring, und L. Hammarstrom. Ruthenium-manganese complexes for artificial photosynthesis: Factors controlling intramolecular electron transfer and excited-state quenching reactions. *Inorg. Chem.*, 41(6):1534–1544, 2002.
- B. K. Agarwal. *X-Ray Spectroscopy: An Introduction*. Springer Series in Optical Sciences. Springer Verlag, Heidelberg, 1979.
- K. A. Ahrling, P. J. Smith, und R. J. Pace. Nature of the Mn centers in photosystem II. modeling and behavior of the $g = 4$ resonances and related signals. *J. Am. Chem. Soc.*, 120(50):13202–13214, 1998.
- F. H. Allen. The cambridge structural database: A quarter of a million crystal structures and rising. *Acta Crystallogr., Sect. B*, 58:380–388, 2002.
- N. L. Allinger. MM2: A hydrocarbon force field utilizing V1 and V2 torsional terms. *J. Am. Chem. Soc.*, 99(25):8127–8134, 1977.
- D. Altermatt und I. D. Brown. The automatic searching for chemical bonds in inorganic crystal structures. *Acta Crystallogr., Sect. B*, 41:240–244, 1985.
- A. L. Ankudinov, B. Ravel, J. J. Rehr, und S. D. Conradson. Real-space multiple-scattering calculation and interpretation of x-ray-absorption fine structure. *Phys. Rev. B*, 12:7565–7576, 1998.
- A. L. Ankudinov, J. J. Rehr, und S. R. Bare. Hybridization peaks in Pt-Cl XANES. *Chem. Phys. Lett.*, 316(5,6):495–500, 2000.
- E. Anxolabehere-Mallart, T. Glaser, P. Frank, A. Aliverti, G. Zanetti, B. Hedman, K. O. Hodgson, und E. I. Solomon. Sulfur K-edge x-ray absorption spectroscopy of 2Fe-2S ferredoxin: Covalency of the oxidized and reduced 2Fe forms and comparison to model complexes. *J. Am. Chem. Soc.*, 123(23):5444–5452, 2001.
- I. Ascone, R. Fourme, und S. S. Hasnain. Introductory overview: X-ray absorption spectroscopy and structural genomics. *J. Sync. Rad.*, 10:1–3, 2003.
- M. J. Baldwin, N. A. Law, T. L. Stemmler, J. W. Kampf, J. E. Penner-Hahn, und V. L. Pecoraro. Reactivity of $[\text{MnIV}(\text{salpn})_2(-\text{O}, -\text{OCH}_3)]^+$ and $[\text{MnIV}(\text{salpn})_2(-\text{O}, -\text{OH})]^+$: Effects of proton lability and hydrogen bonding. *Inorg. Chem.*, 38(21):4801–4809, 1999.
- M. J. Baldwin und V. L. Pecoraro. Energetics of proton-coupled electron transfer in high-valent $\text{Mn}_2(-\text{O})_2$ systems: Models for water oxidation by the oxygen-evolving complex of photosystem II. *J. Am. Chem. Soc.*, 118(45):11325–11326, 1996.

M. J. Baldwin, T. L. Stemmler, P. J. Riggs-Gelasco, M. L. Kirk, J. E. Penner-Hahn, und V. L. Pecoraro. Structural and magnetic effects of successive protonations of oxo bridges in high-valent manganese dimers. *J. Am. Chem. Soc.*, 116(25):11349–11356, 1994.

M. Benfatto, A. Congiu-Castellano, A. Daniele, und S. Della Longa. MXAN: A new software procedure to perform geometrical fitting of experimental XANES spectra. *J. Sync. Rad.*, 8:267–269, 2001.

M. Benfatto, S. D. Longa, und C. R. Natoli. The MXAN procedure: A new method for analysing the XANES spectra of metalloproteins to obtain structural quantitative information. *J. Sync. Rad.*, 10:51–57, 2003.

M. Benfatto, S. D. Longa, Y. Qin, Q. Li, G. Pan, Z. Wu, und S. Morante. The role of Zn in the interplay among Langmuir-Blodgett multilayer and myelin basic protein: a quantitative analysis of XANES spectra. *Biophys. Chem.*, 110(1-2):191–201, 2004.

M. Benfatto, J. A. Solerab, J. G. Ruiz, und J. Chaboy. Double-channel excitation in the x-ray absorption spectrum of Fe^{3+} water solutions. *Chem. Phys.*, 282(3):441–450, 2002.

G. Bernat, F. Morvaridi, Y. Feyziyev, und S. Styring. pH dependence of the four individual transitions in the catalytic S-cycle during photosynthetic oxygen evolution. *Biochemistry*, 41(18):5830–5843, 2002.

D. A. Berthold, G. T. Babcock, und C. F. Yocom. A highly resolved, oxygen-evolving photosystem II preparation from spinach thylakoid membranes. *FEBS Lett.*, 134(2):231–234, 1981.

A. Bianconi, E. Fritsch, G. Calas, und J. Petiau. X-ray-absorption near-edge structure of 3d transition elements in tetrahedral coordination: The effect of bond-length variation. *Phys. Rev. B*, 32:4292–4295, 1985.

H. Blum, J. C. Salerno, und J. S. J. Leigh. A model for the simulation of EPR spectra of chromophores in partially oriented membrane multilayers. *J. Mag. Res.*, 30(2):385–391, 1978.

A. E. M. Boelrijk, S. V. Khangulov, und G. C. Dismukes. Bridging hydroxide effect on carboxylato coordination and electrochemical potentials of bimetallic centers: $\text{Mn}_2(\text{II}, \text{II})$ and $\text{Mn}_2(\text{III}, \text{III})$ complexes as functional models of dimanganese catalases. *Inorg. Chem.*, 39(14):3009–3019, 2000.

U. Bossek, H. Hummel, T. Weyhermüller, K. Wieghardt, S. Russell, L. van der Wolf, und U. Kolb. The $[\text{Mn}_2^{\text{IV}}(\mu-\text{O})(\mu-\text{PhBO})_2]^{+2}$ unit: a new structural model for manganese-containing metalloproteins. *Angew. Chem., Int. Ed. Engl.*, 35(13/14):1552–1554, 1996.

N. E. Brese und M. O’Keeffe. Bond-valence parameters for solids. *Acta Crystallogr., Sect. B*, 47:192–197, 1991.

R. D. Britt, J. M. Peloquin, und K. A. Campbell. Pulsed and parallel-polarization EPR characterization of the photosystem II oxygen-evolving complex. *Annu. Rev. Biophys. Biomol. Struct.*, 29(463-495), 2000.

I. N. Bronstein und K. A. Semendjajew. *Handbook of Mathematics*. Springer, Berlin, 2002.

- C. Brouder. Angular dependence of x-ray absorption spectra. *J. Phys. Cond. Mat.*, 2: 701–738, 1990.
- I. D. Brown und D. Altermatt. Bond-valence parameters obtained from a systematic analysis of the inorganic crystal structure database. *Acta Crystallogr., Sect. B*, 41:244–247, 1985.
- T. Burgdorf, S. Löscher, P. Liebisch, E. V. d. Linden, M. Galander, F. Lendzian, W. Meyer-Klaucke, S. P. J. Albracht, B. Friedrich, H. Dau, und M. Haumann. Structural and oxidation-state changes at its non-standard Ni-Fe site during activation of the NAD-reducing hydrogenase from *Ralstonia eutropha* detected by x-ray absorption-, EPR-, and FTIR-spectroscopy. *J. Am. Chem. Soc.*, 2005. in press.
- T. G. Carrell, A. M. Tyryshkin, und G. C. Dismukes. An evaluation of structural models for the photosynthetic water-oxidizing complex derived from spectroscopic and x-ray diffraction signatures. *J. Biol. Inorg. Chem.*, 7:2–22, 2002.
- M. T. Caudle und V. L. Pecoraro. Thermodynamic viability of hydrogen atom transfer from water coordinated to the oxygen-evolving complex of photosystem II. *J. Am. Chem. Soc.*, 119(14):3415–3416, 1997.
- H. R. Chang, H. Diril, M. J. Nilges, X. Zhang, J. A. Potenza, H. J. Schugar, D. N. Hendrickson, und S. S. Isied. An unusually stable manganese(II)manganese(III) complex with novel EPR spectra: synthesis, structure, magnetism, and EPR analysis. *J. Am. Chem. Soc.*, 110(2):625–627, 1988.
- U. Christmann, H. Dau, M. Haumann, E. Kiss, P. Liebisch, D. Rehder, G. Santoni, und C. Schulzke. Substrate binding to vanadate-dependent bromoperoxidase from *Ascophyllum nodosum*: A vanadium K-edge XAS approach. *J. Chem. Soc., Dalton Trans.*, (16): 2534–2540, 2004.
- R. M. Cinco, K. L. McFarlane Holman, J. H. Robblee, J. Yano, S. A. Pizarro, E. Bellacchio, K. Sauer, und V. K. Yachandra. Calcium EXAFS establishes the Mn-Ca cluster in the oxygen-evolving complex of photosystem II. *Biochemistry*, 41(43):12928–12933., 2002.
- R. M. Cinco, J. H. Robblee, J. Messinger, C. Fernandez, K. L. M. Holman, K. Sauer, und V. K. Yachandra. Orientation of calcium in the Mn₄Ca cluster of the oxygen-evolving complex determined using polarized strontium EXAFS of photosystem II membranes. *Biochemistry*, 43(42):13271 – 13282, 2004.
- R. M. Cinco, A. Rompel, H. Visser, G. Aromi, G. Christou, K. Sauer, M. P. Klein, und V. K. Yachandra. Comparison of the manganese cluster in oxygen-evolving photosystem II with distorted cubane manganese compounds through x-ray absorption spectroscopy. *Inorg. Chem.*, 38(26):5988–5998, 1999.
- P. Comba und T. W. Hambley. *Molecular Modelling of Inorganic Compounds*. Wiley-VCH, Weinheim, 2. Ausgabe, 2001.
- S. R. Cooper und M. Calvin. Mixed valence interactions in di- μ -oxo bridged manganese complexes. *J. Am. Chem. Soc.*, 99(20):6623–6630, 1977.

- A. Darovsky, V. Kezerashvili, P. Coppens, T. Weyhermuller, H. Hummel, und K. Wieghardt. Temperature dependence of the electron transfer in a Mn^{II}Mn^{III}(μ – OH) mixed-valence manganese. *Inorg. Chem.*, 35(24):6916–6917, 1996.
- H. Dau, J. C. Andrews, T. A. Roelofs, M. J. Latimer, W. Liang, V. K. Yachandra, K. Sauer, und M. P. Klein. Structural consequences of ammonia binding to the manganese center of the photosynthetic oxygen-evolving complex: An x-ray absorption spectroscopy study of isotropic and oriented photosystem II particles. *Biochemistry*, 34(15):5274–5287, 1995.
- H. Dau, J. Dittmer, M. Epple, J. Hanss, E. Kiss, D. Rehder, C. Schulzke, und H. Vilter. Bromine K-edge EXAFS studies of bromide binding to bromoperoxidase from *Ascophyllum nodosum*. *FEBS Lett.*, 457(2):237–240, 1999.
- H. Dau und M. Haumann. X-ray absorption spectroscopy to watch catalysis by metalloenzymes: Status and perspectives discussed for the water-splitting manganese complex of photosynthesis. *J. Sync. Rad.*, 10:76–85, 2003.
- H. Dau, L. Iuzzolino, und J. Dittmer. The tetra-manganese complex of photosystem II during its redox cycle x-ray absorption - Results and mechanistic implications. *Biochim. Biophys. Acta*, 1503:24–39, 2001.
- H. Dau, P. Liebisch, und M. Haumann. X-ray absorption spectroscopy to analyze nuclear geometry and electronic structure of biological metal centers - Potential and questions examined with special focus on the tetra-nuclear manganese complex of oxygenic photosynthesis. *Anal. Bioanal. Chem.*, 376(5):562–583, 2003.
- H. Dau, P. Liebisch, und M. Haumann. The manganese complex of oxygenic photosynthesis: Conversion of five-coordinated Mn(III) to six-coordinated Mn(IV) in the S₂ → S₃ transition is implied by XANES simulations. *Phys. Scripta*, 2004a. in press.
- H. Dau, P. Liebisch, und M. Haumann. Structural and oxidation state changes of the Mn₄Ca complex of photosystem II in its S-state cycle - X-ray absorption results and possible mechanistic implications. In *13th International Congress on Photosynthesis*, Photosynthesis: Fundamental Aspects to Global Perspective, Montreal, Canada, 2004b. Allen Press.
- H. Dau, P. Liebisch, und M. Haumann. The structure of the manganese complex of photosystem II in its dark-stable S₁-state - EXAFS results in relation to recent crystallographic data. *Phys. Chem. Chem. Phys.*, 6:4781–4792, 2004c.
- F. de Groot. High-resolution x-ray emission and x-ray absorption spectroscopy. *Chem. Rev.*, 101(6):1779–1808, 2001.
- J. C. De Paula, J. B. Innes, und G. W. Brudvig. Electron transfer in photosystem II at cryogenic temperatures. *Biochemistry*, 24(27):8114–8120, 1985.
- A. H. de Vries, L. Hozoi, und R. Broer. On the origin of the chemical shift in x-ray-absorption near-edge spectroscopy at the Mn K edge in manganese oxide compounds. *Int. J. Quant. Chem.*, 91(1):57–61, 2003.
- R. J. Debus. Amino acid residues that modulate the properties of tyrosine Y_Z and the manganese cluster in the water oxidizing complex of photosystem II. *Biochim. Biophys. Acta*, 1503(1-2):164–186, 2001.

- R. J. Debus, K. A. Campbell, J. M. Peloquin, D. P. Pham, und R. D. Britt. Histidine 332 of the D1 polypeptide modulates the magnetic and redox properties of the manganese cluster and tyrosine Y_Z in photosystem II. *Biochemistry*, 39(2):470–478, 2000a.
- R. J. Debus, K. A. Campbell, D. P. Pham, A.-M. A. Hays, und R. D. Britt. Glutamate 189 of the D1 polypeptide modulates the magnetic and redox properties of the manganese cluster and tyrosine Y_Z in photosystem II. *Biochemistry*, 39(21):6275–6287, 2000b.
- J. P. Dekker und H. J. van Gorkom. Electron transfer in the water-oxidizing complex of photosystem II. *Journal of Bioenergetics and Biomembranes*, 19(2):125–142, 1987.
- S. Della Longa, A. Arcovito, M. Girasole, J. L. Hazemann, und M. Benfatto. Quantitative analysis of x-ray absorption near edge structure data by a full multiple scattering procedure: The Fe-CO geometry in photolyzed carbonmonoxy-myoglobin single crystal. *Phys. Rev. Lett.*, 87:155501, 2001.
- V. J. DeRose, I. Mukerji, M. J. Latimer, V. K. Yachandra, K. Sauer, und M. P. Klein. Comparison of the manganese oxygen-evolving complex in photosystem II of spinach and *synechococcus* sp. with multinuclear manganese model compounds by x-ray absorption spectroscopy. *J. Am. Chem. Soc.*, 116(2):5239–5249, 1994.
- V. J. DeRose, V. K. Yachandra, A. E. McDermott, R. D. Britt, K. Sauer, und M. P. Klein. Nitrogen ligation to manganese in the photosynthetic oxygen-evolving complex: continuous-wave and pulsed EPR studies of photosystem II particles containing nitrogen-14 or nitrogen-15. *Biochemistry*, 30(5):1335–1341, 1991.
- A. Dey, T. Glaser, M. M.-J. Couture, L. D. Eltis, R. H. Holm, B. Hedman, K. O. Hodgson, und E. I. Solomon;. Ligand K-edge x-ray absorption spectroscopy of [Fe₄S₄]^{1+,2+,3+} clusters: Changes in bonding and electronic relaxation upon redox. *J. Am. Chem. Soc.*, 126(26):8320–8328, 2004.
- B. A. Diner. Amino acid residues involved in the coordination and assembly of the manganese cluster of photosystem II. Proton-coupled electron transport of the redox-active tyrosines and its relationship to water oxidation. *Biochim. Biophys. Acta*, 1503 (1-2):147–163, 2001.
- H. Diril, H. R. Chang, M. J. Nilges, X. Zhang, J. A. Potenza, H. J. Schugar, S. S. Isied, und D. N. Hendrickson. Simulation strategies for unusual EPR spectra of binuclear mixed-valence manganese complexes: synthesis, properties, and x-ray structures of the Mn^{II}Mn^{III} complexes [Mn₂(bpmp)(μ-OAc)₂](ClO₄)₂H₂O and [Mn₂(bcmmp)(μ-OAc)₂](ClO₄)₂CH₂Cl₂. *J. Am. Chem. Soc.*, 111(14):5102–5114, 1989.
- H. Diril, H. R. Chang, X. Zhang, S. K. Larsen, J. A. Potenza, C. G. Pierpont, H. J. Schugar, S. S. Isied, und D. N. Hendrickson. Binuclear mixed-valence manganese(II)-manganese(III) complexes: insight about the resolution of hyperfine structure in the EPR spectrum. *J. Am. Chem. Soc.*, 109(20):6207–6208, 1987.
- G. C. Dismukes und Y. Siderer. Intermediates of a polynuclear manganese center involved in photosynthetic oxidation of water. *Proc. Natl. Acad. Sci. USA*, 78(1):274–278, 1981.
- J. Dittmer. *Linear-Dichroismus-Röntgenabsorptionsspektroskopie zum katalytischen Zyklus des wasserspaltenden Mangankomplexes der Photosynthese in Theorie und Experiment*. Doktorarbeit, Christian-Albrechts-Universität, 1999.

J. Dittmer und H. Dau. Theory of the linear dichroism in the extended x-ray absorption fine structure (EXAFS) of partially vectorially ordered systems. *J. Phys. Chem. B*, 102: 8196–8200, 1998.

J. Dittmer, L. Iuzzolino, W. Dörner, H.-F. Nolting, W. Meyer-Klaucke, und H. Dau. A new method for determination of the edge position of x-ray absorption spectra. In Gyozo Garab, Editor, *Photosynthesis: Mechanisms and Effects*, Band 2 von *Photosynthesis: Mechanisms and Effects*, S. 1339–1342. Kluwer Academic Publishers, Dordrecht, 1.. Ausgabe, 1998.

P. J. Durham, J. B. Pendry, und C. H. Hodges. Calculation of x-ray absorption near-edge structure, XANES. *Comp. Phys. Comm.*, 25(2):193–205, 1982.

W. Dörner, J. Dittmer, L. Iuzzolino, W. Meyer-Klaucke, und H. Dau. The structure of a partially assembled, di-nuclear PSII manganese complex investigated by EPR- and EXAFS on a new core complex preparation. In Gyozo Garab, Editor, *11th international Congress on Photosynthesis*, Band 2 von *Photosynthesis: Mechanisms and Effects*, S. 1343–1346, Budapest, 1998. Kluwer Academic Publishers.

A. M. Edwards, K. Zhang, C. E. Nordgren, und J. K. Blasie. Polarized XAS on vectorially oriented single monolayers of cytochrome c. *J. Sync. Rad.*, 6:411–413, 1999.

K. N. Ferreira, T. M. Iverson, K. Maghlaoui, J. Barber, und S. Iwata. Architecture of the photosynthetic oxygen-evolving center. *Science*, 303:1831–1838, 2004.

H. A. Frank, R. Friesner, J. A. Nairn, G. C. Dismukes, und K. Sauer. The orientation of the primary donor in bacterial photosynthesis. *Biochim. Biophys. Acta*, 547(3):484–501, 1979.

A. I. Frenkel, A. L. Ankudinov, und G. V. Korshin. XANES study of Cu²⁺-binding sites in aquatic humic substances. *Environ. Sci. Technol.*, 34(11):2138–2142, 2000.

R. Friesner, J. A. Nairn, und K. Sauer. A general theory of the spectroscopic properties of partially ordered ensembles. I. One-vector problems. *J. Chem. Phys.*, 72(1):221–230, 1980.

P. Geijer, F. Morvaridi, und S. Styring. The S₃ state of the oxygen-evolving complex in photosystem II is converted to the S₂Y_Z state at alkaline pH. *Biochemistry*, 40(36): 10881–10891, 2001.

G. N. George, Jr. Cleland, W. E., J. H. Enemark, B. E. Smith, C. A. Kipke, S. A. Roberts, und S. P. Cramer. L-edge spectroscopy of molybdenum compounds and enzymes. *J. Am. Chem. Soc.*, 112(7):2541–2548, 1990.

G. N. George, S. P. Cramer, T. G. Frey, und R. C. Prince. X-ray absorption spectroscopy of oriented cytochrome oxidase. *Biochim. Biophys. Acta*, 1142:240–252, 1993.

G. N. George, B. Hedman, und K. O. Hodgson. An edge with XAS. *Nat. Struct. Biol.*, 5(S):645–647, 1998.

G. N. George, R. C. Prince, und S. P. Cramer. The manganese site of the photosynthetic water-splitting enzyme. *Science*, 243:789–791, 1989.

- T. J. Gil, C. L. Winstead, und P. W. Langhoff. Lanczos methods for hamiltonian spectra: Hilbert-space approximations to interaction-prepared states. *Comp. Phys. Comm.*, 53 (1-2):123–131, 1989.
- B. Gilbert, B. H. Frazer, A. Belz, P. G. Conrad, K. H. Nealson, D. Haskel, J. C. Lang, G. Srajer, und G. D. Stasio. Multiple scattering calculations of bonding and x-ray absorption spectroscopy of manganese oxides. *J. Phys. Chem.*, 107:2839–2847, 2003.
- P. A. Goodson, J. Glerup, D. J. Hodgson, K. Michelsen, und E. Pedersen. Binuclear bis(μ -oxo)dimanganese(III,IV) and -(IV,IV) complexes with N,N'-bis(2-pyridylmethyl)-1,2-ethanediamine. *Inorg. Chem.*, 29(3):503–508, 1990.
- Govindjee. Milestones in photosynthesis research. In M. Yunus, U. Pathre, und P. Mohanty, Editoren, *Probing Photosynthesis: Mechanisms, Regulation and Adaptation*, S. 9–39. Taylor and Francis, London, 1999.
- M. Grabolle und H. Dau. 2005. Manuskript in Vorbereitung.
- B. P. Grady und S. L. Cooper. Extended x-ray absorption fine-structure studies of the internal aggregate structure in lightly sulfonated polystyrene. 2. Effect of uniaxial orientation. *Macromol.*, 27:6635 – 6641, 1994.
- M. M. Grush, J. Chen, T. L. Stemmler, S. J. George, C. Y. Ralston, R. T. Stibrany, A. Gelasco, G. Christou, S. M. Gorun, J. E. Penner-Hahn, und S. P. Cramer. Manganese L-edge x-ray absorption spectroscopy of manganese catalase from lactobacillus plantarum and mixed valence manganese complexes. *J. Am. Chem. Soc.*, 118(1):65–69, 1996.
- R. D. Guiles. *Structure and Function of the Manganese Complex Involved in Photosynthetic Oxygen Evolution Determined by X-ray Absorption Spectroscopy and Electron Paramagnetic Resonance Spectroscopy*. Ph.D. Thesis, University of California, 1988.
- N. Haack, G. Ceballos, H. Wende, K. Baberschke, D. Arvanitis, A. L. Ankudinov, und J. J. Rehr. Shape resonances of oriented molecules: Ab-initio theory and experiment on hydrocarbon molecules. *Phys. Rev. Lett.*, 84(4):614–617, 2000.
- K. S. Hagen, W. H. Armstrong, und M. M. Olmstead. $[\text{Mn}_{10}\text{O}_4\text{N}(\text{CH}_2\text{CH}_2\text{NH}_2)_3]_6^{8+}$: a mixed-valence polyoxomanganese polycation possessing structural similarities to naturally occurring layered manganese oxides. *J. Am. Chem. Soc.*, 111(2):774–775, 1989a.
- K. S. Hagen, T. D. Westmoreland, M. J. Scott, und W. H. Armstrong. Structural and electronic consequences of protonation in $[\text{Mn}_4\text{O}_6]^{4+}$ cores: pH dependent properties of oxo-bridged manganese complexes. *J. Am. Chem. Soc.*, 111(5):1907–1909, 1989b.
- L. Hammarström, L. Sun, B. Åkermark, und S. Styring. A biomimetic approach to artificial photosynthesis: Ru(II)-polypyridine photo-sensitisers linked to tyrosine and manganese electron donors. *Spectrochimica Acta A*, 57(11):2145–2160, 2001.
- J. Hanley, J. Sarrou, und V. Petroureas. Orientation of the Mn(II)-Mn(III) dimer which results from the reduction of the oxygen-evolving complex of photosystem II by NO: An electron paramagnetic resonance study. *Biochemistry*, 39(50):15441–15445, 2000.
- K. Hasegawa, M. Kusunoki, Y. Inoue, und T.-A. Ono. Simulation of S₂-state multiline EPR signal in oriented photosystem II membranes: Structural implications for the manganese cluster in an oxygen-evolving complex. *Biochemistry*, 37(26):9457–9465, 1998.

K. Hasegawa, T. Ono, Y. Inoue, und M. Kusunoki. Spin-exchange interactions in the S₂-state manganese tetramer in photosynthetic oxygen-evolving complex deduced from g=2 multiline EPR signal. *Chem. Phys. Lett.*, 300(1-2):9–19, 1999.

M. Haumann, O. Bögershausen, D. Cherepanov, R. Ahlbrink, und W. Junge. Photosynthetic oxygen evolution: H/D isotope effects and the coupling between electron and proton transfer during the redox reactions at the oxidizing side of photosystem II. *Photosynth. Res.*, 51(3):193–208, 1997.

M. Haumann, O. Bögershausen, und W. Junge. Photosynthetic oxygen evolution: Net charge transients as inferred from electrochromic bandshifts are independent of proton release into the medium. *FEBS Lett.*, 355:101–105, 1994.

M. Haumann, H. Dau, P. Pospisil, J. Dittmer, L. Iuzzolino, und W. Meyer-Klaucke. Atomic-resolution models of the Photosystem II manganese complex in the S₁, S₂, and S₃ redox states based on x-ray absorption linear dichroism data. In *PS2001: Proceedings of the 12th International Congress on Photosynthesis*, S. S10013 10011–10015, Brisbane, Australia, 2001. CSIRO Publishing, Melbourne, Australia.

M. Haumann, M. Grabolle, T. Neisius, und H. Dau. The first room-temperature x-ray absorption spectra of higher oxidation states of the tetra-manganese complex of photosystem II. *FEBS Lett.*, 512(1-3):116–120, 2002a.

M. Haumann und W. Junge. Protons and charge indicators in oxygen evolution. In D. Ort und C.F. Yocom, Editoren, *Oxygenic Photosynthesis - The Light Reactions*, Advances in photosynthesis, S. 165–192. Kluwer Academic Publ., Dordrecht, 1.. Ausgabe, 1996.

M. Haumann, C. Müller, P. Liebisch, M. Grabolle, L. Iuzzolino, J. Dittmer, T. Neisius, W. Meyer-Klaucke, und H. Dau. Structural and oxidation state changes of the photosystem II manganese complex in four transitions of the water oxidation cycle (S₀ → S₁, S₁ → S₂, S₂ → S₃, S_{3,4} → S₀) characterized by x-ray absorption spectroscopy at 20 K as well as at room temperature. *Biochemistry*, 2005. in press.

M. Haumann, A. Porthun, T. Buhrke, P. Liebisch, W. Meyer-Klaucke, B. Friedrich, und H. Dau. Hydrogen-induced structural changes at the nickel site of the regulatory NiFe hydrogenase from ralstonia eutropha detected by x-ray absorption spectroscopy. *Biochemistry*, 42(37):11004–11015, 2003.

M. Haumann, P. Pospisil, M. Grabolle, C. Müller, P. Liebisch, V. A. Sole, T. Neisius, J. Dittmer, L. Iuzzolino, und H. Dau. First steps towards time-resolved bioxas at room temperature: State transitions of the manganese complex of oxygenic photosynthesis. *J. Sync. Rad.*, 9:304–308, 2002b.

H.-W. Heldt und F. Heldt. *Plant Biochemistry*. Elsevier Academic Press, Burlington, 2004.

B. L. Henke, E. M. Gullikson, und J. C. Davis. X-ray interactions: photoabsorption, scattering, transmission, and reflection at E=50-30000 eV, Z=1-92. *Atomic Data and Nuclear Data Tables*, 54(2):181–342, 1993.

W. Hillier und T. Wydrzynski. Oxygen ligand exchange at metal sites - implications for the O₂ evolving mechanism of photosystem II. *Biochim. Biophys. Acta*, 1503(1-2):197–209, 2001.

- A. Hocquet und M. Langgård. An evaluation of the mm+ force field. *Journal of Molecular Modeling*, 4(3):94–112, 1998.
- O. Horner, E. Anxolabehere-Mallart, M.-F. Charlot, L. Tchertanov, J. Guilhem, T. A. Mattioli, A. Boussac, und J.-J. Girerd. A new manganese dinuclear complex with phenolate ligands and a single unsupported oxo bridge. storage of two positive charges within less than 500 mV. Relevance to photosynthesis. *Inorg. Chem.*, 38(6):1222–1232, 1999.
- P. Huang, J. Höglom, M. F. Anderlund, L. Sun, A. Magnuson, und S. Styring. Light-induced multistep oxidation of dinuclear manganese complexes for artificial photosynthesis. *J. Inorg. Biochem.*, in press, 2004.
- P. Huang, A. Magnuson, R. Lomoth, M. Abrahamsson, M. Tamm, L. Sun, B. v. Rotterdam, J. Park, L. Hammarström, B. Åkermark, und S. Styring. Photo-induced oxidation of a dinuclear Mn₂^{II,II} complex to the Mn₂^{III,IV} state by inter- and intramolecular electron transfer to Ru^{III}tris-bipyridine. *J. Inorg. Biochem.*, 91(1):159–172, 2002.
- M. Hundelt, M. Haumann, und W. Junge. Cofactor X of photosynthetic water oxidation: Electron transfer, proton release, and electrogenic behaviour in chloride-depleted photosystem II. *Biochim. Biophys. Acta*, 1321(1):47–60, 1997.
- D.-P. Häder. *Photosynthese*. Thieme, Stuttgart, 1999.
- L. Iuzzolino. *Die lichtgetriebene Wasserspaltungsreaktion im Photosystem II: Spektroskopische Untersuchungen zur Struktur und Funktion des Mangankomplexes an orientierten Membranpartikeln*. Doktorarbeit, Philipps-Universität Marburg, 1999.
- L. Iuzzolino, J. Dittmer, W. Dörner, W. Meyer-Klaucke, und H. Dau. X-ray absorption spectroscopy on layered photosystem II membrane particles suggests manganese-centered oxidation of the oxygen-evolving complex for the S₀ – S₁, S₁ – S₂, and S₂ – S₃ transitions of the water oxidation cycle. *Biochemistry*, 37(49):17112–17119, 1998.
- H. G. Jang, J. B. Vincent, M. Nakano, J. C. Huffman, G. Christou, M. Sorai, R. J. Wittebort, und D. N. Hendrickson. Highly cooperative valence detrapping of mixed-valence manganese complex [Mn₃O(O₂CCH₃)₆(py)₃](py) in the solid state. *J. Am. Chem. Soc.*, 111(20):7778–7784, 1989.
- W. Junge, M. Haumann, R. Ahlbrink, A. Mulkidjanian, und J. Clausen. Electrostatics and proton transfer in photosynthetic water oxidation. *Philos. Trans. R. Soc. London, Ser. B*, 357(1426):1407 – 1418, 2002.
- N. Kamiya und J.-R. Shen. Crystal structure of oxygen-evolving photosystem II from *Thermosynechococcus vulcanus* at 3.7 Å resolution. *Proc. Natl. Acad. Sci. USA*, 100: 98–103, 2003.
- J. A. Kirby, D. B. Goodin, T. Wydrzynski, A. S. Robertson, und M. P. Klein. State of manganese in the photosynthetic apparatus. 2. X-ray absorption edge studies on manganese in photosynthetic membrane. *J. Am. Chem. Soc.*, 103(18):5537–5542, 1981a.
- J. A. Kirby, A. S. Robertson, J. P. Smith, A. C. Thompson, S. R. Cooper, und M. P. Klein. State of manganese in the photosynthetic apparatus. 1. Extended x-ray absorption fine structure studies on chloroplasts and di- μ -oxo-bridged dimanganese model compounds. *J. Am. Chem. Soc.*, 103(18):5529–5537, 1981b.

- O. Kleifeld, A. I. Frenkel, J. M. L. Matrtin, und I. Sagi. Active site electronic structure and dynamics during metalloenzyme catalysis. *Nat. Struct. Biol.*, 10(2):98–103, 2003.
- V. V. Klimov, S. I. Allakhverdiev, S. Demeter, und A. A. Krasnovskii. Photoreduction of pheophytin in the photosystem II of chloroplasts with respect to the redox potential of the medium. *Dokl. Akad. Nauk SSSR*, 249:227–230, 1979.
- B. Kok, B. Forbush, und M. McGloin. Cooperation of charges in photosynthetic O₂ evolution. 1. A linear 4 step mechanism. *Photochemistry and Photobiology*, 11(6):457, 1970.
- D. Kuzek und R. J. Pace. Probing Mn oxidation states in the OEC. Insights from spectroscopic, computational and kinetic data. *Biochim. Biophys. Acta*, 1503(1-2):123–137, 2001.
- K. V. Lakshmi, S. S. Eaton, G. R. Eaton, und G. W. Brudvig. Orientation of the tetranuclear manganese cluster and tyrosine Z in the O₂-evolving complex of photosystem II: An EPR study of the S₂Y_Z state in oriented acetate-inhibited photosystem II membranes. *Biochemistry*, 38(39):12758–12767, 1999.
- T. K. Lal und R. Mukherjee. Modeling the oxygen-evolving complex of photosystem II. Synthesis, redox properties, and core interconversion studies of dimanganese complexes having {Mn₂^{III}(μ-O)(μ-OAc)₂}²⁺, {Mn^{III}Mn^{IV}(μ-O)₂(μ-OAc)}²⁺, and {Mn₂^{IV}(μ-O)₂(μ-OAc)}³⁺ cores with MeL as a terminal ligand: A new asymmetric mixed-valence core. *Inorg. Chem.*, 37(10):2373–2382, 1998.
- E. J. Larson und V. L. Pecoraro. Introduction to manganese enzymes. In Vincent L. Pecoraro, Editor, *Manganese Redox Enzymes*. VCH Publishers, New York, 1992.
- J. Lavergne und W. Junge. Proton release during the redox cycle of the water oxidase. *Photosynth. Res.*, 38:279–296, 1993.
- D. W. Lawlor. *Photosynthese*. Georg Thieme Verlag, Stuttgart, 1990.
- P. A. Lee und J. B. Pendry. Theory of the extended x-ray absorption fine structure. *Phys. Rev. B*, 11:2795–2811, 1975.
- W. Liang, T. A. Roelofs, R. M. Cinco, A. Rompel, M. J. Latimer, W. O. Yu, K. Sauer, M. P. Klein, und V. K. Yachandra. Structural change of the Mn cluster during the S₂ → S₃ state transition of the oxygen-evolving complex of photosystem II. Does it reflect the onset of water/substrate oxidation? Determination by Mn x-ray absorption spectroscopy. *J. Am. Chem. Soc.*, 122(14):3399–3412, 2000.
- P. Liebisch, M. Barra, M. Grabolle, C. Müller, A. Erko, und H. Dau. On the evolutionary origin of the manganese complex of oxygenic photosynthesis: Possible formation of a bicarbonate precursor complex. *BESSY - Annual Report*, S. 470–472, 2003a.
- P. Liebisch und H. Dau. Structural and oxidation state changes of the Mn₄Ca complex of photosystem II in its S-state cycle - results XANES analysis by ab-initio simulations. 2005. Manuskript in Vorbereitung.
- P. Liebisch, H. Hartmann, C. Müller, D. Höning, K.-H. Decker, und H. Dau. The influence of ph on the oxygen-binding binuclear copper site of hemoxyanin in *Eurytelma californicum* and *Palinurus elephas*. 2005. Manuskript in Vorbereitung.

- P. Liebisch, C. Müller, M. Grabolle, M. Haumann, und H. Dau. Simulation of XANES spectra for protein-bound metal centers: analysis of linear dichroism data. *Phys. Scripta*, 2004. in press.
- P. Liebisch, C. Müller, C. Plieth, A. Erko, und H. Dau. Micro-focus XAS measurements on volcano-shaped manganese deposits at the cell-wall of the green alga *Chara corallina*. *BESSY - Annual Report*, S. 473–745, 2003b.
- R. Lomoth, P. Huang, J. Zheng, L. Sun, L. Hammarström, B. Åkermark, und S. Styring. Synthesis and characterization of a dinuclear manganese(III,III) complex with three phenolate ligands. *Eur. J. Inorg. Chem.*, 2002(11):2965–2974, 2002.
- M. Lundberg und P. E. M. Siegbahn. Theoretical investigations of structure and mechanism of the oxygen-evolving complex in PSII. *Phys. Chem. Chem. Phys.*, 6(20):4772–4780, 2004.
- F. W. Lytle, R. B. Greegor, und A. J. Panson. Discussion of x-ray-absorption near-edge structure: Application to Cu in the high-T_c superconductors La_{1.8}Sr_{0.2}CuO₄ and YBa₂Cu₃O₇. *Phys. Rev. B*, 37:1550–1562, 1988.
- D. J. MacLachlan, J. H. A. Nugent, und M. C. W. Evans. A XANES study of the manganese complex of inhibited PS II membranes indicates manganese redox changes between the modified S₁, S₂ and S₃ states. *Biochim. Biophys. Acta*, 1185(1):103–111, 1994.
- A. Magnuson und L.-E. Andreasson. Different manganese binding sites in photosystem II probed by selective chemical modification of histidyl and carboxylic acid residues. *Biochemistry*, 36(11):3254–3261, 1997.
- A. Magnuson, P. Liebisch, M. Haumann, J. Höglom, M. F. Anderlund, R. Lomoth, W. Meyer-Klaucke, und H. Dau. Bridging-mode changes in response to manganese oxidation in two binuclear manganese complexes - implications for photosynthetic water-oxidation. *J. Biol. Inorg. Chem.*, 2004. submitted.
- A. Manceau, D. Chateigner, und W. P. Gates. Polarized EXAFS, distance-valence least-squares modeling (DVLS), and quantitative texture analysis approaches to the structural refinement of garfield nontronite. *Phys. Chem. Min.*, 25(5):347–365, 1998.
- R. Manchanda, H. H. Thorp, G. W. Brudvig, und R. H. Crabtree. Proton-coupled electron transfer in high-valent oxomanganese dimers: role of the ancillary ligands. *Inorg. Chem.*, 30(3):494–497, 1991.
- S. K. Mandal und W. H. Armstrong. A novel triply bridged dinuclear manganese (III) complex containing the [Mn₂O(OAc)₂]²⁺ core: Synthesis, crystal structure and properties of [Mn₂(-O)(-OAc)₂(bpea)₂](ClO₄)₂. *Inorg. Chim. Acta*, 229(1-2):261–270, 1995.
- A. Martin und A. G. Orpen. Structural systematics. 6.1 Apparent flexibility of metal complexes in crystals. *J. Am. Chem. Soc.*, 118(6):1464–1470, 1996.
- L. F. Mattheiss. Energy bands for solid argon. *Phys. Rev.*, 133:A1399–A1403, 1964.
- J. E. McGrady und R. Stranger. Redox-induced changes in the geometry and electronic structure of di- μ -oxo-bridged manganese dimers. *J. Am. Chem. Soc.*, 119(36):8512–8522, 1997.

W. H. McMaster, N. K. Del Grande, J. H. Mallet, und J. H. Hubbel. Compilation of x-ray cross sections. Technical Report UCRL-50174-SEC 2-R1, U.S. Department of Commerce, 1969.

C. Meinke, V. A. Sole, P. Pospisil, und H. Dau. Does the structure of the water-oxidizing photosystem II-manganese complex at room temperature differ from its low-temperature structure? A comparative x-ray absorption study. *Biochemistry*, 39(24):7033–7040, 2000.

A. Melis. Functional properties of photosystem IIb in spinach chloroplasts. *Biochim. Biophys. Acta*, 808(2):334–342, 1985.

A. Messiah. *Quantenmechanik*, Band 2. Wiley, New York, 1977.

J. Messinger und G. Renger. Analyses of pH-induced modifications of the period four oscillation of flash-induced oxygen evolution reveal distinct structural changes of the photosystem II donor side at characteristic pH values. *Biochemistry*, 33(36):10896–10905, 1994.

J. Messinger, J. H. Robblee, U. Bergmann, C. Fernandez, P. Glatzel, H. Visser, R. M. Cinco, K. L. McFarlane, E. Bellacchio, S. A. Pizarro, S. P. Cramer, K. Sauer, M. P. Klein, und V. K. Yachandra. Absence of Mn-centered oxidation in the $S_2 \rightarrow S_2$ transition: Implications for the mechanism of photosynthetic water oxidation. *J. Am. Chem. Soc.*, 123(32):7804–7820, 2001.

J. Messinger, W. P. Schroeder, und G. Renger. Structure-function relations in photosystem II. effects of temperature and chaotropic agents on the period four oscillation of flash-induced oxygen evolution. *Biochemistry*, 32(30):7658–7668, 1993.

J. G. Metz, P. J. Nixon, M. Rogner, G. W. Brudvig, und B. A. Diner. Directed alteration of the D1 polypeptide of photosystem II: evidence that tyrosine-161 is the redox component, Z, connecting the oxygen-evolving complex to the primary electron donor, P680. *Biochemistry*, 28(17):6960–6969, 1989.

R. C. L. Mooney. The crystal structure of potassium permanganate. *Phys. Rev.*, 137: 1306–1310, 1931.

I. Mukerji, J. C. Andrews, V. J. DeRose, M. J. Latimer, V. K. Yachandra, K. Sauer, und M. P. Klein. Orientation of the oxygen-evolving manganese complex in a photosystem II membrane preparation: an x-ray absorption spectroscopy study. *Biochemistry*, 33(32): 9712–9721, 1994.

S. Mukhopadhyay, S. K. Mandal, S. Bhaduri, und W. H. Armstrong. Manganese clusters with relevance to photosystem II. *Chem. Rev.*, 104(9):3981–4026, 2004.

J. Mustre de Leon, J. J. Rehr, S. I. Zabinsky, und R. C. Albers. Ab initio curved-wave x-ray-absorption fine structur. *Phys. Rev. B*, 44(9):4146–4156, 1991.

C. Müller, P. Liebisch, M. Barra, H. Dau, und M. Haumann. The location of calcium in the manganese complex of oxygenic photosynthesis studied by x-ray absorption spectroscopy at the Ca K-edge. *Phys. Scripta*, in press, 2005.

J. A. Laird, R. Friesner, H. A. Frank, und K. Sauer. A new approach to the theory of linear dichroism in partially ordered systems. *Biophys. J.*, 32(2):733–753, 1980.

- J. A. Nairn, R. Friesner, und K. Sauer. A general theory of the spectroscopic properties of partially ordered ensembles. II. Two-vector problems. *J. Chem. Phys.*, 74(10):5398–5406, 1981.
- C. R. Natoli. *Near Edge Structure III*, Band 2 von *Springer Proceeding in Physics*. Springer-Verlag, New York, 1984.
- C. R. Natoli und M. Benfatto. A unifying scheme of interpretation of x-ray absorption-spectra based on the multiple-scattering theory. *J. Phys.*, 47:11–23, 1986.
- C. R. Natoli, D. K. Misemer, S. Doniach, und F. W. Kutzler. First-principles calculation of x-ray absorption-edge structure in molecular clusters. *Phys. Rev. A*, 22:1104–1108, 1980.
- S. M. Oh, S. R. Wilson, D. N. Hendrickson, S. E. Woehler, R. J. Wittebort, D. Inniss, und C. E. Strouse. Micromodulation: Induction of intramolecular electron transfer by solvate molecule dynamics in the iron acetato oxo methylpyridine mixed-valence complex $[\text{Fe}_3\text{O}(\text{O}_2\text{CCH}_3)_6(3\text{-Me-py})_3](\text{solvate})$. *J. Am. Chem. Soc.*, 109(4):1073–1090, 1987.
- M. O’Keeffe und N. E. Brese. Atom sizes and bond lengths in molecules and crystals. *J. Am. Chem. Soc.*, 113(9):3226–3229, 1991.
- T. Ono, T. Noguchi, Y. Inoue, M. Kusunoki, T. Matsushita, und H. Oyanagi. X-ray-detection of the period-4 cycling of the manganese cluster in photosynthetic water oxidizing enzyme. *Science*, 258(5086):1335–1337, 1992.
- G. J. Palenik. Crystal structure of potassium permanganate. *Inorg. Chem.*, 6(3):503–507, 1967.
- K. Peariso, Z. S. Zhou, A. E. Smith, R. G. Matthews, und J. E. Penner-Hahn. Characterization of the zinc sites in cobalamin-independent and cobalamin-dependent methionine synthase using zinc and selenium x-ray absorption spectroscopy. *Biochemistry*, 40(4):987–993, 2001.
- J. M. Peloquin und R. D. Britt. EPR/ENDOR characterization of the physical and electronic structure of the OEC Mn cluster. *Biochim. Biophys. Acta*, 1503(1-2):96–111, 2001.
- J. E. Penner-Hahn. Structural characterization of the Mn site in the photosynthetic oxygen-evolving complex. In H. A. O Hill, P. J. Sadler, und A. J. Thomson, Editoren, *Structure and Bonding: Metal Sites in Proteins and Models: Redox Centres*, Band 90, S. 1–36. Springer Verlag, Heidelberg, 1998.
- J. E. Penner-Hahn. X-ray absorption spectroscopy in coordination chemistry. *Coord. Chem. Rev.*, 190-192:1101–1123, 1999.
- J. E. Penner-Hahn. Snapshots of transition states? *Nat. Struct. Biol.*, 10(2):75–77, 2003.
- P. Pospisil, M. Haumann, J. Dittmer, V. A. Sole, und H. Dau. Stepwise transition of the tetra-manganese complex of photosystem II to a binuclear $\text{Mn}_2(\mu\text{-O})_2$ complex in response to a temperature jump: A time-resolved structural investigation employing x-ray absorption spectroscopy. *Biophys. J.*, 84:1370–1386, 2003.

- R. C. Prince, S. P. Cramer, und G. N. George. The manganese cluster of the water-splitting enzyme. *Current Research in Photosynthesis*, 1:685–692, 1990.
- P. Rabe, G. Tolkiehn, und A. Werner. High-accuracy bond lengths from EXAFS of solid potassium permanganate and permanganate anion in aqueous solution. *Journal of Physics C: Solid State Physics*, 12(6):1173–1181, 1979.
- J. J. Rehr und R. C. Albers. Theoretical approaches to x-ray absorption fine structure. *Rev. Mod. Phys.*, 72(3):621–654, 2000.
- J. J. Rehr, J. Mustre de Leon, S. I. Zabinsky, und R. C. Albers;. Theoretical x-ray absorption fine structure standards. *J. Am. Chem. Soc.*, 113(14):5135–5140, 1991.
- G. Renger. Water cleavage by solar-radiation - An inspiring challenge of photosynthesis research. *Photosynth. Res.*, 38(3):229–247, 1993.
- G. Renger, G. Christen, M. Karge, H.-J. Eckert, und K.-D. Irrgang. Application of the marcus theory for analysis of the temperature dependence of the reactions leading to photosynthetic water oxidation: results and implications. *J. Biol. Inorg. Chem.*, 3(4):360–366, 1998.
- G. Renger und B. Hanssum. Studies on the reaction coordinates of the water oxidase in PSII membrane fragments from spinach. *FEBS Lett.*, 299(1):28–32, 1992.
- P. J. Riggs-Gelasco, R. Mei, D. F. Ghanotakis, C. F. Yocom, und J. E. Penner-Hahn. X-ray absorption spectroscopy of calcium-substituted derivatives of the oxygen-evolving complex of phostosystem II. *J. Am. Chem. Soc.*, 118(10):2400–2410, 1996.
- J. H. Robblee, R. M. Cinco, und V. K. Yachandra. X-ray spectroscopy-based structure of the Mn cluster and mechanism of photosynthetic oxygen evolution. *Biochim. Biophys. Acta*, 1503(1-2):7–23., 2001.
- J. H. Robblee, J. Messinger, R. M. Cinco, K. L. McFarlane, C. Fernandez, S. A. Pizarro, K. Sauer, und V. K. Yachandra. The Mn cluster in the S_0 state of the oxygen-evolving complex of photosystem II studied by EXAFS spectroscopy: are there three di- μ -oxo-bridged Mn_2 moieties in the tetranuclear Mn complex? *J. Am. Chem. Soc.*, 124(25):7459–7471., 2002.
- M. B. Robin und P. Day. Mixed valence chemistry. A survey and classification. *Adv. Inorg. Chem. Radiochem.*, 10:247–422, 1967.
- T. A. Roelofs, W. Liang, M. J. Latimer, R. M. Cinco, A. Rompel, J. C. Andrews, K. Sauer, V. K. Yachandra, und M. P. Klein. Oxidation states of the manganese cluster during the flash-induced S- state cycle of the photosynthetic oxygen-evolving complex. *Proc. Natl. Acad. Sci. USA*, 93(8):3335–3340., 1996.
- K. Sauer und V. K. Yachandra. A possible evolutionary origin for the Mn_4 cluster of the photosynthetic water oxidation complex from natural MnO_2 precipitates in the early ocean. *Proc. Natl. Acad. Sci. USA*, 99:8631–8636, 2002.
- K. Sauer und V. K. Yachandra. The water-oxidation complex in photosynthesis. *Biochim. Biophys. Acta*, 1655:140–148, 2004.

- K. Sauer, V. K. Yachandra, R. D. Britt, und M. P. Klein. The photosynthetic water oxidation complex studied by EPR and x-ray absorption spectroscopy. In V. L. Pecoraro, Editor, *Manganese Redox Enzymes*, S. 141–175. VCH, New York, 1992.
- D. E. Sayers, E. A. Stern, und F. W. Lytle. New technique for investigating noncrystalline structures: Fourier analysis of the extended x-ray-absorption fine structure. *Phys. Rev. Lett.*, 27(18):1204–1207, 1971.
- H. Schiller und H. Dau. Preparation protocols for high-activity photosystem II membrane particles of green algae and higher plants, pH dependence of oxygen evolution and comparison of the S₂-state multiline signal by X-band EPR spectroscopy. *J. Photochem. Photobiol. B*, 55(2-3):138–144, 2000.
- H. Schiller, J. Dittmer, L. Iuzzolino, W. Dörner, W. Meyer-Klaucke, V. A. Sole, H.-F. Nolting, und H. Dau. Structure and orientation of the oxygen-evolving manganese complex of green algae and higher plants investigated by x-ray absorption linear dichroism spectroscopy on oriented photosystem II membrane particles. *Biochemistry*, 37:7340–7350, 1998.
- K. O. Schäfer, R. Bittl, W. Zweygart, F. Lendzian, G. Haselhorst, T. Weyhermuller, K. Wieghardt, und W. Lubitz. Electronic structure of antiferromagnetically coupled dinuclear manganese Mn^{III}Mn^{IV} complexes studied by magnetic resonance techniques. *J. Am. Chem. Soc.*, 120(50):13104–13120, 1998.
- R. A. Scott. X-ray absorption spectroscopy. In L. Que Jr., Editor, *Spectroscopy and Magnetism, Physical Methods in Bioinorganic Chemistry*, S. 465–504. University Science Books, Sausalito, 2000.
- R. F. See, R. A. Kruse, und W. M. Strub. Metal-ligand bond distances in first-row transition metal coordination compounds: Coordination number, oxidation state, and specific ligand effects. *Inorg. Chem.*, 37(20):5369–5375, 1998.
- F. Sepulcre, M. G. Proietti, M. Benfatto, S. D. Longa, J. García, und E. Padrós. A quantitative XANES analysis of the calcium high-affinity binding site of the purple. *Biophys. J.*, 87:513–520, 2004.
- T. K. Sham und B. S. Brunschwig. X-ray absorption spectra of permanganate(1-) and permanganate(2-) ions with synchrotron radiation: a study of structure and bonding properties of transition-metal complexes in solution. *J. Am. Chem. Soc.*, 1981(103):6, 1981.
- J. A. Sheehy, T. J. Gil, C. L. Winstead, R. E. Farren, und P. W. Langhoff. Correlation of molecular valence- and K-shell photoionization resonances with bond lengths. *J. Chem. Phys.*, 91:1796–1812, 1989.
- P. E. M. Siegbahn. Theoretical models for the oxygen radical mechanism of water oxidation and of the water oxidizing complex of photosystem II. *Inorg. Chem.*, 39(13):2923–2935, 2000.
- P. E. M. Siegbahn und M. R. A. Blomberg. Density functional theory of biologically relevant metal centers. *Annu. Rev. Phys. Chem.*, 50:221–249, 1999.

P. E. M. Siegbahn und R. H. Crabtree. Manganese oxyl radical intermediates and O-O bond formation in photosynthetic oxygen evolution and a proposed role for the calcium cofactor in photosystem II. *J. Am. Chem. Soc.*, 121(1):117–127, 1999.

V. A. Sole, C. Gauthier, J. Goulon, und F. Natali. Undulator QEXAFS at the ESRF beamline ID26. *J. Sync. Rad.*, 6(3):174–175, 1999.

K. K. Stavrev, M. C. Zerner, und T. J. Meyer. Outer-sphere charge-transfer effects on the spectroscopy of the $[\text{Ru}(\text{NH}_3)_5(\text{py})]^{2+}$ complex. *J. Am. Chem. Soc.*, 117(33):8684–8685, 1995.

M. Stebler, A. Ludi, und H. B. Bürgi. Tetrakis(phenanthroline)-di- μ -oxodimanganese(III,IV) tris(hexafluorophosphate)·acetonitrile and tetrakis(phenanthroline)di- μ -oxodimanganese(IV) tetraperchlorate·acetonitrile: Crystal structure analyses at 100 K, interpretation of disorder, and optical, magnetic, and electrochemical results. *Inorg. Chem.*, 25(26):4743–4750, 1986.

T. L. Stemmler, T. M. J. Sossong, J. I. Goldstein, D. E. Ash, T. E. Elgren, Jr. Kurtz, D. M., und J. E. Penner-Hahn. EXAFS comparison of the dimanganese core structures of manganese catalase, arginase, and manganese-substituted ribonucleotide reductase and hemerythrin. *Biochemistry*, 36(32):9847–9858, 1997.

E. A. Stern. Number of relevant independent points in x-ray-absorption fine-structure spectra. *Phys. Rev. B*, 48(13):9825–9827, 1993.

L. Stryer. *Biochemistry*. Freeman, New York, 4th. Ausgabe, 1995.

J. Stöhr. *NEXAFS spectroscopy*, Band 25 von *Springer series in surface sciences*. Springer Verlag, Berlin, 1992.

J. Stöhr und M. G. Samant. Liquid crystal alignment by rubbed polymer surfaces: a microscopic bond orientation model. *J. Electron. Spectrosc. Relat. Phenom.*, 98-99: 189–207, 1999.

L. Sun, H. Berglund, R. Davydov, T. Norrby, L. Hammarstrom, P. Korall, A. Borje, C. Philouze, K. Berg, A. Tran, M. Andersson, G. Stenhagen, J. Martensson, M. Almgren, S. Styring, und B. Åkermark. Binuclear ruthenium-manganese complexes as simple artificial models for photosystem II in green plants. *J. Am. Chem. Soc.*, 119(30):6996–7004, 1997.

L. Sun, M. K. Raymond, A. Magnusson, D. LeGourriérec, M. Tamm, M. Abrahamsson, P. H. Kenéz, J. Mårtensson, G. Stenhagen, L. Hammarström, S. Styring, und B. Åkermark. Towards an artificial model for photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative. *J. Inorg. Biochem.*, 78(1):15–22, 2000.

T. Tanase und S. J. Lippard. Dinuclear manganese(II) complexes with the $\{\text{Mn}_2(\mu\text{-carboxylato})_2\}^{2+}$ core and their transformation to (μ -oxo)bis(μ -carboxylato)dimanganese(III) complexes. *Inorg. Chem.*, 34(18):4682–4690, 1995.

X. Tang, B. A. Diner, B. S. Larsen, M. L. J. Gilchrist, G. A. Lorigan, und R. D. Britt. Identification of histidine at the catalytic site of the photosynthetic oxygen-evolving complex. *Proc. Natl. Acad. Sci. USA*, 91:704–708, 1994.

- B. Teo. *EXAFS: Basic Principles and Data Analysis*. Springer Verlag, Berlin, Germany, 1986.
- H. H. Thorp. Bond valence sum analysis of metal-ligand bond lengths in metalloenzymes and model complexes. *Inorg. Chem.*, 31(9):1585–1588, 1992.
- H. H. Thorp, J. E. Sarneski, G. W. Brudvig, und R. H. Crabtree. Proton-coupled electron transfer in manganese complex $[(\text{bpy})_2\text{Mn}(\text{O})_2\text{Mn}(\text{bpy})_2]^{3+}$. *J. Am. Chem. Soc.*, 111(26):9249–9250, 1989.
- E. R. T. Tiekkink, V. J. Hall, M. A. Buntine, und J. Hook. Examination of the effect of crystal packing forces on geometric parameters: a combined crystallographic and theoretical study of 2,20-bipyridyl adducts of R_2SnCl_2 . *Z. Kristallogr.*, 215:23–33, 2000.
- C. Tommos und G. T. Babcock. Proton and hydrogen currents in photosynthetic water oxidation. *Biochim. Biophys. Acta*, 1458(1):199–219, 2000.
- J. van Elp, G. Peng, Z. H. Zhou, M. W. W. Adams, N. Baidya, P. K. Mascharak, und S. P. Cramer. Nickel L-edge x-ray absorption spectroscopy of *Pyrococcus furiosus* hydrogenase. *Inorg. Chem.*, 34(10):2501–2504, 1995.
- I. Vass und S. Styring. pH-dependent charge equilibria between tyrosine-D and the S states in photosystem II. estimation of relative midpoint redox potentials. *Biochemistry*, 30(3):830–839, 1991.
- H. Visser, E. Anxolabehere-Mallart, U. Bergmann, P. Glatzel, J. H. Robblee, S. P. Cramer, J.-J. Girerd, K. Sauer, M. P. Klein, und V. K. Yachandra. Mn K-edge XANES and K_β , XES studies of two Mn-oxo binuclear complexes: Investigation of three different oxidation states relevant to the oxygen-evolving complex of photosystem II. *J. Am. Chem. Soc.*, 123:7031–7039, 2001.
- M. H. Vos, H. J. van Gorkom, und P. J. van Leeuwen. An electroluminescence study of stabilization reactions in the oxygen-evolving complex of photosystem II. *Biochim. Biophys. Acta*, 1056:27–39, 1991.
- H. Wang, G. Peng, L. M. Miller, E. M. Scheuring, S. J. George, M. R. Chance, und S. P. Cramer. Iron L-edge x-ray absorption spectroscopy of myoglobin complexes and photolysis products. *J. Am. Chem. Soc.*, 119(21):4921–4928, 1997.
- E. C. Wasinger, F. M. F. d. Groot, B. Hedman, K. O. Hodgson, und E. I. Solomon. L-edge x-ray absorption spectroscopy of non-heme iron sites: Experimental determination of differential orbital covalency. *J. Am. Chem. Soc.*, 125(42):12894 – 12906, 2003.
- K. Wieghardt. The active sites in manganese-containing metalloproteins and inorganic model complexes. *Angew. Chem., Int. Ed. Engl.*, 28:1153–1172, 1989.
- C. L. Winstead und P. W. Langhoff. Hilbert-space formulation of Feschbach-Fano methods for atomic and molecular photoionization: Optimal choice of zeroth-order states in shape-resonance channels. *Chem. Phys. Lett.*, 151(4-5):417–424, 1988.
- S. E. Woehler, R. J. Wittebort, S. M. Oh, T. Kambara, D. N. Hendrickson, D. Inniss, und C. E. Strouse. Deuteron NMR study of lattice dynamics affecting the rate of intramolecular electron transfer in the iron acetato oxo pyridine mixed-valence complex $[\text{Fe}_3\text{O}(\text{O}_2\text{CCH}_3)_6(\text{py})_3](\text{py})$. *J. Am. Chem. Soc.*, 109(4):1063–1072, 1987.

R. Wu, M. Poyraz, F. E. Sowrey, C. E. Anson, S. Wocadlo, A. K. Powell, U. A. Jayasooriya, R. D. Cannon, T. Nakamoto, M. Katada, und H. Sano. Electron localization and delocalization in mixed-valence transition metal clusters: Structural and spectroscopic studies of oxo-centered trinuclear complexes $[\text{Fe}_3\text{O}(\text{OOCCMe}_3)_6(\text{py})_3]^{+/0}$ and $[\text{Mn}_3\text{O}(\text{OOCCMe}_3)_6(\text{py})_3]^{+/0}$. *Inorg. Chem.*, 37(8):1913–1921, 1998.

V. K. Yachandra. X-ray absorption spectroscopy and applications in structural biology. In K. Sauer, Editor, *Methodes in Enzymology 246 - Biochemical Spectroskopie*, S. 638–678. Academic Press, New York, 1995.

V. K. Yachandra. Structure of the manganese complex in photosystem II: insights from x-ray spectroscopy. *Philos. Trans. R. Soc. Lond. B Biol. Sci.*, 357(1426):1347–1357, 2002.

V. K. Yachandra, V. J. DeRose, M. J. Latimer, I. Mukerji, K. Sauer, und M. P. Klein. Where plants make oxygen: a structural model for the photosynthetic oxygen-evolving manganese cluster. *Science*, 260(5108):675–679, 1993.

V. K. Yachandra, R. D. Guiles, A. E. McDermott, J. L. Cole, R. D. Britt, S. L. Dexheimer, K. Sauer, und M. P. Klein. Comparison of the structure of the manganese complex in the S_1 and S_2 states of the photosynthetic oxygen-evolving complex: an x-ray absorption spectroscopy study. *Biochemistry*, 26(19):5974–5981, 1987.

V. K. Yachandra, K. Sauer, und M. P. Klein. Manganese cluster in photosynthesis: Where plants oxidize water to dioxygen. *Chem. Rev.*, 96(7):2927–2950., 1996.

M. C. Zerner, G. H. Loew, R. F. Kirchner, und U. T. Mueller-Westerhoff. An intermediate neglect of differential overlap technique for spectroscopy of transition-metal complexes. ferrocene. *J. Am. Chem. Soc.*, 102(2):589–599, 1980.

A. Zouni, K.-D. Irrgang, und W. Saenger. 2004. unveröffentlichte Ergebnisse.

A. Zouni, H.-T. Witt, J. Kern, P. Fromme, N. Krauss, W. Saenger, und P. Orth. Crystal structure of PSII from *synechococcus elongatus* at 2.8 Å resolution. *Nature*, 409:739–743, 2001.