
Literaturverzeichnis

- Advisory Group on the Ethics of Xenotransplantation (1996). Animal tissue into humans.
- Allan, G., Meehan, B., Todd, D., Kennedy, S., McNeilly, F., Ellis, J., Clark, E. G., Harding, J., Espuna, E., Botner, A., and Charreyre, C. (1998a). Novel porcine circoviruses from pigs with wasting disease syndromes. *Vet Rec* **142**(17), 467-8.
- Allan, J. S., Broussard, S. R., Michaels, M. G., Starzl, T. E., Leighton, K. L., Whitehead, E. M., Comuzzie, A. G., Lanford, R. E., Leland, M. M., Switzer, W. M., and Heneine, W. (1998b). Amplification of simian retroviral sequences from human recipients of baboon liver transplants. *AIDS Res Hum Retroviruses* **14**(10), 821-4.
- Allan, G. M., Kennedy, S., McNeilly, F., Foster, J. C., Ellis, J. A., Krakowka, S. J., Meehan, B. M., and Adair, B. M. (1999a). Experimental reproduction of severe wasting disease by co-infection of pigs with porcine circovirus and porcine parvovirus. *J Comp Pathol* **121**(1), 1-11.
- Allan, G. M., Mc Neilly, F., Meehan, B. M., Kennedy, S., Mackie, D. P., Ellis, J. A., Clark, E. G., Espuna, E., Saubi, N., Riera, P., Botner, A., and Charreyre, C. E. (1999b). Isolation and characterisation of circoviruses from pigs with wasting syndromes in Spain, Denmark and Northern Ireland. *Vet Microbiol* **66**(2), 115-23.
- Allan, G. M., McNeilly, F., Ellis, J., Krakowka, S., Meehan, B., McNair, I., Walker, I., and Kennedy, S. (2000a). Experimental infection of colostrum deprived piglets with porcine circovirus 2 (PCV2) and porcine reproductive and respiratory syndrome virus (PRRSV) potentiates PCV2 replication. *Arch Virol* **145**(11), 2421-9.
- Allan, G. M., McNeilly, F., McNair, I., Curran, M. D., Walker, I., Ellis, J., Konoby, C., Kennedy, S., and Meehan, B. (2000b). Absence of evidence for porcine circovirus type 2 in cattle and humans, and lack of seroconversion or lesions in experimentally infected sheep. *Arch Virol* **145**(4), 853-7.
- Altschul, S. F., Madden, T. L., Schaffer, A. A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D. J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**(17), 3389-402.
- Bailey, L., Nehlson-Cannarella, S. L., Concepcion, W., Jolley, W. B. (1985). Baboon-to-human cardiac xenotransplantation in a neonate. *J.A.M.A.* **254**, 3321-29.
- Balasz, M., Segales, J., Rosell, C., Domingo, M., Mankertz, A., Urniza, A., and Planas-Duran, J. (1999). Experimental inoculation of conventional pigs with tissue homogenates from pigs with post-weaning multisystemic wasting syndrome. *J Comp Pathol* **121**(2), 139-48.
- Barnard, C., Wolpowitz, W., and Losman, J. G. (1977). Heterogenic cardiac transplantation with a xenograft for assistance of the left heart in cardiogenic shock after cardiopulmonary bypass. *S Afr Med J* **52**, 1035-8.
- Best, S. M., Wolfenbarger, J. B., and Bloom, M. E. (2002). Caspase activation is required for permissive replication of Aleutian mink disease parvovirus in vitro. *Virology* **292**(2), 224-34.
- Birnboim, H. C., and Doly, J. (1979). A rapid alkaline extraction procedure for screening

- recombinant plasmid DNA. *Nucleic Acids Research* **7**, 1513-1522.
- Buhler, L., Awwad, M., Treter, S., Basker, M., Ericson, T., Lachance, A., Oldmixon, B., Kurilla-Mahon, B., Gojo, S., Huang, C., Thall, A., Down, J. D., White-Scharf, M. E., Sachs, D. H., and Cooper, D. K. (2000). Induction of mixed hematopoietic chimerism in the pig-to-baboon model. *Transplant Proc* **32**(5), 1101.
- Buhler, L., Yamada, K., Kitamura, H., Alwayn, I. P., Basker, M., Appel, J. Z., 3rd, Colvin, R. B., White-Scharf, M. E., Sachs, D. H., Robson, S. C., Awwad, M., and Cooper, D. K. (2001). Pig kidney transplantation in baboons: anti-Gal(alpha)1-3Gal IgM alone is associated with acute humoral xenograft rejection and disseminated intravascular coagulation. *Transplantation* **72**(11), 1743-52.
- Byrne, G. W., McCurry, K. R., Martin, M. J., McClellan, S. M., Platt, J. L., and Logan, J. S. (1997). Transgenic pigs expressing human CD59 and decay-accelerating factor produce an intrinsic barrier to complement-mediated damage. *Transplantation* **63**(1), 149-55.
- Calne, R. Y. (1970). Organ transplantation between widely disparate species. *Transplant Proc* **2**(4), 550-6.
- Celera, V., Jr., and Carasova, P. (2002). First evidence of porcine circovirus type 2 (PCV-2) infection of pigs in the Czech Republic by semi-nested PCR. *J Vet Med B Infect Dis Vet Public Health* **49**(3), 155-9.
- Cheng, G., Brett, M. E., and He, B. (2002). Signals that dictate nuclear, nucleolar, and cytoplasmic shuttling of the gamma(1)34.5 protein of herpes simplex virus type 1. *J Virol* **76**(18), 9434-45.
- Chmielewicz, B., Goltz, M., Franz, T., Bauer, C., Brema, S., Ellerbrok, H., Beckmann, S., Rziha, H. J., Lahrmann, K. H., Romero, C., and Ehlers, B. (2003). A novel porcine gammaherpesvirus. *Virology* **308**(2), 317-29.
- Chu, P. W., Keese, P., Qiu, B. S., Waterhouse, P. M., and Gerlach, W. L. (1993). Putative full-length clones of the genomic DNA segments of subterranean clover stunt virus and identification of the segment coding for the viral coat protein. *Virus Res* **27**(2), 161-71.
- Chua, K. B., Bellini, W. J., Rota, P. A., Harcourt, B. H., Tamin, A., Lam, S. K., Ksiazek, T. G., Rollin, P. E., Zaki, S. R., Shieh, W., Goldsmith, C. S., Gubler, D. J., Roehrig, J. T., Eaton, B., Gould, A. R., Olson, J., Field, H., Daniels, P., Ling, A. E., Peters, C. J., Anderson, L. J., and Mahy, B. W. (2000). Nipah virus: a recently emergent deadly paramyxovirus. *Science* **288**(5470), 1432-5.
- Claessens, J. A., Schrier, C. C., Mockett, A. P., Jagt, E. H., and Sondermeijer, P. J. (1991). Molecular cloning and sequence analysis of the genome of chicken anaemia agent. *J Gen Virol* **72**(Pt 8), 2003-6.
- Cooley, D., Hallman, GL., and Bloodwell, RD., (1968). Human heart transplantation: experience with 12 cases. *Am J Cardiol* **22**, 804-10.
- Cooper, D., Human, PA., and Lexer, G., (1988). Effects of cyclosporine and antibody adsorption on pig cardiac xenograft survival in the baboon. *J Heart Transplant* **7**, 238-46.
- Cooper, D. K., Keogh, A. M., Brink, J., Corris, P. A., Klepetko, W., Pierson, R. N.,

- Schmoeckel, M., Shirakura, R., and Warner Stevenson, L. (2000). Report of the Xenotransplantation Advisory Committee of the International Society for Heart and Lung Transplantation: the present status of xenotransplantation and its potential role in the treatment of end-stage cardiac and pulmonary diseases. *J Heart Lung Transplant* **19**(12), 1125-65.
- Dagert, M., and Ehrlich, S. D. (1979). Prolonged incubation in calcium chloride improves the competence of *E.coli* cells. *Gene* **6**, 23-28.
- Dai, Y., Vaught, T. D., Boone, J., Chen, S. H., Phelps, C. J., Ball, S., Monahan, J. A., Jobst, P. M., McCreath, K. J., Lamborn, A. E., Cowell-Lucero, J. L., Wells, K. D., Colman, A., Polejaeva, I. A., and Ayares, D. L. (2002). Targeted disruption of the alpha1,3-galactosyltransferase gene in cloned pigs. *Nat Biotechnol* **20**(3), 251-5.
- Ehlers, B., Ulrich, S., and Goltz, M. (1999). Detection of two novel porcine herpesviruses with high similarity to gammaherpesviruses. *J Gen Virol* **80**(Pt 4), 971-8.
- Ellis, J. A., Bratanich, A., Clark, E. G., Allan, G., Meehan, B., Haines, D. M., Harding, J., West, K. H., Krakowka, S., Konoby, C., Hassard, L., Martin, K., and McNeilly, F. (2000a). Coinfection by porcine circoviruses and porcine parvovirus in pigs with naturally acquired postweaning multisystemic wasting syndrome. *J Vet Diagn Invest* **12**(1), 21-7.
- Ellis, J. A., Wiseman, B. M., Allan, G., Konoby, C., Krakowka, S., Meehan, B. M., and McNeilly, F. (2000b). Analysis of seroconversion to porcine circovirus 2 among veterinarians from the United States and Canada. *J Am Vet Med Assoc* **217**(11), 1645-6.
- Fields, B. N., Knipe, D. M., and Howley, P. M. (1996). "Virology." Third Edition ed. Lippincott-Raven.
- Fink, J. S., Schumacher, J. M., Ellias, S. L., Palmer, E. P., Saint-Hilaire, M., Shannon, K., Penn, R., Starr, P., VanHorne, C., Kott, H. S., Dempsey, P. K., Fischman, A. J., Raineri, R., Manhart, C., Dinsmore, J., and Isacson, O. (2000). Porcine xenografts in Parkinson's disease and Huntington's disease patients: preliminary results. *Cell Transplant* **9**(2), 273-8.
- Fishman, J. A. (1994). Miniature swine as organ donors for man : strategies for prevention of xenotransplant-associated infections. *Xenotransplantation* **1**, 47-57.
- Fishman, J. A. (1997). Xenosis and xenotransplantation: addressing the infectious risks posed by an emerging technology. *Kidney Int Suppl* **58**, S41-5.
- Gao, F., Bailes, E., Robertson, D. L., Chen, Y., Rodenburg, C. M., Michael, S. F., Cummins, L. B., Arthur, L. O., Peeters, M., Shaw, G. M., Sharp, P. M., and Hahn, B. H. (1999). Origin of HIV-1 in the chimpanzee *Pan troglodytes*. *Nature* **397**(6718), 436-41.
- Gibbs, M. J., and Weiller, G. F. (1999). Evidence that a plant virus switched hosts to infect a vertebrate and then recombined with a vertebrate-infecting virus. *Proc Natl Acad Sci USA* **96**(14), 8022-7.
- Hamel, A. L., Lin, L. L., and Nayar, G. P. (1998). Nucleotide sequence of porcine circovirus associated with postweaning multisystemic wasting syndrome in pigs. *J Virol* **72**(6), 5262-7.

- Hammer, C. (1998). Physiological obstacles after xenotransplantation. *Ann N Y Acad Sci* **862**, 19-27.
- Hanahan, D. (1983). Studies on transformation of *Escherichia coli* with plasmids. *J. Mol. Biol.* **166**, 557-580.
- Hannon, J. P., Bossone, C. A., and Wade, C. E. (1990). Normal physiological values for conscious pigs used in biomedical research. *Lab Anim Sci* **40**(3), 293-8.
- Harding, R. M., Burns, T. M., and Dale, J. L. (1991). Virus-like particles associated with banana bunchy top disease contain small single-stranded DNA. *J Gen Virol* **72**(Pt 2), 225-30.
- Hardy, J., Kurrus, FE., and Chavez, CM. (1964). Heart transplantation in man: developmental studies and report of a case. *J.A.M.A.* **188**, 1132-40.
- Hattermann, K., and Mankertz, A. (eingereicht). PCV2 induces apoptosis in human tissue culture cells. *J Virol*.
- Hattermann, K., Schmitt, C., Soike, D., and Mankertz, A. (im Druck). Cloning and sequencing of duck circovirus (DuCV). *Arch Virol*.
- Hattermann, K., Soike, D., Grund, C., and Mankertz, A. (2002). A method to diagnose Pigeon circovirus infection in vivo. *J Virol Methods* **104**(1), 55-8.
- Hehn, A., and Rohde, W. (1998). Characterization of cis-acting elements affecting strength and phloem specificity of the coconut foliar decay virus promoter. *J Gen Virol* **79**(Pt 6), 1495-9.
- Heneine, W., Tibell, A., Switzer, W. M., Sandstrom, P., Rosales, G. V., Mathews, A., Korsgren, O., Chapman, L. E., Folks, T. M., and Groth, C. G. (1998). No evidence of infection with porcine endogenous retrovirus in recipients of porcine islet-cell xenografts. *Lancet* **352**(9129), 695-9.
- Heyraud-Nitschke, F., Schumacher, S., Laufs, J., Schaefer, S., Schell, J., and Gronenborn, B. (1995). Determination of the origin cleavage and joining domain of geminivirus Rep proteins. *Nucleic Acids Res* **23**(6), 910-6.
- Hiscox, J. A. (2002). The nucleolus - a gateway to viral infection. *Archives of Virology* **147**(6), 1077-1089.
- Horvath, G. V., Pettko-Szandtner, A., Nikovics, K., Bilgin, M., Boulton, M., Davies, J. W., Gutierrez, C., and Dudits, D. (1998). Prediction of functional regions of the maize streak virus replication- associated proteins by protein-protein interaction analysis. *Plant Mol Biol* **38**(5), 699-712.
- Huang, C. A., Fuchimoto, Y., Gleit, Z. L., Ericsson, T., Griesemer, A., Scheier-Dolberg, R., Melendy, E., Kitamura, H., Fishman, J. A., Ferry, J. A., Harris, N. L., Patience, C., and Sachs, D. H. (2001). Posttransplantation lymphoproliferative disease in miniature swine after allogeneic hematopoietic cell transplantation: similarity to human PTLN and association with a porcine gammaherpesvirus. *Blood* **97**(5), 1467-73.
- Kaplon, R. J., Platt, J. L., Kwiatkowski, P. A., Edwards, N. M., Xu, H., Shah, A. S., Masroor, S., and Michler, R. E. (1995). Absence of hyperacute rejection in pig-to-primate orthotopic pulmonary xenografts. *Transplantation* **59**(3), 410-6.
- Katul, L., Timchenko, T., Gronenborn, B., and Vetten, H. J. (1998). Ten distinct circular

- ssDNA components, four of which encode putative replication-associated proteins, are associated with the faba bean necrotic yellows virus genome. *J Gen Virol* **79**(Pt 12), 3101-9.
- Kim, J., Choi, C., and Chae, C. (2003). Pathogenesis of Postweaning Multisystemic Wasting Syndrome Reproduced by Co-infection with Korean Isolates of Porcine Circovirus 2 and Porcine Parvovirus. *J Comp Pathol* **128**(1), 52-9.
- Kim, J., Choi, C., Han, D. U., and Chae, C. (2001). Simultaneous detection of porcine circovirus type 2 and porcine parvovirus in pigs with PMWS by multiplex PCR. *Vet Rec* **149**(10), 304-5.
- Kim, J., Chung, H. K., Jung, T., Cho, W. S., Choi, C., and Chae, C. (2002). Postweaning multisystemic wasting syndrome of pigs in Korea: prevalence, microscopic lesions and coexisting microorganisms. *J Vet Med Sci* **64**(1), 57-62.
- Kiupel, M., Stevenson, G. W., Choi, J., Latimer, K. S., Kanitz, C. L., and Mittal, S. K. (2001). Viral replication and lesions in BALB/c mice experimentally inoculated with porcine circovirus isolated from a pig with postweaning multisystemic wasting disease. *Vet Pathol* **38**(1), 74-82.
- Knosalla, C., and Cooper, D. K. (2002). Xenotransplantation and tolerance. *Front Biosci* **7**, d1280-7.
- Koonin, E. V., and Ilyina, T. V. (1992). Geminivirus replication proteins are related to prokaryotic plasmid rolling circle DNA replication initiator proteins. *J Gen Virol* **73**(Pt 10), 2763-6.
- Koonin, E. V., and Ilyina, T. V. (1993). Computer-assisted dissection of rolling circle DNA replication. *Biosystems* **30**(1-3), 241-68.
- Krakowka, S., Ellis, J. A., McNeilly, F., Ringler, S., Rings, D. M., and Allan, G. (2001). Activation of the immune system is the pivotal event in the production of wasting disease in pigs infected with porcine circovirus-2 (PCV-2). *Vet Pathol* **38**(1), 31-42.
- Krakowka, S., Ellis, J. A., Meehan, B., Kennedy, S., McNeilly, F., and Allan, G. (2000). Viral wasting syndrome of swine: experimental reproduction of postweaning multisystemic wasting syndrome in gnotobiotic swine by coinfection with porcine circovirus 2 and porcine parvovirus. *Vet Pathol* **37**(3), 254-63.
- Lai, L., Kolber-Simonds, D., Park, K. W., Cheong, H. T., Greenstein, J. L., Im, G. S., Samuel, M., Bonk, A., Rieke, A., Day, B. N., Murphy, C. N., Carter, D. B., Hawley, R. J., and Prather, R. S. (2002). Production of alpha-1,3-galactosyltransferase knockout pigs by nuclear transfer cloning. *Science* **295**(5557), 1089-92.
- Laufs, J., Jupin, I., David, C., Schumacher, S., Heyraud-Nitschke, F., and Gronenborn, B. (1995). Geminivirus replication: genetic and biochemical characterization of Rep protein function, a review. *Biochimie* **77**(10), 765-73.
- Liu, Q., Wang, L., Willson, P., O'Connor, B., Keenlside, J., Chirino-Trejo, M., Melendez, R., and Babiuk, L. (2002). Seroprevalence of porcine circovirus type 2 in swine populations in Canada and Costa Rica. *Can J Vet Res* **66**(4), 225-31.
- Makowka, L., Cramer, DV., Hoffman, A., Breda, M., Sher, L., Eiras-Hreha, G., Tusio, PJ., Yasunaga, C, Cosenza, CA., Wu, GD., Chapman, FA., and Podestra, FL. (1995). The use of a pig liver xenograft for temporary support of a patient with fulminant hepatic

- failure. *Transplantation* **59**, 1654-59.
- Mankertz, A., Hattermann, K., Ehlers, B., and Soike, D. (2000). Cloning and sequencing of columbid circovirus (CoCV), a new circovirus from pigeons. *Arch. of Virology* **145**(12), 2469-80.
- Mankertz, A., and Hillenbrand, B. (2001). Replication of porcine circovirus type 1 requires two proteins encoded by the viral rep gene. *Virology* **279**(2), 429-38.
- Mankertz, A., Hillenbrand, B., Steinfeldt, T., Hattermann, K., Schmitt, C., Çaliskan, R., and Finsterbusch, T. (im Druck-a). Molecular biology of Porcine circovirus type 1 and type 2: Analyses of gene expression and viral replication. *Vet Microbiol.*
- Mankertz, A., Mueller, B., Steinfeldt, T., Schmitt, C., and Finsterbusch, T. (im Druck-b). A new reporter gene based replication assay reveals exchangeability of replication factors of Porcine circovirus type 1 and type 2. *J Virol.*
- Mankertz, A., Persson, F., Mankertz, J., Blaess, G., and Buhk, H. J. (1997). Mapping and characterization of the origin of DNA replication of porcine circovirus. *J Virol* **71**(3), 2562-6.
- Mankertz, J., Buhk, H. J., Blaess, G., and Mankertz, A. (1998). Transcription analysis of porcine circovirus (PCV). *Virus Genes* **16**(3), 267-76.
- Michaels, M. G., Jenkins, F. J., St George, K., Nalesnik, M. A., Starzl, T. E., and Rinaldo, C. R., (2001). Detection of infectious baboon cytomegalovirus after baboon-to-human liver xenotransplantation. *J Virol* **75**(6), 2825-8.
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G., and Erlich, H. (1986). Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harb Symp Quant Biol* **51**(Pt 1), 263-73.
- Nawagitgul, P., Morozov, I., Bolin, S. R., Harms, P. A., Sorden, S. D., and Paul, P. S. (2000). Open reading frame 2 of porcine circovirus type 2 encodes a major capsid protein. *J Gen Virol* **81**(Pt 9), 2281-2287.
- Nayar, G. P., Hamel, A., and Lin, L. (1997). Detection and characterization of porcine circovirus associated with postweaning multisystemic wasting syndrome in pigs. *Can Vet J* **38**(6), 385-6.
- Nishigawa, H., Miyata, S., Oshima, K., Sawayanagi, T., Komoto, A., Kuboyama, T., Matsuda, I., Tsuchizaki, T., and Namba, S. (2001). In planta expression of a protein encoded by the extrachromosomal DNA of a phytoplasma and related to geminivirus replication proteins. *Microbiology* **147**(Pt 2), 507-513.
- Nishizawa, T., Okamoto, H., Konishi, K., Yoshizawa, H., Miyakawa, Y., and Mayumi, M. (1997). A novel DNA virus (TTV) associated with elevated transaminase levels in posttransfusion hepatitis of unknown etiology. *Biochem Biophys Res Commun* **241**(1), 92-7.
- Novak, K. (1999). US guidelines on xenotransplantation. *Nature Med* **5**, 465.
- Oriol, R., Ye, Y., Koren, E., and Cooper, D. K. (1993). Carbohydrate antigens of pig tissues reacting with human natural antibodies as potential targets for hyperacute vascular rejection in pig-to-man organ xenotransplantation. *Transplantation* **56**(6), 1433-42.
- Patience, C., Patton, G. S., Takeuchi, Y., Weiss, R. A., McClure, M. O., Rydberg, L., and

- Breimer, M. E. (1998). No evidence of pig DNA or retroviral infection in patients with short-term extracorporeal connection to pig kidneys. *Lancet* **352**(9129), 699-701.
- Patience, C., Takeuchi, Y., and Weiss, R. A. (1997). Infection of human cells by an endogenous retrovirus of pigs. *Nat Med* **3**(3), 282-6.
- Pierson, R. N., Dunning, J. J., Konig, W. K., Tew, D. N., Braidley, P. C., Wallwork, J., and White, D. J. (1994). Mechanisms governing the pace and character of pig heart-lung rejection by human blood. *Transplant Proc* **26**(4), 2337.
- Pitkin, Z., and Mullon, C. (1999). Evidence of absence of porcine endogenous retrovirus (PERV) infection in patients treated with a bioartificial liver support system. *Artif Organs* **23**(9), 829-33.
- Primi D, F. G., and Mantero GL, (2000). Identification of SENV genotypes. *International Publication: WO 00/28039* (International application published under the patent cooperation treaty).
- Princeteau (1905). *Journal Medicine de Bordeaux* **26**, 549-55.
- Redemann, B. E., Mendelson, E., and Carter, B. J. (1989). Adeno-associated virus rep protein synthesis during productive infection. *J Virol* **63**(2), 873-82.
- Reemtsma, K., McCracken, BH., Schlegel, JV., and Pearl, M. (1964a). Heterotransplantation of the kidney: two clinical experiences. *Science* **143**, 700-2.
- Reemtsma, K., McCracken, BH., Schlegel, JV., Pearl, MA., Dewitt, CW., Creech, OJ. (1964b). Reversal of early graft rejection after renal heterotransplantation in man. *JAMA* **187**, 691-96.
- Reemtsma, K. (1969). Renal heterotransplantation from nonhuman primates to man. *Ann. NY Acad. Sci.* **162**, 412-18.
- Rosell, C., Segales, J., Plana-Duran, J., Balasch, M., Rodriguez-Arriola, G. M., Kennedy, S., Allan, G. M., McNeilly, F., Latimer, K. S., and Domingo, M. (1999). Pathological, immunohistochemical, and in-situ hybridization studies of natural cases of postweaning multisystemic wasting syndrome (PMWS) in pigs. *J Comp Pathol* **120**(1), 59-78.
- Sachs, D. H. (1994). The pig as a potential xenograft donor. *Vet Immunol Immunopathol* **43**(1-3), 185-91.
- Sanger, F., Nicklen, S., and Coulson, A. R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**, 5463-5467.
- Sano, Y., Wada, M., Hashimoto, Y., Matsumoto, T., and Kojima, M. (1998). Sequences of ten circular ssDNA components associated with the milk vetch dwarf virus genome. *J Gen Virol* **79**(Pt 12), 3111-8.
- Schmoeckel, M., Bhatti, F. N., Zaidi, A., Cozzi, E., Pino-Chavez, G., Dunning, J. J., Wallwork, J., and White, D. J. (1997). Xenotransplantation of pig organs transgenic for human DAF: an update. *Transplant Proc* **29**(7), 3157-8.
- Schweizerischer Wissenschaftsrat (1998). Technology Assessment: Xenotransplantation. Hüsing, B., Engels, E.-M., Frick, T., Menrad, K., and Reiß, T.
- Segales, J., Calsamiglia, M., Rosell, C., Soler, M., Maldonado, J., Martin, M., and Domingo, M. (2002). Porcine reproductive and respiratory syndrome virus (PRRSV) infection

- status in pigs naturally affected with post-weaning multisystemic wasting syndrome (PMWS) in Spain. *Vet Microbiol* **85**(1), 23-30.
- Shibahara, T., Sato, K., Ishikawa, Y., and Kadota, K. (2000). Porcine circovirus induces B lymphocyte depletion in pigs with wasting disease syndrome. *J Vet Med Sci* **62**(11), 1125-31.
- Soike, D. (1997). [Circovirus infections in pigeons]. *Tierarztl Prax* **25**(1), 52-4.
- Soike, D., Hattermann, K., Albrecht, K., Segales, J., Domingo, M., Schmitt, C., and Mankertz, A. (2001). A diagnostic study on Columbidae Circovirus (CoCV) infection. *Avian Pathology* **30**, 605-611.
- Stanley, J. (1995). Analysis of African cassava mosaic virus recombinants suggests strand nicking occurs within the conserved nonanucleotide motif during the initiation of rolling circle DNA replication. *Virology* **206**(1), 707-12.
- Starzl, T., Marchioro, T.L., Peters, G.N., Kirkpatrick, C.H., Wilson, W.E., Porter, K.E., Rifkind, D., Ogden, D.A., Hitchcock, C.R., Waddell, W.R. (1964). Renal heterotransplantation from baboon to man: experience with six cases. *Transplantation* **2**, 752-76.
- Steinfeldt, T., Finsterbusch, T., and Mankertz, A. (2001). Rep and Rep' protein of porcine circovirus type 1 bind to the origin of replication in vitro. *Virology* **291**(1), 152-60.
- Stevenson, G. W., Kiupel, M., Mittal, S. K., and Kanitz, C. L. (1999). Ultrastructure of porcine circovirus in persistently infected PK-15 cells. *Vet Pathol* **36**(5), 368-78.
- Takahashi, K., Iwasa, Y., Hijikata, M., and Mishiro, S. (2000). Identification of a new human DNA virus (TTV-like mini virus, TLMV) intermediately related to TT virus and chicken anemia virus. *Arch Virol* **145**(5), 979-93.
- Tischer, I., Miels, W., Wolff, D., Vagt, M., and Griem, W. (1986). Studies on epidemiology and pathogenicity of porcine circovirus. *Arch Virol* **91**(3-4), 271-6.
- Tischer, I., Bode, L., Apodaca, J., Timm, H., Peters, D., Rasch, R., Pociuli, S., and Gerike, E. (1995a). Presence of antibodies reacting with porcine circovirus in sera of humans, mice, and cattle. *Arch Virol* **140**(8), 1427-39.
- Tischer, I., Bode, L., Peters, D., Pociuli, S., and Germann, B. (1995b). Distribution of antibodies to porcine circovirus in swine populations of different breeding farms. *Arch Virol* **140**(4), 737-43.
- Tischer, I., Peters, D., and Pociuli, S. (1995c). Occurrence and role of an early antigen and evidence for transforming ability of porcine circovirus. *Arch Virol* **140**(10), 1799-816.
- Todd, D., Creelan, J. L., Mackie, D. P., Rixon, F., and McNulty, M. S. (1990). Purification and biochemical characterization of chicken anaemia agent. *J Gen Virol* **71**(Pt 4), 819-23. Todd, D. (2000). Circoviruses: immunosuppressive threats to avian species: a review. *Avian Pathology* **29**, 373-94.
- Todd, D., Weston, J., Ball, N. W., Borghmans, B. J., Smyth, J., Gelmini, L., and Lavazza, A. (2001a). Nucleotide sequence-based identification of a novel circovirus of canaries. *Avian Pathology* **30**, 321-325.
- Todd, D., Weston, J. H., Soike, D., and Smyth, J. A. (2001b). Genome sequence determinations and analyses of novel circoviruses from goose and pigeon. *Virology*

286(2), 354-62.

- Torigo, S., Ihara, T., and Kamiya, H. (2000). IL-12, IFN-gamma, and TNF-alpha released from mononuclear cells inhibit the spread of varicella-zoster virus at an early stage of varicella. *Microbiol Immunol* **44**(12), 1027-31.
- van Regenmortel, M. H., Mayo, M. A., Fauquet, C. M., and Maniloff, J. (2000). Virus nomenclature: consensus versus chaos. *Arch Virol* **145**(10), 2227-32.
- Vogelstein, B., and Gillespie, D. (1979). Preparative and analytical purification of DNA from agarose. *Proc Natl Acad Sci U S A* **76**(2), 615-619.
- Wang, W., Gu, Y., Hori, H., Sakurai, T., Hiura, A., Sumi, S., Tabata, Y., and Inoue, K. (2003). Subcutaneous transplantation of macroencapsulated porcine pancreatic endocrine cells normalizes hyperglycemia in diabetic mice. *Transplantation* **76**(2), 290-6.
- Wurm, T., Chen, H., Hodgson, T., Britton, P., Brooks, G., and Hiscox, J. A. (2001). Localization to the nucleolus is a common feature of coronavirus nucleoproteins, and the protein may disrupt host cell division. *J Virol* **75**(19), 9345-56.
- Young, J. C., Mills, J. N., Enria, D. A., Dolan, N. E., Khan, A. S., and Ksiazek, T. G. (1998). New World hantaviruses. *Br Med Bull* **54**(3), 659-73.