

## **6. Literaturverzeichnis**

- Abbott, R. D., P. W. Wilson, et al. (1988). "High density lipoprotein cholesterol, total cholesterol screening, and myocardial infarction. The Framingham Study." *Arteriosclerosis* **8**(3): 207-11.
- Alexander, R. W. and K. K. Griendling (1996). "Signal transduction in vascular smooth muscle." *J Hypertens Suppl* **14**(5): S51-4.
- Ancellin, N. and T. Hla (1999). "Differential pharmacological properties and signal transduction of the sphingosine 1-phosphate receptors EDG-1, EDG-3, and EDG-5." *J Biol Chem* **274**(27): 18997-9002.
- Assmann, G. and J. R. Nofer (2003). "Atheroprotective effects of high-density lipoproteins." *Annu Rev Med* **54**: 321-41.
- Asztalos, B. F., M. E. Brousseau, et al. (2001). "Subpopulations of high density lipoproteins in homozygous and heterozygous Tangier disease." *Atherosclerosis* **156**(1): 217-25.
- Barrans, A., B. Jaspard, et al. (1996). "Pre-beta HDL: structure and metabolism." *Biochim Biophys Acta* **1300**(2): 73-85.
- Barter, P. J., H. B. Brewer, Jr., et al. (2003). "Cholesteryl ester transfer protein: a novel target for raising HDL and inhibiting atherosclerosis." *Arterioscler Thromb Vasc Biol* **23**(2): 160-7.
- Barter, P. J., S. Nicholls, et al. (2004). "Antiinflammatory properties of HDL." *Circ Res* **95**(8): 764-72.
- Barter, P. J. and K. A. Rye (1996). "Molecular mechanisms of reverse cholesterol transport." *Curr Opin Lipidol* **7**(2): 82-7.
- Bielicki, J. K. and T. M. Forte (1999). "Evidence that lipid hydroperoxides inhibit plasma lecithin:cholesterol acyltransferase activity." *J Lipid Res* **40**(5): 948-54.
- Bischoff, A., P. Czyborra, et al. (2000). "Sphingosine-1-phosphate and sphingosylphosphorylcholine constrict renal and mesenteric microvessels in vitro." *Br J Pharmacol* **130**(8): 1871-7.
- Blanchard, T., R. Bailey, et al. (1993). "Chlamydia pneumoniae and atherosclerosis." *Lancet* **341**(8848): 825.
- Blankenberg, S., S. Barbaux, et al. (2003). "Adhesion molecules and atherosclerosis." *Atherosclerosis* **170**(2): 191-203.
- Bode-Boger, S. M., R. H. Boger, et al. (1996). "L-arginine induces nitric oxide-dependent vasodilation in patients with critical limb ischemia. A randomized, controlled study." *Circulation* **93**(1): 85-90.

- Boguslawski, G., D. Lyons, et al. (2000). "Sphingosylphosphorylcholine induces endothelial cell migration and morphogenesis." Biochem Biophys Res Commun **272**(2): 603-9.
- Bolibar, I., A. von Eckardstein, et al. (2000). "Short-term prognostic value of lipid measurements in patients with angina pectoris. The ECAT Angina Pectoris Study Group: European Concerted Action on Thrombosis and Disabilities." Thromb Haemost **84**(6): 955-60.
- Boujaoude, L. C., C. Bradshaw-Wilder, et al. (2001). "Cystic fibrosis transmembrane regulator regulates uptake of sphingoid base phosphates and lysophosphatidic acid: modulation of cellular activity of sphingosine 1-phosphate." J Biol Chem **276**(38): 35258-64.
- Bowry, V. W., K. K. Stanley, et al. (1992). "High density lipoprotein is the major carrier of lipid hydroperoxides in human blood plasma from fasting donors." Proc Natl Acad Sci U S A **89**(21): 10316-20.
- Bunemann, M., K. Liliom, et al. (1996). "A novel membrane receptor with high affinity for lysosphingomyelin and sphingosine 1-phosphate in atrial myocytes." Embo J **15**(20): 5527-34.
- Cannon, R. O., 3rd (1998). "Role of nitric oxide in cardiovascular disease: focus on the endothelium." Clin Chem **44**(8 Pt 2): 1809-19.
- Carlos, T. M., B. R. Schwartz, et al. (1990). "Vascular cell adhesion molecule-1 mediates lymphocyte adherence to cytokine-activated cultured human endothelial cells." Blood **76**(5): 965-70.
- Charles, I. G., A. Chubb, et al. (1993). "Cloning and expression of a rat neuronal nitric oxide synthase coding sequence in a baculovirus/insect cell system." Biochem Biophys Res Commun **196**(3): 1481-9.
- Chen, P. F., T. Y. Chin, et al. (1998). "Ca<sup>2+</sup> signaling induced by sphingosylphosphorylcholine and sphingosine 1-phosphate via distinct mechanisms in rat glomerular mesangial cells." Kidney Int **54**(5): 1470-83.
- Chin, T. Y. and S. H. Chueh (1998). "Sphingosylphosphorylcholine stimulates mitogen-activated protein kinase via a Ca<sup>2+</sup>-dependent pathway." Am J Physiol **275**(5 Pt 1): C1255-63.
- Chun, J., E. J. Goetzl, et al. (2002). "International Union of Pharmacology. XXXIV. Lysophospholipid receptor nomenclature." Pharmacol Rev **54**(2): 265-9.
- Clair, T., J. Aoki, et al. (2003). "Autotaxin hydrolyzes sphingosylphosphorylcholine to produce the regulator of migration, sphingosine-1-phosphate." Cancer Res **63**(17): 5446-53.
- Cockerill, G. W., M. C. McDonald, et al. (2001). "High density lipoproteins reduce organ injury and organ dysfunction in a rat model of hemorrhagic shock." Faseb J **15**(11): 1941-52.

- Cullen, P. and G. Assmann (2000). "Primary prevention of coronary heart disease: from controversy to consensus." Nutr Metab Cardiovasc Dis **10**(3): 143-53.
- Cuvillier, O., G. Pirianov, et al. (1996). "Suppression of ceramide-mediated programmed cell death by sphingosine-1-phosphate." Nature **381**(6585): 800-3.
- Dang, P. M., B. M. Babior, et al. (1999). "NADPH dehydrogenase activity of p67PHOX, a cytosolic subunit of the leukocyte NADPH oxidase." Biochemistry **38**(18): 5746-53.
- Dhaliwal, B. S. and U. P. Steinbrecher (2000). "Cholesterol delivered to macrophages by oxidized low density lipoprotein is sequestered in lysosomes and fails to efflux normally." J Lipid Res **41**(10): 1658-65.
- Dimayuga, P., J. Zhu, et al. (1999). "Reconstituted HDL containing human apolipoprotein A-1 reduces VCAM-1 expression and neointima formation following periadventitial cuff-induced carotid injury in apoE null mice." Biochem Biophys Res Commun **264**(2): 465-8.
- Duverger, N., N. Ghalim, et al. (1993). "Characterization of apoA-IV-containing lipoprotein particles isolated from human plasma and interstitial fluid." Arterioscler Thromb **13**(1): 126-32.
- Fleisher, L. N., A. R. Tall, et al. (1982). "Stimulation of arterial endothelial cell prostacyclin synthesis by high density lipoproteins." J Biol Chem **257**(12): 6653-5.
- Forte, T. M., G. Subbanagounder, et al. (2002). "Altered activities of anti-atherogenic enzymes LCAT, paraoxonase, and platelet-activating factor acetylhydrolase in atherosclerosis-susceptible mice." J Lipid Res **43**(3): 477-85.
- Frick, M. H., O. Elo, et al. (1987). "Helsinki Heart Study: primary-prevention trial with gemfibrozil in middle-aged men with dyslipidemia. Safety of treatment, changes in risk factors, and incidence of coronary heart disease." N Engl J Med **317**(20): 1237-45.
- Garcia, J. G., F. Liu, et al. (2001). "Sphingosine 1-phosphate promotes endothelial cell barrier integrity by Edg-dependent cytoskeletal rearrangement." J Clin Invest **108**(5): 689-701.
- Genest, J. (2001). "Progress in hypertension research: 1900-2000." Hypertension **38**(4): E13-8.
- Genest, J. J., J. R. McNamara, et al. (1991). "Prevalence of risk factors in men with premature coronary artery disease." Am J Cardiol **67**(15): 1185-9.
- Geng, Y. J., Q. Wu, et al. (1996). "Apoptosis of vascular smooth muscle cells induced by in vitro stimulation with interferon-gamma, tumor necrosis factor-alpha, and interleukin-1 beta." Arterioscler Thromb Vasc Biol **16**(1): 19-27.

- Gimbrone, M. A., Jr., M. I. Cybulsky, et al. (1995). "Vascular endothelium. An integrator of pathophysiological stimuli in atherogenesis." *Ann N Y Acad Sci* **748**: 122-31; discussion 131-2.
- Glagov, S., E. Weisenberg, et al. (1987). "Compensatory enlargement of human atherosclerotic coronary arteries." *N Engl J Med* **316**(22): 1371-5.
- Glomset, J. A. (1968). "The plasma lecithins:cholesterol acyltransferase reaction." *J Lipid Res* **9**(2): 155-67.
- Gordon, D. J. and B. M. Rifkind (1989). "High-density lipoprotein--the clinical implications of recent studies." *N Engl J Med* **321**(19): 1311-6.
- Griendling, K. K. and R. W. Alexander (1997). "Oxidative stress and cardiovascular disease." *Circulation* **96**(10): 3264-5.
- Griendling, K. K., C. A. Minieri, et al. (1994). "Angiotensin II stimulates NADH and NADPH oxidase activity in cultured vascular smooth muscle cells." *Circ Res* **74**(6): 1141-8.
- Griendling, K. K., D. Sorescu, et al. (2000). "Modulation of protein kinase activity and gene expression by reactive oxygen species and their role in vascular physiology and pathophysiology." *Arterioscler Thromb Vasc Biol* **20**(10): 2175-83.
- Griendling, K. K. and M. Ushio-Fukai (1998). "Redox control of vascular smooth muscle proliferation." *J Lab Clin Med* **132**(1): 9-15.
- Harada, J., M. Foley, et al. (2004). "Sphingosine-1-phosphate induces proliferation and morphological changes of neural progenitor cells." *J Neurochem* **88**(4): 1026-39.
- Harper, C. R. and T. A. Jacobson (1999). "New perspectives on the management of low levels of high-density lipoprotein cholesterol." *Arch Intern Med* **159**(10): 1049-57.
- Harrison, D. G., H. Cai, et al. (2003). "Interactions of angiotensin II with NAD(P)H oxidase, oxidant stress and cardiovascular disease." *J Renin Angiotensin Aldosterone Syst* **4**(2): 51-61.
- Heinzel, B., M. John, et al. (1992). "Ca<sup>2+</sup>/calmodulin-dependent formation of hydrogen peroxide by brain nitric oxide synthase." *Biochem J* **281** ( Pt 3): 627-30.
- Igarashi, J., S. G. Bernier, et al. (2001). "Sphingosine 1-phosphate and activation of endothelial nitric-oxide synthase. differential regulation of Akt and MAP kinase pathways by EDG and bradykinin receptors in vascular endothelial cells." *J Biol Chem* **276**(15): 12420-6.
- Ishii, I., B. Friedman, et al. (2001). "Selective loss of sphingosine 1-phosphate signaling with no obvious phenotypic abnormality in mice lacking its G protein-coupled receptor, LP(B3)/EDG-3." *J Biol Chem* **276**(36): 33697-704.

- Jonasson, L., J. Holm, et al. (1986). "Regional accumulations of T cells, macrophages, and smooth muscle cells in the human atherosclerotic plaque." *Arteriosclerosis* **6**(2): 131-8.
- Kimura, T., K. Sato, et al. (2003). "High-density lipoprotein stimulates endothelial cell migration and survival through sphingosine 1-phosphate and its receptors." *Arterioscler Thromb Vasc Biol* **23**(7): 1283-8.
- Kimura, T., T. Watanabe, et al. (2000). "Sphingosine 1-phosphate stimulates proliferation and migration of human endothelial cells possibly through the lipid receptors, Edg-1 and Edg-3." *Biochem J* **348 Pt 1**: 71-6.
- Krieger, M. and K. Kozarsky (1999). "Influence of the HDL receptor SR-BI on atherosclerosis." *Curr Opin Lipidol* **10**(6): 491-7.
- Lee, M. J., S. Thangada, et al. (1999). "Vascular endothelial cell adherens junction assembly and morphogenesis induced by sphingosine-1-phosphate." *Cell* **99**(3): 301-12.
- Lee, O. H., Y. M. Kim, et al. (1999). "Sphingosine 1-phosphate induces angiogenesis: its angiogenic action and signaling mechanism in human umbilical vein endothelial cells." *Biochem Biophys Res Commun* **264**(3): 743-50.
- Li, D., S. Weng, et al. (1999). "Inhibition of arterial thrombus formation by ApoA1 Milano." *Arterioscler Thromb Vasc Biol* **19**(2): 378-83.
- Li, X. A., W. B. Titlow, et al. (2002). "High density lipoprotein binding to scavenger receptor, Class B, type I activates endothelial nitric-oxide synthase in a ceramide-dependent manner." *J Biol Chem* **277**(13): 11058-63.
- Liliom, K., G. Sun, et al. (2001). "Sphingosylphosphocholine is a naturally occurring lipid mediator in blood plasma: a possible role in regulating cardiac function via sphingolipid receptors." *Biochem J* **355**(Pt 1): 189-97.
- Mackness, B., D. Hine, et al. (2004). "Paraoxonase-1 inhibits oxidised LDL-induced MCP-1 production by endothelial cells." *Biochem Biophys Res Commun* **318**(3): 680-3.
- MacNaul, K. L. and N. I. Hutchinson (1993). "Differential expression of iNOS and cNOS mRNA in human vascular smooth muscle cells and endothelial cells under normal and inflammatory conditions." *Biochem Biophys Res Commun* **196**(3): 1330-4.
- Meier, B. and G. G. Habermehl (1991). "Evidence for superoxide dismutase and catalase in mollicutes and release of reactive oxygen species." *Free Radic Res Commun* **12-13 Pt 1**: 451-4.
- Mertens, A. and P. Holvoet (2001). "Oxidized LDL and HDL: antagonists in atherothrombosis." *Faseb J* **15**(12): 2073-84.

- Mohazzab, K. M., P. M. Kaminski, et al. (1994). "NADH oxidoreductase is a major source of superoxide anion in bovine coronary artery endothelium." *Am J Physiol* **266**(6 Pt 2): H2568-72.
- Moncada, S. and R. M. Palmer (1991). "Biosynthesis and actions of nitric oxide." *Semin Perinatol* **15**(1): 16-9.
- Mulvany, M. J. and W. Halpern (1976). "Mechanical properties of vascular smooth muscle cells in situ." *Nature* **260**(5552): 617-9.
- Murata, N., K. Sato, et al. (2000). "Interaction of sphingosine 1-phosphate with plasma components, including lipoproteins, regulates the lipid receptor-mediated actions." *Biochem J* **352** Pt 3: 809-15.
- Murohara, T., K. Kugiyama, et al. (1994). "LPC in oxidized LDL elicits vasoconstriction and inhibits endothelium-dependent relaxation." *Am J Physiol* **267**(6 Pt 2): H2441-9.
- Nanjee, M. N., C. J. Cooke, et al. (2000). "Lipid and apolipoprotein concentrations in prenodal leg lymph of fasted humans. Associations with plasma concentrations in normal subjects, lipoprotein lipase deficiency, and LCAT deficiency." *J Lipid Res* **41**(8): 1317-27.
- Nava, V. E., O. Cuvillier, et al. (2000). "Sphingosine enhances apoptosis of radiation-resistant prostate cancer cells." *Cancer Res* **60**(16): 4468-74.
- Navab, M., J. A. Berliner, et al. (2001). "HDL and the inflammatory response induced by LDL-derived oxidized phospholipids." *Arterioscler Thromb Vasc Biol* **21**(4): 481-8.
- Navab, M., S. Y. Hama, et al. (2000). "Normal high density lipoprotein inhibits three steps in the formation of mildly oxidized low density lipoprotein: step 1." *J Lipid Res* **41**(9): 1481-94.
- Nofer, J. R., M. Fobker, et al. (2000). "Activation of phosphatidylinositol-specific phospholipase C by HDL-associated lysosphingolipid. Involvement in mitogenesis but not in cholesterol efflux." *Biochemistry* **39**(49): 15199-207.
- Nofer, J. R., R. Junker, et al. (2001). "High density lipoproteins induce cell cycle entry in vascular smooth muscle cells via mitogen activated protein kinase-dependent pathway." *Thromb Haemost* **85**(4): 730-5.
- Nofer, J. R., B. Levkau, et al. (2001). "Suppression of endothelial cell apoptosis by high density lipoproteins (HDL) and HDL-associated lysosphingolipids." *J Biol Chem* **276**(37): 34480-5.
- Nofer, J. R., M. van der Giet, et al. (2004). "HDL induces NO-dependent vasorelaxation via the lysophospholipid receptor S1P3." *J Clin Invest* **113**(4): 569-81.

- Nyborg, N. C., J. Byg-Hansen, et al. (1985). "Effect of felodipine on resistance vessels from spontaneously hypertensive and normotensive rats." J Cardiovasc Pharmacol **7 Suppl 6**: S43-6.
- O'Brien, K. D., T. O. McDonald, et al. (1996). "Neovascular expression of E-selectin, intercellular adhesion molecule-1, and vascular cell adhesion molecule-1 in human atherosclerosis and their relation to intimal leukocyte content." Circulation **93**(4): 672-82.
- O'Connell, B. J. and J. Genest, Jr. (2001). "High-density lipoproteins and endothelial function." Circulation **104**(16): 1978-83.
- Okajima, F. (2002). "[Distribution of sphingosine 1-phosphate in plasma lipoproteins and its role in the regulation of the vascular cell functions]." Tanpakushitsu Kakusan Koso **47**(4 Suppl): 480-7.
- Okajima, F. (2002). "Plasma lipoproteins behave as carriers of extracellular sphingosine 1-phosphate: is this an atherogenic mediator or an anti-atherogenic mediator?" Biochim Biophys Acta **1582**(1-3): 132-7.
- Okamoto, H., N. Takuwa, et al. (1998). "EDG1 is a functional sphingosine-1-phosphate receptor that is linked via a Gi/o to multiple signaling pathways, including phospholipase C activation, Ca<sup>2+</sup> mobilization, Ras-mitogen-activated protein kinase activation, and adenylate cyclase inhibition." J Biol Chem **273**(42): 27104-10.
- Pagano, P. J., S. J. Chanock, et al. (1998). "Angiotensin II induces p67phox mRNA expression and NADPH oxidase superoxide generation in rabbit aortic adventitial fibroblasts." Hypertension **32**(2): 331-7.
- Pagano, P. J., Y. Ito, et al. (1995). "An NADPH oxidase superoxide-generating system in the rabbit aorta." Am J Physiol **268**(6 Pt 2): H2274-80.
- Paik, J. H., S. Chae, et al. (2001). "Sphingosine 1-phosphate-induced endothelial cell migration requires the expression of EDG-1 and EDG-3 receptors and Rho-dependent activation of alpha vbeta3- and beta1-containing integrins." J Biol Chem **276**(15): 11830-7.
- Phan, S. H., D. E. Gannon, et al. (1989). "Xanthine oxidase activity in rat pulmonary artery endothelial cells and its alteration by activated neutrophils." Am J Pathol **134**(6): 1201-11.
- Pyne, S. and N. Pyne (2000). "Sphingosine 1-phosphate signalling via the endothelial differentiation gene family of G-protein-coupled receptors." Pharmacol Ther **88**(2): 115-31.
- Quarck, R., B. De Geest, et al. (2001). "Adenovirus-mediated gene transfer of human platelet-activating factor-acetylhydrolase prevents injury-induced neointima formation and

- reduces spontaneous atherosclerosis in apolipoprotein E-deficient mice." Circulation **103**(20): 2495-500.
- Raines, E. W. and R. Ross (1996). "Multiple growth factors are associated with lesions of atherosclerosis: specificity or redundancy?" Bioessays **18**(4): 271-82.
- Rajagopalan, S., S. Kurz, et al. (1996). "Angiotensin II-mediated hypertension in the rat increases vascular superoxide production via membrane NADH/NADPH oxidase activation. Contribution to alterations of vasomotor tone." J Clin Invest **97**(8): 1916-23.
- Reddy, S. T., D. J. Wadleigh, et al. (2001). "Human paraoxonase-3 is an HDL-associated enzyme with biological activity similar to paraoxonase-1 protein but is not regulated by oxidized lipids." Arterioscler Thromb Vasc Biol **21**(4): 542-7.
- Robins, S. J., D. Collins, et al. (2001). "Relation of gemfibrozil treatment and lipid levels with major coronary events: VA-HIT: a randomized controlled trial." Jama **285**(12): 1585-91.
- Ross, R. (1999). "Atherosclerosis is an inflammatory disease." Am Heart J **138**(5 Pt 2): S419-20.
- Rubins, H. B., S. J. Robins, et al. (1999). "Gemfibrozil for the secondary prevention of coronary heart disease in men with low levels of high-density lipoprotein cholesterol. Veterans Affairs High-Density Lipoprotein Cholesterol Intervention Trial Study Group." N Engl J Med **341**(6): 410-8.
- Sachais, B. S. (2001). "Platelet-endothelial interactions in atherosclerosis." Curr Atheroscler Rep **3**(5): 412-6.
- Sato, M., M. Markiewicz, et al. (2003). "Modulation of transforming growth factor-beta (TGF-beta) signaling by endogenous sphingolipid mediators." J Biol Chem **278**(11): 9276-82.
- Schmidt, H. H., J. S. Pollock, et al. (1992). "Ca<sup>2+</sup>/calmodulin-regulated nitric oxide synthases." Cell Calcium **13**(6-7): 427-34.
- Scotland, R., P. Vallance, et al. (1999). "On the regulation of tone in vasa vasorum." Cardiovasc Res **41**: 237-245
- Seufferlein, T. and E. Rozengurt (1995). "Sphingosylphosphorylcholine activation of mitogen-activated protein kinase in Swiss 3T3 cells requires protein kinase C and a pertussis toxin-sensitive G protein." J Biol Chem **270**(41): 24334-42.
- Sewdarsen, M., R. K. Desai, et al. (1991). "Serum lipoproteins and apolipoproteins in young normocholesterolaemic, non-diabetic Indian men with myocardial infarction." Postgrad Med J **67**(784): 159-64.
- Shah, P. K., S. Kaul, et al. (2001). "Exploiting the vascular protective effects of high-density lipoprotein and its apolipoproteins: an idea whose time for testing is coming, part II." Circulation **104**(20): 2498-502.

- Shih, D. M., Y. R. Xia, et al. (2000). "Combined serum paraoxonase knockout/apolipoprotein E knockout mice exhibit increased lipoprotein oxidation and atherosclerosis." *J Biol Chem* **275**(23): 17527-35.
- Shih, P. T., M. J. Elices, et al. (1999). "Minimally modified low-density lipoprotein induces monocyte adhesion to endothelial connecting segment-1 by activating beta1 integrin." *J Clin Invest* **103**(5): 613-25.
- Sorescu, D., M. J. Somers, et al. (2001). "Electron spin resonance characterization of the NAD(P)H oxidase in vascular smooth muscle cells." *Free Radic Biol Med* **30**(6): 603-12.
- Souza, H. P., F. R. Laurindo, et al. (2001). "Vascular NAD(P)H oxidase is distinct from the phagocytic enzyme and modulates vascular reactivity control." *Am J Physiol Heart Circ Physiol* **280**(2): H658-67.
- Spiegel, S. and R. Kolesnick (2002). "Sphingosine 1-phosphate as a therapeutic agent." *Leukemia* **16**(9): 1596-602.
- Spiegel, S. and A. H. Merrill, Jr. (1996). "Sphingolipid metabolism and cell growth regulation." *Faseb J* **10**(12): 1388-97.
- Spieker, L. E., I. Sudano, et al. (2002). "High-density lipoprotein restores endothelial function in hypercholesterolemic men." *Circulation* **105**(12): 1399-402.
- Stafforini, D. M., G. A. Zimmerman, et al. (1992). "The platelet-activating factor acetylhydrolase from human plasma prevents oxidative modification of low-density lipoprotein." *Trans Assoc Am Physicians* **105**: 44-63.
- Stein, O., Y. Dabach, et al. (1999). "High levels of human apolipoprotein A-I and high density lipoproteins in transgenic mice do not enhance efflux of cholesterol from a depot of injected lipoproteins. Relevance to regression of atherosclerosis?" *Atherosclerosis* **144**(2): 367-74.
- Subbanagounder, G., N. Leitinger, et al. (1999). "Evidence that phospholipid oxidation products and/or platelet-activating factor play an important role in early atherogenesis : in vitro and In vivo inhibition by WEB 2086." *Circ Res* **85**(4): 311-8.
- Sun, L., L. Xu, et al. (1996). "A new wound healing agent--sphingosylphosphorylcholine." *J Invest Dermatol* **106**(2): 232-7.
- Suzuki, Y., R. Malekan, et al. (1999). "Platelet anesthesia with nitric oxide with or without eptifibatide during cardiopulmonary bypass in baboons." *J Thorac Cardiovasc Surg* **117**(5): 987-93.
- Tabas, I. (1999). "Secretory sphingomyelinase." *Chem Phys Lipids* **102**(1-2): 123-30.

- Tamama, K., J. Kon, et al. (2001). "Extracellular mechanism through the Edg family of receptors might be responsible for sphingosine-1-phosphate-induced regulation of DNA synthesis and migration of rat aortic smooth-muscle cells." Biochem J **353**(Pt 1): 139-146.
- Theilmeier, G., B. De Geest, et al. (2000). "HDL-associated PAF-AH reduces endothelial adhesiveness in apoE-/- mice." Faseb J **14**(13): 2032-9.
- Touyz, R. M. and E. L. Schiffrin (2004). "Reactive oxygen species in vascular biology: implications in hypertension." Histochem Cell Biol **122**(4): 339-52.
- Van Brocklyn, J. R., M. H. Graler, et al. (2000). "Sphingosine-1-phosphate is a ligand for the G protein-coupled receptor EDG-6." Blood **95**(8): 2624-9.
- Vanhoutte, P. M. (1997). "[Endothelial dysfunction and atherosclerosis]." Arch Mal Coeur Vaiss **90 Spec No 6**: 9-19.
- Vinals, M., J. Martinez-Gonzalez, et al. (1999). "Regulatory effects of HDL on smooth muscle cell prostacyclin release." Arterioscler Thromb Vasc Biol **19**(10): 2405-11.
- Vohl, M. C., T. A. Neville, et al. (1999). "A novel lecithin-cholesterol acyltransferase antioxidant activity prevents the formation of oxidized lipids during lipoprotein oxidation." Biochemistry **38**(19): 5976-81.
- von Eckardstein, A., Y. Huang, et al. (1994). "Physiological role and clinical relevance of high-density lipoprotein subclasses." Curr Opin Lipidol **5**(6): 404-16.
- von Eckardstein, A., J. R. Nofer, et al. (2000). "Acceleration of reverse cholesterol transport." Curr Opin Cardiol **15**(5): 348-54.
- von Eckardstein, A., J. R. Nofer, et al. (2001). "High density lipoproteins and arteriosclerosis. Role of cholesterol efflux and reverse cholesterol transport." Arterioscler Thromb Vasc Biol **21**(1): 13-27.
- Wakita, H., K. Matsushita, et al. (1998). "Sphingosylphosphorylcholine stimulates proliferation and upregulates cell surface-associated plasminogen activator activity in cultured human keratinocytes." J Invest Dermatol **110**(3): 253-8.
- Watson, A. D., M. Navab, et al. (1995). "Effect of platelet activating factor-acetylhydrolase on the formation and action of minimally oxidized low density lipoprotein." J Clin Invest **95**(2): 774-82.
- Windh, R. T., M. J. Lee, et al. (1999). "Differential coupling of the sphingosine 1-phosphate receptors Edg-1, Edg-3, and H218/Edg-5 to the G(i), G(q), and G(12) families of heterotrimeric G proteins." J Biol Chem **274**(39): 27351-8.

- Xu, Y. (2002). "Sphingosylphosphorylcholine and lysophosphatidylcholine: G protein-coupled receptors and receptor-mediated signal transduction." Biochim Biophys Acta **1582**(1-3): 81-8.
- Xu, Y., K. Zhu, et al. (2000). "Sphingosylphosphorylcholine is a ligand for ovarian cancer G-protein-coupled receptor 1." Nat Cell Biol **2**(5): 261-7.
- Yuhanna, I. S., Y. Zhu, et al. (2001). "High-density lipoprotein binding to scavenger receptor-BI activates endothelial nitric oxide synthase." Nat Med **7**(7): 853-7.
- Zafari, A. M., M. Ushio-Fukai, et al. (1998). "Role of NADH/NADPH oxidase-derived H<sub>2</sub>O<sub>2</sub> in angiotensin II-induced vascular hypertrophy." Hypertension **32**(3): 488-95.
- Zeiher, A. M., V. Schachlinger, et al. (1994). "Coronary atherosclerotic wall thickening and vascular reactivity in humans. Elevated high-density lipoprotein levels ameliorate abnormal vasoconstriction in early atherosclerosis." Circulation **89**(6): 2525-32.
- Zhang, G., J. J. Contos, et al. (1999). "Comparative analysis of three murine G-protein coupled receptors activated by sphingosine-1-phosphate." Gene **227**(1): 89-99.
- Zulueta, J. J., F. S. Yu, et al. (1995). "Release of hydrogen peroxide in response to hypoxia-reoxygenation: role of an NAD(P)H oxidase-like enzyme in endothelial cell plasma membrane." Am J Respir Cell Mol Biol **12**(1): 41-9.
- Zweier, J. L., P. Kuppusamy, et al. (1988). "Measurement of endothelial cell free radical generation: evidence for a central mechanism of free radical injury in postischemic tissues." Proc Natl Acad Sci U S A **85**(11): 4046-50.