

# Biodegradable in situ forming systems and sponge-like implants

Dissertation zur Erlangung des akademischen Grades des  
Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht im Fachbereich Biologie, Chemie, Pharmazie  
der Freien Universität Berlin

vorgelegt von

Vivian Voigt  
aus Kolumbien

Berlin, August 2005

1. Gutachter: Prof. Dr. R. Bodmeier
2. Gutachter: Prof. Dr. J. Siepmann

Disputation am 16 September 2005

***To my family***

## **Acknowledgements**

I would like to express my gratitude for the contributions of the following people to the development of my work. First of all, Prof. Dr. Roland Bodmeier not only for his immense professional support and guidance but for being unconditional helping me growing academically and as a person, giving me advice and guidance in the multiples moments of difficulty during this last years.

Special thanks to Prof. Dr. Jürgen Siepmann for the evaluation of my thesis and to Prof. Dr. Ronald Gust, Prof. Dr. Hans Hubert Borchert and Dr. Lothar Schwabe for serving as members of my thesis advisor committee.

To my friends Norma Hernández, Ildikó Terebesi and Christine Curbach for so many good moments together, the daily smile and all the support. To Martin Körber, Katrin Möbus and Dirk Sticha for the interesting discussions and valuable suggestions along the time. To Xiaosong Luan and Duangratana Shuwisitkul for the friendly and enjoyable atmosphere in the lab. To Araya Raiwa, Burkhard Dickenhorst and Saowanee Jaraswekin for revision of the manuscript. Also Joana Motta, Soravoot Rujivipat, Diana Klose, Frauke Kraye, Angelika Schwarz, Eva Ewest and all the others from the Kelchstrasse for being my family during this years.

I am extremely grateful to my mother and brother, for their constant love, motivation, encouragement and for making me laugh. And finally to my beloved husband, Mirko Voigt for his love, support, motivation and his huge patience.

# TABLE OF CONTENTS

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
<b>1.1</b>	<b>BIODEGRADABLE DRUG DELIVERY SYSTEMS .....</b>	<b>1</b>
1.1.1	POLY(D,L-LACTIDE) (PLA) AND POLY(D,L-LACTIDE-CO-GLYCOLIDE) (PLGA).....	2
<b>1.2</b>	<b>IMPLANTABLE DRUG DELIVERY SYSTEMS .....</b>	<b>4</b>
<b>1.3</b>	<b>INJECTABLE DRUG DELIVERY SYSTEMS .....</b>	<b>10</b>
1.3.1	IN SITU SYSTEMS .....	11
1.3.2	IN SITU FORMING MICROPARTICLES (ISM) .....	21
<b>1.4</b>	<b>FREEZE-DRYING .....</b>	<b>22</b>
<b>1.5</b>	<b>RESEARCH OBJECTIVES .....</b>	<b>25</b>
<b>2</b>	<b>MATERIALS AND METHODS .....</b>	<b>27</b>
<b>2.1</b>	<b>MATERIALS .....</b>	<b>27</b>
<b>2.2</b>	<b>METHODS .....</b>	<b>27</b>
2.2.1	SOLUBILITY AND MISCIBILITY .....	27
2.2.2	PLGA DISSOLUTION TIME IN ORGANIC SOLVENTS .....	28
2.2.3	PLGA SOLUTION VISCOSITY .....	28
2.2.4	MILLING OF PLGA POWDER .....	28
2.2.5	LYOPHILIZATION OF PLGA SOLUTION INTO PLGA-SPONGES .....	29
2.2.6	RECONSTITUTION OF SOLID PLGA SYSTEMS INTO IN SITU IMPLANT OR MICROPARTICLE (ISM) SYSTEMS .....	29
2.2.7	DIFFERENTIAL SCANNING CALORIMETRY (DSC) .....	31
2.2.8	THERMOGRAVIMETRIC ANALYSIS (TGA) .....	32
2.2.9	X-RAY DIFFRACTION (XRD) .....	32
2.2.10	SCANNING ELECTRON MICROSCOPY (SEM) .....	33
2.2.11	MECHANICAL PROPERTIES .....	33

2.2.12	LIDOCAINE RELEASE .....	33
2.2.13	SWELLING, WATER UPTAKE AND MASS LOSS OF THE IMPLANTS.....	34
2.2.14	FOLLOW-UP STABILITY .....	34
<b>3</b>	<b>RESULTS AND DISCUSSION .....</b>	<b>35</b>
<b>3.1</b>	<b>SOLUBILITY AND MISCIBILITY .....</b>	<b>35</b>
<b>3.2</b>	<b>RATE OF DISSOLUTION .....</b>	<b>38</b>
<b>3.3</b>	<b>IN SITU FORMING IMPLANTS (ISI) .....</b>	<b>42</b>
3.3.1	FACTORS AFFECTING THE DISSOLUTION RATE .....	43
<b>3.4</b>	<b>FREEZE-DRYING .....</b>	<b>47</b>
3.4.1	SOLVENT SELECTION .....	47
3.4.2	PROCESS CONDITIONS .....	49
3.4.3	SPONGES DISSOLUTION RATE .....	53
<b>3.5</b>	<b>IN SITU FORMING MICROPARTICLES (ISM) .....</b>	<b>54</b>
3.5.1	ISM DISSOLUTION RATE .....	55
3.5.2	EFFECT OF THE MIXING METHOD .....	59
<b>3.6</b>	<b>BIODEGRADABLE IMPLANTS .....</b>	<b>61</b>
3.6.1	PHYSICAL PROPERTIES OF THE IMPLANTS .....	61
3.6.2	DRUG DISTRIBUTION .....	72
3.6.3	DRUG RELEASE .....	77
3.6.4	SPONGES CURING .....	90
3.6.5	FOLLOW-UP STABILITY .....	95
<b>3.7</b>	<b>CONCLUSION .....</b>	<b>96</b>
<b>4</b>	<b>SUMMARY .....</b>	<b>97</b>
<b>5</b>	<b>ZUSAMMENFASSUNG .....</b>	<b>101</b>
<b>6</b>	<b>BIBLIOGRAPHY .....</b>	<b>119</b>