

## **9. Literaturverzeichnis**

1. Aadahl M, Hansen BA, Kirkegaard P, Groenvold M.  
Fatigue and physical function after orthotopic liver transplantation.  
*Liver Transpl* 2002; 8(3): 251-9.
2. Abbasoglu O, Levy MF, Brkic BB, et al.  
Ten years of liver transplantation: an evolving understanding of late graft loss.  
*Transplantation* 1997; 64(12): 1801-7.
3. Adam R, McMaster P, O'Grady JG, et al; European Liver Transplant Association.  
Evolution of liver transplantation in Europe: report of the European Liver Transplant Registry.  
*Liver Transpl* 2003; 9(12): 1231-1243.
4. Adams PC, Ghent CN, Grant DR, Wall WJ.  
Employment after liver transplantation.  
*Hepatology* 1995; 21(1): 140-4.
5. Armenti VT, Herrine SK, Radomski SK, Moritz MJ.  
Pregnancy after liver transplantation.  
*Liver Transpl* 2000; 6(6): 671-85.
6. Asfar S, Metrakos P, Fryer J, et al.  
An analysis of late deaths after liver transplantation.  
*Transplantation* 1996; 61(9): 1377-81.
7. Belle SH, Porayko MK, Hoofnagle JH, Lake JR, Zetterman RK.  
Changes in quality of life after liver transplantation among adults. National Institut of Diabetes and Digestive and Kidney Disease (NIDDK) Liver Transplantation Database (LTD).  
*Liver Transpl Surg* 1997; 3(2): 93-104.
8. Berenguer M.  
Natural history of recurrent hepatitis C.  
*Liver Transpl* 2002; 8(10 Suppl 1): S14-8.

9. Blanco JJ, Herrero JI, Quiroga J, et al.  
Liver transplantation in cirrhotic patients with diabetes mellitus: midterm results, survival, and adverse events.  
*Liver Transpl* 2001; 7(3): 226-33.
10. Bonsel GJ, Essink-Bot ML, Klompmaker IJ, Slooff MJ.  
Assessment of the quality of life before and following liver transplantation. First results.  
*Transplantation* 1992; 53(4):796-800.
11. Bravata DM, Olkin I, Barnato AE, Keeffe EB, Owens DK.  
Health-related quality of life after liver transplantation: a meta-analysis.  
*Liver Transpl Surg* 1999; 5(4): 318-31.
12. Bravata DM, Keeffe EB.  
Quality of life and employment after liver transplantation.  
*Liver Transpl* 2001; 7(11 Suppl 1): S119-23.
13. Bravata DM, Olkin I, Barnato AE, Keeffe EB, Owens DK.  
Employment and alcohol use after liver transplantation for alcoholic and nonalcoholic liver disease: a systematic review.  
*Liver Transpl* 2001; 7(3): 191-203.
14. Broelsch CE, Malagó M, Testa G, Gamazo C.  
Living donor liver transplantation in adults: outcome in Europe.  
*Liver Transpl* 2000; 6(6 Suppl 2): S64-5.
15. Bronster DJ, Emre S, Boccagni P, Sheiner PA, Schwartz ME, Miller CM.  
Central nervous system complications in liver transplant recipients--incidence, timing, and long-term follow-up.  
*Clin Transplant* 2000; 14(1):1-7.
16. Bryan R, Ratcliffe J, Neuberger JM, Burroughs AK, Gunson BK, Buxton MJ.  
Health-related quality of life following liver transplantation.  
*Qual Life Res* 1998; 7(2): 115-20.
17. Busuttil RW, Lake JR.  
Role of tacrolimus in the evolution of liver transplantation.  
*Transplantation* 2004; 77(9 Suppl): S44-51.

18. Busuttil RW, Farmer DG, Yersiz H, et al.  
Analysis of long-term outcomes of 3200 liver transplantations over two decades: a single-center experience.  
*Ann Surg* 2005; 241(6): 905-16; discussion 916-8.
19. Canzanello VJ, Schwartz L, Taler SJ, et al.  
Evolution of cardiovascular risk after liver transplantation: a comparison of cyclosporine A and tacrolimus (FK506).  
*Liver Transpl Surg* 1997; 3(1): 1-9.
20. Carithers RL Jr.  
Liver transplantation. American Association for the Study of Liver Disease.  
*Liver Transpl* 2000; 6(1): 122-35.
21. Carr-Hill RA, Kind P.  
The Nottingham Health Profile.  
*Soc Sci Med* 1989; 28(8): 885.
22. Carson KL, Hunt CM.  
Medical problems occurring after orthotopic liver transplantation.  
*Dig Dis Sci* 1997; 42(8): 1666-74.
23. Cohen AJ, Stegall MD, Rosen CB, et al.  
Chronic renal dysfunction late after liver transplantation.  
*Liver Transpl* 2002; 8(10): 916-21.
24. Compston JE.  
Osteoporosis after liver transplantation.  
*Liver Transpl* 2003; 9(4): 321-30.
25. Consensus Conference on indications of liver transplantation.  
*Hepatology* 1984; 20: 63-68.
26. Cowling T, Jennings LW, Goldstein RM, et al.  
Societal reintegration after liver transplantation: findings in alcohol-related and non-alcohol-related transplant recipients.  
*Ann Surg* 2004; 239 (1): 93-8.

27. Cowling T, Jennings LW, Goldstein RM, et al.  
Liver transplantation and health-related quality of life: scoring differences between men and women.  
*Liver Transpl* 2004; 11 (1): 88-96.
28. Crippin JC.  
Bone disease after liver transplantation.  
*Liver Transpl* 2001; 7(11 Suppl 1): S27-35.
29. Dickson RC, Wright RM, Bacchetta MD, et al.  
Quality of life of hepatitis B and C patients after liver transplantation.  
*Clin Transplant* 1997; 11(4): 282-5.
30. Duvoux C.  
De novo tumors after liver transplantation in adults. What is the actual risk?  
*J Hepatol* 2001; 34(1): 161-4.
31. Echaniz A, Pita S, Otero A, Suarez F, Gomez M, Guerrero A.  
Incidence, risk factors and influence on survival of infectious complications after liver transplantation.  
*Enferm Infect Microbiol Clin* 2003; 21(5): 224-31.
32. Eckhoff DE, McGuire BM, Frenette LR, Contreras JL, Hudson SL, Bynon JS.  
Tacrolimus (FK506) and mycophenolate mofetil combination therapy versus tacrolimus in adult liver transplantation.  
*Transplantation* 1998; 65(2): 180-7.
33. European FK506 Multicentre Liver Study Group.  
Randomized trial comparing tacrolimus (FK506) and cyclosporine in prevention of liver allograft rejection.  
*Lancet* 1994; 344(8920): 423-8.
34. European Liver Transplant Registry – ELTR. Annual Report - [www.eltr.org](http://www.eltr.org)
35. Eypasch E, Egeler B, Troidl H.  
Bedeutung und Messung der Lebensqualität.  
In: Fuchs KH, Stein HJ, Thiede A (Hrsg.): Gastrointestinale Funktionsstörungen. Berlin, Springer-Verlag 1997: 1-23.

36. Fisher NC, Nightingale PG, Gunson BK, Lipkin GW, Neuberger JM.  
Chronic renal failure following liver transplantation: a retrospective analysis.  
*Transplantation* 1998; 66(1): 59-66.
37. Forsberg A, Lorenzon U, Nilsson F, Backman L.  
Pain and health related quality of life after heart, kidney, and liver transplantation.  
*Clin Transplant* 1999; 13(6): 453-60.
38. Gane E.  
Treatment of recurrent hepatitis C.  
*Liver Transpl* 2002; 8(10 Suppl 1): S28-37.
39. Geevarghese SK, Bradley AE, Wright JK, et al.  
Outcomes analysis in 100 liver transplant patients.  
*Am J Surg* 1998; 175(5): 348-53.
40. Ghaus N, Bohlega S, Rezeig M.  
Neurological complications in liver transplantation.  
*J Neurol* 2001; 248(12): 1042-8.
41. Gubernatis G, Abendroth D, Haverich A, et al.  
Technic of multiple organ procurement.  
*Chirurg* 1988; 59(7): 461-8.
42. Guckelberger O, Mutzke F, Glanemann M, et al.  
Validation of the cardiovascular risk scores in a liver transplant population.  
*Liver Transpl* 2006; 12(3):394-401.
43. Gütgemann A, Schriefers KH, Eßer G, Lee TS, Paquet KJ, Käufer C.  
Report of experience with homologous liver transplantation.  
*Dtsch Med Wochenschr* 1969; 94(35): 1713-7.
44. Haagsma EB, Hagens VE, Schaapveld M, et al.  
Increased cancer risk after liver transplantation: a population-based study.  
*J Hepatol* 2001; 34(1): 84-91.
45. Hay JE.  
Osteoporosis in liver diseases and after liver transplantation.  
*J Hepatol* 2003; 38(6): 856-65.

46. Hellgren A, Berglund B, Gunnarsson U, Hansson K, Norberg U, Backman L. Health-related quality of life after liver transplantation. *Liver Transplant Surg* 1998; 4(3): 215-21.
47. Hunt CM, Tart JS, Dowdy E, Bute BP, Williams DM, Clavien PA. Effect of orthotopic liver transplantation on employment and health status. *Liver Transpl Surg* 1996; 2(2): 148-53.
48. Hunt CM, Camargo CA Jr, Dominitz JA, Bute BP, Clavien PM. Effect of postoperative complications on health and employment after liver transplantation. *Clin Transplant* 1998; 12(2): 99-103.
49. Jain A, Reyes J, Kashyap R, et al. Long-term survival after liver transplantation in 4.000 consecutive patients at a single center. *Ann Surg* 2000; 232(4): 490-500.
50. Jain A, Reyes J, Marcos A, et al. Pregnancy after liver transplantation with tacrolimus immunosuppression: a single center's experience update at 13 years. *Transplantation* 2003; 76(5): 827-32.
51. Jenkinson C, Fitzpatrick R, Argyle M. The Nottingham Health Profile: an analysis of its sensitivity in differentiating illness groups. *Soc Sci Med* 1988; 27(12): 1411-4.
52. Jenkinson C, Coulter A, Wright L. Short Form 36 (SF 36) health survey questionnaire: normative data for adults of working age. *BMJ* 1993; 306(6890): 1437-40.
53. Johnston SD, Morris JK, Cramb R, Gunson BK, Neuberger J. Cardiovascular morbidity and mortality after orthotopic liver transplantation. *Transplantation* 2002; 73(6): 901-6.
54. Jowsey SG, Taylor ML, Schneekloth TD, Clark MM. Psychosocial challenges in transplantation. *J Psychiatr Pract* 2001; 7(6): 404-14.

55. Karam VH, Gasquet I, Delvart V, et al.  
Quality of life in adult survivors beyond 10 years after liver, kidney, and heart transplantation.  
*Transplantation* 2003; 76(12): 1699-704.
56. Kelly PA, Gruber SA, Behbod F, Kahan BD.  
Sirolimus, a new, potent immunosuppressive agent.  
*Pharmacotherapy* 1997; 17(6): 1148-56.
57. Krasnoff JB, Vintro AQ, Ascher NL, Bass NM, Dodd MJ, Painter PL.  
Objective measures of health-related quality of life over 24 month post-liver transplantation.  
*Clin Transpl* 2005; 19(1): 1-9.
58. Kremer B.  
Standard techniques in orthotopic liver transplantation.  
In: *Atlas of liver, pancreas, and kidney transplantation*, Kremer B, Broelsch, Henne-Brun D (eds.) Thieme-Verlag 1994: 36-53.
59. Lang H, Kamler M, Herold U, Malago M, Jakob H, Broelsch CE.  
Donor organ harvesting.  
*Chirurg* 2002; 73(5): 517-37.
60. Leyendecker B, Bartholomew U, Neuhaus R, et al.  
Quality of life of liver transplant recipients. A pilot study.  
*Transplantation* 1993; 56(3): 561-7.
61. Levy MF, Jennings L, Abouljoud MS, et al.  
Quality of life improvements at one, two, and five years after liver transplantation.  
*Transplantation* 1995; 59(4): 515-8.
62. Levy GA.  
Long-term immunosuppression and drug interactions.  
*Liver Transpl* 2001; 7(11 Suppl 1): S53-9.
63. Littlefield C, Abbey S, Fiducia D, et al.  
Quality of life following transplantation of the heart, liver, and lungs.  
*Gen Hosp Psychiatry* 1996; 18 (6 Suppl): 36S-47S.

64. McMaster P, Herbertson B, Cusick C, Calne RY, Williams R.  
Biliary sludging following liver transplantation in man.  
*Transplantation* 1978; 25(2): 56-62.
65. Menghini G.  
One-second needle biopsy of the liver.  
*Gastroenterology* 1953; 35: 190-199.
66. Moore KA, McL Jones R, Burrows GD.  
Quality of life and cognitive function of liver transplantat patients: a prospective study.  
*Liver Transpl* 2000; 6(5): 633-42.
67. Moore KA, Jones RM, Angus P, Hardy K, Burrows G.  
Psychosocial adjustments to illness: quality of life following liver transplantation.  
*Transplant Proc* 1992; 24(5): 2257-8.
68. Munoz SJ.  
Long-term management of the liver transplant recipient.  
*Med Clin North Am* 1996; 80(5): 1103-20.
69. Munoz SJ, Rothstein KD, Reich D, Manzarbeitia C.  
Long-term care of the liver transplant recipient.  
*Clin Liver Dis* 2000; 4(3): 691-710.
70. Nagy S, Bush MC, Berkowitz R, Fishbein TM, Gomez-Lobo V.  
Pregnancy outcome in liver transplant recipients.  
*Obstet Gynecol* 2003; 102(1): 121-8.
71. Neau-Cransac M, Morel D, Bernard PH, et al.  
Renal failure after liver transplantation: outcome after calcineurin inhibitor withdrawal.  
*Clin Transplant* 2002; 16(5): 368-73.
72. Neuberger J.  
Incidence, timing, and risk factors for acute and chronic rejection.  
*Liver Transpl Surg* 1999; 5(4 Suppl 1): S30-6.
73. Neuhaus P, Blumhardt G, Bechstein WO, Steffen R, Platz KP, Keck H.  
Technique and results of biliary reconstruction using side-to-side  
choledochocholedochostomy in 300 orthotopic liver transplants.  
*Ann Surg* 1994; 219(4): 426-34.

74. Neuhaus P, Blumhardt G, Bechstein WO, et al.  
Comparison of FK506- and cyclosporine-based immunosuppression in primary orthotopic liver transplantation. A single center experience.  
*Transplantation* 1995; 59(1): 31-40.
75. Nicholas JJ, Oleske D, Robinson LR, Switala JA, Tarter R.  
The quality of life after orthotopic liver transplantation: an analysis of 166 cases.  
*Arch Phys Med Rehabil* 1994; 75(4): 431-5.
76. O'Carroll RE, Couston M, Cossar J, Masterton G, Hayes PC.  
Psychological outcome and quality of life following liver transplantation: a prospective, national, single-center study.  
*Liver Transpl* 2003; 9(7): 712-20.
77. Painter P, Krasnoff J, Paul SM, Ascher NL.  
Physical activity and health-related quality of life in liver transplant recipients.  
*Liver Transpl* 2001; 7(3): 213-9.
78. Parolin MB, Coelho JC, Costa PB, Pimentel SK, dos Santos-Neto LE, Vayego SA.  
Return to work of adults after liver transplantation.  
*Arq Gastroenterol* 2001; 38(3): 172-5.
79. Paterson DL, Gayowski T, Wannstedt CF, et al.  
Quality of life in long-term survivors after liver transplantation: impact of recurrent viral hepatitis C virus hepatitis.  
*Clin Transplant* 2000; 14(1): 48-54.
80. Paul A.  
Outcome nach konservativer und chirurgischer Therapie des akuten und chronischen Leberversagens.  
Habilitationsschrift der Universität Köln, 1994.
81. Pereira SP, Howard LM, Muiesan P, Rela M, Heaton N, Williams R.  
Quality of life after liver transplantation for alcoholic liver disease.  
*Liver Transpl* 2000; 6(6): 762-8.

82. Pfitzmann R.  
Die Lebertransplantation als Therapie des akuten und chronischen Leberversagens.  
Klinische Erfahrungen und Ergebnisse von 1365 Lebertransplantationen am Virchow-Klinikum.  
Habilitationsschrift der HU-Berlin, 2005.
83. Platz KP, Mueller AR, Blumhardt G, et al.  
Nephrotoxicity following orthotopic liver transplantation. A comparison between cyclosporine and FK506.  
Transplantation 1994; 58(2): 170-8.
84. Price CE, Lowe D, Cohen AT, et al.  
Prospective study of the quality of life in patients assessed for liver transplantation: outcome in transplanted and not transplanted groups.  
J R Soc Med 1995; 88(3): 130-5.
85. Ratcliffe J, Longworth L, Young T, Bryan S, Burroughs A, Buxton M; Cost-Effectiveness of Liver Transplantation.  
Assessing health-related quality of life pre- and post-liver transplantation: a prospective multicenter study.  
Liver Transpl 2002; 8(3), 263-70.
86. Rayes N, Seehofer D, Hansen S, et al.  
Early enteral supply of lactobacillus and fiber versus selective bowel decontamination: a controlled trial in liver transplant recipients.  
Transplantation 2002; 74(1): 123-7.
87. Renz JF, Yersiz H, Reichert PR, et al.  
Split-liver transplantation: a review.  
Am J Transplant 2003; 3(11): 1323-35.
88. Reuben A.  
Long-term management of the liver transplant patient: diabetes, hyperlipidämia, and obesity.  
Liver Transpl 2001; 7(11 Suppl 1): S13-21.

89. Riether AM, Smith SL, Lewison BJ, Cotsonis GA, Epstein CM.  
Quality-of-life changes and psychiatric and neurocognitive outcome after heart and liver transplantation.  
*Transplantation* 1992; 54(3): 444-50.
90. Saab S, Ibrahim AB, Shpaner A, et al.  
MELD fails to measure quality of life in liver transplantat candidates.  
*Liver Transpl* 2005; 11(2): 218-23.
91. Saigal S, Norris S, Muiyesan P, Rela M, Heaton N, O'Grady J.  
Evidence of differential risk for posttransplantation malignancy based on pretransplantation cause in patients under going liver transplantation.  
*Liver Transpl* 2002; 8(5): 482-7.
92. Sehgal SN.  
Rapamune (Sirolimus, rapamycin): an overview and mechanism of action.  
*Ther Drug Monit* 1995; 17(6): 660-5.
93. Shiffman ML, Vargas HE, Everson GT.  
Controversies in the management of hepatitis C virus infection after liver transplantation.  
*Liver Transpl* 2003; 9(11): 1129-44.
94. Starzl TE, Marchioro TL, VonKaulla KN, Hermann G, Brittain RS, Waddell WR.  
Homotransplantation of the liver in humans.  
*Surg Gynecol Obstet* 1963; 117: 659-76.
95. Starzl TE, Marchioro TL, Porter KA, Iwasaki Y, Cerilli GJ.  
The use of heterologous antilymphoid agents in canine renal and liver homotransplantation and in human renal homotransplantation.  
*Surg Gynecol Obstet* 1967; 124(2): 301-8.
96. Starzl TE, Koep LJ, Schröter GP, et al.  
The quality of life after liver transplantation.  
*Transplant Proc* 1979; 11(1): 252-6.
97. Starzl TE, Iwatsuki S, Van Thiel DH, et al.  
Evolution of liver transplantation.  
*Hepatology* 1982; 2(5): 614-36.

98. Starzl TE, Demetris AJ, van Thiel D.  
Liver transplantation (first and second part).  
N Engl J Med 1989; 312(15): 1014-22; and 321(16): 1092-9.
99. Statistisches Bundesamt – Mikrozensus 2003.
100. Steinmüller T, Stockmann M, Bechstein WO, Settmacher U, Jonas S, Neuhaus P.  
Liver transplantation and diabetes mellitus.  
Exp Clin Endocrinol Diabetes 2000; 108(6): 401-5.
101. Taler SJ, Textor SC, Canzanello VJ, Schwartz L.  
Cyclosporin-induced hypertension: incidence, pathogenesis and management.  
Drug Saf 1999; 20(5): 437-49.
102. Tarter RE, Switala J, Arria A, Plail J, van Thiel D.  
Quality of life before and after orthotopic hepatic transplantation.  
Arch Intern Med 1991; 151(8): 1521-6.
103. Textor SC, Canzanello VJ, Taler SJ, Schwartz L, Augustine J.  
Hypertension after liver transplantation.  
Liver Transpl Surg 1995; 1(5 Suppl 1): 20-8.
104. Textor SC, Taler SJ, Canzanello VJ, Schwartz L, Augustine JE.  
Posttransplantation hypertension related to calcineurin inhibitors.  
Liver Transpl 2000; 6(5): 521-30.
105. The US Multicenter FK506 Liver Study Group.  
A comparison of tacrolimus (FK506) and cyclosporine for immunosuppression in liver transplantation.  
N Engl J Med 1994; 331: 1110-7.
106. Troidl H.  
Quality of life: a relevant final criterium in surgery.  
Chirurg 1989; 60(7): 445-9.
107. UNOS - United Network for Organ Sharing. [www.unos.org](http://www.unos.org).
108. Walter M, Moyzes D, Rose M, Neuhaus R, Danzer G, Klapp BF.  
Psychosomatic interrelations following liver transplantation.  
Clin Transplant 2002; 16(4): 301-5.

109. Wiesner RH, Sorrel M, Villamil F; International Liver Tranplantation Society Expert Panel. Report of the first international Liver Transplantation Society expert panel consensus conference on liver transplantation and hepatitis C. *Liver Transpl* 2003; 9(11): S1-9.
110. Xiol X, Guardiola J, Menendez S, et al. Risk factors for development of de novo neoplasia after liver transplantation. *Liver Transpl* 2001; 7(11): 971-5.
111. Zwaveling JH, Maring JK, Klompmaker IJ, et al. Selective decontamination of the digestive tract to prevent postoperative infection: a randomized placebo-controlled trial in liver transplant patients. *Crit Care Med* 2002; 30(6): 1204-9.