

9 Literaturverzeichnis

Anonymous (2001a)

Infomed online.

<http://www.infomed.org/100drugs/iodphar.html>.

Anonymous (2001b)

Lanolin (Wollwachs).

<http://www.parmentier.de/lanolin/hager.htm#P11>.

Appel, F., Luf, W., und Brandl, E. (1988)

Rückstandbildung in der Milch nach Anwendung von Euterhygienepräparaten in der Mastitisprophylaxe.

Wien. Tierärztl. Mschr. 75, 365 – 369.

Aumont, G. (1987)

Milk iodine residues after a post-milking iodophor teat-dipping.

Ann. Rech. Vet., 18, 375 – 378.

Aumont, G., Le Querrec, F., Lamand, M. und Tressol, J. C. (1987)

Iodine content of dairy milk in France in 1983 and 1984.

J. Food Prot. 50, 490 – 493.

Austgen, L., Bowen, R. A., und Rouge, M. (2001)

Pathophysiology of endocrine system.

http://arbl.cvmbs.colostate.edu/hbooks/pathphys/endocrine/thyroid/nai_symport.html.

Barnum, D. A., Johnson, R. E., Brooks, B. W. (1982)

An evaluation of a teat dip with dodecyl benzene sulfonic acid in preventing bovine mammary gland infection from experimental exposure to streptococcus agalactiae and Staphylococcus aureus

Can. vet. J. 23: 50.54

Berg, J. N., und Padgitt, D. (1985)

Iodine concentrations in milk from iodophor teat dips.

J. Dairy Sci. 68, 457 – 461.

- Blowey, R. W., und Collis, K. (1992)
Effect of premilking teat disinfection on mastitis incidence, total bacterial count, cell count and yield in three dairy herds.
Vet. Rec. 130, 175 – 178.
- Blowey, R., und Edmonson, P. (1996)
Teat disinfection in dairy herds.
In Pract. 254 – 260.
- Boddie, R. L., Nickerson, S. C. und Adkinson, R. W. (1997)
Efficacies of teat germicides containing 0,5% Chlorhexidine and 1% Iodine during experimental challenge with *Staphylococcus aureus* and *Streptococcus agalactiae*.
J. Dairy Sci. 80, 2809 – 2814.
- Boddie, R. L., Nickerson, S. C., und Adkinson, R. W. (1993)
Evaluation of teat germicides of low iodine concentrations for prevention of bovine mastitis by *Staphylococcus aureus* and *Streptococcus agalactiae*.
Prev. Vet. Med. 16, 111 – 117.
- Boddie, R. L., Nickerson, S. C., und Adkinson, R. W. (1998)
Germicidal activity of a chlourous acid-chlorine dioxide teat dip and a sodium chlorite teat dip during experimental challenge with *Staphylococcus aureus* and *Streptococcus agalactiae*.
J. Dairy Sci. 81, 2293 – 2298.
- Boddie, R. L., und Nickerson, S. C. (1989)
Efficacy of .18% iodine teat dip against *Staphylococcus aureus* and *Streptococcus agalactiae*.
J. Dairy Sci. 72, 1063 – 1069.
- Boddie, R. L., und Nickerson, S. C. (1990)
Efficacy of two iodophor postmilking teat germicides against *Streptococcus agalactiae*.
J. Dairy Sci. 73, 2790 – 2793.
- Boddie, R. L., und Nickerson, S. C. (1997)
Evaluation of two iodophor teat germicides: Activity against *Staphylococcus aureus* and *Streptococcus agalactiae*.
J. Dairy Sci. 80, 1846 – 1850.

- Bramley, A. J. (1981)
The role of hygiene in preventing intramammary infection.
Mastitis control and herd management. Tech. Bull. 4 Natl. Inst. Res. Dairying,
Reading, England.
- Bramley, A. J. (1985)
The sources of mastitis pathogens for dairy herd and their control.
Kieler Milchwirtschaftliche Forschungsberichte 37, 375 – 385.
- Bray, D. R., Natzke, R. P., Everett, R. W., und Wilcox, C. J. (1983)
Comparison of teat dips with differing iodine concentrations in prevention of mastitis
infection.
J. Dairy Sci. 66, 2593 – 2596.
- Bruhn, J. C., Franke, A. A., und Smith, T. W. (1987)
Iodine in california farm milk.
J. Food Prot. 50, 765 – 768.
- Bruhn, J.C., und Franke, A. A., (1979)
Observations on iodine concentration of milk and milk products.
J. Dairy Sci. 62, Suppl. 1, 35 – 36.
- Bruhn; J. C., Franke, A. A., Bushnell, R. B., Weisheit, H., Hutton, G. H., und Gutle, G. C.
(1983)
Sources and content of iodine in california milk and dairy products.
J. Food Prot. 46, 41 – 46.
- Burmeister, J. E., Fox, L. K., Hillers, J. K., und Hancock; D. D. (1998)
Effects of premilking and postmilking teat disinfectants on teat skin condition.
J. Dairy Sci. 81, 1910 – 1916.
- Cantor, A. und Most, S. (1976)
Milk iodides: Effects of iodophor teat dipping and udder washing and dietary iodide
supplementation.
J. Milk Food Technol. 39, 554 – 560.
- Capuco, A. V., Wood, D. L., Qast, J. W. (2000)
Effects of teatcup liner tension on teat canal keratin and teat condition in cows.
J Dairy Res. 67, 319 – 327

- Conrad, L. M., und Hemken, R.W. (1978)
Milk iodine as influenced by an iodophor teat dip.
J. Dairy Sci. 61, 776 – 780.
- Dodd, F. H., Westgarth, D. R., Neave, F. K., und Kingwill, R. G. (1969)
Mastitis-the strategy of control.
J. Dairy Sci. 52, 698 – 712.
- Dodd, F. H., Westgarth, D. R., und Griffin, T. K. (1977)
Strategy of mastitis control.
J. Am. Vet. Assoc. 170, 1124 – 1128.
- Doggweiler, R., und Hess, E. (1983)
Zellgehalt in der Milch ungeschädigter Euter.
Milchwiss. 38, 5 – 8.
- Döpfer, D., Schukken, Y. H., Metzner, R. M., und Petersen, D. (1993)
Betreuungsstrategien zur Sanierung von Milchviehbetrieben mit hohem Zellgehalt in der Tankmilch.
Prakt. Tierarzt 74, Coll. Vet. XXIV, 70 – 72.
- Dunn J. T. (2000)
Thyroid Hormone Synthesis and Secretion, Chapter 2.
<http://www.thyroidmanager.org/Chapter2/2-text.htm>.
- Dunsmore, D. G., Nuzum, C., und Dettmann, B. (1977)
Iodophors and iodine in dairy products. 3. teat dipping.
Aus. J. Dairy Technol. 32, 166 – 171.
- Eberhart, R. J., LeVan, P. L., Griel, Jr., L. C., und Kesler, E. M. (1983)
Germicidal teat dip in a herd with low prevalence of Streptococcus agalactiae and Staphylococcus aureus mastitis.
J. Dairy Sci. 66, 1390 – 1396.
- Eberhart, R. J., und Buckalew, J. M. (1972)
Evaluation of a hygiene and dry period therapy program for mastitis control.
J. Dairy Sci. 55, 1683 – 1691.

- Erskine, R. J. und Eberhart, R. J. (1988)
Comparison of duplicate and single quarter milk samples for identification of intramammary infections.
J. Dairy Sci. 71, 854 – 856.
- Farnsworth, R. J. (1980)
Role of teat dips in mastitis control.
J. Am. Vet. Med. Assoc. 176, 1116 – 1118.
- Farnsworth, R. J., Wyman, L., und Hawkinson, R. (1980)
Use of a teat sealer for prevention of intramammary infections in lactating cows.
J. Am. Vet. Med. Assoc. 177, 441 – 444.
- Favero, M. S. (1982)
Iodine – Champagne in a tin cup.
Infect. Control 3, 30 – 32.
- Fetrow, J., Stewart, S., Eicker, S., Farnsworth, R., und Bey, R. (2000)
Mastitis: an economic consideration.
Proc. of the National Mastitis Council Annual Meeting, Atlanta, USA, 3 – 28.
- Forth, W., Henschler, D., und Rummel, W. (1987)
Allgemeine und spezielle Pharmakologie und Toxikologie.
5. Auflage, BI Wissenschaftsverlag.
- Fox, L. K., Nagy, J. A., Hillers, J. K., Cronrath, J. D., und Ratkowski, D. A. (1991)
Effects of postmilking teat treatment on the colonisation of *Staphylococcus aureus* in chapped teat skin.
Am. J. Vet. Res. 52, 799 – 802.
- Fox, L. K., und Norell, R. J. (1994)
Staphylococcus aureus colonization of teat skin as effected by postmilking teat treatment when exposed to cold and windy conditions.
J. Dairy Sci. 77, 2281 – 2288.
- Fradkin, J. E. und Wolff, J. (1983)
Iodide-induced thyrotoxicosis.
Medicine 62, 1 – 20.

- Franke, A. A., Bruhn, J. C., und Osland, R. B. (1983)
Factors affecting iodine concentration of milk of individual cows.
J. Dairy Sci. 66, 997 – 1002.
- Frey, H. H., und Löscher, W. (1996)
Lehrbuch der Pharmakologie und Toxikologie für die Veterinärmedizin
Ferdinand Enke Verlag, Stuttgart.
- Galton, D. M., Peterson, L. G., und Merrill, W. G. (1988)
Evaluation of udder preparation on intramammary infections.
J. Dairy Sci. 71, 1417 – 1421.
- Galton, D. M., Peterson, L. G., Merril, W. G., Bandler, D. K., und Shuster, D. E. (1984)
Effects of premilking udder preparation on bacterial population sediment and iodine residue in milk.
J. Dairy Sci. 67, 2580 – 2589.
- Galton, D. M., Petersson, L. G., und Erb, H.N. (1986)
Milk iodine residues in herds practicing iodophor teat disinfection.
J. Dairy Sci. 69, 367 – 271.
- Garner, R. J., Swanson, B. F., und Jones, H. G. (1960)
Fission products and the dairy cow, Transfer of I¹³¹ to milk following single and daily dosing.
J. Agr. Sci. 55, 283 – 291.
- Gershenfeld, L. (1977)
Iodine.
Disinfection, sterilization, and preservation. 2nd ed. S.S. Black, ed. Lea & Febiger, PA.
- Godinho, K. S., und Bramley, A. J. (1980)
The efficacy of teat dips of differing persistence on teat skin in preventing intramammary infection by *Streptococcus uberis* and *Escherichia coli* in dry cows.
Br. Vet. J. 136, 574 – 579.
- Goldberg, J. J., Murdough, P. A., Howard, A. B., Drechsler, P. A., Pankey, J. W., Ledbetter, G. A., Richards, D. A., und Day, L. L. (1994)
Evaluation of a 1% iodophor postmilking teat sanitizer.
J. Dairy Sci. 77, 740 – 749.

- Grommers, F. J., van de Geer, D., und Veen, C. A. A. (1985)
Duration of bovine intramammary infections in commercial dairy herds.
Vet. Rec. 116, 581 – 584.
- Grootenhuis, G. S., Brandsma und Flamand, A. M. G. (1974)
Prevention of Mastitis by postmilking desinfektion of the teats.
Tijdschr. Diergeneeskd. 99, 691 –702.
- Hamann J. (1994)
Leitlinien zur Bekämpfung der Mastitis des Rindes als Herdenproblem, DVG.
3.Aufl. – Giessen: Dt. Veterinärmed. Ges.
- Hamann, J., und Heeschen, W. (1982)
Zum Jodgehalt der Milch.
Milchwiss. 37, 525 – 529.
- Heeschen, W., und Hamann, J. (1987)
Die Bedeutung der Zitzendesinfektion im Rahemen der Mastitisbekämpfung.
Tierärztl. Umschau 42, 362 – 369.
- Hemken, R. W. (1980)
Milk and Meat content: Relation to human health.
J. Am. Vet. Med. Assoc. 176, 1119 – 1121.
- Hemken, R. W., (1979)
Factors that influence the iodine content of milk and meat: a review.
J. Animal Sci. 48, 981 – 985.
- Hemken, R. W., Fox, J. D., und Hicks, C. L. (1978)
Milk iodine content as influenced by feed sources and sanitizer residues.
J. Food Prot. 43, 824 – 829.
- Hemken, R. W., Fox, J. D., und Hicks, C. L. (1981)
Milk iodine content as influenced by feed sources and sanitizer residues.
J. Food Prot. 44, 476 – 479.
- Hemken, R. W., Vandersall, J. H., Oskarsson, M. A., und Fryman, L. A. (1972)
Iodine intake related to milk iodine and performance of diary cattle.
J. Dairy Sci. 55, 931 - 934.

- Hillerton, J. E., Staker, R. T., und Shearn, M. F. H. (1995)
Failure of exit-race teat spraying to control *Corynebacterium bovis* colonisation.
Vet. Rec. 135, 633 – 636.
- Hoard`s Dairyman Continuing Market Study (1982)
27th Ann. Res. Dept., ed. Ft. Atkinson, W.
- Hoblet, K. H., Schnitkey, G. D., Arbaugh, D., Hogan, J. S., Smith, K. L., Schoenberger, P. S., Todhunter, D. A., Hueston, W. D., Pritchard, D. E., Bowman, G. L., Heider, L. E., Brockett, B. L., und Conrad, H. R. (1991)
Costs associated with selected preventive practices and with episodes of clinical mastitis in nine herds with low somatic cell counts.
J. Am. Vet. Med. Assoc. 199, 190-196.
- Hogan, J. S., Smith, K. L., Todhunter, D. A., und Schoenberger, P. S. (1988)
Rate of environmental mastitis in quarters infected with *Corynebacterium bovis* and *Staphylococcus* species.
J. Dairy Sci. 71, 2520 – 2525.
- Hogan, J. S., Smith, K. L., Todhunter, D. A., und Schoenberger, P. S. (1995)
Efficacy of Barrier teat dip containing .55% chlorhexidine for prevention of bovine mastitis.
J. Dairy Sci. 78, 2502 – 2506.
- Hogan, J. S., White, D. G., und Pankey, J. W. (1987)
Effects of teat dipping on intramammary infections by Staphylococci other than *Staphylococcus aureus*.
J. Dairy Sci. 70, 873 – 879.
- Honkanen-Buzalskii, T., und Bramley, A. J. (1984)
Observations on *Corynebacterium bovis* infection of the bovine mammary gland. II
Experimental infection.
J. Dairy Res. 51. 379 – 385.
- Ingawa, K. H., Adkinson, R.W., und Gough, R.H. (1991)
Effects of a gel teat cleaning and sanitizing agent on milk quality and udder health.
J. Dairy Sci. 74, Suppl. 1, 204

- Ingawa, K.H., Adkinson, R.W., und Gough, R.H. (1992)
Evaluation of a gel teat cleaning and sanitizing compound for premilking hygiene.
J. Dairy Sci. 75, 1224 – 1232.
- International Dairy Federation (1987)
Bovine mastitis – definition and guidelines for diagnosis.
IDF Doc. 211.
- International Dairy Federation (1995)
Mastitis control.
IDF Doc. 305.
- International Dairy Federation (1997)
Recommendations for presentation of mastitis-related data.
IDF Doc. 321.
- International Dairy Federation (1967)
Annual Bulletin Part 3
- International Dairy Federation (1999)
Quality and safety of raw milk and its impact on milk and milk products
IDF Doc. 345.
- Iwarson, K, und Ekman L. (1974)
Iodophor teat dipping and the iodine concentration of milk.
Nord. Veterinärmed. 26, 31 – 38.
- Iwarsson, K (1974)
Iodine in Swedish milk during 1971 and 1972.
Nord. Veterinärmed. 26, 39 – 49.
- Iwarsson, K. (1973)
Rapeseed meal as a protein supplement for dairy cows. I. The influence of certain
blood and milk parameters.
Acta vet. Scand. 14, 570 – 594.
- Iwarsson, K., Bengtsson, G., und Ekman, L. (1973)
Iodine content in colostrum and milk of cows and sows.
Acta vet. Scand. 14, 254 – 262.

- King, R. G., Godinho, K. S., und Bramley, A. J. (1981)
Testing and efficacy of teat skin disinfectants.
H. C. Collins, ed. Academic Press, New York, NY.
- Klaas, I. C. (2000)
Untersuchungen zum Auftreten von Mastitiden und zur Tiergesundheit in 15
Milchviehbetrieben Schleswig-Holsteins.
Dissertation, FU Berlin.
- Kruif de, A., Mansfeld, R., und Hoedemaker, M. (1998)
Tierärztliche Bestandsbetreuung beim Milchrind.
Ferdinand Enke Verlag Stuttgart 1998.
- Lam, T. J. G. M., van Vliet, J. H., Shukken, Y. H., Grommers, F. J., van Velden-Russcher,
Barkema, H. W. und Brand, A. (1997)
The effect of discontinuation of postmilking teat disinfection in low somatic cell count
herds. I. Incidence of clinical Mastitis.
Vet. Quart. 19, 41 – 47.
- Lefcourt, A. M. (1982)
Influence of contractility of papillary sphincter muscle on penetrability of the
papillary duct in the bovine quarter after machine milking.
Am. J. Vet. Res. 43, 1573 – 1579.
- Lengemann, F. W., und Swanson, E. W. (1957)
A study of secretion of iodine in milk of dairy cows, using daily oral doses of ¹³¹I.
J. Dairy Sci. 40, 216 – 224.
- Leudecke, L. O., und Forester, T. L. (1970)
Teat dipping and milking hygiene as aids in controlling bovine mastitis. II. Incidence
of infections.
J. Dairy Sci. 53, 672.
- Lewis, P.A., Hemken, R.W., Christ, W.L. (1980)
The effect of teat dip viscosity on milk iodine levels.
J. Dairy Sci. 63, Suppl. 1, 182 – 183.

- Matthews, K.R., Harmon, R. J., und Langglois, B.E., Crist, W.L., und Hemken, R. W. (1988)
Use of latex teat dip with germicide during the prepartum period.
J. Dairy Sci. 71, 1940 – 1946.
- Mc Donald, J. S., (1968)
Prevention of intramammary infection in dairy cattle during lactation: role of teat skin disinfection and milking unit sanitation.
In Proc. US Livest. Sanit. Assos., 72nd Ann. Mtg.
- McArthur, B. J., Fairchild, T.P., und Moore, J. J. (1984)
Efficacy of a latex teat sealer.
J. Dairy Sci. 67, 1331 – 1335.
- Meaney, W. J. (1974)
Post-milking teat disinfection – A comparison of dipping and spraying.
Ir. J. Agric. Res. 13, 157 – 161.
- Michel, G., Seffner, W., Schultz, J. (1974)
Zur Frage der Hyperkeratose des Strichkanalepithels der Zitze des Rindes.
Monatschr. Vet. Med. 29, 570 – 574.
- Miller, J. K., Swanson, E. W., und Spalding, G. E. (1975)
Iodine absorption, excretion, recycling and tissue distribution in the dairy cow.
J. Dairy Sci. 58, 1578 – 1592.
- Miller, J. K., und Swanson, E. W. (1973)
Metabolism of ethylenediaminedihydrate and sodium on potassium iodide by dairy cows.
J. Dairy Sci. 56, 378 – 384.
- Milne, J. R. (1977)
Teat spraying an alternative to teat dipping.
Hoard's Dairyman 122, 1252 – 1257.
- Moak, H. (1916)
Control of eradication of infectious mastitis in dairy herds.
Cornell Vet. 6, 36 – 40.

Morris, R. S. (1975)

Criteria for the design and evaluation of bovine mastitis control systems.
Annual Bull. Int. Dairy Fed 85, 395 – 409.

Murthy, G. K., und Campbell, J. E. (1966)

In vitro transformation of inorganic iodine to protein-bound iodine in milk by formaldehyde.
J. Dairy Sci. 49, 1190 – 1196.

Natzke, R. P. (1977)

Role of teat dips and hygiene in mastitis control.
J. Am. Vet. Med. Assoc. 170: 1196 – 1198.

Neave, F. K. (1971)

The control of mastitis by hygiene.
Dodd, F. H. und Jackson, E. R. (ed.): The control of bovine mastitis; papers given at a meeting organised by the British cattle veterinary association and the Agricultural development association, held at reading University, January 5-6, 1971, 55.

Neave, F. K., Dodd, F. H., Kingwill, R. G. (1966)

A method on controlling udder disease.
Vet Rec. 78, 521 – 523.

Neave, F. K., Dodd, F. H., Kingwill, R. G., und Westgarth, D. R. (1969)

Control of mastitis in the dairy herd by hygiene and management.
J. Dairy Sci. 52, 696 – 706.

Neijenhuis, F., Barkema, H. W., Hogeveen, H., und Noordhuizen J. P. T. M. (2000)

Classification and longitudinal examination of callused end in dairy cows.
J Dairy Sci. 83, 2795 – 804.

Newbould, F. H. S. (1970)

Factors contributing to new infections.
Proc. Annu Mtg. Natl. Mastitis Counc., Washington, DC.

Newbould, F. H. S., und Barnum, D. A. (1958)

The effect of dipping cows` teats in a germicide after Milking on the number of micrococci on the teat cup liners.
J. Milk Fd. Technol. 21, 348 – 349.

Newbould, F. H. S., und Barnum, D. A. (1960)

The reduction of the mikroflora of milking machine inflations by teat dipping and teat cup pasteurisation.

J. Milk Fd. Technol. 23, 374 – 376.

Nickerson, S. C., Watts, J. L., Boddie, R. L., und Pankey, J. W. (1986)

Evaluation of .5% and 1% iodophor teat dips on commercial dairies.

J. Dairy Sci. 69, 1693 – 1998.

Nickerson, S.C., und Boddie, R.L. (1995)

Efficacy studies on barrier teat dips.

Proc. Annu. Mtg. Natl. Mastitis Counc., Natl. Mastitis Counc., Inc., Arlington, VA.

NMC (2001)

Teat dipping testing methods

<http://www.nmconline.org/teatdip.htm>

NMC (2002)

A Summary of Peer-Reviewed Publications on Efficacy of Premilking and Postmilking teat disinfectants published since 1980

<http://www.nmconline.org/dacs/Teatbibl.pdf>

Oliver, S. P., Gillespie, B. E., Lewis, M. J., Ingle, T. L. und Dowlen, H. H. (1994)

Evaluation of chlorhexidine as a premilking teat disinfectant for the prevention of intramammary infections during lactation.

J. Food Prot. 57, 614 – 618.

Oliver, S. P., Gillespie, B. E., Lewis, M. J., Ivey, S. J., Almeida, R. A., Luther, D. A., Johnson, D. L., Lamar, K. C., Moorehead, H. D. und Dowlen H. H. (2001)

Efficacy of a new premilking teat disinfectant containing a phenolic combination for the prevention of mastitis.

J. Dairy Sci. 84, 1545 – 1549.

Oliver, S. P., King, S. H., Lewis, M. J., Torre, P. M., Matthews, K. R. und Dowlen, H. H. (1990)

Efficacy of chlorhexidine as a postmilking teat disinfectant for the prevention of bovine mastitis during lactation.

J. Dairy Sci. 73, 2230 – 2235.

- Oliver, S. P., King, S. H., Torre, P. M., Shull, E. P., Dowlen, H. H., Lewis, M. J., und Sordillo, L. M. (1989)
Prevention of bovine mastitis by a postmilking teat disinfectant containing chlorous acid and chlorine dioxide in a soluble polymer gel.
J. Dairy Sci 72, 3091 – 3097.
- Oliver, S. P., Lewis, M. J., Ingle, T. L., Gillespie, B. E., Matthews, K. R. und Dowlen, H. H. (1993a)
Premilking teat disinfection for prevention of environmental pathogen intramammary infections.
J. Food Prot. 56, 852 – 855.
- Oliver, S. P., Lewis, M. J., Ingle, T. L., Gillespie, B. E., und Matthews, K. R. (1993b)
Prevention of bovine mastitis by a teat disinfectant containing chlorous acid and chlorine dioxide.
J. Dairy Sci. 76, 287 – 292.
- Oliver, S.P., Lewis, M.J., King, S.H., Gillespie, B.E., Ingle, T., Matthews, K.R., Dowlen, H.H., Drechsler, P.A., Wildmann, E.E. und Pankey, J.W (1991)
Efficacy of a low concentration iodine postmilking teat disinfectant against contagious and environmental mastitis pathogens in two dairy herds.
J. Food Prot. 54, 737 – 742.
- Pankey, J. W. (1981)
Postmilking teat antisepsis.
Vet. Clinics of N. America: Large Animal Practice: 6, 335 – 348.
- Pankey, J. W. (1989)
Premilking udder hygiene.
J. Dairy Sci. 72, 1308 – 1312.
- Pankey, J. W., Eberhardt, R. J., Cuming, A. L., Daggett, R. D., Farnsworth, R. J., und McDuff, C. K. (1984)
Uptake on Postmilking Teat Antisepsis.
J. Dairy Sci. 67, 1336 – 1353.

- Pankey, J. W., Philpot, W. N., Boddie, R. L., und Watts, J. L. (1983b)
Evaluation of nine teat dips under experimental challenge to *Staphylococcus aureus* and *Streptococcus agalactiae*.
J. Dairy Sci. 66, 161 – 167.
- Pankey, J. W., Philpot, W. N., und Boddie (1983a)
Efficacy of low concentration iodophor teat dips against *Staphylococcus aureus*.
J. Dairy Sci. 66, 155 – 160.
- Pankey, J. W., und Philpot, W. (1975)
Hygiene in the prevention of udder infections. I. Comparative efficacy of four teat dips.
J. Dairy Sci. 58, 202 – 204.
- Pankey, J. W., und Watts J. L. (1983)
Evaluation of spray applikation of postmilking teat sanitizer.
J. Dairy Sci. 66, 355 – 358.
- Pankey, J. W., Wildmann, E. E., Drechsler, P. A., und Hogan, J. S. (1987)
Fiel trial evaluation of premilking teat disinfection.
J. Dairy Sci. 70, 867 – 872.
- Papas, A., Ingalls, J. R., und Cansfield, P.(1977)
The effect of glucosinolates on the thyroid status of dairy cows and milk iodine and thiocyanate (SCN-) content.
J. Dairy Sci. 60, Suppl. 1, 106.
- Pearson, J. K. L., Greer, D. O., Poole, N., Gordon, F. J., und Acheson, M. D. (1975)
Evaluation of an iodophor teat spray in the control of infections and cellular reactions in the udder.
Vet. Rec. 96, 423 – 427.
- Pennington, J. A. T. (1990)
Iodine concentrations in US milk: Variation due time, season, and region.
J. Dairy Sci. 73, 3421 – 3427.
- Philpot, W. N. (1979)
Control of mastitis by hygiene and therapy.
J. Dairy Sci. 62, 168 – 176.

- Philpot, W. N., Boddie, R. L., und Pankey, J. W. (1978)
Hygiene in the prevention of udder infections IV. Evaluation of teat dips with excised cow`s teats.
J. Dairy Sci. 61, 950 – 955.
- Philpot, W. N., und Pankey, J. W. (1975b)
Hygiene in the prevention of udder infections. III. Effectiveness of 59 teat dips for reducing bacterial population on teat skin.
J. Dairy Sci. 58, 209 – 216.
- Philpot, W. N., und Pankey, J. W. (1978)
Hygiene in the prevention of udder infections. V. Efficacy of teat dips under experimental exposure to mastitis pathogens.
J. Dairy Sci. 61, 956 – 963.
- Philpot, W. N., und Pankey, J.W. (1975a)
Hygiene in the prevention of udder infections. II. Evaluation of oil-based teat dips.
J. Dairy Sci. 58, 205 – 208.
- Poutrel, B., Serieys, F., und Ducelliez (1990)
Efficacy of a germicidal post milking barrier-type teat dip in preventing intramammary infections.
Vet. Rec. 126, 638 – 640.
- Prince, H., Herbert, H. Nonemaker, W. S., Norgard, R. C., und Prince, D. L. (1978)
Iodophors. Drug resistance studies with topical antiseptics.
J. Pharm Sci. 67, 1629 – 31.
- Radostits, O. M., Gay, C. C., Blood, D. C., und Hinchcliff, K. W. (2000)
Veterinary Medicine – A Textbook of Diseases of Cattle, Sheep, pigs, Goats and Horses.
W.B. Saunders Company Ltd, 9th Edition.
- Rainard, P., und Poutrel, B. (1982)
Dynamics of nonclinical bovine intramammary infections with major and minor pathogens.
Am. J. Vet. Res. 43, 2143 – 2146.

- Rasmussen, M. D., und Larsen, H. D. (1998)
The effect of postmilking teat dip and suckling on teat skin condition, bacterial colonisation, and udder health-
Acta vet. Scand. 39, 443 – 452.
- Rasmussen, M.D., Galton, D.M., und Petersson, L.G. (1991)
Effects of premilking teat preparation on spores of anaerobes, bacteria, and iodine residues in milk.
J. Dairy Sci. 74, 2472 – 2478.
- Roberson, J. R., Fox, L. K., Hancock, D. D., Gay, J. M., und Besser, T. J. (1998)
Sources of intramammary infections from Staphylococcus aureus in dairy heifers at first parturition.
J. Dairy Sci. 81, 687 – 693.
- Rosenberger, G. (1990)
Die klinische Untersuchung des Rindes, 3. Auflage, Parey Verlag, Berlin, Hamburg
- Ruegsegger G. J., Kuehn, P., und Schultz, L. H. (1983)
Iodine in field milk samples and effects on mastitis organisms.
J. Dairy Sci. 66, 1976 – 1979.
- Ruegsegger, G. J., und Schultz, L. H. (1980)
Iodine in field milk samples.
J. Dairy Sci. 63, Suppl. 1, 115.
- Schultze, W. D., Dowlen, H. H., Moore, E. D., Arapis, und Owen, J. R. (1976)
Postmilking teat dipping in a herd of low infection incidence.
J. Milk Food Technol. 39, 671 – 674.
- Schultze, W. D., Dowlen, H. H., Moore, E. D., Casman, E., und Bowen, J. R. (1975)
Efficacy of a commercial iodine-in-oil teat dip.
J. Milk Food Technol. 38, 132 – 134.
- Schultze, W. D., und Smith, J. W. (1970)
Effectiveness of chlorhexidine in a postmilking teat dip.
J. Dairy Sci. 53, 38 – 45.
- Schultze, W. D., und Smith, J. W. (1972)
Effectiveness of postmilking teat dips.
J. Dairy Sci. 55, 426 – 431.

Schumacher, E. (1975)

Die Belastung der Milch mit Jod und Nonoxinol beim Zitzentauchen mit Lorasol[®] CC.

Milchwiss. 30, 333 – 337.

Serieys, F., und Poutrel B. (1993)

Prüfbericht zu P3-cide plus (“Field trial evaluation of two teat Dips containing nisin or P.V.P. iodophor designed for use before and after milking”).

Seryies, F., Lerondelle, C., und Poutrel, B. (1983)

Utilisation du teat shield 3M puor la prevention par trempage de nouvelles infections mammaires pendant la lactation.

Bull. Soc. Vet. Pract. Fr. 67, 225 – 229.

Shearn, M. F. H. und Hillerton (1996)

Hyperkeratosis of teat duct orifice in the dairy cow.

J Dairy Res. 63, 525 – 532

Shearn, M. F. H., Langridge, S., Teverson, R. M., Booth, J. M., und Hillerton, J. E. (1992)

Effect of pre-milking teat dipping on clinical mastitis.

Vet. Rec. 131, 488 – 489.

Sheldrake, R. F., Hoare, R. J. T., Chen, S. E., und McPhillips, J. (1980b)

Postmilking iodine teat skin disinfectants. 3. Residues.

J. Dairy Res. 47, 33 – 38.

Sheldrake, R. F., Hoare, R. J. T., und Hutchinson, J. A. E. (1980a)

Postmilking iodine teat skin disinfectants. 1. Bactericidal efficacy.

J. Dairy Res. 47, 19 – 26.

Sheldrake, R. F., und Hoare, R. J. T. (1980a)

Effect of a disinfectant udder wash and a post-milking teat dip on the bacterial population of the teat end and on the rate of new intramammary infection.

J. Dairy Res. 47, 253 – 258.

Sheldrake, R. F., und Hoare, R. J. T. (1980b)

Postmilking iodine teat skin disinfectants. 2. New intramammary infection rates.

J. Dairy Res. 47, 27 – 32.

- Shukken, Y. H., van de Geer, D., Erb, N. H., und Brand, A. (1990)
Risk factors for clinical mastitis in herds with a low bulk milk somatic cell count. I.
The data and risk factors for all cases.
J. Dairy Sci. 74, 826 – 832.
- Sieber, R. L., und Farnsworth, R. J. (1981)
Prevalence of chronic teat-end lesions and their relationship to intramammary
infection in 22 herds of dairy cattle.
J. Am. Vet. Med. Ass. 178, 1263 – 1267.
- Smith, K. L. (1983)
Mastitis control: a discussion.
J. Dairy Sci. 66, 1790 – 1794.
- Smith, K. L., Todhunter, D. A., und Schoenberger, P. S. (1985b)
Environmental mastitis: cause, prevalence, prevention.
J. Dairy Sci. 68, 1531 – 1553.
- Smith, K. L., und Hogan, J. S. (1995)
Epidemiology of mastitis.
Proceedings of the third IDF International Mastitis Seminar, Tel-Aviv, Israel, S6,
3 - 13.
- Smith, T. W., Eberhart, R. J., Spencer, S. B., Kesler, E. M., Hargrove, G. L., Wilson,
R. W., und Heald, C. W. (1985a)
Effect of automatic backflushing on number of intramammary infections, bacteria on
teatcup liners, and milk iodine.
J. Dairy Sci. 68, 424 – 432.
- Stöckl, W., und Leskowa, R. (1967)
Untersuchungen über den Jodgehalt in der Milch und Kolostrum des Rindes.
Milchwiss. 22, 692 – 694.
- Swanson, E. W., Miller, J. K., Mueller, F. J., Patton, C. S., Bacon, J. A., und Ramsey, N.
(1990)
Iodine in milk and meat of dairy cows fed different amounts of potassium iodine or
ethylenediamine dihydroiodide.
J. Dairy Sci. 73, 398 – 405.

- Terplan, T., Deneke, H. H., Grove, E., Hallermayer, E., und Meyer, J. (1975)
Zur Ermittlung und Bedeutung von Rückständen in der Milch nach Anwendung jod- und chlorhaltiger Mittel zur Zitzendesinfektion.
Arch. Lebensmittelhyg. 26, 180 – 186.
- Thompson, P. D., und Shainline, W. E. (1975)
Automatic application of teat dip by milking machine.
J. Dairy Sci. 58, 752 – 757.
- Timms, L. L. (1997)
Efficacy of barrier teat dips in preventing dry period mastitis.
Proc. Of the National Mastitis Council, Regional Meeting, Syracuse, NY, USA, 20. August 1997, 10-17.
- Timms, L. L., und Schultz, L. H. (1987)
Dynamics and significance of coagulase-negative staphylococcal intramammary infections.
J. Dairy Sci. 70, 2648 – 2657.
- Todhunter, D. A., Cantwell, L. L., Smith, K. L., Hoblet, K. H., und Hogan, J. S. (1993)
Characteristics of coagulase-negative staphylococci isolated from bovine intramammary infections.
Vet. Microbiol. 34, 373 – 380.
- Tucker, H. A. (2000)
Biochemistry of the mammary gland, chapter 7.
<http://www.dasc.vt.edu/dasc4374/Chap7int.htm>.
- Underwood, E. (1971)
Page 281 in Trace elements in human and animal nutrition, 3rd edition. Chapter 11. Academic press, New York.
- Van Damme, D. M. (1982)
Mastitis caused by contaminated teat dip and dip cup.
Vet. Med. 541 – 545.
- Vorst van der, Y. (2001)
Iodine contamination of milk.
Proc. of 2nd International Symposium on Mastitis and Milk Quality, Vancouver, BC, Canada, 13-15 Sept., 540-541.

- Wendt, K., Bostedt, H., Mielke, H., und Fuchs, H.-W. (1994)
Euter- und Gesäugekrankheiten.
Gustav Fischer Verlag Jena, Stuttgart.
- Wendt, K., Lotthammer, K.-H., Fehlings, K., und Spohr (1998)
Handbuch Mastitis.
- Wesen, D. P., und Schultz, L. H. (1970)
Effectiveness of a post-milking teat dip in preventing new udder infections.
J. Dairy Sci. 53, 1391 - 1403
- Westfall, G., Hinkley, L. S., Daniels, W. H., und DeCloux, J. (1987)
Controlling mastitis with an aerosol teat disinfectant.
Vet. Med., July 1987, 752 – 755.
- Wheeler, S. M., Fleet, G. H., und Ashley, R. J. (1983)
Effect of processing upon concentration and distribution of natural and iodophor-
derived iodine in milk.
J. Dairy Sci. 66, 187 – 195.
- Wiechen, A., und Kock, B.(1985)
Zum Jodgehalt der Molkereisammelmilch in der Bundesrepublik Deutschland.
Milchwi. 40, 522 – 525.
- Wilson, C. D. (1958)
Factors that predispose to mastitis with special reference to milking technique.
Vet. Rec. 70, 159 – 562.
- Winter, P. (1999)
Klinische Überprüfung von P3 Oxy-Foam und Blu-Gard bei Milchkühen
Tierärztl. Umschau 54, 699-704
- Woodward, W. D., Ward, A. C. S., Fox, L. K., und Corbeil, L. B. (1988)
Teat skin flora and colonisation with mastitis pathogen inhibitors.
Vet. Microbiol. 17, 357 - 365.