

# Bibliography

- Alderman, D. W., S. M. Solum & D. M. Grant (1986), 'Methods for analyzing spectroscopic line shapes. NMR solid powder patterns', *J. Chem. Phys.* **84**, 3717–3725.
- Anaren Microwave Ltd. (1998). Waterlooville, Great Britain.
- Atherton, N. M. (1993), *Principles of Electron Spin Resonance*, Ellis Horwood, Prentice Hall, New York.
- Barnes, J. P. & J. H. Freed (1997), 'Aqueous sample holders for high-frequency electron spin resonance', *Rev. Sci. Instrum.* **68**(7), 2838–2846.
- Bennati, M., G. J. Gerfen, G. V. Martinez, R. G. Griffin, D. J. Singel & G. L. Millhauser (1999), 'Nitroxide Side-Chain Dynamics in a Spin-Labeled Helix-Forming Peptide Revealed by High-Frequency (139.5-GHz) EPR Spectroscopy', *J. Magn. Reson.* **139**, 281–286.
- Budil, D. E., K. E. Earle, W. B. Lynch & J. Freed (1989), Electron Paramagnetic Resonance at 1 millimeter wavelengths, in A. J. Hoff, ed., 'Advanced EPR. Applications in Biology and Biochemistry', Elsevier, Amsterdam, chapter 22, pp. 785–812.
- Burghaus, O., M. Plato, M. Rohrer, K. Möbius, F. MacMillan & W. Lubitz (1993), '3-mm High-Field EPR on Semiquinone Radical Anions Q<sup>•-</sup> Related to Photosynthesis and on the Primary Donor P<sup>•+</sup> and Acceptor

- $\text{Q}_A^{\bullet-}$  in Reaction Centers of *Roodobacter Sphaeroides R-26'*, *J. Phys. Chem.* **97**, 7639–7647.
- Burghaus, O., M. Rohrer, T. Götzinger & K. Möbius (1992), ‘A novel high-field/high-frequency EPR and ENDOR spectrometer operating at 3 mm wavelength’, *Meas. Sci. Technol.* **3**, 765–774.
- Cardin, J. T., S. V. Kolaczkowski, J. R. Anderson & D. E. Budil (1999), ‘Quasioptical Design for an EPR Spectrometer Based on a Horizontal–Bore Superconducting Solenoid’, *Appl. Magn. Reson.* **16**.
- Deutsche Forschungsgemeinschaft (1997), ‘Schwerpunktprogramm Hochfeld EPR’.
- Disselhorst, J. A. & J. Schmidt (1999). personal communication.
- Doane, J. L. (1985), in K. J. Button, ed., ‘Millimeter components and techniques’, Vol. 13, Academic, New York.
- Earle, K. A., D. E. Budil & Freed J. H. (1993), ‘250 GHz–EPR of Nitroxides in the Slow–Motional Regime: Models of Rotational Diffusion’, *J. Phys. Chem.* **97**(50), 13289–13297.
- Earle, K. A., D. S. Tipikin & J. H. Freed (1996), ‘Far–infrared electron–paramagnetic–resonance spectrometer using a quasioptical reflection bridge’, *Rev. Sci. Instrum.* **67**(7), 2502–2513.
- Earle, K. A., Moscicki J. K., M. Ge, D. E. Budil & J. H. Freed (1994), ‘250–GHz Electron Spin Resonance Studies of Polarity Gradients Along the Aliphatic Chains in Phospholipid Membranes’, *Biophys. J.* **66**, 1213–1221.
- Farran Technology Ltd. (1997). Cork, Ireland.

- Fritz, J., R. E. Anderson, J. A. Fee, G. Palmer, R. H. Sands, J. C. M. Tsibiris, I. C. Gunsalus, W. H. Orme-Johnson & H. Beinert (1971), *Biochim. Biophys. Acta* **253**, 110–133.
- Goldsborough, J. P., M. Mandel & G. E. Pake (1960), *Phys. Rev. Lett.* **4**, 13.
- Goldsmith, P. F. (1998), *Quasioptical Systems*, IEEE Press, New York.
- Goldstein, H. (1951), *Classical Mechanics*, 2 edn, Addison-Wesley Press, Inc., Cambridge, Mass.
- Gould, R. J., B. H. Ginsberg & A. A. Spector (1981), ‘Effects of octyl  $\beta$ -glucoside on insulin binding to solubilized membrane receptors’, *Biochemistry* **20**, 6776–6781.
- Griffith, O. H., P. J. Dehlinger & S. P. Van (1974), ‘Shape of the hydrophobic barrier of phospholipid bilayers (evidence for water penetration in biological membranes)’, *J. Membr. Biol.* **15**, 159–192.
- Grinberg, O. Ya., A. A. Dubinskii & Ya. S. Lebedev (1983), ‘Electron Paraamagnetic Resonance of Free Radicals in the Two-millimetre Wavelength Range’, *Russ. Chem. Rev. (Engl. Transl.)* **52**, 850.
- Grishin, Y. (1999). to be published.
- Hagen, W. R. (1989), g-Strain: Inhomogeneous Broadening in Metalloprotein EPR, in A. J. Hoff, ed., ‘Advanced EPR. Applications in Biology and Biochemistry’, Elsevier, Amsterdam, chapter 22, pp. 785–812.
- Haupts, U., J. Tittor & D. Oesterhelt (1999), ‘Closing In On Bacteriorhodopsin: Progress in understanding the molecule’, *Annu. Rev. Biomol. Struct.* **28**, 367–399.

- Hubbell, W. L. & C. Altenbach (1994), 'Investigation of structure and dynamics in membrane proteins using site-directed spin labeling', *Curr. Opin. Struct. Biol.* **4**, 566–573.
- Käs, G. & P. Pauli (1991), *Mikrowellentechnik*, Franzis, Munich. p. 149.
- Kay, C. W. M., R. Feicht, K. Schulz, P. Sadewater, A. Sancar, A. Bacher, K. Möbius, G. Richter & S. Weber (1999), 'EPR, ENDOR and TRIPLE Resonance on the neutral Flavin Radical in *Escherichia coli* DNA Photolyase', *Biochemistry* . in press.
- Killingbeck, J. & G. H. A. Cole (1971), *Mathematical Techniques and Physical Applications*, Vol. 35 of *Pure and Applied Physics*, Academic Press, New York, chapter 5, pp. 244–251.
- Knüpling, M. (1999), PhD thesis, Freie Universität Berlin.
- Kogelnik, H. & T. Li (1966), 'Laser beams and resonators', *Appl. Opt.* **5**(10), 1550–1567.
- Kolaczkowski, S. V., J. T. Cardin & D. E. Budil (1999), 'Some Remarks on Reported Inconsistencies in the High-Field EPR Spectrum of DPPH', *Appl. Magn. Reson.* **16**, 293–298.
- Krzystek, J., A. Sienkiewicz, L. Pardi & L. C. Brunel (1997), 'DPPH as a standard for High-Field EPR', *J. Magn. Reson.* **125**(7), 207–211.
- Lebedev, Ya. S. (1990), *Modern Pulsed and Continuous-Wave Electron Spin Resonance*, Wiley, New York, chapter 8.
- LeSurf, J. C. G. (1990), *Millimeter-wave optics, devices, and systems*, Adam Hilger, London.
- Lothe, J. J. & G. Eia (1958), *Acta Chem. Scand.* **12**, 1535.

- Low, W. (1957), ‘Paramagnetic Resonance Spectrum of Manganese in Cubic MgO and CaF<sub>2</sub>’, *Phys. Rev.* **105**(3), 793–800.
- Lynch, W. B., K. A. Earle & J. H. Freed (1988), ‘1-mm wave ESR spectrometer’, *Rev. Sci. Instrum.* **59**(8), 1345–1351.
- Mathews, J. & R. L. Walker (1973), *Mathematical Methods of Physics*, 1 edn, W. A. Benjamin, Inc., Menlo Park, Cal., chapter 4,11.
- Möbius, K. (1961), Elektronenspin–Resonanz an Stabilen Organischen Freien Radikalen, Master’s thesis, Freie Universität Berlin. “Diplomarbeit”.
- Möbius, K. (1993), *Biol. Magn. Reson.* **13**, 253.
- Moll, H. P., J. van Tol, H. Zuckerman & P. Wyder (1999), ‘Principles and Performance of an Electron Spin Echo Spectrometer Using Far Infrared Lasers as Excitation Sources’, *Rev. Sci. Instrum.* **137**, 46–58.
- National Instruments (1998), ‘LabVIEW’. version 5.0.
- Nilges, M. J. (1979), PhD thesis, University of Illinois, Urbana, Illinois.
- Ondar, M. A., O. Y. Grinberg, A. A. Dubinskii & Ya. S. Lebedev (1985), ‘Study of the effect of the medium on the magnetic–resonance parameters of nitroxyl radicals by high–resolution EPR spectroscopy’, *Sov. J. Chem. Phys.* **3**, 781–792.
- Oxford Instruments (1997). Abingdon, Oxon, Great Britain.
- Pilbrow, J. R. (1990), *Transition Ion Electron Paramagnetic Resonance*, Oxford University Press, Walton Street, Oxford OX2 6DP, chapter 5: Linewidths and computer simualtion in CW EPR, pp. 211–259.
- Poole, C. P. (1967), *Electron Spin Resonance: A Comprehensive Treatise on Experimental Techniques*, Wiley–Interscience, New York, chapter 10, p. 400.

- Prabhananda, B. S., C. C. Felix, J. S. Hyde & A. Walvekar (1985), 'Q-band ESR studies on the origin of magnetic anisotropy in tetrahalogenated semiquinones', *J. Chem. Phys.* **83**, 6121–6127.
- Prisner, T. F. (1997), Pulsed High-Frequency/High-Field EPR, in 'Advances in Magnetic and Optical Resonance', Vol. 20, Academic Press, New York, pp. 245–300.
- Prisner, T. F., S. Un & R. G. Griffin (1992), 'Pulsed ESR at 140 GHz', *Israel J. Chem.* **32**, 357–363.
- Reijerse, E. J., P. J. van Dam, A. A. K. Klaassen, W. R. Hagen, P. J. M. van Bentum & G. M. Smith (1998), 'Concepts in High-Frequency EPR — Applications to Bio-Inorganic Systems', *Appl. Magn. Reson.* **14**, 153–167.
- Rohrer, M., J. Krzystek, V. Williams & L.-C. Brunel (1999), 'Fabry–Perot resonator for high-field multi-frequency ESR at millimetre and submillimetre wavelengths', *Meas. Sci. Technol.* **10**, 275–284.
- Savitsky, A. (1999). unpublished results.
- Savitsky, A., C. Wegener, M. Pfeiffer, K. Möbius & H.-J. Steinhoff (1999). to be published.
- Schmalbein, D., G. G. Maresch, A. Kamrowski & P. Höfer (1999), 'The Bruker High-Frequency EPR System', *Appl. Magn. Reson.* **16**, 185–205.
- Schnegg, A. (1999), PhD thesis, Freie Universität Berlin. "Doktorarbeit", in progress.
- Schneider, F. & M. Plato (1971), *Elektronenspinresonanz*, Verlag Karl Thiemig AG, Munich.

- Smith, G. M., J. C. G. Lesurf, R. H. Mitchell & P. C. Riedi (1998), 'Quasi-Optical cw mm-Wave Electron Spin Resonance Spectrometer', *Rev. Sci. Instrum.* **69**(11), 3924–3937.
- Steinhoff, H.-J., M. Pfeiffer, T. Rink, O. Burlon, M. Kurz, J. Riesle, E. Heuberger, K. Gerwert & D. Oesterhelt (1999), 'Azide Reduces the Hydrophobic Barrier of the Bacteriorhodopsin Proton Channel', *Biophys. J.* **76**, 2702–2710.
- Stone, A. J. (1963), *Mol. Phys.* **6**, 509.
- Teaney, D., M. P. Klein & A. M. Portis (1961), 'Microwave Superheterodyne Induction Spectrometer', *Rev. Sci. Instr.* **32**(6), 721–729.
- The Mathworks, Inc. (1999), 'Matlab'. version 5.3 (R11).
- Thumm, M. (1993), High-power microwave transmission systems, external mode converters and antenna technology, in C. Edgcombe, ed., 'Gyrotron Oscillators - Their Principles and Practice', Taylor & Francis, London, chapter 13, pp. 365–401.
- van Veen, G. (1978), 'Simulation and Analysis of EPR Spectra of Paramagnetic Ions in Powders', *J. Magn. Reson.* **30**, 91–109.
- Wang, D. & G. R. Hanson (1995), 'A new method for simulating randomly oriented powder spectra in magnetic resonance: The Sydney Opera House (SOPHE) method', *J. Magn. Reson.* **117**, 1–8.
- Weber, R. T., J. A. Disselhorst, L. J. Prevo, J. Schmidt & Wenckebach, W. T. (1989), 'Electron Spin-Echo Spectroscopy at 95 GHz', *J. Magn. Reson.* **81**, 129–144.
- Wortman, D. E. & R. P. Leavitt (1983), The Orotron, in K. J. Button, ed., 'Infrared and Millimeter Waves: Coherent Sources and Applications, Part II', Vol. 7, Academic Press, New York, chapter 7, pp. 321–375.

- Yordanov, N. D. (1996), 'Is our knowledge about the chemical and physical properties of dpph enough to consider it as a primary standard for quantitative epr spectrometry', *Appl. Magn. Reson.* **10**, 339.