

5. Literatur

- Abagyan, R. und Totrov, M. (1994a). "Biased probability Monte Carlo conformational searches and electrostatic calculations for peptides and proteins." *J. Mol. Biol.* **235**: 983-1002.
- Abagyan, R. A. (1997). "Protein structure prediction by global energy optimization." in: *Computer Simulation of Biomolecular Systems, Theoretical and Experimental Applications*. Ed.: W. F. Van Gunsteren, P. K. Weiner und A. J. Wilkinson. Leiden, ESCOM Science Publishers BV. **3**: 363-394.
- Abagyan, R. A. und Argos, P. (1992). "Optimal protocol and trajectory visualization for conformational searches of peptides and proteins." *J. Mol. Biol.* **225**: 519-532.
- Abagyan, R. A. und Totrov, M. (1999). "Ab initio folding of peptides by the Optimal-Bias Monte Carlo Minimization procedure." *J. Comp. Phys.* **151**: 402-421.
- Abagyan, R. A., Totrov, M. M. und Kuznetsov, D. N. (1994b). "ICM - a new method for protein modelling and design: Applications to docking and structure prediction from the distorted native conformation." *J. Comp. Chem.* **15**: 488-506.
- Abakushin, D. N. und Poverenny, A. M. (1996). "Histones interact with immunoglobulins and give them polyspecificity." *Immunol. Lett.* **53**: 95-9.
- Altman, M., Lee, P., Rich, A. und Zhang, S. (2000). "Conformational behavior of ionic self-complementary peptides." *Protein Sci.* **9**: 1095-1105.
- Andersen, N., Barua, B., Fesinmeyer, R. M. und Neidigh, J. (2001). "Optimizing aqueous fold stability for short polypeptides: A 20 residue miniprotein that melts at 61°C." *Proceedings of the 2nd International/17th American Peptide Symposium*, Ed.: R. A. Houghten und M. Lebl. San Diego, in Press.
- Andersen, N. H. und Tong, H. (1997). "Empirical parameterization of a model for predicting peptide helix/coil equilibrium populations." *Protein Sci.* **6**: 1920-1936.
- Anfinsen, C. B. und Scheraga, H. A. (1975). "Experimental and theoretical aspects of protein folding." *Adv. Protein Chem.* **29**: 205-300.
- Anglister, J., Jacob, C., Assulin, O., Ast, G., Pinker, R. und Arnon, R. (1988). "NMR study of the complexes between a synthetic peptide derived from the B subunit of cholera toxin and three monoclonal antibodies against it." *Biochemistry* **27**: 717-724.
- Appel, J. R., Buencamino, J., Houghten, R. A. und Pinilla, C. (1996). "Exploring antibody polyspecificity using synthetic combinatorial libraries." *Mol. Divers.* **2**: 29-34.
- Åqvist, J., Medina, C. und Samuelsson, J. E. (1994). "New Method for Predicting Binding Affinity in Computer-Aided Drug Design." *Protein Eng.* **7**: 385-391.
- Baker, N. A., Sept, D., Joseph, S., Holst, M. J. und McCammon, J. A. (2001). "Electrostatics of nanosystems: Application to microtubules and the ribosome." *Proc. Natl. Acad. Sci. USA* **98**: 10037-10041.
- Banting, G. S., Pym, B., Darling, S. M. und Goodfellow, P. N. (1989). "The MIC2 gene product: epitope mapping and structural prediction analysis define an integral membrane protein." *Mol. Immunol.* **26**: 181-188.

- Barlow, D. J., Edwards, M. S. und Thornton, J. M. (1986). "Continuous and discontinuous protein antigenic determinations." *Nature* **332**: 474-478.
- Barth, E. und Schlick, T. (1998). "Overcoming stability limitations in biomolecular dynamics. I. Combining force splitting via extrapolation with Langevin dynamics in LN." *J. Chem. Phys.* **109**: 1617.
- Berman, H. M., Westbrook, J., Feng, Z., Gililand, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. und Bourne, P. E. (2000). "The Protein Data Bank." *Nucleic Acid Res.* **28**: 235-242.
- Berne, B. J. und Straub, J. E. (1997). "Novel methods of sampling phase space in the simulation of biological systems." *Curr. Opin. Struct. Biol.* **7**: 181.
- Bhat, T. N., Bentley, G. A., Fischmann, T. O., Boulot, G. und Poljak, R. J. (1990). "Small rearrangements in structures of Fv and Fab fragments of antibody D1.3 on antigen binding." *Nature* **347**.
- Böhm, G. (1996). "New approaches in molecular structure prediction." *Biophys. Chem.* **59**: 1-32.
- Böhm, H.-J. (1992). "The computer program LUDI: A new method for the de novo design of enzyme inhibitors." *J. Comp. Aided Mol. Des.* **6**: 61-78.
- Böhm, H.-J. (1994). "The development of a simple empirical scoring function to estimate the binding constant for a protein-ligand complex of known three-dimensional structure." *J. Comp. Aided Mol. Des.* **8**: 243-256.
- Boomsma, J. D. und Said, S. I. (1992). "The role of neuropeptides in asthma." *Chest* **101**: 389S-392S.
- Borisova, T. K., Rosen, A. und Sidorova, E. V. (1999). "Human monoclonal antibodies to synthetic viral peptides." *Vopr. Virusol.* **44**: 172-174.
- Bowen, J. P. und Allinger, N. L. (1991). "Molecular mechanics: The art and science of parameterization." in: *Reviews in Computational Chemistry*. Ed.: K. B. Lipkowitz und D. B. Boyd. New York, VCH. **2**: 81-97.
- Braden, B. C. und Poljak, R. J. (1995). "Structural features of the reactions between antibodies and protein antigens." *FASEB J.* **9**: 9-16.
- Brooks, B. R., Bruccoleri, R. E., Olafson, B. D., States, D. J., Swaminathan, S. und Karplus, M. (1983). "CHARMM: A program for macromolecular energy, minimization and dynamics calculations." *J. Comput. Chem.* **4**: 187-217.
- Brooks III, C. L. (1995). "Methodological advances in molecular dynamics simulations of biological systems." *Curr. Opin. Struct. Biol.* **5**: 211-215.
- Brown, F. (1994). "The Leeuwenhoek Lecture, 1993. Peptide vaccines: dream or reality?" *Philos. Trans. R. Soc. London Ser. B* **344**: 213-219.
- Bruccoleri, R. E. und Karplus, M. (1990). "Conformational sampling using high-temperature molecular dynamics." *Biopolymers* **29**: 1847.
- Burnet, F. M. (1959). *The Clonal Selection Theory of Acquired Immunity*. London, Cambridge University Press.

- Cabezas, E. und Satterthwait, A. C. (1999). "The hydrogen bond mimic approach: Solid-phase synthesis of a peptide stabilized as an α -helix with a hydrazone link." *J. Am. Chem. Soc.* **121**: 3862-3875.
- Cabezas, E., Wang, M., Parren, P. W. H. I., Stanfield, R. L. und Satterthwait, A. C. (2000). "A structure-based approach to a synthetic vaccine for HIV-1." *Biochemistry* **39**: 14377-14391.
- Cafilisch, A., Niederer, P. und Anliker, M. (1992). "Monte Carlo docking of oligopeptides to proteins." *Proteins* **13**: 223-230.
- Cherfils, J. und Janin, J. (1993). "Protein docking algorithms: simulating molecular recognition." *Curr. Opin. Struct. Biol.* **3**: 265-269.
- Chothia, C., Lesk, A. M., Tramontano, A., Levitt, M., Smith-Gill, S. J., Air, G., Sheriff, S., Padlan, E. A., Davies, D., Tulip, W. R., Colman, P. M., Spinelli, S., Alzari, P. M. und Poljak, R. (1989). "Conformations of immunoglobulin hypervariable regions." *Nature* **342**: 877-883.
- Clark, M., Cramer III, R. D. und Van Opendenbosch, N. (1989). "Validation for the general purpose Tripos 5.2 force field." *J. Comput. Chem.* **10**: 982-1012.
- Connolly, M. L. (1983). "Analytical molecular surface calculation." *J. Appl. Cryst.* **16**: 548-558.
- Cook, C. E. und Drayer, D. E. (1988). "Antibodies: a rich source of novel chemical agents for pharmacological studies." *Trends Pharm. Sci.* **9**: 373-375.
- Cornell, W. D., Cieplak, P., Bayly, C. I., Gould, I. R. und Merz, K. M. (1995). "A second generation force field for the simulation of proteins, nucleic acids and organic molecules." *J. Am. Chem. Soc.* **117**: 5179-5197.
- Craik, D. J., Daly, N. L., Bond, T. und Waine, C. (1999). "Plant cyclotides: A unique family of cyclic and knotted proteins that defines the cyclic cystine knot structural motif." *J. Mol. Biol.* **294**: 1327-1336.
- Crippen, G. M. (1991). "Prediction of protein folding from amino acid sequence over discrete conformation spaces." *Biochemistry* **30**: 4232-4237.
- Cwirla, S. E., Peters, E. A., Barrett, R. W. und Dower, W. J. (1990). "Peptides on phage: a vast library of peptides for identifying ligands." *Proc. Natl. Acad. Sci. USA* **87**: 6378-6382.
- De Alba, E., Rico, M. und Jimenez, M. A. (1999). "The turn sequence directs beta-strand alignment in designed beta-hairpins." *Protein Sci.* **8**: 2234-2244.
- Decanniere, K., Transue, T. R., Desmyter, A., Maes, D., Muyldermans, S. und Wyns, L. (2001). "Degenerate interfaces in antigen-antibody complexes." *J. Mol. Biol.* **313**: 473-478.
- Demchuk, E., Bashford, D. und Case, D. A. (1997). "Dynamics of a type VI reverse turn in a linear peptide in aqueous solution." *Fold. Des.* **2**: 35-46.
- Desmet, J., Wilson, I. A., Joniau, M., De Maeyer, M. und Lasters, I. (1997). "Computation of the binding of fully flexible peptides to proteins with flexible side chains." *FASEB J.* **11**: 164-172.
- Devlin, J. J., Panganiban, L. C. und Devlin, P. E. (1990). "Random peptide libraries: a source of specific protein binding molecules." *Science* **249**: 404-406.
- Di Nola, A., Roccatano, D. und Berendsen, H. J. C. (1994). "Molecular dynamics simulation of the docking of substrates to proteins." *Proteins: Struct. Funct. Genet.* **19**: 174-182.

- Dickinson, T. und Fleetwood-Walker, S. M. (1999). "VIP and PACAP: very important in pain?" *Trends Pharmacol. Sci.* **20**: 324-329.
- Dinur, U. und Hagler, A. T. (1991). "New approaches to empirical force fields." in: *Reviews in Computational Chemistry*. Ed.: K. B. Lipkowitz und D. B. Boyd. New York, VCH. **2**: 99-164.
- Dong, L. (1998). "Feinkartierung und Charakterisierung linearer Epitope von murinen monoklonalen Antikörpern". Medizinische Fakultät Charité. Humboldt-Universität zu Berlin. Berlin. 79 Seiten.
- Dooley, C. T., Chung, N. N., Wilkes, B. C., W., S. P., Bidlack, J. M., Pasternack, G. W. und Houghten, R. A. (1994). "An all D-amino acid opioid peptide with central analgesic activity from a combinatorial library." *Science* **266**: 2019-2022.
- Duan, Y. und Kollman, P. (1998). "Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution." *Science* **282**: 740.
- Duggan, D. B., Mackworth-Young, C., Kari-Lefvert, A., Schwartz, J., Mudd, D., McAdam, K. P. und Schwartz, R. S. (1988). "Polyspecificity of human monoclonal antibodies reactive with *Mycobacterium leprae*, mitochondria, ssDNA, cytoskeletal proteins and the acetylcholine receptor." *Clin. Immunol. Immunopathol.* **49**: 327-40.
- Dunbrack, R. L. und Karplus, M. (1993). "Backbone-dependent rotamer library for proteins. Applications to side-chain prediction." *J. Mol. Biol.* **230**: 543-574.
- Dyson, H. J., Rance, M., Houghten, R. A., Lerner, R. A. und Wright, P. E. (1988a). "Folding of immunogenic peptide fragments of proteins in water solution. I. Sequence requirements for the formation of a reverse turn." *J. Mol. Biol.* **201**: 161-200.
- Dyson, H. J., Rance, M., Houghten, R. A., Wright, P. E. und Lerner, R. A. (1988b). "Folding of immunogenic peptide fragments of proteins in water solution. II. The nascent helix." *J. Mol. Biol.* **201**: 201-17.
- Dyson, H. J. und Wright, P. E. (1991). "Defining solution conformations of small linear peptides." *Annu. Rev. Biophys. Chem.* **20**: 519-538.
- Dyson, H. J. und Wright, P. E. (1993). "Peptide conformation and protein folding." *Curr. Opin. Struct. Biol.* **3**: 60-65.
- Edgington, S. (1993). "Shape space. Is biopharmaceutical discovery entering a new evolutionary stage?" *BIO/TECHNOLOGY* **11**: 285-289.
- Elber, R. (1996). "Novel methods for molecular dynamics simulations." *Curr. Opin. Struct. Biol.* **6**: 232-235.
- Ellis, R. J. (2001). "Macromolecular crowding: obvious but underappreciated." *Trends in Biochem. Sci.* **26**: 597-604.
- Ewig, C. S., Thacher, T. S. und Hagler, A. T. (1999). "Derivation of class II force fields. VII. Non-bonded force field parameters for organic compounds." *J. Phys. Chem.* **103**: 6998-7014.
- Favel, A., Mattras, H., Coletti-Previero, M. A., Zwilling, R., Robinson, E. A. und Castro, B. (1989). "Protease inhibitors from *Ecballium elaterium* seeds." *Int. J. Pept. Protein Res.* **33**: 202-208.

- Fezoui, Y., Weaver, D. L. und Osterhout, J. J. (1995). "Strategies and rationales for the de novo design of a helical hairpin peptide." *Protein Sci.* **4**: 286-295.
- Frank, R. (1992). "Spot synthesis: an easy technique for the positionally addressable, parallel chemical synthesis on a membrane support." *Tetrahedron* **48**: 9217-9232.
- Fraser, L. R. (1998). "Fertilization promoting peptide: an important regulator of sperm function in vivo?" *Rev. Reprod.* **3**: 151-4.
- Friguet, B., Chaffotte, A. F., Djavadi-Ohanjance, L. und Goldberg, M. E. (1985). "Measurements of the true affinity constant in solution of antigen-antibody complexes by enzyme-linked immunosorbent assay." *J. Immunol. Meth.* **77**: 305-319.
- Gao, B. und Esnouf, M. P. (1996). "Multiple interactive residues of recognition: elucidation of discontinuous epitopes with linear peptides." *J. Immunol.* **157**: 183-188.
- Geysen, H. M., Rodda, S. J. und Mason, T. J. (1986). "A priori delineation of a peptide which mimics a discontinuous antigenic determinant." *Mol. Immunology* **23**: 709-715.
- Gilon, C., Halle, D., Chorev, M., Selinger, Z. und Byk, G. (1991). "Backbone cyclization: a new method for conferring conformational constraint on peptides." *Biopolymers* **31**: 745-750.
- Goodford, P. J. (1985). "A computational procedure for determining energetically favorable binding sites on biologically important macromolecules." *J. Med. Chem.* **28**: 849-857.
- Goodsell, D. S., Morris, G. M. und Olson, A. J. (1996). "Automated docking of flexible ligands: Applications of AutoDock." *J. Mol. Recognit.* **9**: 1-5.
- Goodsell, D. S. und Olson, A. J. (1990). "Automated Docking of Substrates to Proteins by Simulated Annealing." *Proteins* **8**: 195-202.
- Gower, J. C. (1966). "Some distance properties of latent root and vector methods used in multivariate analysis." *Biometrika* **53**: 325-338.
- Gozes, I., Bassan, M., Zamostiano, R., Pinhasov, A., Davidson, A., Giladi, E., Perl, O., Glazner, G. W. und Brenneman, D. E. (1999a). "A novel signaling molecule for neuropeptide action: activity-dependent neuroprotective protein." *Ann. NY Acad. Sci.* **897**: 125-135.
- Gozes, I., Fridkin, M., Hill, J. M. und Brenneman, D. E. (1999b). "Pharmaceutical VIP: prospects and problems." *Curr. Med. Chem.* **6**: 1019-1034.
- Greenspan, N. S. und Di Cera, E. (1999). "Defining epitopes: It's not as easy as it seems." *Nature Biotech.* **17**: 936-937.
- Grunow, R., Giese, R., Porstmann, T., Döpel, H., Hänsel, K. und von Baehr, R. (1990). "Development and biological testing of human and murine monoclonal antibodies against HIV antigens." *Z. Klin. Med.* **45**: 367-369.
- Guichard, G., Benkirane, N., Zeder-Lutz, G., Van Regenmortel, M. H. V., Briand, J.-P. und Muller, S. (1994). "Antigenic mimicry of natural L-peptides with retro-inverso-peptidomimetics." *Proc. Natl. Acad. Sci. USA* **91**: 9765-9769.
- Hagler, A. T. (1985). "Theoretical simulation of conformation, energetics and dynamics of peptides." in: *Peptides. Analysis, Synthesis, Biology*. Ed.: V. J. Hruby. New York, Academic Press. **7**: 213-299.

- Hart, T. N. und Read, R. J. (1992). "A multiple-start Monte Carlo docking method." *Proteins* **13**: 206-222.
- Hill, J. M., Lee, S. J., Dibbern, D. A., Fridkin, M., Gozes, I. und Brenneman, D. E. (1999). "Pharmacologically distinct vasoactive intestinal peptide binding sites: CNS localization and role in embryonic growth." *Neuroscience* **93**: 783-791.
- Hoffmann, D., Kramer, B., Washio, T., Steinmetzer, T., Rarey, M. und Lengauer, T. (1999). "Two-stage method for protein-ligand docking." *J. Med. Chem.* **42**: 4422-4433.
- Hoffmüller, U., Knaute, T., Hahn, M., Höhne, W., Schneider-Mergener, J. und Kramer, A. (2000). "Evolutionary transition pathways for changing peptide ligand specificity and structure." *EMBO J.* **19**: 4866-4874.
- Höhne, W. E., Küttner, G., Kießig, S., Hausdorf, G., Grunow, R., Winkler, K., Wessner, H., Gießmann, E., Stigler, R.-D. und Schneider-Mergener, J. (1993). "Structural base of the interaction of a monoclonal antibody against p24 of HIV-1 with its peptide epitope." *Mol. Immunol.* **30**: 1213-1221.
- Holm, L. und Sander, C. (1991). "Database algorithm for generation protein backbone and side-chain coordinates from a C alpha trace: Application to model building and detection of coordinate errors." *J. Mol. Biol.* **218**: 183-194.
- Honig, B. und Nicholls, A. (1995). "Classical electrostatics in biology and chemistry." *Science* **268**: 1144-1149.
- Hou, T., Wang, J., Chen, L. und Xu, X. (1999). "Automated docking of peptides and proteins by using a genetic algorithm combined with a tabu search." *Protein Eng.* **12**: 639-648.
- Houghten, R. A. (1995). "Peptide libraries: criteria and trends." *Trends Gen.* **9**: 235-239.
- Houghten, R. A., Pinilla, C., Blondelle, S. E., Appel, J. R., Dooley, C. T. und Cuervo, J. H. (1991). "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discovery." *Nature* **354**: 84-86.
- Hutchinson, E. G. und Thornton, J. M. (1996). "PROMOTIF - A program to identify and analyze structural motifs in proteins." *Protein Sci.* **5**: 212-220.
- Imperiali, B. und Ottesen, J. J. (1999). "Uniquely folded mini-protein motifs." *J. Peptide Res.* **54**: 177-184.
- Jameson, B. A., McDonnell, J. M., Marini, J. C. und Korngold, R. (1994). "A rationally designed CD4 analogue inhibits experimental allergic encephalomyelitis." *Nature* **368**: 744-746.
- Jones, D. T., Tayler, W. R. und Thornton, J. M. (1992). "A new approach to protein fold recognition." *Nature* **358**: 86-89.
- Jones, G., Willett, P., Glen, R., Leach, A. und Taylor, R. (1997). "Development and validation of a genetic algorithm for flexible docking." *J. Mol. Biol.* **267**: 727-748.
- Kabsch, W. und Sander, C. (1983). "Dictionary of protein secondary structure: pattern recognition of hydrogen bonded and geometrical features." *Biopolymers* **22**: 2577-2637.
- Kang, H. S., Kurochkina, N. A. und Lee, B. (1993). "Estimation and use of protein backbone angle probabilities." *J. Mol. Biol.* **229**: 448-460.

- Kang, Y. K. und Jhon, J. S. (2000). "Preferred conformations of a linear RGD tripeptide." *J. Peptide Res.* **56**: 360-372.
- Karplus, M. und Sali, A. (1995). "Theoretical studies of protein folding and unfolding." *Curr. Opin. Struct. Biol.* **5**: 58-73.
- Kawai, H., Kikuchi, T. und Okamoto, Y. (1989). "A prediction of tertiary structures of peptide by the Monte Carlo simulated annealing method." *Protein Eng.* **3**: 85-94.
- Kay, B. K., Williamson, M. P. und Sudol, M. (2000). "The importance of being proline: The interaction of proline-rich motifs in signaling proteins with their cognate domains." *FASEB J.* **14**: 231-241.
- Keitel, T., Kramer, A., Wessner, H., Scholz, C., Schneider-Mergener, J. und Höhne, W. (1997). "Crystallographic analysis of anti-p24 (HIV-1) monoclonal antibody cross-reactivity and polyspecificity." *Cell* **91**: 811-20.
- Kessler, H. (1990). "Peptide engineering: design of biologically active peptides under conformational control." in: *Trends in Drug Research*. Ed.: V. Claassen. Amsterdam, Elsevier: 73-84.
- Kidera, A. (1995). "Enhanced conformational sampling in Monte Carlo simulations of proteins: Application to a constrained peptide." *Proc. Natl. Acad. Sci. USA* **92**: 9886-9889.
- Kirkpatrick, S., Gelatt, C. D. und Vecchi, M. P. (1983). "Optimization by simulated annealing." *Science* **220**: 671-680.
- Koepf, E. K., Petrassi, H. M., Ratnaswamy, G., Huff, M. E., Sudol, M. und Kelly, J. W. (1999). "Characterization of the structure and function of W-->F WW domain variants: Identification of a natively unfolded protein that folds upon ligand binding." *Biochemistry* **38**: 4338-4351.
- Köhler, G. und Milstein, C. (1975). "Continuous culture of fused cells secreting antibodies of predefined specificity." *Nature* **256**: 495-601.
- Kortemme, T., Ramirez-Alvarado, M. und Serrano, L. (1998). "Design of a 20-amino acid, three-stranded beta-sheet protein." *Science* **281**: 253-256.
- Kramer, A., Keitel, T., Winkler, K., Stöcklein, W., Höhne, W. und Schneider-Mergener, J. (1997). "Molecular basis for the binding promiscuity of an anti-p24 (HIV-1) monoclonal antibody." *Cell* **91**: 799-809.
- Kramer, A. und Schneider-Mergener, J. (1995). "Highly complex combinatorial cellulose-bound peptide libraries for the detection of antibody epitopes." in: *Peptides 1994*. Ed. Leiden, ESCOM: 475-476.
- Kramer, A., Stigler, R.-D., Knaute, T., Hoffmann, B. und Schneider-Mergener, J. (1998). "Stepwise transformation of a cholera toxin and a p24 (HIV-1) epitope into D-peptide analogs." *Protein Eng.* **11**: 941-948.
- Krstenansky, J. L., Owen, T. J., Hagaman, K. A. und McLean, L. R. (1989). "Short model peptides having a high α -helical tendency: Design and solution properties." *FEBS Lett.* **242**: 409-413.
- Kumar, S., Ma, B., Tsai, C. J., Sinha, N. und Nussinov, R. (2000). "Folding and binding cascades: Dynamic landscapes and population shifts." *Protein Sci.* **9**: 10-19.
- Kuntz, I. D., Blaney, J. M., Oatley, S. J., Langridge, R. und Ferrin, T. E. (1982). "A Geometric Approach to Macromolecule-Ligand Interactions." *J. Mol. Biol.* **161**: 269-288.

- Kuntz, I. D., Shoichet, B. K. und Meng, E. C. (1994). "Structure-based molecular design." *Acc. Chem. Res.* **27**: 117-123.
- Lam, K. S., Salmon, S. E. und Hersh, E. M. (1991). "A new type of synthetic peptide library for identifying ligand-binding activity." *Nature* **354**: 82-83.
- Laskowski, R. A. (1995). "SURFNET: A program for visualizing molecular surfaces, cavities and intermolecular interactions." *J. Mol. Graph.* **13**: 323-330.
- Lauer, J. L. und Fields, G. B. (1998). "Peptides as structural models of proteins." in: *Proteins - Analysis and Design*. Ed.: R. H. Angeletti. San Diego, London, New York, Academic Press: 208ff.
- Lawrence, M. C. und Davis, P. C. (1992). "CLIX - A search algorithm for finding novel ligands capable of binding proteins of known three-dimensional structure." *Proteins* **12**: 31-41.
- Leach, A. R. (1991). "Survey of methods for searching the conformational space of small and medium-sized molecules." in: *Reviews in Computational Chemistry*. Ed.: K. B. Lipkowitz und D. B. Boyd. New York, VCH. **2**: 1-55.
- Lee, B., Kurochkina, N. A. und Kang, H. S. (1996). "Protein folding by biased Monte Carlo procedure in the dihedral angle space." *FASEB J.* **10**: 119-125.
- Lengauer, T. und Rarey, M. (1999). "Computational methods for biomolecular docking." *Curr. Opin. Struct. Biol.* **6**: 402-406.
- Levinthal, C. (1969). "How to fold graciously." in: *Mössbauer Spectroscopy in Biological Systems*. Ed.: P. Debruner, J. C. M. Tsibris und E. Munck. Urbana, Univ. Illinois Press: 22-24.
- Li, B., Tom, J. Y. K., Oare, D., Yen, R., Fairbrother, W. J., Wells, J. A. und Cuningham, B. C. (1995). "Minimization of a polypeptide hormone." *Science* **270**: 1657-1660.
- Li, Z. und Scheraga, H. A. (1987). "Monte Carlo-minimization approach to the multiple-minima problem in protein folding." *Proc. Natl. Acad. Sci. USA* **84**: 6611-6615.
- Lipkind, G. M. und Fozzard, H. A. (1997). "A model of scorpion toxin binding to voltage-gated K⁺ channels." *J. Membr. Biol.* **158**: 187-96.
- Maggi, C. A., Giachetti, A., Dey, R. D. und Said, S. I. (1995). "Neuropeptides as regulators of airway function: vasoactive intestinal peptide and the tachykinins." *Physiol. Rev.* **75**: 277-322.
- Mazur, A. K. (1997). "Quasi-Hamiltonian equations of motion for internal coordinate molecular dynamics of polymers." *J. Comput. Chem.* **18**: 1354.
- Mazur, A. K., Drofeev, V. E. und Abagyan, R. A. (1991). "Derivation and testing of explicit equations of motion for polymers described by internal coordinates." *J. Comp. Phys.* **92**: 261.
- McCafferty, J., Griffith, A. D., Winter, G. und Chiswell, D. J. (1990). "Phage antibodies: filamentous phage displaying antibody variable domains." *Nature* **348**: 552-554.
- Meng, E. C., Shoichet, B. K. und Kuntz, I. D. (1992). "Automated docking with grid-based energy evaluation." *J. Comput. Chem.* **13**: 505-524.
- Metropolis, N. A., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H. und Teller, E. (1953). "Equation of state calculations by fast computation machines." *J. Chem. Phys.* **21**: 1087-1091.

- Mező, G., Drakopoulou, E., Paal, V., Rajnavöglgyi, E., Vita, C. und Hudecz, F. (2000). "Synthesis and immunological studies of α -conotoxin chimera containing an immunodominant epitope from the 268-284 region of HSV gD protein." *J. Peptide Res.* **55**: 7-17.
- Mian, I. S., Bradwell, A. R. und Olson, A. J. (1991). "Structure, function and properties of antibody binding sites." *J. Mol. Biol.* **217**: 133-151.
- Miranker, A. und Karplus, M. (1991). "Functionality maps of binding sites: A multiple copy simultaneous search method." *Proteins* **11**: 29-34.
- Momany, F. A., McGuire, R. F., Burgess, A. W. und Scheraga, H. A. (1975). "Energy parameters in polypeptides. VII. Geometric parameters, partial atomic charges, nonbonded interactions, hydrogen bond interactions and intrinsic torsional potentials for the naturally occurring amino acids." *J. Phys. Chem.* **79**: 2361-2381.
- Munoz, V. und Serrano, L. (1997). "Development of the multiple sequence approximation within the Agadir model of α -helix formation. Comparison with Zimm-Bragg and Lifson-Roig formalism." *Biopolymers* **41**: 495-509.
- Myers, R. A., Cruz, L. J., Rivier, J. E. und Olivera, B. M. (1993). "Conus peptides as chemical probes for receptors and ion channels." *Chem. Rev.* **93**: 1923-1936.
- Nakajima, N., Higo, J., Kidera, A. und Nakamura, H. (1997). "Flexible docking of a ligand peptide to a receptor protein by multicanonical molecular dynamics simulation." *Chem. Phys. Lett.* **278**: 297-301.
- Nakazawa, T. und Okamoto, Y. (1999). "Electrostatic effects on the α -helix and β -strand formation of BPTI(16-36) studied by Monte Carlo simulated annealing." *J. Peptide Res.* **54**: 230-236.
- Nayeem, A., Vila, J. und Scheraga, H. A. (1991). "A comparative study of the simulated-annealing and Monte-Carlo-with-minimization approaches to the minimum-energy structures of polypeptides: [Met]-enkephalin." *J. Comput. Chem.* **12**: 594-605.
- Nemethy, G., Gibson, K. D., Palmer, K. A., Yoon, C. N., Paterlini, G., Zagari, A., Rumsey, S. und Scheraga, H. A. (1992). "Energy parameters in polypeptides. X. Improved geometric parameters and nonbonded interactions for use in the ECEPP/3 algorithm, with application to proline-containing peptides." *J. Phys. Chem.* **96**: 6472-6484.
- Nemethy, G., Pottle, M. S. und Scheraga, H. A. (1983). "Energy parameters in polypeptides. IX. Updating of geometric parameters, nonbonded interactions and hydrogen bond interactions for the naturally occurring amino acids." *J. Phys. Chem.* **87**: 1883-1887.
- Nemethy, G. und Scheraga, H. A. (1990). "Theoretical studies of protein conformation by means of energy computations." *FASEB J.* **4**: 3189-3197.
- Nicole, P., Lins, L., Rouyer-Fessard, C., Drouot, C., Fulcrand, P., Thomas, A., Couvineau, A., Martinez, J., Brasseur, R. und Laburthe, M. (2000). "Identification of key residues for interaction of vasoactive intestinal peptide with human VPAC1 and VPAC2 receptors and development of a highly selective VPAC1 receptor agonist. Alanine scanning and molecular modeling of the peptide." *J. Biol. Chem.* **275**: 24003-24012.
- Nikiforovich, G. V. (1994). "Computational molecular modeling in peptide drug design." *Int. J. Peptide Protein Res.* **44**: 513-531.

- O'Connor, S. D., Smith, P. E., Al-Obeidi, F. und Pettitt, B. M. (1992). "Quenched molecular dynamics simulations of tuftsin and proposed cyclic analogues." *J. Med. Chem.* **35**: 2870-2881.
- Olds, L. C. und Miller, J. J. (1991). "Antibodies to core lipid fractions of endotoxin in children with rheumatic disease." *Acta Univ. Carol. [Med] (Praha)* **37**: 37-40.
- Ordonez, P., Gea, S., Iosa, D. und Vottero-Cima, E. (1995). "Chagas' disease: polyspecificity of antibodies against *Trypanosoma cruzi* acidic antigens." *Acta Trop.* **59**: 93-103.
- Otte, L., Ivascu, C., Kramer, A., Dong, L. und Schneider-Mergener, J. (2000). "Investigation of monoclonal antibody polyspecificity by means of phage display and synthetic peptide libraries". *Peptides 2000: Proceedings of the 26th European Peptide Symposium*, Ed.: M. J. und J.-A. Fehrentz. Montpellier, EDK, Paris, France.
- Pellegrini, M. und Mierke, D. F. (1999). "Structural characterization of peptide hormone/receptor interactions by NMR spectroscopy." *Biopolymers* **51**: 208-20.
- Pellequer, J. L., Westhof, E. und Van Regenmortel, M. H. V. (1991). "Predicting location of continuous epitopes in proteins from their primary structures." *Methods Enzymol.* **203**: 176-201.
- Pincus, M. R. (1992). "Identification of structured peptide segments in folding proteins." *Biopolymers* **32**: 347-51.
- Pinilla, C., Appel, J. R. und Houghten, R. A. (1993). "Functional importance of amino acid residues making up peptide antigenic determinants." *Mol. Immunol.* **30**: 577-585.
- Pinilla, C., Chendra, S., Appel, J. R. und Houghten, R. A. (1995). "Elucidation of monoclonal antibody polyspecificity using a synthetic combinatorial library." *Pept. Res.* **8**: 250-7.
- Ponder, J. W. und Richards, F. M. (1987). "Tertiary templates for proteins. Use of packing criteria in the enumeration of allowed sequences for different structural classes." *J. Mol. Biol.* **193**: 775-791.
- Prevost, M. und Ortmans, I. (1997). "Refolding simulations of an isolated fragment of barnase into a native-like beta hairpin: Evidence for compactness and hydrogen bonding as concurrent stabilizing factors." *Proteins* **29**: 212.
- Ralston, E. und De Coen, J.-L. (1974). "Folding of polypeptide chains induced by the amino acid side-chains." *J. Mol. Biol.* **83**: 393-420.
- Rarey, M., Kramer, B., Lengauer, T. und Klebe, G. (1996). "A fast flexible docking method using an incremental construction algorithm." *J. Mol. Biol.* **261**: 470-489.
- Rayan, G. M., Said, S. I., Cahill, S. L. und Duke, J. (1991). "Vasoactive intestinal peptide and nerve regeneration." *J. Hand Surg. [Br]* **16**: 515-8.
- Reineke, U., Sabat, R., Kramer, A., Stigler, R. D., Seifert, M., Michel, T., Volk, H. D. und Schneider-Mergener, J. (1996). "Mapping protein-protein contact sites using cellulose-bound peptide scans." *Mol. Divers.* **1**: 141-148.
- Richardson, J. S. (1981). "The anatomy and taxonomy of protein structure." *Adv. Protein Chem.* **34**: 167-339.

- Ripoll, D. R. und Scheraga, H. A. (1988). "On the multiple-minima problem in the conformational analysis of polypeptides. II. An electrostatically driven Monte Carlo method - tests on poly (L-alanine)." *Biopolymers* **27**: 1283-1303.
- Rosenfeld, R., Zheng, Q., Vajda, S. und DeLisi, C. (1993). "Computing the structure of bound peptides. Application to antigen recognition by class I major histocompatibility complex receptors." *J. Mol. Biol.* **23**: 515-521.
- Sachs, K. H., Schechter, A. N., Eastlake, A. und Anfinsen, C. B. (1972). "An immunologic approach to the conformational equilibria of polypeptides." *Proc. Natl. Acad. Sci. USA* **69**: 3790-3794.
- Sandak, B., Wolfson, H. J. und Nussinov, R. (1998). "Flexible docking allowing induced fit in proteins: Insights from an open to closed conformational isomers." *Proteins* **32**: 159-174.
- Saragovi, H. U., Fitzpatrick, D., Raktabutr, A., Nakanishi, H., Kahn, M. und Greene, M. I. (1991). "Design and synthesis of a mimetic from an antibody complementarity-determining region." *Science* **253**: 792-795.
- Schapira, M., Raaka, B. M., Samuels, H. H. und Abagyan, R. (2001). "In silico discovery of novel retinoic acid receptor agonist structures." *BMC Struct. Biol.* **1**: 1.
- Schapira, M., Totrov, M. und Abagyan, R. (1999). "Prediction of the binding energy for small molecules, peptides and proteins." *J. Mol. Recognit.* **12**: 177-190.
- Schenck, H. L. und Gellman, S. H. (1998). "Use of a designed triple-stranded antiparallel beta-sheet to probe beta-sheet cooperativity in aqueous solution." *J. Am. Chem. Soc.* **120**: 4869-4870.
- Scheraga, H. A. (1992). "Predicting three-dimensional structures of oligopeptides." in: *Reviews in Computational Chemistry*. Ed.: K. B. Lipkowitz und D. B. Boyd. New York, VCH. **3**: 73-142.
- Scheraga, H. A. (1996). "Recent developments in the theory of protein folding: searching for the global energy minimum." *Biophys. Chem.* **59**: 329-339.
- Schlick, T., Barth, E. und Mandzink, M. (1997). "Biomolecular dynamics at long timesteps: Bridging the timescale gap between simulation and experimentation." *Ann. Rev. Biophys. Biomol. Struct.* **26**: 181-222.
- Schneider-Mergener, J. und Kramer, A. (1994). "Molekulare Bibliotheken: Ein neues Konzept in der medizinischen Wirkstofffindung und Diagnostik." *Humboldt-Spektrum* **2**: 4-11.
- Schneider-Mergener, J., Kramer, A. und Reineke, U. (1996). "Peptide libraries bound to continuous cellulose membranes: Tools to study molecular recognition." in: *Combinatorial Libraries*. Ed.: R. Cortese. Berlin, New York, Walter de Gruyter: 53-68.
- Schumacher, T. N., Mayr, L. M., Minor, D. L., Milhollen, M. A., Burgess, M. W. und Kim, P. S. (1996). "Identification of D-peptide ligands through mirror-image phage display." *Science* **271**: 1854-1857.
- Scott, J. K. (1992). "Discovering peptide ligands using peptide libraries." *Trends Biochem. Sci.* **17**: 241-245.
- Scott, J. K. und Smith, G. P. (1990). "Searching for peptide ligands with an epitope library." *Science* **249**: 386-390.

- Shin, J. K. und Jhon, M. S. (1991). "High directional Monte Carlo procedure coupled with the temperature heating and annealing as a method to obtain the global energy minimum structure of polypeptides and proteins." *Biopolymers* **31**: 177-185.
- Shoichet, B. K. und Kuntz, I. D. (1996). "Predicting the structure of protein complexes: a step in the right direction." *Chem. Biol.* **3**: 151-156.
- Shrake, A. und Rupley, J. A. (1973). "Environment and exposure to solvent of protein atoms. Lysozyme and insulin." *J. Mol. Biol.* **79**: 351-371.
- Singh, J. und Thornton, J. M. (1992). *Atlas of Protein Side-Chain Interactions, Vols. I & II*. Oxford, IRL Press.
- Smith, P. E., Al-Obeidi, F. und Pettitt, B. M. (1991). "Aspects of the design of conformationally constrained peptides." *Methods Enzymol.* **202**: 411-436.
- Stachelhaus, T., Schneider, A. und Marahiel, M. A. (1996). "Engineered biosynthesis of peptide antibiotics." *Biochem. Pharmacol.* **52**: 177-86.
- Stanfield, R., Cabezas, E., Satterthwait, A., Stura, E., Profy, A. und Wilson, I. (1999). "Dual conformations for the HIV-1 gp120 V3 loop in complexes with different neutralizing Fab's." *Structure Fold. Des.* **7**: 131-142.
- Stanfield, R. L. und Wilson, I. A. (1995). "Protein-peptide interactions." *Curr. Opin. Struct. Biol.* **5**: 103-113.
- Sternberg, M. J. E., Gabb, H. A. und Jackson, R. M. (1998). "Predictive docking of protein-protein and protein-DNA complexes." *Curr. Opin. Struct. Biol.* **8**: 250-256.
- Stigler, R., Rüker, F., Katinger, D., Elliot, G., Höhne, W., Henklein, P., Ho, J. X., Keeling, K., Carter, D. C., Nugel, E., Kramer, A., Porstmann, T. und Schneider-Mergener, J. (1995). "Characterization of the interaction between a Fab fragment against gp41 of HIV-1 and its peptide epitope using a peptide epitope library and molecular modeling." *Protein Eng.* **8**: 471-480.
- Stigler, R. D., Hoffmann, B., Abagyan, R. und Schneider-Mergener, J. (1999). "Soft docking an L and a D peptide to an anticholera toxin antibody using internal coordinate mechanics." *Structure Fold. Des.* **7**: 663-70.
- Stocker, U. und van Gunsteren, W. F. (2000). "Molecular dynamics simulation of hen egg white lysozym: a test of the GROMOS96 force field against nuclear magnetic resonance data." *Proteins: Struct. Funct. Genet.* **40**: 145-153.
- Struthers, M. D., Ottesen, J. J. und Imperiali, B. (1997). "Design and NMR analysis of compact, independently folded BBA motifs." *Fold. Des.* **3**: 95-104.
- Subbalakshmi, C., Nagaraj, R. und Sitaram, N. (2000). "Biological activities of retro and diastereo analogs of a 13-residue peptide with antimicrobial and hemolytic activities." *J. Peptide Res.* **57**: 59-67.
- Tame, J. R. H., Murshudov, G. N., Dodson, E. J., Neil, T. K., Dodson, G. G., Higgins, C. F. und Wilkinson, A. J. (1994). "The structural basis of sequence-independent peptide binding by OppA protein." *Science* **264**: 1578-1581.

- Tenette, C., Smith, J. C. und Topham, C. M. (1996). "Force field development and conformational search strategy in the simulation of biomolecular recognition processes." *Biochem. Soc. Trans.* **24**: 268-274.
- Totrov, M. und Abagyan, R. (1994). "Detailed ab initio prediction of lysozyme-antibody complex with 1.6 Å accuracy." *Nature Struct. Biol.* **1**: 259-263.
- Totrov, M. und Abagyan, R. (1997). "Flexible protein-ligand docking by global energy optimization in internal coordinates." *Proteins Suppl* **1**: 215-220.
- Totrov, M. und Abagyan, R. A. (1999). "Derivation of sensitive discrimination potential for virtual ligand screening." *Proceedings of the 3rd Annual International Conference on Computational Molecular Biology (RECOMB 99)*, Lyon, ACM Press.
- Tsai, C. J., Kumar, S., Ma, B. und Nussinov, R. (1999a). "Folding funnels, binding funnels protein function." *Protein Sci.* **8**: 1181-1190.
- Tsai, C. J., Ma, B. und Nussinov, R. (1999b). "Folding and binding cascades: Shifts in energy landscapes." *Proc. Natl. Acad. Sci. USA* **96**: 9970-9972.
- Tsai, C. J., Ma, B., Sham, Y. Y., Kumar, S. und Nussinov, R. (2001). "Structured disorder and conformational selection." *Proteins* **44**: 418-427.
- Van der Werf, S., Briand, J. P., Plaue, S., Burckard, J., Girard, M. und Van Regenmortel, M. H. V. (1994). "Ability of linear and cyclic peptides of neutralization antigenic site 1 of poliovirus type 1 to induce virus cross-reactive and neutralizing antibodies." *Res. Virol.* **145**: 349-359.
- van Hagen, P. M., Hofland, L. J., ten Bokum, A. M., Lichtenauer-Kaligis, E. G., Kwekkeboom, D. J., Ferone, D. und Lamberts, S. W. (1999). "Neuropeptides and their receptors in the immune system." *Ann. Med.* **31 Suppl 2**: 15-22.
- Van Regenmortel, M. H. V. (1987). "Antigenic cross-reactivity between proteins and peptides: new insights and applications." *Trends Biochem. Sci.* **12**: 237-240.
- Van Regenmortel, M. H. V. (1994). "The recognition of proteins and peptides by antibodies." in: *Immunochemistry*. Ed.: C. J. Van Oss und M. H. V. Van Regenmortel. New York, Marcel Dekker Inc.: 227-300.
- Van Regenmortel, M. H. V. (2000). "Molecular design versus empirical discovery in peptide-based vaccines. Coming to terms with fuzzy recognition sites and ill-defined structure-function relationships in immunology." *Vaccine* **18**: 216-221.
- Van Regenmortel, M. H. V. und Muller, S. (1998). "D-peptides as immunogens and diagnostic reagents." *Curr. Opin. Biotechnol.* **9**: 377-82.
- Venkatachalam, M. (1968). "Stereochemical criteria for polypeptides and proteins. V. Conformation of a system of three linked peptide units." *Biopolymers* **6**: 1425-1436.
- Verlinde, C. L. M. J. und Hol, W. G. J. (1994). "Structure-based drug design: Progress, results and challenges." *Structure* **2**: 577-587.
- Volkmer-Engert, R., Hellwig, J., Erhard, B., Höhne, W. und Schneider-Mergener, J. (1995). "Characterization of the interaction between the monoclonal antibody CB4-1 and its peptide epitope library." in: *Peptides 1994*. Leiden, ESCOM: 473-474.

- Wall, M. E., Subramaniam, S. und Phillips, G. N. (1999). "Protein structure determination using a database of interatomic distance probabilities." *Protein Sci.* **8**: 2720-2727.
- Walter, G. (1986). "Production and use of antibodies against synthetic peptides." *J. Immunol. Meth.* **88**: 149-161.
- Wang, W., Donini, O., Reyes, C. M. und Kollman, P. A. (2001). "Biomolecular simulations: Recent developments in force fields, simulations of enzyme catalysis, protein-ligand, protein-protein protein-nucleic acid noncovalent interactions." *Ann. Rev. Biophys. Biomol. Struct.* **30**: 211-243.
- Webster, D. M., Henry, A. H. und Rees, A. R. (1994). "Antibody-antigen interactions." *Curr. Opin. Struct. Biol.* **4**: 123-129.
- Wesson, L. und Eisenberg, D. (1992). "Atomic solvation parameters applied to molecular dynamics of proteins in solution." *Protein Sci.* **1**: 227-235.
- Wilkinson, A. J. (1996). "Accommodating structurally diverse peptides in proteins." *Chemistry & Biology* **3**: 519-524.
- Wilson, I. A. und Stanfield, R. L. (1994). "Antibody-antigen interactions." *Curr. Opin. Struct. Biol.* **4**: 857-867.
- Winkler, D. (1996). "Synthese zyklischer Peptidbanken zur Auffindung antikörperbindender Peptide." Institut für Chemie. Humboldt-Universität zu Berlin. Berlin. 93 Seiten.
- Winkler, D., Stigler, R. D., Hellwig, J., Hoffmann, B. und Schneider-Mergener, J. (1996). "Determination of the binding conformation of peptide epitopes using cyclic peptide libraries." *Peptides: Chemistry, Structure and Biology. Proceedings of the 14th American Peptide Symposium*, Ed.: P. T. P. Kaumaya und R. S. Hodges. Kingswinford, UK, Mayflower Scientific Ltd.
- Wrighton, N. C., Farrell, F. X., Chang, R., Kashyap, A. K., Barbone, F. P., Mulcahy, L. S., Johnson, D. L., Barrett, R. W., Jolliffe, L. K. und Dower, W. J. (1996). "Small peptides as potent mimetics of the protein hormone erythropoietin." *Science* **273**: 458-464.
- Zhou, Y. und Abagyan, R. (1998). "How and why phosphotyrosine-containing peptides bind to the SH2 and PTB domains." *Fold. Des.* **3**: 513-22.
- Zhou, Y. und Abagyan, R. A. (1999). "Efficient stochastic global optimization for protein structure prediction". in: *Rigidity: Theory and Applications*. Ed.: M. F. Thorpe und P. M. Duxbury. New York, Plenum Publishing: 345-356.
- Zimmerman, S. S. und Scheraga, H. A. (1977). "Influence of local interactions on protein structure. I. Conformational energy studies of N-acetyl-N'-methylamides of Pro-X and X-Pro dipeptides." *Biopolymers* **16**: 811-843.