

7 LITERATURVERZEICHNIS

1. Adamczak E, Lindén LA: Release of aluminum from two dental ceramic core materials. *J Dent Res* 76, 420 (Abstract 3250) (1997)
2. Andersson M, Odén A: A new all- ceramic crown. A dense- sintered, high-purity alumina coping with porcelain. *Acta Odontol Scan* 90, 59-64 (1993)
3. Andersson M, Razzoog ME, Odén A, Hegenbarth EA, Lang B: PROCERA: A new way to achieve an all-ceramic crown. *Quintessence Int* 29, 285-295 (1998)
4. Attanasi RC, Yaman P, Lang B, Razzoog ME, Jaarda MJ: Evaluation of color stability of Procera Allceramic porcelain. *J Dent Research* 75, 284 (Abstract No. 2134) (1996)
5. Awliya W, Odén A, Yaman P, Dennison JB, Razzoog ME: Shear bond strength of a resin cement to densely sintered high-purity alumina with various surface conditions. *Acta Odontol Scand* 56, 9-13 (1998)
6. Awliya W, Yaman P, Dennison JB, Razzoog ME: High energy abrasion and resin cement bond to alumina core. *J Dent Res* 75, 378 (Abstract 2884) (1996)
7. Awliya W, Yaman P, Razzoog ME, Dennison JB: Bond strength of four resin cements to an alumina core. *J Dent Res* 75, 378 (Abstract 2885) (1996)
8. Becker J: CAD/ CAM in der Zahnmedizin (Teil 2). *Zahnärztl Welt* 105, 119- 125 (1996)
9. Becker J: CAD/CAM in der Zahnmedizin (Teil 1). *Zahnärztl Welt* 105, 119- 125 (1996)
10. Bindl A, Mormann WH: Survival rate of mono.ceramic and ceranic-core CAD/ CAM- generated anterior crowns over 2- 5 years. *Eur J Oral Sci* 112, 197-204 (2004)
11. Blixt M, Adamczak E, Lindén LA, Odén A, Arvidson K: Bonding to densly sintered alumina sufaces: effect of sandblasting and silica coating on shear bond strength of luting cements. *Int J Prosth* 13, 221-226 (2000)

12. Blixt M, Adamczak E, Lindén LA, Odén A, Arvidson K: Shear bond strength of luting cements to alumina and dentin. *J Dent Res* 76, 72 (Abstract 468) (1997)
13. Boening K, Wolf B, Schmidt A, Kästner K, Walter M: Klinische Randspaltmessung an Procera AllCeram- Kronen. *Dtsch Zahnärztl Z* 55, 97-100 (2000)
14. Boening K, Wolf B, Schmidt AE, Kastner K, Walter MH: Clinical fit of Procera AllCeram crowns. *J Prosthet Dent* 84, 419-424 (2000)
15. Bonnard P, Hermans M, Adriaenssens P, Daelemans P, Malevez C: Anterior esthetic rehabilitation on teeth and dental implants optimised with Procera technologie: a case report. *J Esthet Restor Dent* 13, 163- 171 (2001)
16. Borzt J: Statistik für Sozialwissenschaftler. Springer- Verlag, Berlin, Heidelberg, New York, Barcelona, Hongkong, London, Mailand, Paris, Singapur, Tokio 1999
17. Borzt J, Lienert GA, Boehnke K: Verteilungsfreie Methoden in der Biostatistik. Springer- Verlag, Berlin, Heidelberg, New York, Barcelona, Hongkong, London, Mailand, Paris, Singapur, Tokio 2000
18. Brunton PA, Smith P, McCord JF, Wilson NH: Procera all-ceramic crowns: a new approach to an old problem? *Br Dent J* 186, 430-444 (1999)
19. Chai J, Takahashi Y, Sulaiman F, Chong K, Lautenschlager EP: Probability of fracture of all-ceramic crowns. *Int J Prosthodont* 13, 420-424 (2000)
20. Darle C: Procera-How did it start? Interview with Dr Matts Andersson. Nobel Biocare-Talk of the Times 3, 13-16 (1998)
21. Darle C: Joint collaboration on the research of Procera. Interview with Dr Michael E Razzoog, Univ of Michigan. Nobel Biocare- Talk of the Times 3, 17-22 (1998)
22. Dwan A, Yaman P, Razzoog ME, Wang RF: Effect of cement on fracture resistance of all-ceramic crowns. *J Dent Res* 75, 284 (Abstract No. 2136) (1996)
23. Erneklint C, Ödman P, Ortengren U, Rasmusson L: Tolerance test of five different types of crowns on single-tooth implants. *Int J Prosthodont* 11, 233-239 (1998)

24. Esquivel-Upshaw JF, Chai J, Sansano S, Shonberg D: Resistance to staining, flexural strength, and chemical solubility of core porcelains for all-ceramic crowns. *Int J Prosthodont* 14, 284-288 (2001)
25. Fischer C, Zierz H, Moos C: Konusgestützte Implantatversorgung unter Verwendung vollkeramischer Primärteile. *Quintessenz Zahntech* 27, 770-796 (2001)
26. Freesmeyer WB, Wilde T, Roggensack M, Wulfes H: CAD/CAM-gefertigte Kronen im direkten Vergleich. *Dent Lab* 43, 61-64 (1995)
27. Fritz H: Randspaltuntersuchung an Procera AllCeram- Kronen, Zahnmed. Diss, FU Berlin (2003)
28. Fritz H, Freesmeyer WB, Bader G: Das vollkeramische Primärteleskop. *teamwork Interdisziplinäre Zahnheilkunde* 3, 176-185 (2000)
29. Fritz H, Freesmeyer WB, Döring K, Bader G: Herstellung einer vollkeramischen Brücke unter Anwendung einer CAD/CAM-Technik. *Quintessenz Zahntech* 25, 1289-1299 (1999)
30. Gemalmaz D, Ergin S: Clinical evaluation of all-ceramic crowns. *J Prosthet Dent* 87, 189-196 (2002)
31. Giordano R. 2nd: A comparison of all-ceramic restorative systems: Part 2. *Gen Dent* 48, 38-40 (2000)
32. Hacker CH, Wagner WC, Razzoog, ME: An in vitro investigation of the wear of enamel on porcelain and gold in saliva. *J Prosth Dent* 3, 75 (1996)
33. Hager B, Odén A, Andersson B, Andersson L: Procera AllCeram laminates: a clinical report. *J Prosthet Dent* 85, 231-232 (2001)
34. Hahn R: Hochleistungskeramik-eine aktuelle Standortbestimmung. *Phillip J* 13, 311-320 (1996)
35. Hahn R, Löst C: Konventionelle Dentalporzellane versus bruchzähe Hochleistungskeramiken. *Dtsch Zahnärztl Z* 47, 659-664 (1992)
36. Harrington Z, McDonald A, Knowles J: An in vitro study to investigate the load at fracture of Procera AllCeram crowns with various thickness of occlusal veneer porcelain. *Int J Prosth* 16, 54-58 (2003)
37. Hegenbarth EA: Das PROCERA-System. *Quintessenz Zahntech* 22, 1098-1114 (1996)

38. Hegenbarth EA: Die Anwendung des Procera- CAD/CAM- Systems bei metallfreien Suprastrukturen auf Einzelimplantaten. *Quintessenz Zahntech* 23, 294- 307 (1997)
39. Heydecke G, Zhang F, Razzoog ME: In vitro color stability of double-layer veneers after accelerated aging. *J Prosthet Dent* 85, 551-557 (2001)
40. Iperen O von: Die vielseitigen Möglichkeiten des Procera- Systems. *Zahn Prax* 2, 332- 345 (1999)
41. Kancyper SG, Koka S: The influence of intracrevicular crown margins on gingival health: preliminary findings. *J Prosthet Dent* 85, 461-465 (2001)
42. Kappert HF, Krah M: Dentalkeramiken- eine Übersicht. *Quintessenz Zahntech* 27, 668- 704 (2001)
43. Kelsey WP 3rd, Cavel WT, Blankenau RJ, Barkmeier WW, Wilwerding TM, Latta MA: 4- year clinical study of castable ceramic crowns. *Am J Dent* 8, 259- 262 (1995)
44. Kerschbaum T: Überlebenszeiten von Kronen- und Brückenersatz heute. *Zahnärztl Mitt* 76, 2315- 2320 (1986)
45. Kerschbaum T, Leempoel PJB: Kronen und Brücken- Konsequenzen aus Langzeitergebnissen. In Voß R, Meiners, H. (Hrsg): *Fortschritte der zahnärztlichen Prothetik und Werkstoffkunde*. Carl Hanser Verlag, München-Wien 1989, 109- 136
46. Kerschbaum T, Paszyna C, Klapp S, Meyer G: Verweilzeit und Risikoanalyse von feststehendem Zahnersatz. *Dtsch Zahnärztl Z* 46, 20 (1991)
47. Kucey BK, Fraser DC: The Procera abutment- the fifth generation abutment for dental implants. *J Can Dent Assoc* 66, 445-449 (2000)
48. Lenox JA, Kopczyk RA: A clinical system for scoring a hygiene performance. *J Am Dent Assoc* 86, 849- 852 (1973)
49. Lin MT, Sy-Munoz J, Munoz CA, Goodacre CJ, Naylor WP: The effect of tooth preparation form on the fit of Procera copings. *Int J Prosthodont* 11, 580- 590 (1998)
50. Lovgren R, Andersson B, Bergovist S, Carlsson GE, Ekstrom PF, Ödman P, Sundquist B: Clinical evaluation of ceramic veneered titanium restorations according to the Procera technique. *Swed Dent J* 21, 1- 10 (1997)

51. Lovgren R, Andersson B, Carlsson GE, Ödman P: Prospektive clinical 5-year study of ceramic- veneered titanium restorations with the Procera system. *J Prost Dent* 84, 514- 521 (2000)
52. May K, Razzoog M, Lang B, Wang R: Marginal Fit: The PROCERA AllCeram Crown. *J Dent Research* 76, 311(Abtract No. 2379) (1997)
53. May K, Russel M, Razzoog ME, Lang B: Precision of fit of the Procera Allceram crown. *J Prosth Dent* 4, (1997)
54. Milleding P, Haag P, Neroth B, Renz I: Two years of clinical experience with Procera titanium crowns. *Int J Prosthodont* 11, 224- 232 (1998)
55. Muhlemann HR, Son S: Gingival sulcus bleeding- a leading symptom in initial gingivitis. *Helv Odontol Acta* 15, 107- 113 (1971)
56. Neiva G, Yaman P, Dennison JB, Razzoog ME, Lang BR: Resistance to fracture of three all-ceramic systems. *J Esthet Dent* 10, 60- 66 (1998)
57. Nilson H, Bergmann B, Bessin C, Lundquist P, Andersson M: Titanium copings veneered with Procera ceramics: a longitudinal clinical study. *Int J Prosth* 7, 115-119 (1994)
58. Odén A, Andersson M, Krystek J, Magnusson D: Five- year clinical evaluation of Procera Allceram crowns. *J Prosthet Dent* 80, 450- 456 (1998)
59. Odén A, Wiatr-Adamczak E, Olsson K: Aluminium release of alumina and aluminum plate. *Tandläkartidningen* 83, 634-636 (1991)
60. Ödman P, Andersson B: Procera AllCeram Crowns followed for 5 to 10,5 years, a prospective clinical study. *Int J Prosth* 14, 504-509 (2001)
61. Ottl P, Piwowarczyk A, Lauer HC, Hegenbarth EA: The Procera AllCeram system. *Int J Periodontics Restorative Dent* 20, 151-161 (2000)
62. Persson M, Andersson M, Bergmann B: The accuracy of a high-precision digitizer for CAD/CAM of crowns. *J Prosth Dent* 74, 223- 229 (1995)
63. Prestipino V, Ingber A, Kravitz J: Clinical and laboratory considerations in the use of a new all-ceramic restoration system. *Pract Periodont Aesthet Dent* 10, 567-575 (1998)
64. Pröbster L: Survival rate of In- Ceram restorations. *Int J Prosth* 6, 259- 263 (1993)

65. Pröbster L: Four-year clinical study of glass- infiltrated, sintered alumina crowns. *J Oral Rehab* 23, 147-151 (1996)
66. Pröbster L: Zum heutigen Stand vollkeramischer Restaurationen. *Zahnärztl Mitt* 20, 44-50 (1997)
67. Razzoog ME, Lang LA, McAndrew KS: AllCeram crowns for single replacement implant abutments. *J Prosthet Dent* 78, 486- 489 (1997)
68. Reitemeier B, Hansel K, Walter MH, Kastner C, Toutenburg H: Effect of posterior crown margin placement on gingival health. *J Prosthet Dent* 87, 162-172 (2002)
69. Rekow D: Dental CAD/CAM systems-what is the state of the art? *J Am Dent Assoc* 122, 43-48 (1991)
70. Ryge G: Clinical criteria. *Int Dent J* 30, 347- 357 (1980)
71. Ryge G: The California Dental Association Quality Evaluation System, a standard for self assessment. *Quality Evaluation of Dental Restorations* 273-290 (1989)
72. Schirra C, Hegenbarth EA: Individuell CAD/CAM-hergestellte Aluminiumoxidkeramikkrone für vollkeramische Restaurationen auf Zähnen und Implantaten. *Quintessenz* 49, 33-42 (1998)
73. Schmidt A, Walter M, Bönning K: CAD/CAM/CIM-Systeme in der restaurativen Zahnmedizin. *Quintessenz* 49, 1111-1122 (1998)
74. Schwickerath H: Neue Keramiksysteme unter Dauerbeanspruchung. *Quintessenz Zahntech* 20, 1495-1499 (1994)
75. Scotti R, Catapano S, D'Elia A: A clinical evaluation of In-Ceram crowns. *Int J Prosth* 8, 320- 323 (1995)
76. Segal BS: Retrospective assessment of 546 all-ceramic anterior and posterior crowns in a general practice. *J Prosthet Dent* 85, 544-550 (2001)
77. Silness J: Periodontal conditions in patients treated with dental bridges. *J Periodontal Res* 5, 60- 68 (1970)
78. Sjögren G, Lantto R, Granberg A, Sundstrom BO, Tillberg A: Clinical examination of leucite-reinforced glass-ceramic crowns (Empress) in general practice, a retrospective study. *Int J Prosthodont* 12, 122-128 (1999)

79. Sjörgren G, Lantto R, Tillberg A: Clinical evaluation of all-ceramic crowns (Dicor) in general practice. *J Prost Dent* 81, 277-284 (1999)
80. Smedberg JL, Ekenbäck J, Lothigus E, Arvidson K: Two- year follow- up study of Procera- ceramic fixed partial dentures. *Int J Prosthodont* 11, 145-149 (1998)
81. Strub JR: Vollkeramische Systeme. *Dtsch Zahnärztl Z* 47, 566-571 (1992)
82. Suleiman F, Chai J, Jameson LM, Wozniak WT: A comparison of the marginal fit of In-Ceram,IPS Empress and Procera. *Int J Prosthodont* 10, 478-484 (1997)
83. Tinschert J, Spiekermann H: Das Procera-Verfahren in der Kronen- und Brückenprothetik. *Phillip J* 13, 245- 253 (1996)
84. Türp JC: Sind Vollkeramikbrücken praxisreif ? *Dtsch Zahnärztl Z* 54, 136-139 (2001)
85. Wagner WC, Chu TM: Biaxial flexural strength and indentation fracture toughness of three new dental core materials. *J Prosth Dent* 76, 140-144 (1996)
86. Wagner WC, Chu TM: Apparent flexural strength of porcelain veneered all-ceramic core material. *J Dent Res* 75, 284 (1996)
87. Wakabayashi N, Anusavice KJ: Crack initiation modes in bilayered alumina/porcelain disks as a function of core/veneer thickness ratio and supporting substrate stiffness. *J Dent Res* 79, 1398-1404 (2000)
88. Webber B, McDonald A, Knowles J: An in vitro study of the compressive load at fracture of Procera AllCeram crowns with varying thickness of veneer porcelain. *J Prost Dent* 88, 10- 15 (2002)
89. Wen MY, Mueller H, Chai J, Wozniak WT: Comparative mechanical property characterization of 3 all-ceramic core materials. *Int J Prosthodont* 12, 534-541 (1999)
90. White SN, Caputo AA, Li ZC, Zhao XY: Modulus of rupture of the Procera All-ceramic System. *J Esthetic Dentistry* 8, 120-126 (1996)
91. Wichmann M: Neue CAD/CAM-Technologie zur Herstellung individueller Distanzhülsenund Vollkeramikronen auf Implantaten. *Implantologie* 8, 7-20 (2000)

92. Wilson F, Hacker C, Razzoog M, Wagner W, Lang B: An investigation of enamel wear opposing Procera AllCeram aluminium oxide core. J Dent Res 76, (Abstract No. 393) (1997)
93. Witkowski S: Was leisten (CAD-)CAM Systeme in derZahntechnik 2001. Zahntech Mag 5, 129-137 (2001)
94. Zeng K, Odén A, Rowcliffe D: Flexure test on dental ceramic. Int J Prosthodont 9, 434-439 (1996)
95. Zeng K, Odén A, Rowcliffe D: Evaluation of mechanical properties of dental ceramic core materials in combination with porcelains. Int J Prosthodont 11, 183-189 (1998)
96. Zitzmann NU, Marinello CP, Lüthi H: Das Vollkeramiksystem PROCERA AllCeram. Schweiz Monatsschr Zahnmed 109, 821-829 (1999)