

7. Literaturverzeichnis

- 1 Boyle, P. Some recent developments in the epidemiology of colorectal cancer, in Bleiberg, H., Rougier, P., Wilke, H.J. (edit.): Management of colorectal cancer. Martin Dunitz, London 1998, S. 19-34
- 2 Potter, J.D., Slattery, M.L., Bostick, R.M. et.al. Colon Cancer: A review of the epidemiology. Epidemiol. Rev. 1993;15:499-545
- 3 Boland, C.R. Malignant tumors of the colon. in Yamada, T.: Textbook of Gastroenterology, 2nd edition, J.B. Lippincott, Philadelphia 1995, S. 1967-2026
- 4 Krebs in Deutschland. Arbeitsgemein. bevölkerungsbezog. Krebsregister in Deutschland.2. aktualis. Ausgabe, Saarbrücken, 1999
- 5 Devesa, S.S., Chow, W.H. Variation in colorectal cancer incidence in the United States by subsite of origin. Cancer 1993;71:3819-3826
- 6 Demers, R.Y., Burns, P.B., Swanson, G.M. Construction occupations, asbestos exposure, and cancer of the colon and rectum. JOM. 1995;36:1027-1031
- 7 Fuchs, C.S., Giovannucci, E.L., Golditz, G.A. et.al. A prospective study of family history and the risk of colorectal cancer. N. Engl. J. Med. 1994;331(25):1669-1674
- 8 Hermanek ,P. The dysplasia-carcinoma sequence in the colorectum, Zentralbl Chir. 1992;117:476-82
- 9 Burkitt, D.P. Epidemiology of cancer of the colon and rectum. Cancer 1971;28:3-13
- 10 Nagao, M., Sugimura, T. Carcinogenic factors in food with relevance to colon cancer development. Mutat. Res. 1993;290:43-51
- 11 Wynder, E.L., Reddy, B.S., Weisburger, J.H. Environmental dietary factors in colorectal cancer. Cancer (Suppl.) 1992;70:1222-1228
- 12 Ferraroni, M., La Vecchia, C., D'Avanzo, B. et.al. Selected micronutritient intake and the risk of colorectal cancer. Brit. J. Cancer 1994;70:1150-1155

- 13 Sorenson, A.W.,
Slattery, M.L.,
Ford, M.H.
Calcium and colon cancer: A review.
Nutr. Cancer 1988;11:135-145
- 14 Fleshner, B.,
Slater, G.,
Aufses, A.H.
Age and sex distribution of patients with colorectal
cancer.
Dis. Colon Rectum 1989;32:107-111
- 15 Neugut, A.I.,
Jacobson, J.S.,
De Vivo, I.
Epidemiology of colorectal adenomatous polyps,
Cancer Epidemiol. Biomarkers Prev. 1993;2(2):159-176
- 16 Ahnen, D.J.
Etiology of large bowel cancer.
in Phillips S.F., Pemberton J.H., Shorter R.G.: The large
Intestine: Physiology, Pathophysiology, and Disease.
Raven Press New York 1991, S. 501-520
- 17 Thun, M.J.,
Namboudiri, M.M.,
Mealth, C.W.
Aspirin use and reduced risk of fatal colon cancer.
N Engl. J. Med. 1991;325(23):1593-1596
- 18 White, E.,
Jacobs, E.L.,
Daling, J.R.
Physical activity in relation to colon cancer in middle-
aged men and women.
Am. J. Epidemiol. 1996;144(1):42-50
- 19 Porschen, R.,
Strohmeyer, G.
Dysplasie und Karzinomrisiko bei Colitis ulcerosa.
Dtsch. Med. Wochenschr. 1991;116:1682-1688
- 20 Connell, W.R.,
Sheffield, J.P.,
Kamm, M.A. et.al.
Lower gastrointestinal malignancy in Crohn's disease.
Gut 1994;35:347-352
- 21 Atkin, W.S.,
Morson, B.C.,
Cuzick, J.
Long-term risk of colorectal cancer after excision of
rectosigmoid adenomas.
N. Engl. J. Med. 1992;326:658-662
- 22 Guillem, J.G.,
Brittis, N.J.
Addition personal risk factors, in Cohen, A.M., Winawer,
S.J.: Cancer of the Colon Rectum and Anus.
McGraw-Hill, New York 1995, pp. 121-126
- 23 Schoen, R.E.,
Weissfeld, J.L.,
Kuller, L.H.
Are women with breast , endometrial, or ovarian cancer
at increased risk for colorectal cancer ?
Am. J. Gastroenterol. 1994;89:835-842
- 24 Steele, G.,
Mayer, R.
Adenocarcinoma of the colon and rectum. in: Haubrich,
W.S., Schaffner, F.: Bockus Gastroenterology.
W.B. Saunders ,Philadelphia 1995:, S. 24-139
- 25 McFarlane, M.J.,
Welch, K.E.:
Gallstones, cholecystectomy and colorectal cancer.
Am. J. Gastroenterol. 1992;87:1120-1124

- 26 Bulow, S. Familial polyposis coli.
Danish Medical Bulletin 1987;34(1):1-15
- 27 Hamilton, S.R., Liu, B., Parsons, R.E., Papadopoulos, N. et.al. The molecular basis of Turcot's syndrome.
- 28 Riede, U.N., Schaefer, H.E. N. Engl. J. Med. 1995;332(13):839-847.
- 29 Lynch, H.T., Smyrk, T.C., Watson, P., Lanspa, S.J. et.al. Allgemeine und spezielle Pathologie. Georg Thieme, New York 1993
- 30 Genetics, natural history, tumor spectrum, and pathology of hereditary nonpolyposis colorectal cancer: an updated review.
Gastroenterology 1993;104(5):1535-1549
- 31 Lynch, H.T., Smyrk, T.C., Watson, P. et.al. Hereditary flat adenoma syndrome: a variant of familial adenomatous polyposis?
Dis: Colon Rectum. 1992;35(5):411-421.
- 32 Armitage, N.C. Intervention studies in adenoma patients.
World J. Surg. 1991;15(1):29-34
- 33 Vogelstein, B., Fearon, E.R., Hamilton, S.R. et.al. Genetic alterations during colorectal-tumor development.
N. Engl. J. Med. 1988;319(9):525-532
- 34 Kinzler, K.W., Vogelstein, B. The Genetic Basis of Human Cancer.
McGraw-Hill, New York 1998, S. 565-587
- 35 Fearon, E.R., Vogelstein, B. A genetic model for colorectal tumorigenesis.
Cell 1990;61:759-767
- 36 Cawkwell, L., Quirke, P. The molecular biology and genetics of colorectal cancer.
in Williams, N.S.: Colorectal cancer.
Churchill Livingstone, London 1996
- 37 Coates, R.J., Greenberg, R.S., Liu, M.T. Anatomic site distribution of colon cancer by race and other colon cancer risk factors.
Dis. Colon Rectum 1995;38:42-50
- 38 Golematis, B.C., Tzards, P.U., Ahwai, J.A., Charitopoulos, N. et.al. Site distribution of carcinoma of the large intestine: a retrospective study of 600 cases.
Dis. Colon Rectum 1989;13:321-325
- 39 Lorenz, E.P.M. Formale Pathogenese und Karzinogenese beim kolorektalen Karzinom. in: Buhr, H.J., Runkel, N. (Hrsg.): Operationskurs kolorektalem Karzinom.
Johann Ambrosius Barth, Heidelberg 1998

- 39 Colon and Rectum, in: TNM Atlas: Illustrated Guide to the TNM/pTNM Classification of Malignant Tumours.
IUAC, Springer Verlag 1997, 4th Edition, S. 99-113
- 40 Colon and Rectum, in: AJCC cancer Staging Manual.
American Joint Committee on Cancer, Lippincott-Raven Publishers Philadelphia 1997, 5th Edition, S. 83-90
- 41 Turk, P.S., Wanebo, H.J.
Results of surgical treatment of nonhepatic recurrence of colorectal carcinoma.
Cancer 1993;15:71(12nd Suppl):4267-4277.
- 42 Hermanek, P., Gospodarowicz, M.K., Henson, D.Et.al.
International union against cancer. Prognostic factors in cancer.
Springer Verlag, Berlin 1995
- 43 Hermanek, P.
Prognostische Faktoren beim kolorektalen Karzinom.
Zentralbl. Chir. 1997;122 (Suppl): 20-25
- 44 Compton, C., Fenoglio-Preiser, C.M., Pettigrew, N.
American Joint Committee on Cancer Prognostic factors Consensus Conference. Colorectal Working Group,
Cancer 2000;88:1739-1757
- 45 Midgley, R., Kerr, D.
Towards post-genomic investigation of colorectal cancer.
Lancet 2000;355:669-670
- 46 Hermanek, P., Mansmann, U., Staimmer, D.S. et.al.
The German experience: the surgeon as a prognostic factor in colon and rectal cancer surgery.
Surg. Oncol. Clin. N. Am. 2000;9:33-49
- 47 Hermanek, P., Sabin, L.H., Wittekind, C.
How to improve the Present TNM Staging System.
Cancer 1999;86:2189-2191
- 48 Runkel, N., Hinz, U., Lehnert, T., Buhr, H.J. et.al.
Improved outcome after emergency surgery for cancer of the large intestine.
Br. J. Surg. 1998;85(9):1260-1265
- 49 McArdle, C.S., Hole, D.
Impact of variability among surgeons on postoperative morbidity and mortality and ultimate survival,
BMJ. 1991;22(302):1501-5.
- 50 Denekamp, J.
Angiogenesis, neovascular proliferation and vascular pathophysiology as targets for cancer therapy.
Brit. J. Radiol. 1993;66:181-196.

- 51 Hanahan, D., Folkman, J. Patterns and emerging mechanisms of the angiogenic switch during tumorigenesis.
Cell 1996;86:353-364
- 52 Folkman, J. Clinical application of research on angiogenesis.
N. Engl. J. Med. 1995b;333:1757-1763
- 53 Folkman, J. What is the evidence that tumors are angiogenesis dependent ?
J. Natl. Cancer Inst. 1990;82:4-6
- 54 O'Reilly, M.S., Holmgren, L., Shing, Y., Chen, C. et.al. Angiostatin: a novel angiogenesis inhibitor that mediates the suppression of metastases by a Lewis lung carcinoma.
Cell 1994;79:315-328
- 55 O'Reilly, M.S., Boehm, T., Shing, Y., Fukai, N. u.a. Endostatin: an endogenous inhibitor of angiogenesis and tumor growth.
Cell 1997;88:277-285
- 56 Vermeulen,P.B., Verhoeven, D., Hubens, G. et.al. Microvessel density, endothelial cell proliferation to tumor cell proliferation in human colorectal adenocarcinomas.
Ann. Oncol. 1995a;6:59-64
- 57 Fox, S.B., Gatter, K.C., Bicknell, R. et.al. Relationship of endothelial cell proliferation to tumor vascularity in human breast cancer.
Cancer Res. 1993;53:4161-4163
- 58 Mattern, J., Koomägi, R., Volm, M. Association of vascular endothelial growth factor expression with intratumoral microvessel density and tumor cell proliferation in human epidermoid lung cancer.
Brit. J. Cancer 1996;73:931-934
- 59 Weidner, N., Folkman, J. Tumoral vascularity as a prognostic factor in cancer.
Important Adv. Oncol. 1996;167-190
- 60 Pepper, M.S., Ferrara, N., Orci, L., Montessano, R. Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis in vitro.
Biochem. Biophys. Res. Commun. 1992;189:824-831
- 61 Senger, D.R., Galli, S.J., Dvorak, A.M. et al. Tumor cells secrete a vascular permeability factor that promotes accumulation of ascites fluid,
Science 1983;219:983-5
- 62 Vermeulen, P.B., Gasparini, G., Fox, S.B., Toi, M. et.al. Quantification of angiogenesis in solid human tumours: an international consensus on the methodology and criteria of evaluation.
Eur. J. Cancer 1996;32A:2474-2484

- 63 Pili, R.,
Guo, Y.,
Chang, J. et.al.
Altered angiogenesis underlying age-dependent changes
in tumor growth.
J. Natl. Cancer Inst. 1994;86:1303-1314
- 64 Baird, A.,
Ling, N.
Fibroblast growth factors are present in the extracellular
matrix produced by endothelial cells in vitro: implications
for a role of heparinase-like enzymes in the neovascular
reponse.
Biochem. Biophys. Res. Commun. 1987;142:428-435
- 65 Homandberg, G.A.,
Wiliams, J.E.,
Grant, D.B.S. et.al.
Heparin-binding fragments of fibronectin are potent
inhibitors of endothelial cell growth.
Am. J. Path. 1985;120:327-332
- 66 Ferrera, N.,
Clapp, C.,
Weiner, R.I.
The 16 kDa fragment of prolactin specifically inhibits
basal or fibroblast growth factor stimulated growth of
capillary endothelial cells.
Endocrinol. 1991;129:896-900
- 67 Dameron, K.M.,
Volpert, O.V.,
Tainsky, M.A. et.al.
Control of angiogenesis in fibroblasts by p53 regulation
of thrombospondin-1.
Science 1994;265:1582-1584
- 68 Kieser, A.,
Weich, H.A.,
Brandner, G. et.al.
Mutant p53 potentiates protein kinase C induction of
vascular endothelial growth factor expression.
Oncogene 1994;9:963-969
- 69 Rak, J.,
Mitsuhashi, Y.,
Bayko, L.,
Filmus, J. u.a.
Mutant ras oncogenes upregulate VEGF/NPF
expression: implications for induction and inhibition of
tumor angiogenesis.
Cancer Res. 1995;55:4575-4580
- 70 Volpert, O.V.,
Stellmach, V.,
Bouck, N.
The modulation of thrombospondin and other naturally
occurring inhibitors of angiogenesis during tumor progression.
Breast Cancer Res. Treat. 1995;36:119-126
- 71 Van Meir, E.G.,
Polverini, P.J.,
Chazin, V.R. et.al.
Release of an inhibitor of angiogenesis upon induction of
wild-type p53 expression in glioblastoma cells.
Nature Genet. 1995;8:171-176
- 72 Folkman, J.
New perspectives in clinical oncology from angiogenesis
research.
Eur. J. Cancer 1996;32A:2534-2539
- 73 Holmgren, L.,
O'Reilly, M.S.,
Folkman, J.
Dormancy of micrometastases: balanced proliferation
and apoptosis in the presence of angiogenesis
suppression.
Nature Med. 1995;1:149-153

- 74 Weinstat-Saslow, D., Steeg, P.S. Angiogenesis and colonization in the tumor metastatic process: basic and applied advances. FASEB J. 1994;8:401-407
- 75 Liotta, L.A., Kleinerman, J., Saidel, G.M. Quantitative relationship of intravascular tumor cells, tumor vessels, and pulmonary metastases following tumor implantation. Cancer Res. 1974;34:997-1004
- 76 McCulloch, P., Choy, A., Martin, L. Association between tumour angiogenesis and tumour cell shedding into effluent venous blood during breast cancer surgery, Lancet. 1995;18:1334-1335
- 77 Van Dijke, C.F., Brasch, R.C., Roberts, T.P.L., Weidner, N. et.al. Mammary carcinoma model: correlation of macromolecular contrast-enhanced MR imaging characterizations of tumor microvasculature and histologic capillary density. Radiology 1996;198:813-818
- 78 Weidner, N., Semple, J.P., Welch, W.R. et.al. Tumor angiogenesis and metastasis-correlation in invasive breast carcinoma. N Engl. J. Med. 1991;324:1-8
- 79 Gasparini, G., Weidner, N., Maluta, S., Pozza, F. et.al. Intratumoral microvessel density and p53 protein: correlation with metastasis in head-and-neck squamous-cell carcinoma. Int. J. Cancer 1993;55:739-744.
- 80 Macchiarini; P., Fontanini; G., Dulmet; E. et.al. Angiogenesis: an indicator of metastasis in non-small cell lung cancer invading the thoracic inlet. Ann. Thorac. Surg. 1994;57:1534-1539.
- 81 Vacca, A., Ribatti, D., Roncali, L., Lospalluti, M. et.al. Melanocyte tumor progression is associated with changes in angiogenesis and expression of the 67-kilodalton laminin receptor. Cancer 1993;72:455-461.
- 82 Hollingsworth, H.C., Kohn, E.C., Steinberg, S.M., Rothenberg, M.L. et.al. Tumor angiogenesis in advanced stage ovarian carcinoma. Am. J. Pathol. 1995;147:33-41.
- 83 Bremer, G.L., Tiebosch, A.T., van der Putten, H.W., Schouten, H.J. u.a. Tumor angiogenesis: an independent prognostic parameter in cervical cancer. Am. J. Obstet. Gynecol. 1996;174:126-131

- 84 Jaeger, T.M., Weidner, N., Chew, K. et.al. Tumor angiogenesis correlates with lymph node metastases in invasive bladder cancer.
J. Urol. 1995;154:69-71
- 85 Basilico, C., Moscatelli, D. The FGF family of growth factors and oncogenes.
Adv. Cancer Res. 1992;59:115-164
- 86 Litwin, M.S., Gamble, J.R., Vadas, M.A. Role of cytokines in endothelial function.
in: Aggarwal, B.B, Puri, R.K.: Human Cytokines - Their role in disease and therapy.
Blackwell Science, Oxford 1995, pp. 101-102
- 87 Moscatelli, D. High and low affinity binding sites for basic fibroblast growth factor on cultured cells: absence of a role for low affinity binding in the stimulation of plasminogen activator production by bovine capillary endothelial cells.
J. Cell Physiol. 1987;131:123-130
- 88 Dell'Era, P., Presta, M., Ragnotti, G. Nuclear localisation of endogenous fibroblast growth factor in cultured endothelial cells.
Exp. Cell Res. 1991;192:505-510
- 89 Bouche, G., Gas,N., Prats, H Baldin, V. et.al.. Basic fibroblast growth factor enters the nucleolus and stimulates the transcription of ribosomal genes in ABAE cells undergoing G₀-G₁ transition.
Proc. Natl. Acad. Sci. USA 1987;84:6770-6774
- 90 Schweigerer, L., Neufeld, G., Friedman, J. et.al. Capillary endothelial cells express basic fibroblast growth factor, a mitogen that promotes their own growth.
Nature 1987;325: 257-295
- 91 Rifkin, D.B., Moscatelli, D. Recent developments in the cell biology of basic fibroblast growth factor.
J. Cell Biol. 1989;109:1-6
- 92 Pötgens, A.J.G., Westphal, H.R., De Waal, R.M.W. et.al. The role of vascular permeability factor and basic fibroblast growth factor in tumor angiogenesis.
Biol. Chem. Hoppe-Seyler 1995;376:57-70
- 93 Schulze-Osthoff, K., Risau, W., Vollmer, E. et.al. In situ detection of basic fibroblast growth factor by highly specific antibodies.
Arch. J. Pathol. 1990;137:85-92
- 94 Chao, H., Yang, V., Chen, J. Acidic FGF and EGF are involved in the autocrine growth stimulation of human nasopharyngeal carcinoma cell line and sub-line.
Int. J. Cancer 1993;54:807-812

- 95 Stefanik, D., Rizkalla, L.R., Soi, A. et.al. Acidic and basic fibroblast growth factors are present in glioblastoma multiforme, Cancer Res. 1991;51:5760-5765
- 96 Yamanaka, Y., Friess, H., Buchler, M., Beger, H.G. et.al. Overexpression of Acidic and Basic fibroblast growth factors in human pancreatic cancer correlates with advanced tumour stage. Cancer. Res. 1993;53:5289-5296
- 97 Gold, L.I., Saxena, B., Mittal, K.R. Marmor, M. et.al. Increased expression of transforming growth factor β isoforms and basic fibroblast growth factor in complex hyperplasia and adenocarcinoma of the endometrium. Cancer Res. 1994;54:2347-2358
- 98 Eguchi, J., Nomata, K., Kanda, S. et.al. Gene expression and immunohistochemical localisation of basic fibroblast growth factor in renal cell carcinoma. Biochem. Biophys. Res. Commun. 1992;183:937-944
- 99 Tanimoto, H., Yoshida, K., Yokozaki, H. et.al. Expression of basic fibroblast growth factor and fibroblast growth factor receptor in advanced gastric carcinoma. J. Pathol. 1991;177:353-361
- 100 Li, D., Bell, J., Brown, A., Berry, C.L. The observation of angiogenin and basic fibroblast growth factor gene expression in human colonic adenocarcinomas, and hepatocellular carcinomas. J. Pathol. 1994;172:171-175
- 101 Nguyen, M., Watranabe, H., Budson, A.E., Richie, JP Elevated levels of an angiogenic peptide, basic fibroblast growth factor, in the urine of patients with a wide spectrum of cancers. J. Natl. Cancer Inst. 1994;86:356-361
- 102 Dirix, L.Y., Vermeulen, P.B., Hubens, G., Benoy, I. et.al. Serum basic fibroblast growth factor and vascular endothelial growth factor and tumour growth kinetics in advanced colorectal cancer. Ann. Oncol. 1996;7:843-848
- 103 Li, V.W., Folkerth, R.D., Watanabe, H. et.al. Microvessel count and cerebrospinal fluid basic fibroblast growth factor in children with brain tumours. Lancet 1994;344:82-86
- 104 Parums, D.V., Cordell, J.L., Micklem, K., Heryet, A.R. et.al. JC70: a new monoclonal antibody that detects vascular endothelium associated antigen on routinely processed tissue sections. J. Clin. Pathol. 1990;43: 752-757
- 105 Cordell, J.L., Falini, B., Erber, W.N., Ghosh, A.K. u.a. Immunoenzymatic labeling of monoclonal antibodies using immune complexes of alkaline phosphatase and monoclonal anti-alkaline phosphatase (APAAP complexes).

J. Histochem. Cytochem. 1984;32:219-229

- 106 Sussman, N.L.,
Eliakim, R.,
Rubin, D. et.al.
Intestinal alkaline phosphatase is secreted bidirectionally
from villous enterocytes.
Am. J. Physiol. 1989;257:G14-23
- 107 Endl, J.
Immunzytochemische Färbetechniken.
in: Peters, J.H., Baumgarten, H.: Monoklonale
Antikörper, Herstellung und Charakterisierung.
Springer, Berlin 1990
- 108 Ponder, B.A.,
Wilkinson, M.M.
Inhibition of endogenous tissue alkaline phosphatase
with the use of alkaline phosphatase conjugates in
immunohistochemistry.
J. Histochem. Cytochem. 1981;29:981-984
- 109 Jones, E.L.,
Gregory, J.
Immunperoxidase methods in Catty, D. :Antibodies. A
practical approach.
IRL Press, Oxford 1988
- 110 Hopwood, D.
Fixation of tissues for histochemistry, in: Bach, P.H.,
Baker, J.R.J.: Histochemical and immunohistochemical
techniques: applications to pharmacology and toxicology.
Chapman and Hall, London 1991
- 111 Shi, S-R.,
Cote, R.J.,
Taylor, C.R.
Antigen retrieval immunohistochemistry: past, present,
and the future.
J. Histochem. Cytochem. 1997;45(3):327-343
- 112 McNicol, A.M.,
Richmond, J.A.
Optimizing immunohistochemistry: antigen retrieval and
signal amplification.
Histopathology 1998;32:97-103
- 113 Mepham, B.L.
The use of proteolytic enzymes to improve
immunoglobulin staining by the P.A.P. technique.
Histochem. J. 1979;11:345
- 114 Shi, S.R.,
Imam, A.,
Young, L. et.al.
Antigen retrieval immunohistochemistry under the
influence of pH using monoclonal antibodies.
J. Histochem. Cytochem. 1995;44:761-766
- 115 Grossfield, G.D.,
Shi, S.R.,
Ginsberg, D.A.
Immunhistochemical detection of thrombospondin-1 in
formalin-fixed paraffin-embedded tissue.
J. Histochem. Cytochem. 1996;44:761-766

- 116 Kawai, K., Serizawa, A., Hamana, T., Tsutsumi, Y.
Heat-induced antigen retrieval of proliferating cell nuclear antigen and p53 protein in formalin- fixed, paraffin- embedded sections.
Pathol. Int. 1994;44:759-764
- 117 Taylor, C.R., Shi, S.R., Chen, C. et.al.
A comparative study of antigen retrieval heating methods.
CAP Today 1995;9:16-22
- 118 Hecker, H.
Auswahl, Anwendung und Interpretation statistischer Tests. Eine kurze Einführung. November 1997
<http://www.mh-hannover.de/institute/biometrie/>, Nov. 2000
- 119 Brandao, D., Sobrinho-Simoes, M.A., Serrao, D. et.al.
Prognosis in colorectal cancer. A reassessment of the pathologist's role,
Path. Res. Pract. 1985;180:506-510
- 120 Böhm, B., Nouchirvani, K., Hucke, H.P., Stock, W.
Der Einfluß des Alters und Geschlechtes auf die Lokalisation, Tumorstadium und Prognose kolorektaler Karzinome,
Med. Klin. 1990;85:586-590
- 121 Chapuis, P.H., Dent, D.F., Fisher, R. et.al.
A multivariate analysis of clinical and pathological variables in prognosis after resection of large bowel cancer.
Br. J. Surg. 1985;72:698-702
- 122 Gall, P., Hermanek, P., Tonak, J.
Chirurgische Onkologie.
Springer-Verlag, Berlin 1986
- 123 Halvorsen, T.B., Seim, E.
Tumor site: a prognostic factor in colorectal cancer ?
A multivariate analysis,
Scand. J. Gastroenterol. 1987;22:124-128
- 124 Bloem, R., Zwaveling, A., Stijnen, T.
Adenocarcinoma of the colon and rectum: a report on 624 cases.
Neth. J. Surg. 1988;40:121-126
- 125 Menke, H., Graf, J.M., Heinitz, A. u.a.
Risikofaktoren der perioperativen Morbidität und Letalität beim kolorektalen Karzinom unter besonderer Berücksichtigung von Tumorstadien, Lokalisation und Lebensalter.
Zentralbl. Chir. 1993;118:40-46
- 126 Hermanek, P. Jr., Wiebelt, H., Riedl, S., Staimmer, D. et.al.
Long-term results of surgical therapy of colon cancer.
Results of the Colorectal Cancer Study Group.
Chirurg 1994;65(4):287-97
- 127 Takahashi, Y., Tucker, S.L.,
Vessel counts and expression of vascular endothelial growth factor as prognostic factors in node-negative

- Kitadai, Y.,
Koura, A.N. et.al.
colon cancer.
Arch. Surg. 1997;132(5):541-546
- 128 Gasser, A.,
Isaak, B.,
Maibach, R. u.a.
Stadieneinteilung und Prognose des
Kolorektalkarzinoms.
Schweiz. Med. Wschr. 1992;122:1356-1362
- 129 Takahashi, Y.,
Kitadai, Y.,
Bucana, C.D.,
Cleary, K.R. u.a.
Expression of Vascular Endothelial Growth Factor and its
receptor, KDR, correlates with vascularity, metastasis,
and proliferation of human colon cancer.
Cancer Res. 1995;55:3964-3968
- 130 Tomisaki, S.,
Ohno, S.,
Ichiyoshi, Y. et.al.
Microvessel quantitation and ist possible realtion with
liver metastasis in colorectal cancer.
Cancer 1996;77:1722-1728
- 131 Takebayashi, Y.,
Akiyama, S.,
Kazutaka, Y. et.al.
Angiogenesis as an unfavorable prognostic factor in
human colorectal carcinoma.
Cancer 1996;78:226-231
- 132 Runkel, N.
Standardoperationen beim primären Kolonkarzinom.
in: Buhr, H.J., Runkel, N. (Hrsg.): Operationskurs
kolorektales Karzinom.
Johann Ambrosius Barth, Heidelberg 1998, S.53-59
- 133 Schumpelick, V.,
Willis, S.,
Kasperk, R.
Moderne Operationsverfahren des Rektumkarzinoms:
Sind adjuvante Maßnahmen notwendig ?
Dt. Ärztebl. 2000;97(17):A-1138
- 134 Junginger, T.,
Hossfeld, D.K.,
Sauer, R. et.al.
Adjuvante Therapie bei Kolon- und Rektumkarzinom.
Dt. Ärztebl. 1999;96(11):A-698-700
- 135 Gall, F.P.,
Hermanek, P.
Wandel und derzeitiger Stand der chirurgischen Therapie
des kolorektalen Karzinoms.
Chirurg 1992;63:227-236
- 136 Gore, R.M.
Colorectal Cancer. Clinical and pathologic features.
Radiol. Clin. North. Am. 1997;35(2):403-429
- 137 Sternfeld, T,
Foss, H.D.,
Kruschewski, M.,
Runkel, N.
The prognostic significance of tumor vascularization in
patients with localized colorectal cancer.
Int. J. Colorectal Dis. 1999;14:272-276
- 138 Pietra, N.,
Sarli, L.,
Caruana, P. et.al.
Is tumour angiogenesis a prognostic factor in patients
with colorectal cancer an no involved nodes ?
Eur. J. Surg. 2000;166:552-556

- 139 Giatromanolaki, A., Stathopoulos, G.P., Tsibianou, E., Papadimitriou, C. et.al. Combined role of tumor angiogenesis, bcl-2, and p53 Expression in the prognosis of patients with colorectal carcinoma. Cancer 1999;86 (8): 1421-14230
- 140 Vermeulen,P.B., Van den Eynden, G.G., Huget, P. et.al. Prospective study of intratumoral microvessel density, p53 expression an survival in colorectal cancer. Br. J. Cancer 1999;79(2):316-322
- 141 Banner, B.F., Whithouse, R., Baker, S.P., et. al. Tumor angiogenesis in stage II colorectal carcinoma. Association with survival. Am. J. Clin. Pathol. 1998;109:733-737
- 142 Tanigawa, N., Amaya, H., Matsumura, M. et.al. Tumor angiogenesis and mode of metastasis in patients with colorectal cancer. Cancer Res. 1997;57:1043-1046
- 143 Engel, C.J., Bennett, S.T., Chambers, A.F. et.al. Tumor angiogenesis predicts recurrence in invasive colorectal cancer when controlled for Dukes staging. Am. J. Surg. Pathol. 1996;20(10):1260-1265
- 144 Lindmark, G., Gerdin, B., Sundberg, C. et.al. Prognostic significance of the microvascular count in colorectal cancer. J. Clin. Oncol. 1996;14(2):461-466
- 145 Mooteri, S., Rubin, D., Leurgans, S. et.al. Tumor angiogenesis in primary and metastatic colorectal cancer. Dis. Colon Rectum 1996;39:1073-1080
- 146 Bossi, P., Viale, G., Lee, A.K.C., Alfano, R.M. et.al.. Angiogenesis in colorectal tumors: microvessel quantitation in adenomas and carcinomas with clinicopathological correlations. Cancer Res. 1995;55:5049-5053
- 147 Frank, R.E., Saclarides, T.J., Leurgans, S. et.al. Tumor angiogenesis as a predictor of recurrence and survival. Ann. Surg. 1995;222(6):695-699
- 148 Saclarides, T.J., Speziale, N.J., Drab, E. et.al. Tumor angiogenesis and rectal carcinoma. Dis. Colon Rectum 1994;37:921-926
- 149 Ohtani, H., Nakamura, S., Watanabe, Y., Mizoi, T. et.al. Immunocytochemical localization of Basic Fibroblast Growth Factor in carcinomas and inflammatory lesions of the human digestive tract. Lab. Invest. 1993;5:520-527

- 150 El-Hariry, I.,
Pignatelli, M.,
Lemoine, N.
Fibroblast Growth Factor1 and Fibroblast Growth Factor2 immunoreactivity in gastrointestinal tumours.
J. Pathol. 1997;181:39-45
- 151 Landriscina, M.,
Cassano, A.,
Ratto, C.,
Ippolizi, M. et.al.
Quantitative analysis of basic fibroblast growth factor and vascular endothelial growth factor in human colorectal cancer.
Br. J. Cancer 1998;78(6):765-770
- 152 Junquera, F.,
Saperas, E.,
De Torres, I. et.al.
Increased expression of angiogenic factors in human colonic angiomyiasplasia.
Am. J. Gastroenterol. 1999;94:1070-1076
- 153 Nakata, S.,
Ito, K.,
Fujimori, M.,
Shingu, K. et.al.
Involvement of Vascular Endothelial Growth Factor and Urokinase-Type Plasminogen Activator Receptor in microvessel invasion in human colorectal cancers.
Int. J. Cancer:1998;179-186
- 154 Kondo, Y.,
Arii, S.,
Furutani, M. et.al.
Implication of vascular endothelial growth factor and p53 status for angiogenesis in noninvasive colorectal carcinoma.
Cancer 2000;88(8):1820-1827
- 155 Dellacono, F.R.,
Spiro, J.,
Eisma, R.,
Kreutzer, D.
Expression of Basic Fibroblast Growth Factor and its receptor by head and neck squamous carcinoma tumor and vascular endothelial cells.
Am. J. Surg. 1997;174:540-544
- 156 Colomer, R.,
Aparicio, J.,
Montero, S.,
Guzman, C. et.al.
Low levels of Basic Fibroblast Growth Factor (bFGF) are associated with a poor prognosis in human breast carcinoma,
Br. J. Cancer 1997;76(9):1215-1220
- 157 Mise, M.,
Arii, S.,
Higashitaji, H.,
Furutani, M. et.al.
Clinical significance of vascular endothelial growth factor and basic fibroblast growth factor gene expression in liver tumor.
Hepatology 1996;23:455-464
- 158 Takanami, I.,
Tanaka, F.,
Hashizume, T.,
Kikuchi, K. u.a.
The Basic Fibroblast Growth Factor and its receptor in pulmonary adenocarcinomas: an investigation of their expression as prognostic markers.
Eur. J. Cancer 1996;32(9):1504-1509
- 159 Kitadai, Y.,
Bucana, C.D.,
Ellis L.M., et al.
In situ mRNA hybridization techniques for analysis of metastasis-related genes in human colon carcinoma cells,
Am. J. Pathol. 1995;147:1238-1247