## 9 LITERATUR

1. Abbas AK, Murphy KM and Sher A (1996) Functional diversity of helper T lymphocytes. Nature (Lond) 383: 787-793

- 2. Angele MK, Faist E (2002) Clinical review: Immunodepression in the surgical patient and increased susceptibility to infection. Critical Care 6: 298-305
- 3. Ascione R, Lloyd CT (2000) Inflammatory Response after Coronary Revascularization with or without Cardiopulmonary Bypass. Ann Thorac Surg 69: 1198-204
- 4. Assenmacher M, Schmitz J (1994) Flow cytometric determination of cytokines in activated murine T helper lymphocytes: expression of interleukin-10 in interferon-γ and in interleukin-4-expressing cells. Eur J Immunol 24: 1097-1101
- 5. BD FastImmune CFC Handbook (2002) Performance characteristics of antigenspecific cytokine flow cytometry (CFC). Assays BD Biosciences Immunocytometry Systems, San Jose, CA
- 6. Bernard GR, Vincent JL (PROWESS-Study-Group) (2001) Efficacy and Safety of recombinant human activated Protein C for severe sepsis. N Eng J Med 344(10): 699-709
- 7. Bernard JM, Hommeril JL (1991) Postoperative analgesia by intravenous clonidine. Anesthesiology Oct. 75(4): 577-82
- 8. Besedovsky HO, del Rey A, Sorkin E, Da Prada M and Keller HH (1979) Immunoregulation mediated by the sympathetic nervous system. Cell Immunol 48: 346-355
- 9. Bischoff P, Kochs E (1993) Alpha2-Agonisten in Anästhesie und Intensivmedizin. Anästhesiol Indensivmed Notfallmed Schmerzther 28: 2
- 10. Bone RC (1996) Toward a theory regarding the pathogenesis of the systemic inflammatory response syndrome: What do we know and do not know about cytokine regulation. Crit Care Med 24: 163-172
- 11. Borrego F, Robertson M-J (1999) CD69 is a stimulatory receptor for natural killer cells and its cytotoxic effects are blocked by CD94 inhibitory receptor. Immunology 1999; 97: 159-165
- 12. Braun JP, Schroeder T (2004) Splanchnic oxygen transport, hepatic function and gastrointestinal barrier after normothermic cardiopulmonary bypass. Acta Anesthesiol Scand 48: 697-703

13. Brunner E, Dornhof S (2002) Non-parametric analysis of longitudinal data in factorial experiments. New York: Wiley

- 14. Butler F, Rocker GM (1993) Inflammatory response to cardiopulmonary bypass. Ann Thorac Surg 55: 552-9
- 15. Cremer J, Martin M (1996) Systemic inflammatory response syndrome after cardiac operations. Ann Thorac Surg 61: 1714-20
- 16. Christou NV, Meakins JL, (1995) The delayed hypersensitivity response and host resistance in surgical patients: 20 years later. Ann Surg 222: 534-546
- 17. Chrousos GP and Gold PW (1992) The concepts of stress and stress system disorders. Overview of physical and behavioural homeostasis [published erratum appears in JAMA (1992) 268:200]. JAMA 267: 1244-1252
- 18. Constant S, Bottomly K (1997) Induction of Th<sub>1</sub> and Th<sub>2</sub> CD4<sup>+</sup>-T cell responses: The alternative approaches. Annu Rev Immunol 15: 297-322
- 19. Ćupić V (2001) Immunmodulatory effect of xylazine, an  $\alpha_2$  adrenergic agonist, on rat spleen cells in culture. J Neuroimmunl 113: 19-29
- 20. Cytokine Detection in Antigen-activated CD8- and CD4-T-cells. BD Biosciences Immunocytometry Systems, San Jose, CA
- 21. De Angelini S, Paccagnella A (1994) The effects of prolonged cardiopulmonary bypass on cell-mediated immunity. Thorac Cardiovasc Surg 42: 14-20
- 22. Decker D, Schondorf M (1996) Surgical stress induces a shift in the type-1/type-2 T-helper cell balance, suggesting downregulation of cell-mediated and upregulation of antibody-mediated immunity commensurate to the trauma. Surgery 119(3): 316-325
- 23. DePalma L (1991) Changes in lymphocyte subpopulations as a result of cardiopulmonary bypass. J Thorac Cardiovasc Surg 101: 240-4
- 24. Dinter A, Berger EG (1998) Golgi-disturbing agents. Histochem Cell Biol 109, 571
- 25. Dixon B, Santamaria JD (2003) Plasminogen activator inhibitor activity is associated with raised lactate levels after cardiac surgery with cardiopulmonary bypass. Crit Care Med 31: 1053-59
- 26. Dorman B, Zucker J (1993) Clonidine improves perioperative myocardial ischemia reduces anesthetic requirement, and alters hemodynamic parameters in patients undergoing coronara artery bypass surgery. J Cardiothorac Vsc Anesth 7: 386-395

27. Dorman T, Clarkson K (1997) Effects of clonidine on prolonged sympathetic response. Crit Care Med 25: 1147-1152

- 28. Elenkov IJ, Papanicolaou DA (1996) Modulatory effects of glucocorticoids and catecholamins on human interleukin-12 and interleukin-10 production: Clinical implications. Proc Assoc Am Physicians 108: 374-381
- 29. Elenkov IJ, Chrousos GP (1999) Stresshormones, Th1/Th2 patterns, pro/anti-inflammatory cytokines and susceptibility to disease. TEM Vol. 10(9)
- 30. Elenkov IJ, Ronald L (2000) The sympathic nerve an integrative interface between two supersystems: the brain and the immune system. Pharmacological Review Vo. 52, Issue 4: 495-638
- 31. Ellis JE, Drijvers G (1994) Premedication with oral and transdermal clonidine provides safe and efficacious postoperative sympathicolysis. Anesth Analg 79: 1133-40
- 32. Ellis JE, Pedlow S (1998) Premedication with clonidine does not attenuate suppression of certain lymphocyte subsets after surgery. Anesth Analg 87: 1426-1430
- 33. Ely EW, Patricia A (1999) Large Scale Implementation of a Respiratory Therapist-driven Protocol for Ventilator Weaning. Am J Respir Crit Care Med Vol 159: 439-446
- 34. Faist E, Schinkel C (1996) Update on the mechanisms of immune suppression of injury and immune modulation. World J Surg 20: 454-459
- 35. Fehr SB, Zalunadro MP (2001) Clonidine decreases propofol requirements during anaesthesia: effect on bispectral index. BJA 86(5): 627-32
- 36. Felsner P, Hofer D (1995) Adrenergic suppression of peripheral blood T cell reactivity in the rat is due to activation of peripheral alpha 2-receptors. J Neuroimmunol 57: 27-34
- 37. Ferguson N, Galley H (1999) T helper cell subset ratios in patients with severe sepsis. Intensive Care Med 25(1): 106-9
- 38. Flacke JW, Bloor BC (1987) Reduced narcotic requirement by clonidine with improved hemodynamic and adrenergic stability in patients undergoing coronary artery bypass surgery. Anesthesiology 67: 11-9
- 39. Franke A, Lante W (2002) Proinflammatory and antiinflammatory cytokines after cardiac operation: different cellular sources at different times. Ann Thorac Surg 74: 363-71

40. Gage JR, Fonarow G (2004) Beta-blocker and angiotensin-converting enzyme inhibitor therapy is associated with decreased TH<sub>1</sub>/TH<sub>2</sub> cytokine ratios and inflammatory production in patients with chronic heart failure. Neuroimmunmodulation 11: 173-80

- 41. Galley HF, DiMatteo MA (2000) Immunmodulation by anaesthetic sedative and analgesic agents: Does is matter? Intensive Care Med 26 (267-274)
- 42. Gertler R, Brown C (2001) Dexmedetomedine: a novel sedative-analgesic agent. BUMC Proceedings 14: 13-21
- 43. Grover FL (1999) The society of thoracic surgeons national database: current status and future directions. Ann Thorac Surg 68(2): 367-73
- 44. Haberfeld M, Johnson RO (1999) Adrenergic modulation of apoptosis in splenocytes of Xenopus laevis in vitro. Neuroimmunmodulation 6: 175-181
- 45. Halldén G, Andersson U (1989) A new membrane permeabilization method for the detection of intracytoplasmatic antigens by flow cytometry. J Immunol Methods 124, 103
- 46. Hassic A, Wen Xi (1996) Stress-induced suppression of the cellular immune reactions: on the neuroendocrine control of the immune system. Med-Hypotheses 46(6): 551-5
- 47. Hayashi Y, Maze M (1993) Alpha2-adrenoceptor agonists and anesthesia. Br J Anesthes 71: 108
- 48. Heilig M, Irvin M (1993) Sympathetic regulation of T-helper cell function. Brain Behav. Immun. 7: 154-163
- 49. Helbo-Hansen S, Fletcher R (1986) Clonidine and the simpatico-adrenal response to coronary artery bypass surgery. Acta Anesthesiol Scand Apr;30(3): 235-42
- 50. Hennein HA (1994) Relationship of the proinflammatory cytokines to myocardial ischemia and dysfunction after uncomplicated coronary revascularization. J Thorac Cardiovasc Surg 108: 626-35
- 51. Hiesmeyer MJ, Lassnig A (1999) Alterations in the number of circulating leucocytes, phenotype of monocyte and cytokine production in patients undergoing cardiothoracic surgery. Clin Exp Immunol 115: 315-32
- 52. Hirai S (2003) Systemic inflammatory response syndrome after cardiac surgery under cardiopulmonary bypass. Ann Thorac Cardiovasc Surg 9: 365-70
- 53. Ikonomidis JS, Rao V (1995) Myocardial lactate production during reperfusion predicts low output syndrome following CABG. Can J Cardiol 11(E): 122E

54. Intracellular Flow Cytometry (2002) Applied Reagents and Techniques. BD Biosciences Immunocytometry Systems, San Jose, CA

- 55. Jarrott B, Conway EL (1987) Clonidine: understanding its position, sites and mechanisms of action. Clin Exp Pharmacol Physiol 14:471
- 56. Jung T, Schauer U (1993) Detection of intracellular cytokines by flow cytometry. J Immunol Methods 159: 197-207
- 57. Kahn MM, Sansoni P (1986) β-adrenergic receptors on human suppressor, helper and cytolytic lymphocytes. Biochem Pharmacol 35: 1137-42
- 58. Kang BY, Lee WS (2003) Stimulation of interleukin-12 production in mouse macrophages via activation of p38 mitogen-activated protein kinase by α<sub>2</sub>-adrenoceptor-agonist. Eur J Pharmacol 467: 223-231
- 59. Kaplan D, Smith D (1999) Enzymatic amplification staining for flow cytometric analysis of cell surface molecules. Cytometry 40(1): 81-85, 200
- 60. Kent M, Thomsen B (1990) Clonidine decreases ischemic events during coronary artery surgery. Anesthesiology 73: A129
- 61. Kern H, Redlich U (2001) Risk factors for prolonged ventilation after cardiac surgery using APACHE II, SAPS II and TISS: comparison of three different models. Intensive Care Med 27: 407-15
- 62. Kern H (2001) SIRS und Sepsis nach kardiochirurgischen Eingriffen Vergleich verschiedener Modelle zur Risikostratefizierung. Medizinische Fakultät Charité
- 63. Kim MH, Hahn TH (2000) The effect of clonidine pre-treatment on the perioperative proinflammatory cytokines, cortisol and ACTH responses in patients undergoing total abdominal hysterectomy. Anesth Analg 90: 1441-4
- 64. Klausner R-D, Donaldson J-G (1992) BFA: Insights into the control of membrane traffic and organelle structure. J Cell Biol (1992) 116: 1071
- 65. Kobinger W (1978) Central alpha-adrenergic systems as targets for hypotensive drugs. Rev Physiol Biocem Pharamacol 81: 39
- 66. Kohm AP, Sanders VM (2001) Norepinephrine and β<sub>2</sub>-adrenergic receptor stimulation regulate CD4<sup>+</sup>T and B lymphocyte function in vitro and in vivo. Pharmacol Rev 53: 487-525
- 67. Kollef MH, Silver P (1995) The effect of late-onset ventilator-associated pneumonia in determining patient mortality. Chest 108(6): 1655-62

68. Kox WJ, Volk T (2000) Immunomodulatory therapies in sepsis. Intensive Care Med 26: 124-128

- 69. Kox WJ, Spies C (2003) Cardiac anaesthesia in: Check-up Anaesthesiology. Edited by Kox WJ, Spies C, Berlin, Heidelberg: Springer: 446-8
- 70. Kulka PJ, Tryba M (1995) Intravenous clonidine reduces myocardial oxygen demand. Anesth Analg 80: 258
- 71. Kulka PJ, Tryba M (1995) Dose response effects of intravenous clonidine on stress response during induction of anaesthesia in coronary artery bypass graft patients. Anesth Analg 80: 263-268
- 72. Kulka PJ, Tryba M (1997) Stellenwert des α2-Agonisten Clonidin in der Kardioanästhesie Anästhesiologie und Intensivmedizin 38: 71-86
- 73. Laffey JG (2003) Attenuating the stress response associated with cardiac surgery. SCA Newsletter 5: 5-8
- 74. Landow L (1993) Splanchnic lactate production in cardiac surgery patients. Crit Care Med 21(2 suppl): 84-91
- 75. Levy JH, Tanaka KA (2003) Inflammatory response to cardiopulmonary bypass. Ann Thorac Surg. Feb; 75(2): S715-20
- 76. Liebmann PM, Hofer D (1996) Beta-blockade enhances adrenergic immunosuppression in rats via inhibition of melatonin release. J Neuroimmunol 67: 137-42
- 77. Loick HM, Schmidt C (1999) High thoracic epidural anaesthesia, but not clonidine, attenuates the perioperative stress response via sympatholysis and reduces the release of troponin T in patients undergoing coronary artery bypass grafting. Anesth Analg 88: 701-9
- 78. Lyons A, Kelly J (1997) Major injury induces increased production of interleukin-10 by cells of the immune system with a negative impact on resistance to infection. Ann Surg 226(4): 450-8
- 79. Mack VE, McCarter MD (1996) Dominance of T-helper 2-type cytokines after severe injury. Arch Surg Dec; 131(12): 1303-8; discussion 1308-9
- 80. Maes M, Song C (1998) The effects of psychological stress on humans: increased production of pro-inflammatory cytokines and a Th<sub>1</sub>-like response in stress-induced anxiety. Cytokine Apr; 10(4): 313-8
- 81. Maillet JM (2003) Frequency, Risk Factors and Outcome of Hyperlactemia after Cardiac Surgery. Chest 123: 1361-1366

82. Maino V-C, Picker L-J (1998) Identification of functional subsets by flow cytometry: Intracellular detection of cytokine expression. Cytometry 1998 Oct. 15; 34(5): 207-215

- 83. Maino V-C, Ruitenberg L (1996) Flow cytometric method for analysis of cytokines-expression in clinical samples. Clin Immunol Newsletter 16: 95-99
- 84. Markewitz A, Faist E (1993) Alterations of cell-mediated immune response following cardiac surgery. Eur J Cardiothorac Surg 7: 193-199
- 85. Markewitz A, Faist E (1993) Successful restoration of cell-mediated immune response after cardiopulmonary bypass by immunmodulation. J Thorac Cardiovasc Surg 105: 15-24
- 86. Markewitz A, Faist E (1996) An imbalance in T-helper cell subsets alters immune response after cardiac surgery. Eur J Cardiothorac Surg 10(1): 61-7
- 87. Markewitz A, Lante W (2001) Alterations of cell-mediated immunity following cardiac operations: clinical implications and open questions. Shock, Vol. 16, Suppl. 1: 10-15
- 88. Maze M, Tranquilli W (1991) Alpha-2-adrenoceptor agonists: defining the role in clinical anesthesia. Anesthesiology 74: 581-605
- 89. Members of the ACCP/SCCM Consus Conference Committee (1992): Definitions for sepsis and organ failure and guidelines for the use of innovative Therapies in sepsis. Crit Care Med 20: 864-874
- 90. Miller DB, O'Callagan JP (2002) Neuroendocrine aspects of the response to stress. Metabolism Vol 51, No 6, Suppl 1 (June): 5-10
- 91. Mosmann TR, Sad S (1998) The expanding universe of T-cell subsets: Th<sub>1</sub>, Th<sub>2</sub> and more. Immunol Today Mar; 17(3): 138-46
- 92. Myles PS, Hunt JO (1999) Clonidine and Cardiac Surgery: Haemodynamic and Metabolic Effects, Myokardial Ischaemia and Recovery. Anesth Intensive Care 27: 137-147
- 93. Nguyen DM, Mulder DS (1992) Effects of cardiopulmonary bypass on circulating lymphocyte function. Ann Thorac Surg 53: 611-616
- 94. Nishina K, Hirikoko A (1999) The effects of clonidine and dexmedetomidine on human neutrophil functions. Anesth Analg 88: 452-458
- 95. Novac-Jancovic V (2000) Effect of epidural and intravenous clonidine on the neuroendocrine and immune stress response in patients undergoing lung surgery. Eur J Anesthesiol Jan;17(1): 50-6

96. Oriss TB, McCarthy SA (1997) Crossregulation between T helper cell Th<sub>1</sub> and Th<sub>2</sub>: inhibition of Th<sub>2</sub> proliferation by IFN-γ involves interference with IL-1. J Immunol April 15; 158(8): 3666-72

- 97. O'Sullivan ST (1995) Major injury leads to predominance of the T helper-2 lymphocyte phenotype and diminished Interleukin-12 production associated with decreased resistance to infection. Ann Surg 222(4): 482-492
- 98. Pala P, Hussl T (2000) Flow cytometric measurement of intracellular cytokines. J Immunol Methods 243(2000) 107-124
- 99. Paparella D, Yau TM (2002) Cardiopulmonary bypass induced inflammation: pathophysiology and treatment: an update. Eur J Cardio-thoracic surgery 21: 232-244
- 100. Picker L-J, Singh M-K (1995) Direct demonstration of cytokine synthesis heterogeneity among human memory-/effector T-cells by flow cytometry. Blood, Vol 86, No 4 (Aug. 15), 1995: 1408-1419
- 101. Pilz G, Kreuzer E (1994b) Early sepsis treatment with immunoglobins after cardiac surgery in score-identified high risk patients. Chest 105: 76-82
- 102. Prussin C (1995) Detection of intracytoplasmatic cytokine using flow cytometry and directly conjugated anti-cytokine antibodies. J Immunol Methods 188(1995) 117-128
- 103. Puyana J, Pellegrini J (1998) Both T-helper-1 and T-helper-2-type lymphokines are depressed in posttrauma anergy. J Trauma 44(6): 1037-45
- 104. Ramsay MAE, Savege TM (1974) Controlled sedation with alphaxalone/alphadalone. BMJ 2: 656-659
- 105. Robinson DS (2002) Further Checkpoints in Th1 Development. Immunity 16: 755-758
- 106. Romagnani S (1991) Human TH<sub>1</sub> and TH<sub>2</sub> subsets: doubt no more. Immunol Today 12: 256-257
- 107. Romagnani S (1996) TH<sub>1</sub> and TH<sub>2</sub> in human diseases. Clin Immunol Immunopathol 80: 225-235
- 108. Rook GAW, Hernandez-Pando R (1994) Hormones, peripherally activated prohormones and regulation of the  $Th_1/Th_2$  balance. Immunology Today 15: 301-303
- 109. Sablotzki A, Mann V (2001) Veränderungen des Zytokin-Netzwerkes bei eskalierendem SIRS nach herzchirurgischen Operationen. Anaesthesiol Intensivmed Notfallmed Schmerzther 36: 552-559

110. Sanders VM, Baker RA, Ramer-Quinn DS, Kasprowicz DJ, Fuchs BA and Street NE (1997) Differential expression of the beta<sub>2</sub>-adrenergic receptor by Th<sub>1</sub> and Th<sub>2</sub> clones: Implications for cytokine production and B cell help. J Immunol 158: 4200-4210

- 111. Schauer U, Jung T (1996) Measurement of intracellular cytokines. Immunol Today Vol.17, No 7 (305) July 1996
- 112. Scheffold A, Kern F (2000) Recent developments in flow cytometry. J Clin Immunol 2000(Nov), 20(6): 400-407
- 113. Schrattbauer K (2001) Einführung in die Durchflußzytometrie, IGLD-Symposium Wien
- 114. Sharma M (2003) Release of pro-inflammatory mediators during myocardial ischemia/reperfusion in coronary artery bypass graft surgery. Mol Cell Biochem 247: 23-30
- 115. Shimaoka M, Hosotsubo K (1998) The influence of surgical stress on T cells: enhancement of early phase lymphocyte activation. Anesth Analg 87: 1431-5
- 116. Simultaneous Detection of Proliferation and Cytokine Expression in peripheral blood Mononuclear cells (2002) BD Biosciences. Immunocytometry Systems, San Jose, CA
- 117. Spies C, Kern H (2002) Myocardial ischemia and cytokine response are associated with subsequent onset of infections after noncardiac surgery. Anesth Analg 95: 9-18
- 118. Spies C, von Dossow V (2004) Altered cell-mediated immunity and increased postoperative infection rate in long-term alcoholic patients. Anesthesiology May;100(5): 1088-100
- 119. Stone AA, Bovbjerg DH (1994) Stress and humoral immunity: a review of human studies. Adv Neroimmunol 4: 49-56
- 120. Sweeney KJ, Kell MR (2003) Serum antigen(s) drive the proinflammatory T cell response in acute pancreatitis. Br J Surg 90: 313-9
- 121. Swanson MA, Lee WT (2001) IFN-gamma production by Th 1 cells generated from naïve CD 4 (+) T cells exposed to norepinephrine. J Immunol 166: 232-240
- 122. Tank J, Jordan J (2004) Clonidine improves spontaneous baroreflex sensitivity in conscious mice through parasympathetic activation. Hypertension 43: 1042-47

123. Tatsumi H, Ura H (2003) Surgical influence of TH1/TH2 balance and monocyte surface an-tigen expression and its relation to infectious complications. World J Surg May; 27(5): 522-8

- 124. Toft P (1997) Expression of adhesion and activation molecules on lymphocytes during open-heart surgery with pulmonary bypass. Scand Cardiovasc J 31: 91-95
- 125. Totaro RJ (1997) Epinephrine-induced lactic acidosis following cardiopulmonary bypass. Crit Care Med Vol. 25(10): 1693-1699
- 126. Turnbulll AV, Rivier C (1995) Regulation of the HPA Axis by Cytokines. Brain, Behaviour, and Immunity 9, 253-275
- 127. Vargas Hein O (2006) MOV (in der Kardiochirurgie): Prädiktoren und Outcome. Journal für Anästhesie und Intensivbehandlung, Ausgabe 2
- 128. Venn RM, Bryant A (2001) Effects of dexmedetomidine on adrenocortical function and the cardiovascular, endocrine and inflammatory responses in postoperative patients needing sedation in the intensive care unit. BJA 86(5): 650-6
- 129. Volk HD (2002) Immunodepression in the surgical patient and increased susceptibility to infection. Critical Care 6: 279-281
- 130. Volk HD, Döpfmer U (2003) Stress induced Il-10 does not seem to be essential for early monocyte deactivation following cardiac surgery. Cytokine 23: 237-243
- 131. Wallace AW (2004) Effect of Clonidine on Cardiovascular Morbidity and Mortality after Noncardiac Surgery. Anesthesiology 101: 284-93
- 132. Yin YC, Chow LH (2002) Oral clonidine reduces myocardial ischemia in patients with coronary artery disease undergoing noncardiac surgery. Acta Anesthesiol Sin 40(4): 197-203
- 133. Zedler S, Faist MD (1997) Postburn constitutional changes in T-cell reactivity occur in CD8<sup>+</sup> rather than in CD4<sup>+</sup> J. Trauma 42(5): 872-881