

Literatur

- [1] J. D. Allard, M. L. Gibson, L. H. Vu, T. T. Nguyen, and K. P. Bertrand. Nucleotide sequence of class D tetracycline resistance gene from *Salmonella ordonez*. *Molec. Gen. Genet.*, **237**:301–305, 1993.
- [2] L. Altschmied and W. Hillen. Tet repressor *tet* operator complex formation induces conformational changes in the *tet* operator DNA. *Nucl. Acids Res.*, **12**:2171–2180, 1984.
- [3] W. F. Anderson, D. H. Ohlendorf, Y. Takeda., and B. W. Matthews. Structure of the *cro* repressor from bacteriophage lambda and its interaction with DNA. *Nature*, **290**:754–758, 1981.
- [4] A. P. S. Antonini, W. Hillen, N. Ettner, W. Hinrichs, P. Fantucci, S. M. Doglia, J. A. Bousquet, and M. Chabbert. Molecular mechanics analysis of Tet repressor TRP-43 fluorescence. *Biophys J.*, **72**:1800–11, 1997.
- [5] T. Aoki and A. Takahashi. Class D tetracycline resistance determinants of R plasmids from the fish pathogens *Aeromonas hydrophila*, *Edwardsiella tarda*, and *Pasteurella piscicida*. *Antimicrob Agents Chemother.*, **31**:1278–1280, 1987.
- [6] U. W. Arndt and A. J. Wonacott. *The rotation method in crystallography*. Amsterdam:North Holland, 1977.
- [7] S. Arnott and D. W. L. Hukins. Optimised parameters for A-DNA and B-DNA. *Biochem. Biophys. Res. Commun.*, **47**:1504–1510, 1972.
- [8] E. H. Asheshov. The genetics of tetracycline resistance in *Staphylococcus aureus*. *J. Gen. Microbiol.*, **88**:132–140, 1975.
- [9] D. J. Bacon and W. F. Anderson. A Fast Algorithm for Rendering Space-Filling Molecule Pictures. *J. Molec. Graphics*, **6**:219–220, 1988.
- [10] G. J. Barton. ALS-CRIP: a tool to format multiple sequence alignments. *Protein Eng.*, **6**:37–40, 1993.
- [11] R. Baumeister, V. Helbl, and W. Hillen. Contacts between Tet repressor and *tet* operator revealed by new recognition specificities of single amino acid replacement mutants. *J. Mol. Biol.*, **226**:1257–1270, 1992.
- [12] C. Berens, K. Pfeleiderer, and V. H. W. Hillen. Deletion mutagenesis of Tn10 Tet repressor—localization of regions important for dimerization and inducibility in vivo. *Mol Microbiol.*, **18**:437–448, 1995.
- [13] F. C. Bernstein, T. F. Koetzle, G. J. Williams, E. F. M. Jr, M. D. Brice, J. R. Rodgers, O. Kennard, T. Shimanouchi, and M. Tasumi. The Protein Data Bank. A computer-based archival file for macromolecular structures. *Eur J Biochem.*, **80**:319–324, 1997.
- [14] K. P. Bertrand, K. Postle, L. V. Wray, Jr., and W. S. Reznikoff. Overlapping divergent promoters control expression of Tn10 tetracycline resistance. *Gene*, **23**:149–156, 1983.
- [15] E. R. Blout, C. de Loze, S. M. Blomm, and G. D. Fasman. The dependence of the conformations of synthetic polypeptides on amino acid composition. *J. Amer. Chem. Soc.*, **82**:3787–3789, 1960.
- [16] D. M. Blow and M. G. Rossmann. The single isomorphous replacement method. *Acta Cryst.*, **14**:1195, 1961.
- [17] N. Bonander, T. Vanngard, L. C. Tsai, V. Langer, H. Nar, and L. Sjolín. The metal site of *Pseudomonas aeruginosa* azurin, revealed by a crystal structure determination of the Co(II) derivative and Co-EPR spectroscopy. *Proteins*, **27**:385–394, 1997.
- [18] R. Brent and M. Ptaschne. Mechanism of action of the *lexA* gene product. *Proc. Natl. Acad. Sci. USA*, **78**:4204–4208, 1981.
- [19] I. Brukner, R. Sanchez, D. Suck, and S. Pongor. Sequence dependent bending propensity of DNA as revealed by DNase I: Parameters for trinucleotides. *EMBO J.*, **14**:1812–1818, 1995.
- [20] A. T. Brünger. Simulated annealing in crystallography. *Ann. Rev. Phys. Chem.*, **42**:197–223, 1991.
- [21] A. T. Brünger. Assessment of Phase Accuracy by Cross Validation: The Free *R* Value. Methods and Applications. *Acta Cryst.*, **D49**:24–36, 1993.

- [22] A. T. Brünger. *XPLOR version 3.843*. New Haven, Connecticut: Yale University Press, 1996.
- [23] A. T. Brünger, J. Kuriyan, and M. Karplus. Crystallographic R factor refinement by molecular dynamics. *Science*, **235**:458–460, 1987.
- [24] T. A. Brünger. *X-PLOR version 3.1*. Yale University Press, New Haven and London, 1992.
- [25] A. I. Bukhari, J. L. Shapiro, and S. L. Adhya. *DNA insertion elements, plasmids and episomes*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., 1977.
- [26] V. Burdett. Purification and characterization of Tet(M), a protein that renders ribosomes resistant to tetracycline. *J. Biol. Chem.*, **266**:2872–2877, 1990.
- [27] W. R. Busing and H. A. Levy. *Computing Methods and Phase Problem in X-ray Crystal Analysis*. Pergamon, Oxford, 1961.
- [28] C. R. Cantor, M. M. Warshaw, and H. Shapiro. Oligonucleotide interactions. III. Circular dichroism studies of the conformation of deoxynucleotides. *Biopolymers*, **9**:1059–1077, 1970.
- [29] CCP4. The CCP4 suite: programs for protein crystallography. *Acta Cryst.*, **D50**:760–763, 1994.
- [30] W. C.-W. Cheng. Autor.
- [31] I. Chopra, P. M. Hawkey, and M. Hinton. Tetracycline, molecular and clinical aspects. *J. Antimicrob. Chemother.*, **29**:245–277, 1992.
- [32] I. Chopra, R. W. Lacey, and J. Connolly. Biochemical and genetic basis of tetracycline resistance in *Staphylococcus aureus*. *Antimicrob. Agents Chemother.*, **6**:397–404, 1974.
- [33] C. Chothia and A. M. Lesk. The relation between the divergence of sequence and structure in proteins. *EMBO J.*, **5**:823–826, 1986.
- [34] V. P. Chuprina, J. A. C. Rullmann, R. M. J. N. Lamerichs, J. H. van Boom, R. Boelens, and R. Kaptein. Structure of the complex of lac repressor headpiece and an 11 base-pair half operator determined by nuclear magnetic resonance spectroscopy and restrained molecular dynamics. *J. Mol. Biol.*, **234**:446–462, 1993.
- [35] B. N. Conner, T. Takano, S. Tanaka, and K. I. R. E. Dickerson. The molecular structure of d(ICpCpGpG), a fragment of right-handed double helical A-DNA. *Nature*, **295**:294–299, 1982.
- [36] J. Degenkolb, M. Takahashi, G. A. Ellestad, and W. Hillen. Structural requirements of tetracycline-Tet repressor interaction: determination of equilibrium binding constants for tetracycline analogs with the Tet repressor. *Antimicrob. Agents Chemother.*, **35**:1591–1595, 1991.
- [37] J. Donohue. Hydrogen-bonded helical configurations of the polypeptide chain. *Proc. Nat. Acad. Sci. USA*, **39**:470–478, 1953.
- [38] A. Ducruix and R. Giegé. *Crystallization of Nucleic Acids and Proteins. A Practical Approach*. Oxford University Press, 1992.
- [39] T. M. Dunn, S. Hahn, S. Ogden, and R. F. Schleif. An operator at -280 base pairs that is required for repression of araBAD operon promoter: addition of DNA helical turns between the operator and promoter cyclically hinders repression. *Proc. Natl. Acad. Sci. USA*, **81**:5017–5020, 1984.
- [40] B. Eckert and C. F. Beck. Topology of the transposon Tn10-encoded tetracycline resistance protein within the inner membrane of *Escherichia coli*. *J. Biol. Chem.*, **264**:11663–11670, 1989.
- [41] R. Engh and R. Huber. Accurate Bond and Angle Parameters for X-ray Protein-Structure Refinement. *Acta Cryst.*, **A47**:392–400, 1991.
- [42] B. Epe and P. Woolley. The binding of 6-demethylchlortetracycline to 70S, 50S and 30S ribosomal particles: a quantitative study by fluorescence anisotropy. *EMBO J.*, **3**:121–126, 1984.
- [43] B. Epe, P. Woolley, and H. Hornig. Competition between tetracycline and tRNA at both P and A sites on the ribosome of *Escherichia coli*. *FEBS Lett.*, **213**:443–447, 1987.
- [44] U. Ermler, W. Grabarse, S. Shima, M. Goubeaud, and R. K. Thauer. Crystal structure of methyl-coenzyme M reductase: the key enzyme of biological methane formation. *Science*, **278**:1457–1462, 1997.

- [45] N. Ettner, G. Müller, C. Berens, H. Backes, D. Schnappinger, T. Schreppele, K. Pfeleiderer, and W. Hillen. Fast large-scale purification of tetracycline repressor variants from overproducing *Escherichia coli* strains. *J. Chromatography*, **742**:95–105, 1996.
- [46] S. V. Evans. SETOR: Hardware lighted three-dimensional solid model representation of macromolecules. *J. Mol. Graphics*, **11**:134–138, 1993.
- [47] S. E. Finkel and R. C. Johnson. The Fis protein: it's not just for inversion anymore. *Mol. Microbiol.*, **6**:3257–3265, 1992.
- [48] P. S. Freemont, A. N. Lane, and M. R. Sanderson. Structural aspects of protein-DNA recognition. *Biochem. J.*, **278**:1–23, 1991.
- [49] A. M. Friedman, T. O. Fischmann, and T. A. Steitz. Crystal structure of lac repressor core tetramer and its implications for DNA looping. *Science*, **268**:1721–1727, 1995.
- [50] A. Gabrielian, A. Simoncsits, and S. Pongor. Distribution of Bending Propensity in DNA Sequences. *FEBS Lett.*, **393**:124–130, 1996.
- [51] E. F. Gale, E. Cundliffe, P. E. Reynolds, M. H. Richmonds, and M. J. Waring. *The molecular basis of antibiotic action*. John Wiley & Sons, London, 1972.
- [52] M. Gerstein, A. M. Lesk, and C. Chothia. Structural mechanisms for domain movements in proteins. *Biochemistry*, **33**:6739–6749, 1994.
- [53] R. A. Goldman, T. Hasan, C. C. Hall, W. A. Strycharz, and B. S. Cooperman. Photoincorporation of tetracycline into *Escherichia coli* ribosomes. Identification of the major proteins photolabeled by native tetracycline and tetracycline photoproducts and implications for the inhibitory action of tetracycline on protein synthesis. *Biochemistry*, **22**:359–368, 1983.
- [54] D. S. Goodsell and R. E. Dickerson. Bending and curvature calculations in B-DNA. *Nucleic Acids Res.*, **22**:5497–5503, 1994.
- [55] M. A. E. Hassan and C. R. Calladine. The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme. *J. Mol. Biol.*, **251**:648–664, 1995.
- [56] U. Heinemann, H. Lauble, R. Frank, and H. Blocker. Crystal structure analysis of an A-DNA fragment at 1.8 Å resolution: d(GCCCGGGC). *Nucleic Acids Res.*, **15**:9531–9550, 1987.
- [57] V. Helbl. *DNA-Erkennung eines HTH-Proteins am Beispiel der Tn10 Tet Repressor - tet Operator Wechselwirkung*. PhD thesis, Universität Erlangen-Nürnberg, 1995.
- [58] V. Helbl, R. Baumeister, and W. Hillen. A molecular model for Tet repressor-tet operator recognition based upon a genetic analysis: Implications for sequence specific interaction of α -helices with DNA. *Current Topics in Mol. Gen.*, **1**:123–131, 1993.
- [59] V. Helbl, C. Berens, and W. Hillen. Proximity probing of Tet repressor to tet operator by dimethylsulfate reveals protected and accessible functions for each recognized base-pair in the major groove. *J. Mol. Biol.*, **245**:538–548, 1995.
- [60] V. Helbl and W. Hillen. Stepwise selection of TetR variants recognizing tet operator 4C with high affinity and specificity. *J. Mol. Biol.*, **276**:313–318, 1998.
- [61] V. Helbl, B. Tiebel, and W. Hillen. Stepwise selection of TetR variants recognizing tet operator 6C with high affinity and specificity. *J. Mol. Biol.*, **276**:319–324, 1998.
- [62] C. Heuer and W. Hillen. Tet repressor-tet operator DNA-modification interference studies. *J. Mol. Biol.*, **202**:407–415, 1988.
- [63] W. Hillen and C. Berens. Mechanismus underlying expression of Tn10 encoded tetracycline resistance. *Annu. Rev. Microbiol.*, **48**:345–369, 1994.
- [64] W. Hillen, C. Gatz, L. Altschmied, K. Schmollmeier, and I. Meier. Control of expression of the Tn10-encoded tetracycline resistance genes. *J. Mol. Biol.*, **169**:707–721, 1983.
- [65] W. Hillen and K. Schollmeier. Nucleotide sequence of the Tn10 encoded tetracycline resistance gene. *Nucl. Acids Res.*, **11**:525–539, 1983.
- [66] W. Hinrichs. Persönliche Mitteilung.

- [67] W. Hinrichs, C. Kisker, M. Düvel, A. Müller, K. Tovar, W. Hillen, and W. Saenger. Structure of the Tet repressor-tetracycline complex and regulation of antibiotic resistance. *Science*, **264**:418–420, 1994.
- [68] A. Hodel, S. Kim, and A. Brünger. Model bias in macromolecular structures. *Acta Cryst.*, **A48**:851–858, 1992.
- [69] E. G. Hutchinson and J. M. Thornton. PROMOTIF—A program to identify and analyze structural motifs in proteins. *Prot. Sci.*, **5**:212–220, 1996.
- [70] E. Jabri, M. B. Carr, R. P. Hausinger, and P. A. Karplus. The crystal structure of urease from *Klebsiella aerogenes*. *Science*, **268**:998–1004, 1995.
- [71] T. A. Jones. A graphics model building and refinement system for macromolecules. *J. Appl. Cryst.*, **11**:268–272, 1978.
- [72] T. A. Jones, J.-Y. Zou, S. W. Cowan, and M. Kjeldgaard. Improved Methods for Building Protein Models in Electron Density Maps and the Location of Errors in these Models. *Acta Crystallogr.*, **A47**:110–119, 1991.
- [73] R. Jorgensen, D. Berg, and W. Reznikoff. *Genetic organization in the transposable tetracycline resistance determinant Tn10*. American Society for Microbiology, Washington, D.C., d. schlessinger (ed.), microbiology-1978 edition, 1978.
- [74] W. Kabsch and C. Sanders. Dictionary of protein secondary structure: Pattern recognition of hydrogen-bonding and geometrical features. *Biopolymers*, **22**:2577–2637, 1983.
- [75] J. L. Kim and S. K. Burley. 1.9 Å resolution refined structure of TBP recognizing the minor groove of TATAAAAG. *Nat. Struct. Biol.*, **1**:638–653, 1994.
- [76] J. L. Kim, D. B. Nikolov, and S. K. Burley. Co-crystal structure of TBP recognizing the minor groove of a TATA element. *Nature*, **365**:520–527, 1993.
- [77] Y. Kim, J. H. Geiger, and S. H. P. B. Sigler. Crystal structure of a yeast TBP/TATA-box complex. *Nature*, **365**:512–520, 1993.
- [78] C. Kisker. *Antibiotika Resistenz: Röntgenstrukturanalyse des Tetracycline-Repressors und molekularer Mechanisms der Resistenz-Regulation*. PhD thesis, Freie Universität Berlin, 1994.
- [79] C. Kisker, W. Hinrichs, K. Tovar, W. Hillen, and W. Saenger. the Complex Formed Between Tet Repressor and Tetracycline-Mg²⁺ Reveals Mechanism of Antibiotic Resistance. *J. Mol. Biol.*, **247**:260–280, 1995.
- [80] K. Kisker. Kristallisation des Tetracycline-Repressors der Klasse D mit seinem physiologischen Induktor Tetracyclin. Diploma thesis, Freie Universität Berlin, 1991.
- [81] C. Kleinschmidt, K. Tovar, and W. Hillen. Computer simulations and experimental studies of gel mobility patterns for weak and strong non-cooperative protein binding to two targets on the same DNA: application to binding of Tet repressor variants to multiple and single *tet* operator sites. *Nucl. Acids Res.*, **19**:1021–1028, 1991.
- [82] C. Kleinschmidt, K. Tovar, W. Hillen, and D. Porschke. Dynamics of repressor-operator recognition: the em Tn10- encoded tetracycline resistance control. *Biochemistry*, **27**:1094–1104, 1988.
- [83] G. J. Kleywegt and T. A. Jones. Biomacromolecular Speleology. *ESF/CCP4 Newsletters*, **29**:26–28, 1993.
- [84] M. Koch. EMBL. Persönliche Mitteilung.
- [85] R. Koradi, M. Billeter, and K. Wüthrich. MOLMOL: a program for display and analysis of macromolecular structures. *J Mol. Graphics*, **14**:51–55, 1996.
- [86] C. Krafft, W. Hinrichs, P. Orth, W. Saenger, and H. Welfle. Interaction of Tet Repressor with Operator DNA and with Tetracycline Studied by Infrared and Raman Spectroscopy. *Biophysical J.*, **74**:63–71, 1998.
- [87] C. Krafft, W. Hinrichs, P. Orth, W. Saenger, and H. Welfle. Raman Spectroscopic Analysis of Tet Repressor - Operator DNA Interaction Deuterium Oxide. *Cell. Mol. Biol.*, **44**:239–250, 1998.
- [88] P. J. Kraulis. MOLSCRIPT: A program to produce both detailed and schematic plots

- of protein structures. *J. Appl. Crystallogr.*, **24**:946–950, 1991.
- [89] U. K. Laemmli. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**:680–685, 1970.
- [90] R. A. Laskowski, W. MacArthur, D. S. Moss, and J. S. Thornton. PROCHECK: A program to check the stereochemical quality of protein structures. *J. Appl. Cryst.*, **26**:283–291, 1993.
- [91] R. Lavery and H. Sklenar. The definition of generalized helicoidal parameters and of axis curvature for irregular nucleic acids. *J. Biomol. Struct. Dyn.*, **6**:63–91, 1988.
- [92] R. Lavery and H. Sklenar. Defining the structure of irregular nucleic acids: conventions and principles. *J. Biomol. Struct. Dyn.*, **6**:655–667, 1989.
- [93] H. Lederer, K. Tovar, G. Baer, R. B. May, W. Hillen, and H. Heumann. The quaternary structure of Tet repressor bound to the Tn10 encoded *tet* gene control region determined by neutron solution scattering. *EMBO J.*, **8**:1257–1263, 1989.
- [94] T. Lederer. *Thermodynamische Charakterisierung der Induktion des Tn10-kodierten Tet Repressors durch Tetracyclin*. PhD thesis, Universität Erlangen-Nürnberg, 1996.
- [95] T. Lederer, M. Kintrup, M. Takahashi, P.-E. Sum, G. A. Ellestad, and W. Hillen. Tetracycline analogs affecting binding to Tn10-Encoded Tet repressor trigger the same mechanism of induction. *Biochemistry*, **35**:7439–7446, 1996.
- [96] T. Lederer, M. Takahashi, and W. Hillen. Thermodynamic analysis of tetracycline-mediated induction of Tet repressor by a quantitative methylation protection assay. *Anal. Biochem.*, **232**:190–196, 1995.
- [97] A. G. Leslie, S. Arnott, R. Chandrasekaran, and R. L. Ratliff. Polymorphism of DNA double helices. *J. Mol. Biol.*, **143**:49–72, 1980.
- [98] S. B. Levy. Tetracycline Resistance Determinants are Widespread. *ASM News*, **54**:418–421, 1988.
- [99] S. B. Levy, L. M. McMurry, V. Burdett, P. Courvalin, W. Hillen, M. C. Roberts, and D. E. Taylor. Nomenclature for tetracycline resistance determinants. *Antimicrob. Agents Chemother.*, **33**:1373–1374, 1989.
- [100] M. Lewis, G. Chang, N. C. Horton, M. A. Kercher, H. C. Pace, M. A. Schumacher, R. G. Brennan, and P. Lu. Crystal structure of the lactose operon repressor and its complexes with DNA and inducer. *Science*, **271**:1247–1254, 1996.
- [101] P. N. Lewis, F. A. Momany, and H. A. Scheraga. Folding of polypeptide chains in proteins: A proposed mechanism for folding. *Proc. Natl. Acad. Sci. USA*, **68**:2293–2297, 1971.
- [102] X.-J. Lu, M. A. E. Hassan, and C. A. Hunter. Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP). *J. Mol. Biol.*, **273**:668–680, 1997.
- [103] X.-J. Lu, M. A. E. Hassan, and C. A. Hunter. Structure and conformation of helical nucleic acids: rebuilding program (SCHNArP). *J. Mol. Biol.*, **273**:681–691, 1997.
- [104] V. Luzatti. Traitement statistique des erreurs dans la détermination des structures cristallines. *Acta Cryst.*, **5**:802–810, 1952.
- [105] Y. Mandel-Gutfreund, O. Schueler, and H. Margalit. Comprehensive analysis of hydrogen bonds in regulatory protein DNA-complexes: in search of common principles. *J. Mol. Biol.*, **253**:370–382, 1995.
- [106] L. McMurry, R. E. Petrucci, and S. B. Levy. Active efflux of tetracycline encoded by four genetically different tetracycline resistant determinants in *Escherichia coli*. *Proc. Natl. Acad. Sci. USA*, **77**:3974–3977, 1980.
- [107] I. Meier, L. V. Wray, and W. Hillen. Differential regulation of the Tn10-encoded tetracycline resistance genes *tetA* and *tetR* by the tandem *tet* operators O1 and O2. *EMBO J.*, **7**:567–572, 1988.
- [108] E. A. Merritt and D. J. Bacon. Raster3D: Photorealistic Molecular Graphics. *Methods in Enzymology*, **277**:505–524, 1997.
- [109] E. A. Merritt and M. E. P. Murphy. Raster3D Version 2.0: A Program for Photorealistic Molecular Graphics. *Acta Cryst.*, **D50**:869–873, 1994.

- [110] Y. Mihara, M. Doi, T. Inohara, M. Kawamura, H. Hamanaka, and T. Ishida. Interaction of mutagenic tryptophan pyrolysate with d(CGATCG)₂: intercalation model based on NMR experiments. *Biochem. Biophys. Res. Commun.*, **240**:803–806, 1997.
- [111] A. L. Morris, M. W. MacArthur, E. G. Hutchinson, and J. M. Thornton. Stereochemical quality of protein structure coordinates. *Proteins*, **12**:345–364, 1992.
- [112] G. Müller, B. Hecht, V. Helbl, W. Hinrichs, W. Saenger, and W. Hillen. Characterization of non-inducible Tet repressor mutants suggests conformational changes necessary for induction. *Nat. Struct. Biol.*, **2**:693–703, 1995.
- [113] J. Navaza. AMoRe: An Automated Package for Molecular Replacement. *Acta Crystallogr.*, **A50**:157–163, 1994.
- [114] T. N. Nguyen, Q. G. Phan, L. P. Duong, and K. P. B. R. E. Lenski. Effects of carriage and expression of the Tn10 tetracycline-resistance operon on the fitness of *Escherichia coli* K12. *Mol. Biol. Evol.*, **6**:213–225, 1989.
- [115] A. Nicholls, K. Sharp, and B. Honig. Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins*, **11**:281–296, 1991.
- [116] B. Olivia and I. Chopra. Tet determinants provide poor protection against some tetracyclines: further evidence for division of tetracycline into two classes. *Antimicrob. Agents Chemother.*, **36**:876–878, 1992.
- [117] P. Orth, C. Alings, D. Schnappinger, W. Saenger, and W. Hinrichs. Crystallization and preliminary X-ray analysis of the Tet-Repressor/operator complex. *Acta Cryst.*, **D54**:99–101, 1998.
- [118] P. Orth, F. Cordes, D. Schnappinger, W. Hillen, W. Saenger, and W. Hinrichs. Tetracycline trapping and induction mechanism of the Tet repressor. *J. Mol. Biol.*, page in press, 1998.
- [119] P. Orth, T. Lederer, C. Kisker, M. Muraki, W. Hillen, W. Saenger, and W. Hinrichs. Specific binding of divalent metal ions in the Tet repressor/tetracycline complex. *Eur. J. Biochem.*, page in preparation, 1998.
- [120] P. Orth, D. Schnappinger, P. Sum, G. Ellestad, W. Hillen, W. Saenger, and W. Hinrichs. Crystal structure of the Tet repressor in complex with a novel tetracycline, 9-(N,N-dimethylglycylamido)-6-demethyl-6-deoxy-tetracycline. *J. Mol. Biol.*, page in preparation, 1998.
- [121] Z. Otwinowski. Oscillation Data Reduction Program. In L. Sawyer, N. Isaacs, and S. Bailey, editors, *Proceedings of the CCP4 Study Weekend: "Data Collection and Processing"*, pages 56–62, Daresbury, January 1993. SERC Laboratory.
- [122] Z. Otwinowski, R. W. Schevitz, R.-G. Zhang, C. L. Lawson, A. Joachimiak, R. Q. Marmorstein, B. F. Luisi, and P. B. Sigler. Crystal structure of *trp* repressor/operator complex at atomic resolution. *Nature*, **335**:321–329, 1988.
- [123] C. O. Pabo and R. T. Sauer. Protein-DNA recognition. *Ann. Rev. Biochem.*, **53**:293–321, 1984.
- [124] G. Parkinson, J. Vojtechovsky, L. Clowney, A. Brünger, and H. Berman. New Parameters for the Refinement of Nucleic Acid Containing Structures. *Acta Cryst.*, **D52**:57–64, 1996.
- [125] I. D. Parsons, B. Persson, A. Mekhelfia, G. M. Blackburn, and P. G. Stockley. Probing the molecular mechanism of action of corepressor in the *E. coli* methionine repressor-operator complex using surface plasmon resonance (SPR). *Nucleic Acids Res.*, **23**:211–216, 1995.
- [126] J. M. Passner and T. A. Steitz. The structure of a CAP-DNA complex having two cAMP molecules bound to each monomer. *Proc. Natl. Acad. Sci. USA*, **94**:2843–2847, 1997.
- [127] M. A. Pearson, L. O. Michel, R. P. Hausinger, and P. Karplus. Structures of Cys319 variants and acetohydroxamate-inhibited *Klebsiella aerogenes* urease. *Biochemistry*, **36**:8164–8172, 1997.
- [128] C. M. Pepe, C. Suzuki, C. Laurie, and R. W. Simons. Regulation of the "tetCD" Genes of Transposon Tn10. *J. Mol. Biol.*, **270**:14–25, 1997.

- [129] J. Perez, P. Faure, and J. P. Benoit. Molecular rigid-body displacement in a tetragonal lysozyme crystal confirmed by X-ray diffuse scattering. *Acta Cryst.*, **D52**:722–729, 1996.
- [130] S. Phillips, K. & Phillips. Electrostatic activation of *Escherichia coli* methionine repressor. *Structure*, **2**:309–316, 1994.
- [131] J. B. Rafferty, W. S. Somers, I. Saint-Girons, and S. E. Phillips. Three-dimensional crystal structures of *Escherichia coli* met repressor with and without corepressor. *Nature*, **341**:705–710, 1989.
- [132] G. N. Ramachandran, C. Ramakrishnan, and V. Sasisekharan. Stereochemistry of polypeptide chain configurations. *J. Mol. Biol.*, **7**:95–99, 1963.
- [133] G. Ravishanker, S. Swaminathan, D. L. Beveridge, R. Lavery, and H. Sklenar. Conformational and helicoidal analysis of 30 PS of molecular dynamics on the d(CGCGAATTCGCG) double helix: "curves", dials and windows. *J. Biomol. Struct. Dyn.*, **6**:669–699, 1989.
- [134] G. Rose, L. Gierasch, and J. Thornton. Turns in peptides and proteins. *Adv. Prot. Chem.*, **37**:1–109, 1985.
- [135] M. G. Rossman. *The molecular replacement method*. Gordon and Breach, New York, 1972.
- [136] J. Sambrook, E. F. Fritsch, and T. Maniatis. *Molecular Cloning*. Cold Spring Harbor Laboratory Press, New York, 1989.
- [137] S. C. Satchwell, H. R. Drew, and A. A. Travers. Sequence periodicities in chicken nucleosome core DNA. *J. Mol. Biol.*, **191**:659–675, 1986.
- [138] R. Sauermost. *Lexikon der Biochemie und Molekularbiologie*, 1991.
- [139] R. E. Sayle and E. J. Milner-White. RAS-MOL: biomolecular graphics for all. *Trends Biochem. Sci.*, **20**:374–376, 1995.
- [140] S. Schaefer, W. Francois, and C. L. Ruby. Minocycline resistance in *Staphylococcus*: effect on phage susceptibility. *Antimicrob. Agents Chemother.*, **9**:600–613, 1976.
- [141] Schlegel. *Allgemeine Mikrobiologie*. Georg Thieme Verlag, Stuttgart, 1985.
- [142] R. Schleif. DNA binding by proteins. *Science*, **241**:1182–1187, 1988.
- [143] D. Schnappinger. Persönliche Mitteilung.
- [144] S. C. Schultz, G. C. Shields, and T. A. Steitz. Crystal structure of a CAP-DNA complex: The DNA is bent by 90. *Science*, **253**:1001–1007, 1991.
- [145] G. E. Schulz and R. H. Schirmer. *Principles of protein structure*. Springer-Verlag, New York, 1984.
- [146] M. A. Schumacher, K. Y. Choi, H. Zalkin, and R. G. Brennan. Crystal structure of LacI member, PurR, bound to DNA: minor groove binding by alpha helices. *Science*, **266**:763–770, 1994.
- [147] W. G. Scott, J. T. Finch, R. Grenfell, J. Fogg, T. Smith, M. J. Gait, and A. Klug. Rapid crystallization of chemically synthesized hammerhead RNAs using a double screening procedure. *J. Mol. Biol.*, **250**:327–332, 1995.
- [148] R. F. Service. Antibiotics that resist resistance. *Science*, **270**:724–727, 1995.
- [149] Silicon-Graphics.
- [150] C. Sizemore, A. Wissmann, U. Gülland, and W. Hillen. Quantitative analysis of Tn10 Tet repressor binding to a complete set of *tet* operator mutants. *Nucl. Acids Res.*, **18**:2875–2880, 1990.
- [151] H. Sklenar. Persönliche Mitteilung.
- [152] S. M. Soisson, B. MacDougall-Shackleton, R. Schleif, and C. Wolberger. Structural basis for ligand-regulated oligomerization of AraC. *Science*, **276**:421–425, 1997.
- [153] W. S. Somers and S. E. Phillips. Crystal structure of the met repressor-operator complex at 2.8 Å resolution reveals DNA recognition by beta-strands. *Nature*, **359**:387–393, 1992.
- [154] B. B. Speer and A. A. Salyers. Novel aerobic tetracycline resistance gene that chemically modifies tetracycline. *J. Bacteriol.*, **171**:148–153, 1991.
- [155] T. A. Steitz, D. H. Ohlendorf, D. B. McKay, W. Anderson, and B. W. Matthews. Structural similarity in the DNA-binding domains

- of catabolite gene activator and *cro* repressor proteins. *Proc. Natl. Acad. Sci. USA*, **79**:3097–3100, 1982.
- [156] M. Sundaralingam. *Principles governing nucleic acid and polynucleotide conformations*. M. Sundaralingam and S. T. Rao, Eds., Univ. Park Press, Baltimore, 1974.
- [157] M. Suzuki, S. E. Brenner, M. Gerstein, and N. Yagi. DNA recognition code of transcription factors. *Protein Eng.*, **8**:319–328, 1995.
- [158] M. Suzuki and M. Gerstein. Binding geometry of alpha-helices that recognize DNA. *Proteins*, **23**:525–535, 1995.
- [159] M. Suzuki and N. Yagi. Stereochemical basis of DNA bending by transcription factors. *Nucleic Acids Res.*, **23**:2083–2091, 1995.
- [160] M. Suzuki, N. Yagi, and M. Gerstein. DNA recognition and superstructure formation by helix-turn-helix proteins. *Protein Eng.*, **8**:329–338, 1995.
- [161] M. Takahashi, L. Altschmied, and W. Hillen. Kinetic and equilibrium characterization of the Tet repressor tetracycline complex by fluorescence measurements. *J. Mol. Biol.*, **187**:341–348, 1986.
- [162] K. Theis. *Untersuchungen zur Struktur und DNA-Bindung des Proteins FIS aus Escherichia coli*. PhD thesis, Freie Universität Berlin, 1996.
- [163] J. D. Thompson, D. G. Higgins, and T. J. Gibson. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. *Nucleic Acids Res.*, **22**:4673–4680, 1994.
- [164] K. Tovar and W. Hillen. Tet repressor binding induced curvature of *tet* operator DNA. *Nucl. Acids Res.*, **17**:6515–6522, 1989.
- [165] A. A. Travers. DNA bending and kinking - sequence dependence and function. *Curr. Opin. Struct. Biol.*, **1**:114–122, 1991.
- [166] T. R. Tritton. Ribosome-tetracycline interactions. *Biochemistry*, **16**:4133–4138, 1977.
- [167] B. Unger, G. Klock, and W. Hillen. Nucleotide sequence of the repressor gene of the RA1 tetracycline resistance determinant: structural and functional comparison with related Tet repressor genes. *Nucl. Acids Res.*, **20**:7693–7703, 1984.
- [168] A. Volbeda, J. C. Fontecilla-Camps, and M. Frey. Novel metal sites in protein structures. *Curr. Opin. Struct. Biol.*, **6**:804–812, 1996.
- [169] A. Volbeda, M.H.Charon, C.Piras, E. C. Hatchingian, M. Frey, and J. C. Fontecilla-Camps. Crystal structure of the nickel-iron hydrogenase from *desulfovibrio gigas*. *Nature*, **373**:580–587, 1995.
- [170] G. Vriend. ,Autor.
- [171] M. Wagenhöfer. *Der Repressor-Operator-Komplex der Tetrazyklinresistenz-Determinante von Tn10: 1.Tet Repressor-induzierte DNA-Strukturänderungen 2.Abstandsabhängiger Einfluß des Komplexes auf die Transkriptionseffizienz eines stromabwärts lokalisierten Promotors P_A*. PhD thesis, Universität Erlangen-Nürnberg, 1993.
- [172] M. Wagenhöfer, D. Hansen, and W. Hillen. Thermal denaturation of engineered tet repressor proteins and their complexes with *tet* operator and tetracycline studied by temperature gradient gel electrophoresis. *Anal. Biochem.*, **175**:422–432, 1988.
- [173] M. H. Werner, A. M. Gronenborn, and G. M. Clore. Intercalation, DNA Kinking, and the Control of Transcription. *Science*, **271**:778–783, 1996.
- [174] M. H. Werner, J. R. Huth, A. M. Gronenborn, and G. M. Clore. Molecular basis of human 46X,Y sex reversal revealed from the three-dimensional solution structure of the human SRY-DNA complex. *Cell*, **81**:705–14, 1995.
- [175] W. R. Wilson. Antimicrobial agents: tetracycline, chloramphenicol, erythromycin and clindamycin. *Mayo Clin. Proc.*, **52**:635–640, 1977.
- [176] A. Wissmann, R. Baumeister, G. Müller, B. Hecht, V. Helbl, K. Pfeiderer, and W. Hillen. Amino acids determining operator binding specificity in the helix-turn-helix motif of Tn10 Tet repressor. *EMBO J.*, **10**:4145–4152, 1991.

- [177] A. Wissmann and W. Hillen. Tetracyclin-Resistenzdeterminanten: Mechanismen der Resistenz und Regulation ihrer Expression. *Forum Mikrobiologie*, **12**:292–299, 1990.
- [178] A. Wissmann, I. Meier, and W. Hillen. Saturation mutagenesis of the Tn10-encoded tet operator O₁ Identification of base pairs involved in Tet repressor recognition. *J. Mol. Biol.*, **202**:397–406, 1988.
- [179] A. Yamaguchi, K. Adachi, T. Akasaka, N. Ono, and T. Sawai. Metal-tetracycline/H⁺ antiporter of Escherichia coli encoded by a transposon Tn10. Histidine 257 plays an essential role in H⁺ translocation. *J. Biol. Chem.*, **266**:6045–6051, 1991.
- [180] A. Yamaguchi, Y. Iwasai-Ohba, N. Ono, M. Kaneko-Ohdera, and T. Sawai. Stoichiometry of metal-tetracycline/H⁺ antiport mediated by transposon Tn10-encoded tetracycline resistance protein in *Escherichia coli*. *FEBS Lett.*, **282**:6045–6051, 1991.
- [181] C. Yang, U. Curth, C. Urbanke, and C. K. C. Crystal structure of human mitochondrial single-stranded DNA binding protein at 2.4 Å resolution. *Nat. Struct. Biol.*, **4**:153–157, 1997.
- [182] C. Yoon, G. G. Prive, D. S. Goodsell, and R. E. D. RE. Structure of an alternating-B DNA helix and its relationship to A-tract DNA. *Proc. Natl. Acad. Sci. USA*, **85**:6332–6336, 1988.
- [183] H. Zhang, D. Zhao, M. Revington, W. Lee, X. Jia, C. Arrowsmith, and O. Jardetzky. The solution structure of the trp repressor operator DNA complex. *J. Mol. Biol.*, **238**:592–614, 1994.
- [184] E. R. Zuiderweg, R. Kaptein, and K. Wüthrich. Secondary structure of the lac repressor DNA-binding domain by two-dimensional 1H nuclear magnetic resonance in solution. *Proc. Natl. Acad. Sci. USA*, **80**:5837–5841, 1983.