

8 Literaturverzeichnis

ADAMS, G. P.; MATTERI, R. L.; KASTELIC, J. P.; KO, J. C. H.; GINTHER, O. J. (1992):

Association between surges of follicle-stimulating hormone and the emergence of follicular waves in heifers.

J. Reprod. Fertil., **94**, 177-188.

ADAMS, G. P.; KOT, K; SMITH, C. A.; GINTHER, O. J. (1993):

Selection of a dominant follicle and suppression of follicular growth in heifers.

Anim. Reprod. Sci., **30**, 259-271.

ADASHI, E. Y.; RESNIK, C. E.; SVOBODA, M. E.; VAN WYK, J. J. (1985a):

Somatomedin C mediated potentiation of follicle stimulating hormone induced aromatase activity of cultured rat graulosa cells.

Endocrinology, **117**, 2313-2320.

ADASHI, E. Y.; RESNIK, C. E.; SVOBODA, M. E.; VAN WYK, J. J. (1985b):

Somatomedin C enhances induction of luteinizing hormone receptors by follicle stimulating hormone in cultured rat granulosa cells.

Endocrinology, **116**, 2369-2375.

ADASHI, E.Y.; RESNIK, C. E.; SVOBODA, M. E.; VAN WYK, J. J. (1985c):

Insulin Like growth factors as intraovarian regulators of granulosa cell growth and function.

Endocr. Rev., **6**, 400-420.

ADASHI, E. Y. u. RESNIK, C. E. (1986):

Antagonistic interaction of transforming growth factors in the regulation of granulosa cell differentiation.

Endocrinology, **199**, 1879-1881.

AKUFO, E.; PHELPS, D.A.; TIBBETS, F.D.; FOOTE,W. D. (1988):

Influence of follicular components on oocyte meiosis in vitro.

Theriogenology, **30**, 643-647.

ALBERTINI, D. (1992):

Regulation of meiotic maturation in mammalian oocytes: interplay between exogenous Cues and the microtubule cytoskeleton.

Bio. Essays, **14**, 97-103.

ALI, A. (2000):

Zur Charakterisierung des Dominanten Follikels der ersten Follikelwelle unter Berücksichtigung seines Einflusses auf den Erfolg der Superovulation im Rahmen des Embryotransfers beim Rind.

Diss. Vet. Med., FU-Berlin.

ALI, A.; GILLES, M.; LANGE, A.; GLATZEL, P. S. (1998):

Follicle dynamics and ovulation rate in dairy cows following ablation of the dominant follicle and prostaglandin F_{2α} application.

In: Gametes, development and function, Ed. by A. LAURIA, F. GANDOLFI, G., ENNE, L. GIANAROLI, Serona Symposia, Italy, 503.

ALILA, H. W. u. HANSEL, W. (1984):

Origin of different cell types in the bovine corpus luteum as characterized by specific monoclonal antibodies.

Biol. Reprod., **31**, 17015-17025.

ASDELL, S. A. (1962):

Mechanism of ovulation.

In: The ovary, Ed. by S. ZUKERMAN, London, Academic Press.

ASSEY, R. J.; HYTTEL, P.; GREVE, T.; PURWANTARA, B. (1994):

Oocyte morphology in dominant and subordinate follicles.

Mol. Reprod. Dev. **37**, 335-344.

BADINGA, L.; DRIANCOURT, M. A.; SAVIO, J. D.; WOLVENSON, D.; DROST, M.; DE LA SOTA, R. L.; THATCHER, W. W. (1992):

Endocrine and ovarian responses associated with the first-wave dominant follicle in cattle.

Biol. Reprod., **47**, 871-883.

BAIRD, T. G.; CAMPBELL, B. K.; MANNS, G. E.; McNEILLY, A. S. (1991):

Inhibin and estradiol in the control of FSH-secretion in the sheep.

J. Reprod. Fertil., **43** (Suppl.), 125-138.

BAKER, T. G. (1972):

Oogenese und Ovulation.

In: Fortpflanzungsbiologie der Säugetiere. Band 1: Keimzellen und Befruchtung. AUSTIN, R und SCHORT, V. (Hrsg). Verlag PAUL PAREY. Berlin und Hamburg, 19-40.

BAKER, T. G. u. HUNTER, R. H. (1978):

Oogensis and follicular growth in the cow: implications for superovulation.

In: Control of Reproduction in the cows. SREENAN (Ed.), Martinus Nijhoff, Boston, 34-49.

BALL, G. D.; LEIBFRIED, M. L.; LENZ, R. W.; AX, R. L.; BAVISTER, B. D.; FIRST, N. L. (1983):

Factors affecting successful in vitro fertilization of bovine follicular oocytes.

Biol. Reprod., **28**, 217-225.

BAO, B. u. GARVERICK, H. A. (1998):

Expression of steroidogenic enzyme and gonadotropin receptor genes in bovine follicles during ovarian follicular waves: a review.

J. Anim. Sci., **76**, 1903-1921.

BAVISTER, B. D.; ROSE-HELLEKANT, T. A.; PINYOPUMMINT, T. (1992):
Development of in vitro matured/ in vitro fertilized embryos into morulae and blastocysts in defined culture media.
Theriogenology, **37**, 127-146.

BSEARCH, A. J.; SAVOA, D.; GLENROSS, R. G.; MCLEOD, B. J.; KNIGHT, P. G., (1989):

Treatment of ovarioectomized heifers with bovine follicular fluid specially suppresses pituitary levels of FSH.
J. Mol. Endocrinol., **3**, 85-91.

BECKER, F. (1994):

Untersuchungen zur Follikelentwicklung und zur Luteolyse nach PGF₂? Applikation an verschiedenen Zyklustagen beim Rind.
Diss. Vet. Med., FU-Berlin.

BERGFELT, E. G. M.; KOJIMA, F. N.; CUPP, A. S.; WEHRMAN, M. E.; PETERS, K. E.; MARISCAL,V.; SANCHES, M.; KINDER, J. E. (1996):

Changing dose of progesterone result in sudden changes in frequency of luteinizing hormone pulses and secretion of 17⁻estradiol in bovine females.
Biol. Reprod., **54**, 546-553.

BERNARD, C.; LAMBERT, R. D.; BELAND, R.; BELANGER, A. (1984):

Laparoscopic investigation of the bovine ovary in the preovulatory phase of the cycle.
Theriogenology, **22**, 143-150.

BICASAK, T. A.; SHIMONAKA, M.; MALKOUSKI, M.; LING, N. (1990):

Insulin like growth factor binding protein (IGF-BP), inhibition of granulosa cell function: effect on cyclic adenosine 3', 5'-Monophosphate, Deoxyribonucleic acid synthesis and comparison with the effect on an IGF1 antibody.

Endocrinology, **126**, 2184-2189.

BLONDIN, P.; COENEN, K.; GUILBAULT, L. A.; SIRARD, M. A. (1997):

In vitro production of bovine embryos: development competence is acquired before maturation.

Theriogenology, **47**, 1061-1075.

BRACKETT, B. G. u. ZUELKE, K. A. (1993):

Analysis of factors involved in the in vitro production of bovine embryos.

Theriogenology, **39**, 43-64.

BRITT, J. H. (1992):

Impacts of early postpartum metabolism on follicular development and fertility.

Bovine practitioner, **24**, 39-43.

BROWN B. W. u. DRIANCOURT, M. A. (1989):

Blood flow in the ovaries and ovarian follicles of romanov and prealpes du sud ewes.

J. Reprod. Fertil., **85**, 317-323.

BUCCIONE, R.; SCHRÖDER, A. C.; EPPIG, J. J. (1990):

Interactions between somatic cells and germ cells throughout mammalian oogenesis.

Biol. Reprod., **43**, 543-547.

CALLESEN, H.; GREVE, T.; HYTTEL, P. (1988):

Preovulatory evaluation of the superovulatory response in donor cattle.

Theriogenology, **30**, 477-488.

CAROLAN, C. P.; MONAGHAN, P.; GALLAGHER, M.; GORDON, I. (1994):

Effect of recovery method on yield of bovine oocytes per ovary and their development competence after maturation, fertilization and culture in vitro.

Theriogenology, **41**, 1061-1068.

CAUBO, B.; DE VINNA, R. S.; TOMETTA, S. A. (1989):

Regulation of steroidogenesis in cultured porcine theca cells by growth factors.

Endocrinology, **125**, 321-326.

CHANNIG, C. P. u. KAMMERMAN, S. (1974):

Binding of gonadotropins to the ovarian cells.

Biol. Reprod. **10**, 179-198.

CHOI, S. H.; FUNAHASHI, H.; NIWA, K. (1998):

Both bovine oocytes and cumulus cells produce plasminogen activator during in vitro maturation.

Theriogenology, **49**, 309.

CRAN, D. G. (1989):

Cortical granules during oocyte maturation and fertilization.

J. Reprod. Fertil. Suppl., **38**, 49-62.

CRITSER, E. S.; LEIBFRIED-RUTLEDGE, M. L.; EYESTONE, W. H.; NORTHEY, D. L.; FIRST, N. L. (1986):

Acquisition of developmental competence during maturation in vitro.

Theriogenology, **25**, 152.

DE LOOS, F. A.; BEVERS, M. M.; DIELEMAN, S. J.; KRUIP, Th. A. M. (1991):

Follicular and oocyte maturation in cows treated for superovulation.

Theriogenology, **35**, 537-547.

DEKEL, N.; HILLENSJO, Y.; KRAICER, P. F. (1979):

Maturation effects of gonadotropins on the cumulus-oocyte-complex of the rat.

Biol. Reprod., **20**, 191-197.

DIAZ, T.; MANZO, M.; TROCONIZ, J.; BENACCHIO, N.; VERDA, O. (1986):

Plasma progesteron levels during the estrous cycle of Holstein and brahman cows, carora type and cross-breed heifers.

Theriogenology, **26**, 419-432.

DIEKMAN, M. A.; O'CALLAGHAN, P.; NETT, T. M. ; NISWENDER, G. D. (1978):

Effect of prostaglandinF₂? on the numbers of LH receptors in ovine corpora lutea.

Biol. Reprod., **19**, 1010-1013.

DIELEMAN, S. J. u. BEVERS, M. M. (1987):

Effects of monoclonal antibody against PMSG administered shortly after the preovulatory LH surge on the time and number of ovulation in PMSG/PG-treated cows.

J. Reprod. Fertil., **81**, 533-542.

DÖCKE, F. (1994):

Veterinärmedizinische Endokrinologie.

Gustav-Fischer-Verlag Jena.

DOWNS, S.M. (1993):

Factors affecting resumption of meiotic maturation in mammalian oocyte.

Theriogenology, **39**, 65-79.

DRIANCOURT, M. A. (1991):

Follicular dynamics in sheep and cattle.

Theriogenology, **35**, 55-79.

DUFOUR, J. J.; WHITMORE, H. L.; GINTHER, O. J.; CASIDA, L. E. (1972):

Identification of the ovulating follicle by its size on different days of the estrus cycle in heifers.

J. Anim. Sci., **34**, 85-87.

ECTORS, F. J.; KOULISCHER, JAMAR, M.; HERENS, C.; VERLOES, A.; REMY,

B.; BECKERS, J. F. (1995):

Cytogenetic study of bovine oocytes maturation in vitro.

Theriogenology, **44**, 445-450.

EDMONDSON, A. J.; FISSORE, R. A.; PASHEN, R. L.; BONDURANT, R. H., (1986):

The use of ultrasonography for the study of the bovine reproductive tract. 1. Normal and pathological ovarian structures.

Anim. Reprod. Sci., **12**, 157-165.

EDWARDS, R. G. (1965):

Maturation in vitro of mouse, sheep, cow, pig, rhesus monkey and human ovarian oocytes.

Nature, **208**, 349-351.

ENGLAND, B. G.; WEBB, R.; DOHMER, M. K. (1981):

Follicular steroidogenesis and gonadotrophin binding to ovine follicles during the oestrous cycle.

Endocrinology, **109**, 881-887.

EPPIG, J. J. (1979):

FSH stimulates hyaluronic acid synthesis by oocyte-cumulus cell complexes from mouse preovulatory follicles.

Nature, **281**, 483-484.

EPPIG, J. J. (1982):

The relationship between cumulus cells-oocyte coupling, oocyte meiotic maturation, and cumulus expansion.

Dev. Biol., **89**, 268-272.

EPPIG, J. J. (1991):

Maintenace of meiotic arrest and the induction of oocyte maturation in mouse-granulosa cell complexes developed in vitro from preantral follicles.

Biol. Reprod., **45**, 824-830.

EPPIG, J. J.; SCHULTZ, R.M.; O'BRIEN, M.; CHESNEL, F. (1994): Relationship between the developmental programs controlling nuclear and cytoplasmic maturation of mouse oocytes.

Dev Biol., **164 (1)**, 1-9.

EPIG, J. J. (1993):

Regulation of mammalian oocyte maturation. In: Adahi, E.Y. ; Leung, P.C.K.: The ovary.

Raven Press, New York, 185-208.

EPIG, J. J. (1996).

Coordination of nuclear and cytoplasmic oocyte maturation in eutherian mammals.
Reprod. Fertil. Dev., **8**, 485.

EPIG, J. J.; O'BRIEN, M. J.; PENDOLA, F. L.; WATANABE, S. (1998):

Factors affecting the development competence of mouse oocytes grown in vitro:
Follicle-stimulating hormone and insulin.

Biol. Reprod., **59**, 1445-1453.

ERICKSON, B. H.; NKATANI, A.; LING, N.; SHIMASAKI, S. (1992):

Cyclic changes in IGF-binding protein-4 messenger ribonucleic acid in the rat ovary.
Endocrinology, **130**, 233-636.

ERICKSON, B. H. (1966):

Development and senescence of the postnatal bovine ovary.

J. Anim. Sci. **25**, 800-805.

ERICKSON, B. H.; REYNOLDS, R. A.; MURPHREE, R. L. (1976):

Ovarian characteristics and reproductive performance in aged cows.

Biol. Reprod., **15**, 555-560.

EROGLU, A.; MEINECKE, B. (1990):

Polypeptide synthesis in vivo and vitro matured porcine oocytes.

Reprod. Dom. Anim., **25**, 261-268.

ESPEY, L. C. (1994):

Current status of the hypothesis that mammalian ovulation is comparable to an inflammatory reaction.

Biol. Reprod., **50**, 233-238.

EVANS, A. C.; ADAMS, G. P.; RAWLINGS, N. C. (1994):

Follicular and hormonal development in prepuberal heifers from 2 to 36 weeks of age.

J. Reprod. Fertil., **102 (2)**, 463-470.

EVANS, A. C. u. FORTUNE, J. E. (1997):

Selection of the dominant follicle in cattle occurs in the absence of difference in the expression of messenger ribonucleic acid for gonadotropin receptors.

Endocrinology, **138**, 2963-2971.

VON FEHRN, S.; HAGERODT, A.; GLATZEL, P. S. (1990):

Synchron induzierte und stimulierte Follikelentwicklung am Rinderovar.

Reprod. Dom. Anim., **25**, 125-126.

FIGUEIREDO, R. A.; BARROS, C. M.; PINHEIRO, O. L.; SOLER, J. M. P. (1997):

Ovarian follicular dynamics in nelore breed (*Bos indicus*) cattle.

Theriogenology, **47**, 1489-1505.

FINDLAY, J. K. (1986):

The nature of inhibin and his use in the regulation of fertility and diagnosis of infertility.

Fertil. Steril., **46**, 770-783.

FINDLAY, J. K.; TSCHONIS, C. G.; STAPELS, L. D. (1986):

Inhibin secretion by the sheep ovary.

J. Reprod. Fertil., **76**, 751-761.

FINDLAY, J. K.; SAI, X.; SHAUKVSKI, L. (1990):

Role of inhibin related peptides as intragonadal regulators.

Reprod. Fertil. Dev., **2**, 205-218.

FORTUNE, J. E. (1986):

Bovine theca and granulosa cells interact to promote androgen production.

Biol. Reprod., **35**, 292-299.

FORTUNE, J. E. (1994):

Ovarian follicular Growth and development in Mammals.

Biol. Reprod., **50**, 225-232.

FORTUNE, J. E. u. QUIRK, S. M. (1988):

Regulation of steroidogenesis in bovine preovulatory follicles.

J. Anim. Sci. (Suppl), **2**, 1-9.

FORTUNE, J. E.; SIRIOS, J.; QURIK, S. M. (1988):

The growth and differentiation of ovarian follicles during the bovine estrous cycle.

Theriogenology, **29**, 95-109.

FORTUNE, J. E.; SIRIOS, J.; TURZILLO, A. M.; LAVIOR, M. (1991):

Follicle selection in domestic ruminants.

J. Reprod. Fertil. (Suppl.), **43**, 187-198.

FORTUNE, J. E. u. HANSEL, W. (1985):

Concentration of steroids and gonadotropins in follicular fluid from normal heifers and heifers primed for superovulation.

Biol. Reprod., **32**, 1069-1079.

FUHRER, F.; MAYR, B.; SCHELLANDER, K.; KALAT, M.; SCHLEGER, W. (1989):

Maturation competenc and chromatin behaviour in growing and fully grown cattle oocytes.

J. Vet. Med. Ass., **36**, 766-775.

GIBBONS, J. R.; KRISHER, R. L.; CARLIN, S. K.; PEARSON, R. E.; GWAZDAUSKAS, F. C. (1995):

In vitro embryo production after microinjection and ovarian dynamics following transvaginal follicular oocyte aspiration.

Theriogenology, **43**, 1129-1139.

GINTHER, O. J.; KNOPF, L.; KASTLIC, J. P. (1989):

Ovarian follicular dynamic in heifer during early pregnancy.

Biol. Reprod., **41**, 247-254.

GINTHER, O. J.; WILTBAK, M. C.; FRIKE, P. M.; GIBBONS, J. R.; KOT, K. (1996):

Selection of Dominant Follicle in Cattle.

Biol. Reprod., **55**, 1187-1195.

GINTHER, O. J.; KOT, K.; KULICK, L. J.; WILTBAK, M. C. (1997):

Sampling follicular fluid without altering follicular status in cattle: oestradiol concentrations early in a follicular wave.

J. Reprod. Fertil., **109**, 181-186.

GINTHER, O. J.; BERGFELT, D. R.; KULICK, L. J.; KOT, K. (1998):

Pulsatility of systemic FSH and LH concentrations during follicular-wave development in cattle.

Theriogenology, **50**, 507-519.

GLATZEL, P. S.; LAHLOU-KASSI, A.; STOLLA, R.; LEIDL, W. (1979):

Versuche zur Zyklussynchronisation einer Milchviehherde in Marokko mit dem PGF_{2 α} -Analog Iliren⁷.

Tierärtl. Umschau, **34**, 752-758.

GLATZEL, P. S. u. HUSS, J. (1989):

Morphologische und endokrinologische Untersuchungen an Eierstockzysten des Rindes.

Fertilität, **5**, 228-232.

GLATZEL, P. S. u. SCHALLENBERGER, E. (1990):

Klinische und endokrinologische Untersuchung zur Ovarfunktion von Rindern mit Fruchtbarkeitssörungen.

Berl. Münch. Tierärztl. Wschr., **103**, 202-206.

GLATZEL, P. S. (1992):

Zur Problematik des zystischen Rinderovars: Morphologische, sonographische und endokrinologische Untersuchungen.

Tierärztl. Umschau, **47**, 72-76.

GLATZEL, P. S. (1999):

Zur Aussagefähigkeit von Steroidhormonen im Kot von Rindern für deren Ovarfunktion.

Tierärztl. Prax., **27**, 36-40.

GONG, J. P.; BRMLEY, T. A.; GUTIERRZ, C. G.; PETES, A. R.; PETERS, A. R.; WEBB, R. (1995):

Effect of chronic treatment with a gonadotropin-releasing hormone agonist on peripheral concentration of FSH and LH and ovarian function in heifers.

J. Reprod. Fertil., **105**, 263-270.

GOODMAN, A. L. u. HODGEN, G. D. (1983):

The ovarian triad of the primate menstrual cycle.

Recent Progress in Hormone Research., **134**, 11-18.

GREVE, T.; MADISON, V.; AVERY, B.; CALLESEN, H.; HYTTEL, P. (1993):

In vitro production of bovine embryos: A progress report and the consequences on the genetic up grading of cattle populations.

Anim. Reprod. Sci., **33**, 51-69.

GRUNERT, E. (1979):

Zur Problematik der rektalen Ovarkontrolle beim Rind.

Prakt. Tierarzt, **60**, 13-18.

GUILBAULT, L. A.; ROUILLIER, P.; MATTON, P.; GLENROSS, R. G.; BEARD, A. J.; KNIGHT, P. G. (1993):

Relationships between the level of atresia and inhibin contents (alpha subunit and alpha-beta dimer) in morphologically dominant follicles during their growing and regressing phases of development in cattle.

Biol. Reprod., **48**, 268-276.

HAGEMANN, L. J. (1999):

Influence of the dominant follicle on oocytes from subordinate follicles.
Theriogenology, **51**, 449-459.

HAHN, J. (1993):

The development of ET in Germany over last 20 years-a retrospective and personal view- 9e Reunion A. E. T. E.-Lyon, 10-11 September, Kongr. Ber., pp 21-29.

HAMANO, S. u. KUWAYAMA, M. (1993):

In vitro fertilization and development of bovine oocytes recovered from ovaries of individual donors: a comparison between the cutting and aspiration method.
Theriogenology, **39**, 703-712.

HANSEL, W. u. FORTUNE, J. E. (1978):

The applications of ovulation control.

In: Control of ovulation. CRIGHTON, D. B.; HAYNES, N. B.; FOXCROFT, G. R.; LAMMING, G. E. (Eds.)., 237-263. Butterworths, London.

HENDERSON, K. M.; MCNEILLY, A. S.; SWANSTON, I. A. (1982):

gonadotrophin and steroid concentrations in bovine follicular fluid and their relationship to follicle size.

J. Reprod. Fertil., **65**, 467-473.

HENSLEIGH, H. C. u. HUNTER, A. G. (1983):

Influence of FSH and hCG upon the in vitro maturation of bovine oocytes.
Theriogenology, **19**, 133.

HERNANDEZ, E. R.; ROBERTS, C. T.; LE ROITH, D.; ADASHI, E. Y. (1989):

Rat ovarian Insulin like growth factor (IGF1) gene expression in the rat ovary is confined to the granulosa cell selective: 5' untranslated mRNA variant representation and hormonal regulation.

Endocrinology, **121**, 597-603.

HILLIER, (1981): In: KECK, C., NEULEN, J., BRECKWOLDT, M.:

Praxis der Frauenheilkunde. Bd. 1. Endokrinologie, Reproduktionsmedizin, Andrologie.

HINRICHES, K. (1996):

Manipulation of oocyte maturation in vitro.

Arch. Tierz., Dummerstorf, **39 (spezial issue)**, 43-50.

HIRSHFIELD, A. N. (1991):

Development of Follikels in the mammalian ovary.

Int. Rev. Cyto., **124**, 43-101.

HOMA, S. T. (1988):

Effects of cyclic AMP on the spontaneous meiotic maturation of cumulus-free bovine oocytes cultured in chemically defined medium.

J Exp Zool., **248 (2)**, 222-231.

HUEH, A. J. W.; WELSH, T. H.; JONES, P. B. C. (1981):

Inhibition of ovarian and testicular steroidogenesis by epidermal growth factor.

Endocrinology, **108**, 2002-2004.

HUSS, J. (1991):

Morphologische und endocrinologische Befunde an Geschlechtesorganen von Schlachtrindern.

Diss. Vet. Med. FU-Berlin.

HYTTEL, P.; CALLESEN, H.; GREVE, T. (1986a):

Ultrastructural features of preovulatory oocyte maturation in superovulated cattle.
J. Reprod. Fertil., **76**, 645-656.

HYTTEL, P.; XU, K. P.; SMITH, S.; GREVE, T. (1986b):

Ultrastructure of in-vitro oocyte maturation in cattle.
J. Reprod. Fertil., **78**, 615-625.

HYTTEL, P.; XU, K. P.; SMITH, S.; CALLESEN, H.; GREVE, T. (1987):

Ultrastructure of the final nuclear maturation of bovine oocytes in vitro.
Anat. Embryol. (Berl.), **176 (1)**, 35-40.

HYTTEL, P.; GREVE, T.; CALLESEN, H. (1989):

Ultrastructural aspects of oocyte maturation and fertilization in cattle.
J. Reprod. Fertil. (Suppl.), **38**, 35-47

HYTTEL, P.; FAIR, T.; CALLESEN, H.; GREVE, T. (1997):

Oocyte maturation, capacitation and final maturation in cattle.
Theriogenology, **47**, 23-32.

IRELAND, J. J.; COULSON, P. B.; MURPHREE, R. L. (1979):

Follicular development during four stages of the estrous cycle of beef cattle.
J. Anim. Sci., **49**, 1261-1269.

IRELAND, J. J. u. ROCHE, J. F. (1982):

Development of antral follicles in cattle after prostaglandin-induced luteolysis:
changes in serum hormones, steroid in follicular fluid, and gonadotropin receptores.
Endocrinology, **111**, 2077-2086.

IRELAND, J. J. u. ROCHE, J. F. (1983a):

Development of nonovulatory antral follicles in heifers: changes in steroids in
follicular fluid and receptores for gonadotropins.
Endocrinology, **112**, 150-156.

IRELAND, J. J. u. ROCHE, J. F. (1983b):

Growth and differentiation of large antral follicles after spontaneous luteolysis in heifers: changes in concentration of hormones in follicular fluid and specific binding of gonadotropins to follicles.

J. Anim. Sci., **57**, 157-167.

IRELAND, J. J. u. ROCHE, J. F. (1987):

Hypotheses regarding development of dominant follicles during a bovine estrous cycle.

In Follicular Growth and Ovulation Rate in Farm Animals, Eds. by J. F. ROCHE and D. CALLAGHAN, Martinus Nijhoff, 1-18.

JACKSON, P.S. u. FURR, B.J.A. (1983):

Ovulation control in heifers with prostaglandin and luteinizing hormone analogue under different conditions of management.

Research Vet. Sci., **34**, 182-187.

KÄHN, W. (1986):

Vorkommen und Wachstum von Gelbkörper mit Hohlraum während des Ovarzyklus bei Rindern und deren Hormonprofile.

Dtsch. tierärztl. Wschr., **93**, 475-480.

KÄHN, W. (1988):

Die Ultraschalldiagnostik in der Gynäkologie des Rindes; ihre Anwendung in Wissenschaft und tierärztlicher Praxis.

Habilitationsschrift, Tierärztliche Fakultät, Ludwig-Maximilians-Universität München.

KALOUS, J.; SUTOVSKY, P.; RIMKEVICOVA, Z.; SHIOYA, Y.; LIE, B. L.; MOTLIK, J. (1993):

Pig membrana granulosa cells prevent resumption of meiosis in cattle oocytes. Mol Reprod Dev., **34 (1)**, 58-64.

KASTELIC, J. P.; GINTHER, O. J. (1991):

Factors affecting the origin of the ovulatory follicle in heifers with induced luteolysis.
Anim Reprod. SCI., **26**, 13-24.

KASTROP, P. M.; BEVERS, M. M.; DESTREE, O. H.; KRUIP, T. A. (1990):

Changes in protein synthesis and phosphorylation patterns during bovine oocyte maturation in vitro.

J. Reprod. Fertil., **90**, 305-310.

KASTROP, P. M.; HULSHOF, M M.; BEVERS, M. M.; DESTREE, O. H.; KRUIP, T. A. (1991):

The effect of alpha-amanitin and cycloheximide on nuclear progression, protein synthesis and phosphorylation during bovine oocyte maturation in vitro.

Mol. Reprod. Dev., **28**, 249-254.

KAUFFOLD, J.; AMER, H.; SOBIRAJ, A. (1999):

In vitro development of calf cumulus-oocytes-complexes recovered from follicles of different diameter.

Reprod. Dom. Anim., **34**, 10.

KEEFER, C. L.; STICE, S. L.; MAKI-LAURILA, M. (1991):

Bovine embryo development in vitro: effect of in vitro maturation conditions on fertilization and blastocyst development.

Theriogenology, **35**, 223.

KIM, C. I.; ELLINGTON, J. E.; FOOTE, R. H. (1990):

Maturation, fertilization, and development of bovine oocytes in vitro using TCM 199 and a simple defined medium with co-culture.

Theriogenology, **33**, 433-440.

KNOPF, L. (1990):

Thrombozytenbestimmung sowie ultrasonographische Untersuchungen der Follikel- und Gelbkörperentwicklung während des Zyklus und der Frühgravidität beim Rind.

Diss. vet. med., München.

KO, J. C. H.; KASTELIC, J. P.; DEL CAMPO, M. R.; GINTHER, O. J. (1991):
Effects of a dominant follicle on ovarian follicular dynamics during the oestrous cycle in heifers.
J. Reprod. Fertil., **91**, 511-519.

KOCH, M. u. GLATZEL, P. S. (1990):
Zur Objektivierung von transrektal ermittelten Befunden am zyklischen Rinderovar.
Reprod. Dom. Anim., **25**, 116.

KRUIP, T. A. M.; CRAN, D. G.; VAN BENEDEN, T. H.; DIELEMAN, S. J. (1983):
Structural changes in bovine oocytes during final maturation in vivo.
Gemete Res., **8**, 29-47.

KRUIP, T. A. M. u. DIELEMAN, S. J. (1985):
Steroid hormone concentration in the fluid of bovine follicles relative to size, quality and stage of the oestrous cycle.
Theriogenology, **24**, 395-408.

KRUIP, T. A. M.; PIETERSE, M. C.; VAN BENEDEN, T. H.; VOS, P. L. A. M.; WURTH, Y. A.; TAVERNE, M. A. M. (1991):
A new method for bovine embryo production: a potential alternative to superovulation.
Vet. Rec., **128**, 208-210.

KUMAR, N. M. u. GILULA, N. B. (1996):
The gap junction communication channel.
Cell. **84** (3), 381-8.

LAHLOU-KASSI, A.; SCHAMS, D.; GLATZEL, P. S. (1984):
Plasma gonadotrophin concentrations during the oestrus cycle and after ovariectomy in two breeds of sheep with low and high fecundity.
J. Reprod. Fertil., **70**, 165-173.

LAZZARI, G. u. GALLI, C. (1993):

In vitro embryo production from valuable cows slaughtered for reproductive failure or terminal illness.

Theriogenology, **39**, 256.

LEIBFRIED-RUTLEDGE, M. L.; CRISTER, E. S.; EYESTONE, W. H.; NORTHEY, D. L.; FIRST, N. L. (1987):

Development potential of bovine oocytes matured in vitro or in vivo.

Biol. Reprod., **36**, 376-383.

LENZ, R. W.; BALL, G. D.; LEIBFREID, M. L.; AX, R. L.; FIRST, M. L. (1983):

In vitro maturation and fertilization of bovine oocytes are temperature-dependent processes.

Biol. Reprod., **29**, 173-179.

LONERGAN, P. (1990):

Factors affecting in vitro maturation and fertilizaton of bovine follicular oocyte.

M. Agri. Sci. Thesis, University College, Dublin.

LONERGAN, P. (1992):

Studies on the in vitro maturation, fertilization and culture of bovine follicular oocyte.

PhD. Thesis, National University of Ireland, Dublin.

LONERGAN, P.; MONAGHAN, P.; RIZOS, D.; BOLAND, M. P.; GORDON, I. (1994):

Effect of follicle size on bovine oocyte quality and developmental competence following maturation, fertilization and culture in vitro.

Mol. Reprod. Dev., **37**, 48-53.

LONERGAN, P.; FAIR, T.; KHATIR, H.; CESARONI, G.; MERMILLOD, P. (1998):

Effects of protein synthesis inhibition before or during in vitro maturatio on subsequent development of bovine oocytes.

Theriogenology, **50**, 417-431.

MADISON, V.; AVERY, B.; GREVE, T. (1992):

Selection of immature bovine oocytes for development potential in vitro.

Anim. Reprod. Sci., **27**, 1-11.

MANN, T. L.; McNEILLY, A. S.; BAIRD, D. T. (1989):

Source of inhibin secretion during the estrous cycle of the sheep.

J. Endocrin., **123**, 181-188.

MARION, G. B.; GIER, H. T.; CHOUDARY, J. B. (1968):

Micromorphology of the bovine ovarian follicular system.

J. Anim. Sci., **27**, 451-465.

MARTIN, T. L.; PRICE; C. A.; THIERY; J. C.; WELB, R. (1988):

Interaction between inhibin, estradiol and progesterone in the control of gonadotropin secretion in the ewe.

J. Reprod. Fertil., **82**, 319-328.

MARTIN, T. L.; FOGWELL, R. L.; IRELAND, J. J. (1991):

Concentrations of inhibins and steroids in follicular fluid during development of dominant follicles in heifers.

Biol. Reprod., **44**, 693-700.

MATTON, P.; ADELAKOUN, V.; COUTURE, Y.; DUFOUR, J. J. (1981):

Growth and replacement of the bovine ovarian follicles during the oestrous cycle.

J. Anim. Sc., **52**, 813-820.

MCGUAGHERY, R. W.; BLERKOM, J. V. (1977):

Patterns of polypeptide synthesis of porcine oocytes during maturation in vitro.

Dev. Biol., **56**, 241-254.

MCNATTY, K. P.; HEATH, D. A.; HENDERSON, K. M.; LUN, S.; HURST, P. R.; ELLIS, C. M.; MONTGOMERY, G. W.; MORRISON, L.; THURLEY, D. C. (1984):

Some of thecal and granulosa cell function during follicular development in the bovine ovary.

J. Reprod. Fertil., **72**, 39-53.

MCNATTY, K. P.; HUDSON, N.; GIBB, M.; BALL, K.; HENERSON, K. M.; HEATH, D. A.; LUN, S.; KIEBOOM, L. E. (1985):

FSH influences follicle viability, oestradiol biosynthesis and ovulation rate in Romney ewes.

J. Reprod. Fertil., **75**, 121-1985.

MERZ, E. R.; HAUSER, E. R.; ENGLAND, A. G. (1981):

Ovarian function in cow: relationship between gonadotrophin binding to theca and granulosa and steroidogenesis in individual follicles.

J. Anim. Sci., **52**, 1957-1968.

MIHM, M. A.; BOLAND, M. P.; KNIGHT, P. G.; ROCHE, J. F. (1995):

Relationship between Gonadotrophins and follicular fluid oestradiol and inhibin during the loss of dominance of the first dominant follicle in beef heifers.

11e Reunion A.E.T.E.-Hannover, 8-9 September.

MIHM, M. A.; GOOD, T. H.; IRELAND, J. L.; IRELAND, J. J.; KNIGHT, P. G.; ROCHE, J. F. (1997):

Decline in serum follicle-stimulating hormone concentrations alters key intrafollicular growth factors involved in selection of the dominant follicle in heifers.

Biol. Reprod., **57**, 1328-1337.

MILDNER, H. u. FREYMAN, U. (1992):

Untersuchungen zur Luteolyse und Ovulation nach der Applikation von Prostaglandin F_{2α} allein sowie in Kombination mit Gonadotropin-Releasing-Hormon an verschiedenen Zyklustagen beim Rind.

Diss. Vet. Med., Leipzig.

MINAMI, N.; KATO, H.; INOUE, Y.; YAMADA, M.; UTSUMI, K.; IRITANI, A. (1994):
Nonspeciespecific effects of mouse oviducts on the development of bovine IVM/IVF embryos by serum free co-culture.
Theriogenology, **41**, 1435-1445.

MONNIAUX, D.; CHUPIN, D.; SAUMANDE, J. (1983):
Superovulatory response of cattle.
Theriogenology, **19**, 55-81.

MONNIAUX, D.; MONGET, P.; BESNARD, N.; HUET, C.; PISSELET, C. (1997):
Growth factors and antral follicular development in domestic ruminant.
Theriogenology, **47**, 3-12.

MOOR, R. M. u. GANDOLFI, F. (1987):
Molecular and cellular changes associated with maturation and early development of sheep eggs.
J. Reprod. Fertil. Suppl., **34**, 55-59.

MOOR, R. M.; TROUNSON, A. O. (1977):
Measurement of intercellular coupling between oocytes in vitro and their subsequent development capacity.
J. Reprod. Fertil., **49**, 101-109.

MOTLIK, J. u. FULKA, J. (1986):
Factors affecting meiotic competence in pig oocytes.
Theriogenology, **25**, 87-106.

MOTLIK; J. u. KUBELLA, M. (1990):
Cell-cycle aspects of growth and maturation of mammalian oocytes.
Mol. Reprod. Dev., **17**, 366-375.

MÜLLER, F.; BACH, S.; BARTH, T.; EULENBERGER, K. (1982):
Hormonanalytische Untersuchungen zur Ovulationsauslösung nach Brunstsynchroisation bei Kühen.
Tierhygiene Information, **14**, 199-203.

MÜLLER, E. (1985):

Ultraschall als Untersuchungshilfsmittel in der Gynäkologie des Rindes.

Diss. Vet. Med. Hannover.

NAKAO, H. u. NAKATSUJI, N. (1990):

Effects of co-culture, medium components and gas phase on vitro culture of in vivo matured and in vitro fertilized bovine embryos.

Theriogenology, **33**, 591-601.

NATION, D. P.; BURKE, C. R.; RHODES, F. M.; MACMILLAN, K. L. (1999):

The inter-ovarian distribution of the dominant follicles is influenced by the location of the corpus luteum of pregnancy.

Anim. Reprod. Sci., **56 (3-4)**, 169-176.

NEUFELD, G.; FERRARA, N.; SCHWEIGERE, L.; MITCHELL, L.;

GOSPODAROWICS, D. (1987):

Bovine granulosa cells produce basic fibroblast growth factor.

Endocrinology, **121**, 597-603.

NIEMANN, H. u. MEINECKE, B. (1993):

Embryotransfer und assoziierte Biotechniken bei landwirtschaftlichen Nutztieren.

Verlag Enke, Stuttgart.

NISWENDER, G. D.; JUENGEL, J. L.; MCGUIRE, W. J.; BELFFIORE, C. J.;

WILTBANK, M. C. (1994):

Luteal function: The Estrous cycle and early pregnancy.

Boil. Reprod., **50**, 239-247.

NISWENDER, G. D. u. NETT, T. M. (1988):

The corpus luteum and its control.

In: The physiology of reproduction, KNOBIL, E. und NEILL, J. (Eds.),

New York: Raven Press, 489-525.

NKUUHE, J. R. u. MANNS, J. G. (1985):

Relationship between time of prostaglandin injection and ovulation in beef cattle.

Canadian.

J. Anim. Sci., **65**, 405-409.

OCANA-QUERO, J. M.; MORENO-MILLAN, M.; VALERA-CORDOBA, M.;

FRANGNILLO, A. (1994):

The influence of different types of media supplement on the meiotic maturation of bovine oocytes in vitro.

Theriogenology, **41**, 405-411.

OLIVER, J. E.; AITMAN, T. J.; POWELL, J. F.; WILSON, C. A.; CLAYTON, R. N.

(1989):

Isulin-like growth factor I gene expression in the rat ovary is confide to the graulosa cells of the developing follicles.

Endocrinology, **124**, 2671-2679.

O'SCHE, J. D.; CRAN, D. G.; HAY, M. F. (1980):

Fate of the theca interna following ovulation in the ewe.

Cell Tissue Res., **210**, 305-319.

PAVLOK, A.; LUCAS-HAHN, A.; NIEMANN, H. (1992):

Fertilization and developmental competence of bovine oocytes derived from different categories of antral follicles.

Mol Reprod Dev., **31 (1)**, 63-7.

PIERSON, R. A. u. GINTHER, O. J. (1984):

Ultrasonography of the bovine ovary.

Theriogenology, **21**, 495-504.

PIERSON, R. A. u. GINTHER, O. J. (1987):

Follicular populations during the estrous cycle in heifers. II. Influence of right and left sides and intraovarian effect of the corpus luteum.

Anim Reprod. Sci., **14**, 177-186.

PIERSON, R. A. u. GINTHER, O. J. (1988):

Ultrasound imaging of the ovaries and uterus in cattle.

Theriogenology, **29**, 21-37.

PINCUS, G. u. ENZMANN, E. V. (1935):

The comparative behaviour of mammalian eggs in vivo and in vitro. 1. The activation of ovarian eggs.

J. Exp. Med., **62**, 665-675.

PRICE, C. A.; CARRIERE, P. D.; BAHTIA, B.; GROOME, N. P. (1995):

Comparison of hormonal and histological changes during follicular growth, as measured by ultrasonography, in cattle.

J. Reprod. Fertil., **103**, 63-68.

QUIRK, S. M.; HICKEY, G. J.; FORTUNE, J. E. (1986):

Growth and regression of ovarian follicles during the follicular phase of the oestrous cycle in heifers undergoing spontaneous and PGF_{2 α} induced luteolysis.

J. Reprod. Fertil., **77**, 211-219.

RAHE, C. H.; OWENS, R. E.; FLEGER, J. E.; NEWTON, H. J.; HARMS, P.G. (1980):

Pattern of plasma luteinizing hormone in the cyclic cow: dependence upon the period of the cycle.

Endocrinology, **107**, 498-503.

RAJAKOSKI, E. (1960):

The ovarian follicular system in sexually mature heifers with special reference to seasonal, cyclical and left-right variation.

Acta Endocr., Copenh. (Suppl.), **52**, 1-68.

RAZ, T.; Skutelsky, E.; Amihai, D.; Hammel, I.; Shalgi, R. (1998):

Mechanisms leading to cortical reaction in the mammalian egg.

Mol. Reprod. Dev., **51**, 295-303.

REINTJES, C. V. (1991):

Versuche zur Ko-Kultivierung von in vitro maturierten und in vitro fertilisierten bovinen Oozyten. Diss. Tierärztl. Hochsch. Hannover.

RHODES, F. M.; PETERSON, A. J.; JOLLY, P. D.; McMILLAN, W. H.; DONNISON, M.; LEDGARD, A.; PARTON, G.; HALL, D. R. (1997):

Bovine ovarian follicle and oocyte characteristics after emergence of the first follicular wave.

Theriogenology, **47**, 149.

RHODES, F. M.; FITZPATRIK, L. A.; ENTWISTELE, K. W.; KINDER, J. E. (1995):

Hormone concentrations in the caudal vena cava during the first ovarian follicular wave of the oestrous cycle in heifers.

J. Reprod. Fertil., **104**, 33-39.

RICHARD, F. J. u. SIRARD, M. A. (1996a):

Effects of follicular cells on oocyte maturation. II: Theca cell inhibition of bovine oocyte maturation in vitro.

Biol Reprod., **54 (1)**, 22-8.

RICHARD, F. J. u. SIRARD, M. A. (1996b):

Effects of follicular cells on oocyte maturation. In: Effects of follicular hemisections on bovine oocyte maturation in vitro.

Biol Reprod., **54 (1)**, 16-21.

ROSE, T. A. u. BAVISTER, B. D. (1992):

Effect of oocyte maturation medium in vitro development of in vitro fertilized bovine embryos.

Mol. Reprod. Dev., **31**, 72-77.

RÜSSE, I. u. SINOWATZ, F. (1991):

Lehrbuch der Embryologie der Haustiere.

Verlag Paul Parey, Berlin.

SAEKI, K.; HOSHI, M.; LEIBFRIED-RUTLEDGE, M. L.; FIRST, N. L. (1990):

In vitro fertilization and development of bovine oocytes matured with commercially available follicle stimulating hormone.

Theriogenology, **34**, 1035-1039.

SALAMONE, D. F.; ADAMS, G. P.; MAPLETOFT, R. J. (1999):

Changes in the cumulus-oocyte complex of subordinate follicles relative to follicular wave status in cattle.

Theriogenology, **52**, 549-561.

SAVIO, J. D.; KEENAN, L.; BOLAND, M. P.; ROCHE, J. F. (1988):

Pattern of growth of dominant follicles during the oestrous cycle of heifers.

J. Reprod. Fertil., **83**, 663-671.

SAVIO, J. D.; BOLAND, M. P.; HYNES, N.; MATTIACCI, M. R.; ROCHE, J. E. (1990):

Will the dominant follicle of the estrous cycle of the heifers ovulate following luteolysis on day 7?.

Theriogenology, **33**, 677-678.

SCHALLENBERGER, E.; SCHÖNDORFER, A. M.; WALTERS, D. L. (1985):

gonadotrophins and ovarian steroids in cattle. I. Pulsatile changes of concentrations in the jugular vein throughout the oestrous cycle.

Acta Endocrin. (Suppl.), **108**, 312.

SCHAMS, D.; TOTH, G.; SCHALLENBERGER, E.; HOFMANN, B.; KARG; H. (1976):

Relationship between hormonal parameter and ovarian morphology as observed by pelviscopy during the oestrous cycle in cattle.

Proc. 8th Inter. Cong. Anim. Reprod. and A. I., Vol. III, 192-195.

SCHAMS, D; KOLL, R.; CI, C. H. (1988):

Isulin-Like growth factor I stimulates oxytocin and progesterone production by bovine granulosa cells in culture.

J. Endocr., **116**, 97-100.

SCHELLANDER, K.; FUHRER, F.; BRACKETT, B. G, KORB, H.; SCHLEGER, W. (1990):

In vitro fertilization and cleavage of bovine oocytes matured in medium supplemented with estrous cow serum.

Theriogenology, **33**, 477-485.

SCHNEEBELI, J. u. EGGENBERGER, E. (1986):

Vergleichende klinische Untersuchungen über das Wachstum palpierbarer Teriärfollikel in verschiedenen Stadien des Reproduktionszyklus beim Rind.

Schweiz. Arch. Tierheilk., **128**, 201-211.

SCHRÖTER, D. u. MEINECKE, B. (1995):

Comparative analysis of the polypeptide pattern of cumulus cells during maturation of porcine cumulus oocyte complexes in vivo and in vitro.

Reprod. Nutr. Dev., **35**, 85-94.

SEKINE, J.; SAKURADA, T.; OURA, R. (1992):

Optimum temperature of ovary transportation for in vitro fertilization of bovine oocytes. Vet. Rec., **131**, 372.

SHAMSUDDIN, M.; LARSSON, B.; RODRIGUEZ-MARTINEZ, H. (1993):

Maturation-related changes in bovine oocytes under different culture conditions. Anim. Reprod. Sci., **31**, 49-60.

SILVAN, G.; ILLERA, J. C.; ILLERA, M. (1993):

Determination of follicular fluid estradiol levels by enzyme-linked immunosorbent assay. Steroids, **58**, 324-32

SINGH, J.; PIERSON, R. A.; ADAMS, G. P. (1998):

Ultrasound image attribute of bovine ovarian follicles and endocrine and functional correlates.

J. Reprod. Fertil., **112**, 19-29.

SIRARD, M. A.; BILODEAU, S. (1990):

Effects of granulosa cell co-culture on in vitro meiotic resumption of bovine oocytes.

J. Reprod. Fertil., **89**, 459-465.

SIRARD, M. A.; RICHARD, F. U.; MAYES, M. (1998):

Controlling meiotic resumption in bovine oocytes, a review.

Theriogenology, **49**, 483-497.

SKINNER, M. K.; LOBB, D.; DORRINGTON, J. H. (1987a):

Ovarian thecal/interstitial cells produce an epidermal growth factor like substance.

Endocrinology, **121**, 1892-1899.

SKINNER, M. K.; KESKI OJA, J.; OSTEEN, K. G.; MOSES, H. L. (1987b):

Ovarian thecal cells produce transforming growth factor β which can regulate granulosa cell growth.

Endocrinology, **121**, 786-792.

SMITH, D. M. u. TENNY, D.Y. (1980):

Effects of steroids on mouse oocyte maturation.

J. Reprod. Fertil., **60**, 331-338.

SMITH, L. C.; OLIVERA-ANGEL, M.; GROOME, N. P.; BHATIA, B.; PRICE, C. A. (1996):

Oocyte quality in small antral follicles in the presence or absence of a large dominant follicle in cattle.

J. Repr. Fertil., **106**, 193-199.

SPICER, L. J. u. APLIZOR, E. (1993):

Effect of insulin, insulin like growth factor I and gonadotrophins on bovine granulosa cell proliferation, progesteron production, estradiol production and (or) insulin-like growth factor I production in vitro.

J. Anim. Sci., **71**, 1232-1241.

SPICER, L. J. u. ECHTERNKAMP, S. E. (1986):

Ovarian follicular growth, function and turnover in cattle: a review.

J. Anim. Sci., **62**, 428-451.

SPICER, L. J.; LEUNG, K.; CONVEY, E. M; GUNTHER, J.; SCHORT, R. E.; TUKER, H. A. (1986):

Anovulation in postpartum suckled beef cows. I. Associations among size and numbers of ovarian follicles, uterine involution, and hormones in serum and follicular fluid.

J. Anim. Sci., **62**, 734-741.

STAIGMILLER, R. B. u. ENGLAND, B. G. (1982):

Folliculogenesis in the bovine.

Theriogenology, **17**, 43-52.

STAIGMILLER, R. B.; ENGLAND, B. G.; WEBB, R.; SHORT, R. E.; BELLOWS, R. A. (1982):

Estradiol secretion and gonadotropin binding by individual follicles during estrus.

J. Anim. Sci., **55**, 1473-1482.

STEVENSON, J. S.; SCHMIDT, M. K.; CALL, E. P. (1984):

Stage of estrous cycle, time of insemination and seasonal effects on estrous and fertility of Holstein heifers after PGF2? .

J. Dairy Sci., **67**, 1798-1805.

STOLLA, R. u. HIMMER, B. (1980):

Probleme bei rektaler Untersuchung der Ovarien.

Prakt. Tierarzt, **61**, 9-12.

SÜSS, U.; WÜTHRICH, K.; STRANZINGER, G. (1988):

Chromosome configurations and time sequence of the first meiotic division in bovine oocytes in vitro.

Biol. Reprod., **38**, 871-880.

SÜSS, U.; KASSNER, J.; WÜTHRICH, K.; STRANZINGER, G (1990):

Cumulus expansion, in vitro fertilization and embryonic develeopment after in vitro maturation of bovine oocytes in the presence of follicle stimulating or luteinizing hormone.

Reprod. Dom. Anim., **25**, 3-13.

SUNDERLAND, S. J.; CROWE, M. A.; BOLAND, M. P.; ROCHE, J. F.; IRELAND, J. J. (1994):

Selection, dominance and atresia of follicles during the oestrous cycle of heifers.

J. Reprod. Fertil., **101**, 547-555.

SUNDERLAND, S. J.; KNIGHT, P. G.; BOLAN, M. P.; ROCHE, J. F.; IRELAND, J. J. (1996):

Alteration in intrafollicular level of different molecular mass forms of inhibin during development of follicular- and luteal-phase dominant follicles in heifers.

Biol. Reprod., **54**, 453-462.

SUTOVSKY, P.; FLECHON, J. E.; FLECHON, B.; MOTLIK, J.; PEYNOT, N.; HEYMAN, Y. (1993):

Dynamic changes of gap junctions and cytoskeleton during in vitro culture of cattle oocyte cumuluc complexes.

Biol. Reprod., **49**, 1277-1287.

TABAN, T. Y. u. HANN, R. C. (1984):

Synchronized estrus and subsequent conception in dairy heifers treated with prostaglandin F2? . I. Influence of stage of cycle at treatment.

J. Anim. Sci., **58**, 805-811.

TAKAGI, M.; CHOI, Y. H.; KMISHITA, H.; ACOSTA, T. J.; WIJAYAGUNAWARDANE, M P. B.; MIYAMOTO, A; MIYAZAWA, K.; SATO, K. (1998):

Oocyte quality of small antral follicles coexisting with cystic follicles in the ovaries of the cow.

Anim. Reprod. Sci., **51**, 195-203.

TAN, S. J. u. LU, K. H. (1990):

Effects of different oestrous cycles, stages of ovaries and sizes of follicles on generation of IVF early bovine embryos.

Theriogenology, **33**, 335.

THIBAULT, C. (1977):

Are follicular maturation and oocyte maturation independent processes? J. Reprod. Fertil., **51**, 1-15.

THIBAULT, C.; SZÖLLÖSI, D.; GERARD, M. (1987):

Mammalian oocyte maturation.

Reprod. Nutr. Dev., **27**, 865-896.

TROUNSON, A.; PUSHETT, D.; MACLELLAN, L. J.; LEWIS, I.; GARDNER, D. K. (1994):

Current status of IVM/IVF and embryo culture in humans and farm animals. Theriogenology, **41**, 57-66.

TSAFRIRI, A.; LIEBERMAN, M. E.; KOCH, Y.; BAUMINGER, S.; CHOBSIENG, P.; ZOR, U.; LINDNER, H. R. (1976):

Capacity of immunologically purified FSH to stimulate cyclic AMP accumulation and steroidogenesis in Graafian follicles and to induce ovum maturation and ovulation in the rat.

Endocrinology., **98 (3)**, 655-61.

TSAFRIRI A. u. DEKEL N. (1994):

Molecular mechanism in ovulation. In: Findlay, J. K.: Molecular mechanism of female reproductive system.

Academic Press, New York, 207-258.

TSONIS, C. G.; CARSON, R. S.; FINDLAY, J. K. (1984):

Relationships between aromatase activity, follicular fluid oestradiol beta and testosterone concentrations, and diameter and atresia of individual ovine follicles.

J. Reprod. Fertil., **72**, 153-163.

TURZILLO, A. M. u. FORTUNE, J. E. (1990):

Suppression of the secondary FSH surge with bovine follicular fluid is associated with delayed ovarian follicular development in heifers.

J. Reprod. Fertil., **89**, 643-653.

VAN DEN HURK, R.; SPEK, E. R.; DIJKSTRA, G.; VAN VORSTENBOSCH, C. J.; HULSHOF, S. C.; DIELEMAN, S. J. (1992):

Effect of pregnant mares' serum gonadotrophin on the micromorphology of antral follicles in heifers, with special reference to atypical granulosa cells.

J Reprod Fertil., **95 (3)**, 903-13.

WALTER, D. L. u. SCHALLENBERGER, E. (1984):

Pulsatile secretion of gonadotropins, ovarian steroids and ovarian oxytocin during the periovulatory phase of the oestrous cycle in the cow.

J. Reprod. Fertil., **71**, 503-512.

WALTON, J. S.; VEENHUIZEN, L. P.; KING, G. J. (1987):

Relationships between time of day, estrous behavior and the preovulatory luteinizing hormone surge in Holstein cows after treatment with Cloprostenol.

J. dairy Sci., **70**, 1652-1663.

WEBB, R. u. ENGLAND, D. G. (1982):

Relationship between LH receptor concentrations in theca and granulosa cells and in vivo and vitro steroid secretion of ovine follicles during the preovulatory period.
J. Reprod. Fertil., **66**, 169-180.

WICKRAMASINGHE, D.; EBERT, K. M.; ALBERTINI, D. F. (1991):

Meiotic competence acquisition is associated with the appearance of M-phase characteristics in growing mouse oocytes.

Dev Biol. **143 (1)**, 162-72.

YANG, N. S. u. LU, K. H. (1990):

The influence of bovine oocyte type on in vitro fertilization and subsequent development in vitro.

Theriogenology, **33**, 335.

YANG, N. S.; LU, K. H.; GORDON, I. (1990):

In vitro fertilization (IVF) and culture (IVC) of bovine oocytes from stored ovaries.
Theriogenology, **33**, 352.

YANG, X.; KUBOTA, C.; SUZUKI, H.; TANEJA, M.; BLOS, P. E.; PRESICCE, G. A. (1998):

Control of oocyte maturation in cows-biological factors.

Theriogenology, **49**, 471-482.

YING, S. Y.; BEKER, A.; LING, L.; VENO, N.; GALLEMIN, R. (1988):

Inhibin and β -type transforming growth factor have opposite modulating effect of the follicle.

Biochem. Res. Commun., **136**, 969-975.

ZAMBONI, L. (1976):

Modulations of follicle cell-oocyte association in sequential stages of mammalian follicle development and maturation.

In: Crosignani, P. G.; Mishell, D. R. Ovulation in Human., London Academic Press.

ZHANG, L.; JIANG, S.; WOZINIAK, J. P.; YANG, X.; GODKE, R. A. (1995):

Cumulus cell function during bovine oocyte maturation, fertilization, and embryo development in vitro.

Mol. Reprod. Dev., **40**, 338-344.