

## 7. Literaturverzeichnis

- Aghib F. S., Bernoulli D., and Weissert H. (1991) Hardground formation in the Bannock Basin (Eastern Mediterranean). *Marine Geology* **100**, 103-113.
- Al-Aasm I. S., Taylor B. E., and South B. (1990) Stable isotope analysis of multiple carbonate samples using selective acid extraction. *Chemical Geology* **80**, 119-125.
- Alley R. B., Mayewski P. A., Sowers T., Stuiver M., Taylor K. C., and Clark P. U. (1997) Holocene climatic instability: A prominent widespread event at 8200 yr ago. *Geology* **25**, 483-486.
- Aloisi G., Pierre C., Rouchy J.-M., Foucher J.-P., Woodside J., and Party M. S. (2000) Methane-related authigenic carbonates of eastern Mediterranean Sea mud volcanoes and their possible relation to gas hydrate destabilisation. *Earth and Planetary Science Letters* **184**, 321-338.
- Amit O. and Bentor Y. K. (1971) pH dilution curves of saline waters. *Chemical Geology* **7**, 307.
- Anastasakis G. C. and Stanley D. J. (1984) Sapropels and organic-rich variants in the Mediterranean: Sequence development and classification. In *Fine-Grained Sediments: Deep Water Processes and Facies*, Vol. 15 (ed. D. A. V. Stow and D. J. W. Piper), pp. 497-510.
- Anderson T. F. and Pratt L. M. (1995) Isotopic evidence for the origin of organic sulfur and elemental sulfur in marine sediments. In *Geochemical transformations of sedimentary sulfur*, (ed. M. A. Vairavamurthy and M. A. A. Schoonen), pp. 378-396. American Geochemical Society, Vol. 612.
- Arvidson R. S. and Mackenzie F. T. (1999) The dolomite problem: control of precipitation kinetics by temperature and saturation state. *American Journal of Science* **299**, 257-288.
- Backhaus K., Erichson B., Plinke W., and Weiber R. (1996) *Multivariate Analysenmethoden*. Springer, Berlin, 416 p.
- Baker P. A. and Kastner M. (1981) Constraints on the formation of sedimentary dolomites. *Science* **213**, 214-216.
- Bathurst R. G. C. (1975) *Carbonate sediments and their diagenesis*. Elsevier, Amsterdam, 658 pp.
- Bender F. (1981) *Angewandte Geowissenschaften, I*. Enke, Stuttgart, 628 pp.
- Berger W. H. (1967) Foraminiferal ooze: Solution at depths. *Science* **156**, 383-385.
- Berner R. A. (1970) Sedimentary pyrite formation. *American Journal of Science* **268**, 1-23.
- Berner R. A. (1984) Sedimentary pyrite formation: An update. *Geochimica et Cosmochimica Acta* **48**, 605-615.
- Biscaye P. E. (1965) Mineralogy and sedimentation of recent deep-sea clay in the Atlantic ocean and adjacent seas and oceans. *Geological Society of America Bulletin* **76**, 803-832.
- Bishop J. K. B. (1988) The barite-opale-organic carbon association in oceanic particulate matter. *Nature* **332**, 341-343.
- Bosch H.-J., Sinninghe Damsté J. S., and De Leeuw J. W. (1998) Molecular paleontology of eastern Mediterranean sapropels: evidence for photic zone euxinia. In *Proc. ODP, Sci. Res.*, Vol. 160 (ed. A. H. F. Robertson, K.-C. Emeis, C. Richter, and A. Camerlenghi), pp. 285-296. College Station, TX (Ocean Drilling Program).
- Bostrom K., Joensuu O., Moore C., Bostrom B., Dalziel M., and Horowitz A. (1973) Geochemistry of barium in pelagic sediments. *Lithos* **6**, 159-174.
- Bouloubassi I., Rullkötter J., and Meyers P. A. (1999) Origin and transformation of organic matter in Pliocene-Pleistocene Mediterranean sapropels: organic geochemical evidence reviewed. *Marine Geology* **153**, 177-197.
- Brown K. M. (1990) The nature and hydrogeologic significance of mud diapirs and diatremes for accretionary systems. *Journal of Geophysical Research* **95**(B6), 8969-8982.
- Brumsack H.-J. and Gieskes J. M. (1993) Interstitial water trace-metal chemistry of laminated sediments from the Gulf of California, Mexico. *Marine Chemistry* **14**, 89-106.
- Butlin K. R. and Postgate J. R. (1952) The microbiological formation of sulfur in the Cyrenaikan Lakes. In *Biology of deserts* (ed. Cloudsley-Thompson, J. L.), Institute of Biology, London.
- Calvert S. E. and Fontugne M. R. (2001) On the late Pleistocene-Holocene sapropel record of climatic and oceanographic variability in the eastern Mediterranean. *Paleoceanography* **16**(1), 78-94.
- Calvert S. E., Nielsen B., and Fontugne M. R. (1992) Evidence from nitrogen isotope ratios for enhanced productivity during formation of eastern Mediterranean sapropels. *Nature* **359**, 223-225.
- Calvert S. E. and Pedersen T. F. (1993) Geochemistry of recent oxic and anoxic marine sediments: Implications for the geological record. *Marine Geology* **113**, 67-88.
- Camerlenghi A. (1990) Anoxic basins of the eastern Mediterranean: Geologic framework. *Marine Chemistry* **31**, 1-19.
- Camerlenghi A. and Cita M. B. (1987) Setting and tectonic evolution of some eastern Mediterranean deep-sea basins. *Marine Geology* **75**, 31-55.
- Camerlenghi A., Cita M. B., Hieke W., and Ricchiuto T. S. (1992) Geological evidence for mud diapirism on the Mediterranean Ridge accretionary complex. *Earth and Planetary Science Letters* **109**, 493-504.
- Canfield D. E. and Raiswell R. (1991) Carbonate precipitation and dissolution. In *Taphonomy: Releasing the Data Locked in the Fossil Record*, Vol. 9 (ed. P. A. Allison and D. E. G. Briggs), pp. 411-453. Plenum Press.
- Canfield D. E., Raiswell R., Westrich J. T., Reaves C. M., and Berner R. A. (1986) The use of chromium reduction in the analysis of reduced inorganic sulfur in sediments and shales. *Chemical Geology* **54**, 149-155.
- Canfield D. E. and Thamdrup B. (1994) The production of 34S-depleted Sulfide during bacterial disproportionation of elemental sulfur. *Science* **266**, 1973-1975.
- Canfield D. E. and Thamdrup B. (1996) Fate of elemental sulfur in an intertidal sediment. *FEMS Microbiology Ecology* **19**, 95-103.

- Chambers L. A. and Trudinger P. A. (1979) Microbiological fractionation of Stable Sulfur Isotopes: A Review and Critique. *Geomicrobiology Journal* **1**, 249-293.
- Chester R. (1990) *Marine Geochemistry*. Chapman and Hall, London, 697 pp.
- Chester R. and Hughes M. J. (1967) A chemical technique for the separation of ferromanganese minerals, carbonate minerals and adsorbed trace elements from pelagic sediments. *Chemical Geology* **2**, 249-262.
- Cita M. B. (1991) Anoxic basins of the eastern Mediterranean: an overview. *Palaeoceanography* **6**, 133-141.
- Cita M. B., Camerlenghi A., Erba E., McCoy F. W., Castradori D., Cazzani A., Guasti G., Giambastiani M., Lucchi R., Noll V., Pezzi G., Redaelli M., Rizzi E., Torricelli S., and Violanti D. (1989) Discovery of mud diapirism in the Mediterranean Ridge: a preliminary report. *Bollettino della Societa Geologica Italiana* **108**, 537-543.
- Comas M. C., Zahn R., and Klaus A. (1996) Proc. ODP Init. Res. 161, pp. 1023. Ocean Drilling Program, College Station, TX.
- Corselli C. and Aghib F. S. (1987) Brine formation and gypsum precipitation in the Bannock Basin, eastern Mediterranean. *Marine Geology* **75**, 185-199.
- Corselli C., Basso D., De Lange G. J., and Thomson J. (1996) Mediterranean ridge accretionary complex yields rich surprises. *EOS* **77**(24), 227.
- Corselli C., Della Vedova B., Camerlenghi A., De Lange G. J., and Westbrook G. K. (1998) Emission of warm fluids and high temperature in the Urania-Basin: observations from 1993 to 1998. *Extreme Marine Environments*. Workshop Report, GEOMAR, Kiel, Germany.
- Cramp A. and O'Sullivan G. (1999) Neogene sapropels in the Mediterranean: a review. *Marine Geology* **153**, 11-28.
- Cronan D. S., Varnavas S. P., and Perissoratis C. (1995) Hydrothermal sedimentation in the caldera of Santorini, Hellenic volcanic arc. *Terra Nova* **7**(2), 289-293.
- Dannenberg S., Kroder M., Dilling W., and Cypionka H. (1992) Oxidation of H<sub>2</sub>, organic compounds and inorganic sulfur compounds coupled to reduction of O<sub>2</sub> or nitrate by sulfide-reducing bacteria. *Archives of Microbiology* **158**, 93-99.
- De Capitani L. and Cita M. B. (1996) The "Marker-bed" of the Mediterranean Ridge diapiric belt: geochemical characteristics. *Marine Geology* **132**, 215-225.
- De Lange G. J., Middelburg J. J., Van der Weijden C. H., Catalano G., Luther G. W. I., Hydes D. J., Woittiez J. R. W., and Klinkhammer G. P. (1990) Composition of anoxic hypersaline brines in the Tyro and Bannock Basins, eastern Mediterranean. *Marine Chemistry* **31**, 63-88.
- De Lange G. J., Van Santvoort P. J. M., Langereis C., Thomson J., Corselli C., Michard A., Rossignol-Strick M., Paterne M., and Anastasakis G. (1999) Palaeo-environmental variations in eastern Mediterranean sediments: a multidisciplinary approach in a prehistoric setting. *Progress in Oceanography* **44**, 369-386.
- De Rijk S., Hayes A., and Rohling E. J. (1999) Eastern Mediterranean sapropel S-1 interruption: an expression of the onset of climatic deterioration around 7 ka BP. *Marine Geology* **153**, 337-343.
- Dean W. E., Leinen M., and Stow D. A. V. (1985) Classification of deep-sea fine-grained sediments. *Journal of Sedimentary Petrology* **55**, 250-256.
- Degens E. T. and Ross D. A. (1969) *Hot brines and recent heavy metal deposits in the Red Sea*. Springer, Berlin, 600 pp.
- Dehairs F., Lambert C. E., Chesselet R., and Risler N. (1987) The biological production of marine suspended barite and the barium cycle in the western Mediterranean Sea. *Biogeochemistry* **4**, 19-139.
- Dominik J. and Stoffers P. (1978) The influence of late Quaternary stagnations on clay sedimentation in the Eastern Mediterranean Sea. *Geologische Rundschau* **68**, 302-317.
- Drever J. I. (1988) *The Geochemistry of Natural Waters*. Prentice-Hall, New Jersey, 437 pp.
- Dymond J., Suess E., and Lyle M. (1992) Barium in deep-sea sediment: A geochemical proxy for paleoproductivity. *Paleoceanography* **7**, 163-181.
- Elderfield H. (1970) Chromium speciation in sea water. *Earth and Planetary Science Letters* **9**, 10-16.
- Emeis K.-C. and Sakamoto T. (1998) The sapropel theme of Leg 160. In *Proc. ODP, Sci. Results*, Vol. 160 (ed. A. H. F. Robertson, K.-C. Emeis, C. Richter, and A. Camerlenghi), pp. 29-36. College Station, TX (Ocean Drilling Program).
- Emeis K.-C., Camerlenghi A., McKenzie J. A., Rio D., and Sprovieri R. (1991) The occurrence and significance of Pleistocene and Upper Pliocene sapropels in the Tyrrhenian Sea. *Marine Geology* **100**, 155-182.
- Emeis K.-C., Sakamoto T., Wehausen R., and Brumsack H.-J. (2000) The sapropel record of the eastern Mediterranean Sea - results of Ocean Drilling Program Leg 160. *Palaeogeography, Palaeoclimatology, Palaeoecology* **158**, 371-395.
- Emerson S., Cranston R. E., and Liss P. S. (1979) Redox species in a reduced fjord: equilibrium and kinetic considerations. *Deep-Sea Research* **26A**, 859-878.
- Emerson S. R. and Huested S. S. (1991) Ocean anoxia and the concentrations of molybdenum and vanadium in seawater. *Marine Chemistry* **34**, 177-196.
- Emiliani C. (1955) Pleistocene temperatures. *The Journal of Geology* **63**(6), 539-578.
- Fontugne M., Arnold M., Labeyrie L., Paterne M., Calvert S. E., and Duplessy J.-C. (1994) Paleoenvironment, sapropel chronology and Nile River discharge during the last 20.000 years as indicated by deep-sea sediment records in the eastern Mediterranean. In *Late Quaternary Chronology and Paleoclimates of the eastern Mediterranean* (ed. O. Bar-Yosef and R. S. Kra), pp. 75-88.

- Friedman G. M. (1991) Messinian (Miocene) evaporites of the Mediterranean basin: a new approach to an old bandwagon. *Carbonates and Evaporites* **6**(2), 169-176.
- Fritz P. and Smith D. G. W. (1970) The isotopic composition of secondary dolomites. *Geochimica et Cosmochimica Acta* **34**, 1161-1173.
- Fry B., Gest H., and Hayes J. M. (1984) Isotope effects associated with the anaerobic oxidation of sulfide by the purple photosynthetic bacterium, chromatium vinosum. *FEMS Microbiology Letters* **22**, 283-287.
- Fry B., Ruff W., Gest H., and Hayes J. M. (1988) Sulfur isotope effects associated with oxidation of sulfide by O<sub>2</sub> in aqueous solution. *Chemical Geology* **73**, 205-210.
- Fusi N., De Larderel G. A., Borello A., Amelio O., Castradori D., Negri A., Rimoldi B., Sanvoisin R., Tarbini P., and Cita M. B. (1996) Marine geology of the Medriff Corridor, Mediterranean Ridge. *The Island Arc* **5**, 420-439.
- Fusi N. and Kenyon N. H. (1996) Distribution of mud diapirism and other geological structures from long-range side scan sonar (GLORIA) data, in the Eastern Mediterranean Sea. *Marine Geology* **132**, 21-38.
- Garcia Del Cura M. A., Calvo J. P., Ordonez S., Jones B. F., and Canaveras J. C. (2001) Petrographic and geochemical evidence for the formation of primary, bacterially induced lacustrine dolomite: La Rhoda 'white earth' (Pliocene, central Spain). *Sedimentology* **48**, 897-915.
- Genthon P. and Souriau M. (1987) New constraints on Aegean subduction from Seasat altimetry. *Journal of Geophysical Research* **92**, 619-632.
- Gill R. C. O. (1993) *Chemische Grundlagen der Geowissenschaften*. Enke, Stuttgart, 294 pp.
- Goldhaber M. B. and Kaplan I. R. (1974) The sulfur cycle. In *The Sea*, Vol. 5 (ed. E. D. Goldberg), pp. 569-655. Wiley.
- Grasshoff K., Ehrhard M., and Kremling K. (1983) *Methods of Seawater Analysis*. Verlag Chemie, Weinheim, 419 pp.
- Halbach P., Kuhn T., Hübner A., and Brandt J. (1998) Entwicklung, Bau und Tiefseetest der Hydro-Bottom-Station (HBS) zur Beprobung und Untersuchung der bodennahen Vermischungszone von marinen Fluidaustritten. Technischer Report, Freie Universität Berlin, Fachrichtung Rohstoff- und Umweltgeologie, 81 pp.
- Halbach P., Kuhn T., Sommer-von Jarmerstedt C., Hübner A., Gocke K., Süling J., Hoffmann H., and Klingbeil M. (1997) Wissenschaftlich-technische Tiefsee-Erprobung der Hydro-Bottom-Station (HBS) mit FS Le Suroit im Mittelmeer. Technischer Report, Freie Universität Berlin, Fachrichtung Rohstoff- und Umweltgeologie, 50 pp.
- Halbach P. and Puteanus D. (1988) Geochemical trends of different genetic types of nodules and crusts. In *The manganese nodule belt of the Pacific ocean* (ed. P. Halbach, G. Friedrich, and U. Von Stackelberg), pp. 61-69. Enke.
- Hem J. D., Lind C. J., and Roberson C. E. (1989) Coprecipitation and redox reactions of manganese oxides with copper and nickel. *Geochimica et Cosmochimica Acta* **53**, 2811-2822.
- Henneke E., Luther III G. W., De Lange G. J., and Hoefs J. (1997) Sulfur speciation in anoxic hypersaline sediments form the eastern Mediterranean Sea. *Geochimica et Cosmochimica Acta* **61**(2), 307-321.
- Higgs N. C., Thomson J., Wilson T. R. S., and Croudace I. W. (1994) Modification and complete removal of eastern Mediterranean sapropels by postdepositional oxidation. *Geology* **22**, 423-426.
- Hilgen F. J. (1991) Astronomical calibration of Gauss to Matuyama sapropels in the Mediterranean and implication for the geomagnetic polarity timescale. *Earth and Planetary Science Letters* **104**, 226-244.
- Hoefs J. (1997) *Stable Isotope Geochemistry*. Springer, Berlin, 201 pp.
- Hsü K. J. and Cita M. B. (1973) The origin of the Mediterranean evaporites. In *Init. Repts. DSDP*, Vol. 13 (ed. W. B. F. Ryan and K. J. Hsü), 1203-1231. US Government Printing Office.
- Hsü K. J., Montadert, C. et al. (1978) *Init. Repts. DSDP*, Vol. 42/1. US Government Printing Office.
- Huckriede H. and Meischner D. (1996) Origin and environment of manganese-rich sediments within black-shale basins. *Geochimica et Cosmochimica Acta* **60**(1399-1413).
- Huerta-Diaz M. A. and Morse J. W. (1992) The pyritization of trace metals in anoxic marine sediments. *Geochimica et Cosmochimica Acta* **56**, 2681-2702.
- Jasmund K. and Lagaly G. (1993) Tone und Tonminerale, pp. 490. Steinkopff.
- Jørgensen B. B. (1977) Bacterial sulphate reduction within reduced microenvironments of oxidised marine sediments. *Marine Biology* **41**, 7-17.
- Jørgensen B. B. (1990) A thiosulfate shunt in the sulfur cycle of marine sediments. *Science* **249**, 152-154.
- Jung M., Ilmberger J., Mangini A., and Emeis K.-C. (1997) Why some Mediterranean sapropels survived burd-down (and others did not). *Marine Geology* **141**, 51-60.
- Kaplan I. R. and Rittenberg S. C. (1964) Microbiological fractionation of sulfur isotopes. *The Journal of General Microbiology* **34**, 195-212.
- Karisiddaiah S. M. (2000) Diverse methane concentrations in anoxic brines and underlying sediments, eastern Mediterranean Sea. *Deep-Sea Research* **47**, 1999-2008.
- Kidd R. B., Cita M. B., and Ryan W. B. F. (1978) Stratigraphy of eastern Mediterranean sapropel sequences recovered during DSDP Leg 42A and their paleoenvironmental significance. In *Init. Repts. DSDP*, Vol. 42A (ed. K. J. Hsü and L. Montadert), pp. 421-443.
- Koschinsky A. (1994) Geochemische Krustenprofile und sequentielle Laugungsversuche an Manganerzkrusten aus dem Zentralpazifik zur Klärung von Genese und Elementassoziation. Dissertation, *Berliner Geowissenschaftliche Abhandlungen*, **A158**, FU Berlin, 192 pp.
- Koschinsky A. and Halbach P. (1995) Sequencial leaching of marine ferromanganese precipitates: Genetic implications. *Geochimica et Cosmochimica Acta* **59**, 5113-5132.

- Kretz R. (1982) A model for the distribution of trace elements between calcite and dolomite. *Geochimica et Cosmochimica Acta* **46**, 1979-1981.
- Krumgalz B. (1980) Salt effect on the pH of hypersaline solutions. In *Hypersaline Brines and Evaporitic Environments* (ed. A. Nissenbaum), pp. 73-83. Elsevier.
- Lallemand S., Truffert C., Jolivet N., Henry P., Chamot-Rooke N., and De Voogd B. (1994) Spatial transition from compression to extension in the Western Mediterranean Ridge accretionary complex. *Tectonophysics* **234**, 33-52.
- Last L. S. (1990) Lacustrine dolomite - an overview of modern, Holocene, and Pleistocene occurrences. *Earth Science Reviews* **27**, 221-263.
- Le Meur D., Lallemand S. J., Chamot-Rooke N., Nouze P. G. H., and Foucher J. P. (1997) The Mediterranean Ridge cleft basin: a consequence of the Africa/Aegean collision and the lateral escape of the accretionary prism? *Marine Geology*.
- Le Pichon X., Henry P., and Lallemand S. (1993) Accretion and erosion in subduction zones: The role of fluids. *Annual Review of Earth and Planetary Science* **21**, 307-331.
- Lippmann F. (1973) *Sedimentary Carbonate Minerals*. Springer, Berlin, 228 pp.
- Lourens L. J., Antonarakou A., Hilgen F. J., Van Hoof A. A. M., Vergnaud-Grazzini C., and Zachariasse W. J. (1996) Evaluation of the Plio-Pleistocene astronomical timescale. *Paleoceanography* **11**(4), 391-413.
- Lumsden D. N. (1979) Discrepancy between thin-section and X-ray estimates of dolomite in limestone. *Journal of Sedimentary Petrology* **49**(2), 429-436.
- Lumsden D. N. (1988) Characteristics of deep-marine dolomite. *Journal of Sedimentary Petrology* **58**(6), 1023-1031.
- Luther III G. W., Catalano G., De Lange G. J., and Woittiez J. R. W. (1990) Reduced sulfur in the hypersaline anoxic basins of the Mediterranean Sea. *Marine Chemistry* **31**, 137-152.
- Lyons T. W. (1997) Sulfur isotopic trends and pathways of iron sulfide formation in upper Holocene sediments of the anoxic Black Sea. *Geochimica et Cosmochimica Acta* **61**(16), 3367-3382.
- Mangini A., Eisenhauer A., and Walter P. (1991) A spike of CO<sub>2</sub> in the atmosphere at glacial-interglacial boundaries induced by rapid deposition of manganese in the ocean. *Tellus* **43B**, 97-105.
- Martin J. H., Knauer G. A., Karl D. M., and Broenkow W. W. (1987) VERTEX: carbon cycling in the northeast Pacific. *Deep-Sea Research* **34**, 267-285.
- Martinez-Ruiz F., Kastner M., Paytan A., Ortega-Huertas M., and Bernasconi S. M. (2000) Geochemical evidence for enhanced productivity during S1 sapropel deposition in the Eastern Mediterranean. *Paleoceanography* **15**(2), 200-209.
- Martinson D. G., Pisias N. G., Hays J. D., Imbrie J., Moore T. C., and Shackleton N. J. (1987) Age dating and the orbital theory of the Ice Ages: Development of a high-resolution 0 - 300.000-year chronostratigraphy. *Quaternary Research* **27**, 1-29.
- Matthews A. and Katz A. (1977) Oxygen isotope fractionation during dolomitization of calcium carbonate. *Geochimica et Cosmochimica Acta* **41**, 1431-1438.
- McKenzie J. A. (1991) The dolomite problem: An outstanding controversy. In *Controversies in Modern Geology* (ed. D. W. Müller, J. A. McKenzie, and H. Weissert), pp. 35-54. Academic Press.
- McMurtry G. M., Veeh H. H., and Moser C. (1981) Sediment accumulation rate patterns on the northwest Nazca plate. *Geological Society of America Memoir*, 211-249.
- MEDRIFT C. (1995) Three brine lakes discovered in the seafloor of the Eastern Mediterranean. *EOS* **76**(33), 313.
- Mercone D., Thomson J., Abu-Zied R. H., Croudace I. W., and Rohling E. J. (2001) High-resolution geochemical and micropalaeontological profiling of the most recent eastern Mediterranean sapropel. *Marine Geology* **177**, 25-44.
- Mercone D., Thomson J., Croudace I. W., Siani G., Paterne M., and Troelstra S. (2000) Duration of S-1, the most recent sapropel in the eastern Mediterranean Sea, as indicated by accelerator mass spectrometry radiocarbon and geochemical evidence. *Paleoceanography* **15**(3), 336-347.
- Milankovich M. (1930) Mathematische Klimalehre und astronomische Theorie der Klimaschwankungen. In *Handbuch der Klimatologie I (A)* (ed. W. Koppen and R. Geiger), pp. 176. Borntraeger.
- Milliman J. D. and Müller J. (1973) Precipitation and lithification of magnesian calcite in the deep-sea sediments of the eastern Mediterranean Sea. *Sedimentology* **20**, 29-45.
- Morrow D. W. (1982) Dolomites - Chemistry and precipitation. *Geoscience Canada* **9**(1), 5-13.
- Morse J. W. and Luther III G. W. (1999) Chemical influences on trace metal-sulfide interactions in anoxic sediments. *Geochimica et Cosmochimica Acta* **63**, 3373-3378.
- Morse J. W. and Mackenzie F. T. (1990) *Geochemistry of sedimentary carbonates*. Elsevier, Amsterdam, 707 pp.
- Murat A. and Got H. (1987) Middle and Late Quaternary depositional sequences and cycles in the eastern Mediterranean. *Sedimentology* **34**, 885-899.
- Murray J. W. and Dillard J. G. (1979) The oxidation of cobalt(II) adsorbed on manganese dioxide. *Geochimica et Cosmochimica Acta* **43**, 781-787.
- Nadeau M.-J., Schleicher M., Grootes P. M., Erlenkeuser H., Gottdang G., Mous D. J. W., Sarntheim M., and Willkomm H. (1997) The Leibniz-Labor AMS facility at the Christian-Albrechts-University, Kiel, Germany. *Nuclear instruments and methods in physics research, B* **123**, 22-30.
- Neev, D. and Emery, K. O. (1967) The Dead Sea. Depositional processes and environments of evaporites. Geological Survey of Israel Bulletin, **41**, 147 pp.

- Negri A., Capotondi L., and Keller J. (1999) Calcareous nannofossils, planctonic foraminifera and oxygen isotopes in the Late Quaternary sapropels of the Ionian Sea. *Marine Geology* **157**, 89-103.
- Nijenhuis I. A., Bosch H.-J., Sinninghe Damsté J. S., Brumsack H.-J., and De Lange G. J. (1999) Organic matter and trace element rich sapropels and black shales: a geochemical comparison. *Earth and Planetary Science Letters* **169**, 277-290.
- Nijenhuis I. A., Brumsack H.-J., and De Lange G. J. (1998) The trace element budget of the eastern Mediterranean during Pliocene sapropel formation. In *Proc. ODP, Sci. Results*, Vol. 160 (ed. A. H. F. Robertson, K.-C. Emeis, C. Richter, and A. Camerlenghi), pp. 199-206. College Station, TX (Ocean Drilling Program).
- Nijenhuis I. A., Schenau S. J., Van der Weijden C. H., Hilgen F. J., Lourens L. J., and Zachariasse W. J. (1996) On the origin of upper Miocene sapropelites: a case study from the Faneromeni section, Crete (Greece). *Paleoceanography* **11**, 633-645.
- Passier H. F., Middelburg J. J., De Lange G. J., and Böttcher M. E. (1997) Pyrite contents, microtextures, and sulphur isotopes in relation to formation of the youngest eastern Mediterranean sapropel. *Geology* **25**, 519-522.
- Passier H. F., Middelburg J. J., Van Os B. J. H., and De Lange G. J. (1996) Diagenetic pyritisation under eastern Mediterranean sapropels caused by downward sulphide diffusion. *Geochimica et Cosmochimica Acta* **60**, 751-763.
- Paytan A., Kastner M., and Chavez F. (1996) Glacial to interglacial fluctuations in productivity in the Equatorial Pacific as indicated by marine barite. *Science* **274**, 1355-1357.
- Pees M. (1998) Geochemische Charakterisierung von Sedimenten aus dem anoxischen und hypersalinen Urania Becken, östliches Mittelmeer. Diplomarbeit, Christian-Albrechts-Universität.
- Petschick R. (2002) MacDiff 4. <http://servermac.geologie.uni-frankfurt.de/MacDiff.html>.
- Pettine M., Millero F. J., and Passino R. (1994) Reduction of chromium (VI) with hydrogen sulfide in NaCl media. *Marine Chemistry* **46**, 335-344.
- Pflaum, R. Brooks, J., Cox, H., Kennicutt, M. and Sheu, D.-D. 1985 Molecular and isotopic analysis of core gases and gas hydrates In: *Init. Repts. DSDP*, Vol. 96 (ed. Bouma, A., Coleman, J., Meyer, A. et al.), 781-784. US Government Printing Office.
- Piper D. Z. (1994) Seawater as the source of minor elements in black shales, phosphorites and other sedimentary rocks. *Chemical Geology* **114**, 95-114.
- Prell W. L., Imbrie J., Martinson D. G., Morley J. J., Pisias N. G., Shackleton N. J., and Streeter H. F. (1986) Graphic correlation of oxygen isotope stratigraphy application to the Late Quaternary. *Paleoceanography* **1**(2), 137-162.
- Price F. T. and Shieh Y. N. (1979) Fractionation of sulfur isotopes during laboratory synthesis of pyrite at low temperatures. *Chemical Geology* **27**, 245-253.
- Pruysers P. A., De Lange G. J., and Middelburg J. J. (1991) Geochemistry of eastern Mediterranean sediments: Primary sediment composition and diagenetic alterations. *Marine Geology* **100**, 137-154.
- Pruysers P. A., De Lange G. J., Middelburg J. J., and Hydes D. J. (1993) The diagenetic formation of metal-rich layers in sapropel containing sediments in the eastern Mediterranean. *Geochimica et Cosmochimica Acta* **57**, 527-536.
- Purser B. H., Tucker M. E., and Zenger D. H. (1994) Dolomites. A volume in honour of Dolomieu, International Association of Sedimentologists, Vol. 21, Blackwell Scientific Publications, Oxford, 451 pp.
- Pyzik A. J. and Sommer S. E. (1981) Sedimentary iron monosulfides: kinetics and mechanism of formation. *Geochimica et Cosmochimica Acta* **45**, 687-698.
- Raiswell R., Canfield D. E., and Berner R. A. (1994) A comparison of iron extraction methods for the determination of degree of pyritisation and the recognition of iron-limited pyrite formation. *Chemical Geology* **111**, 101-110.
- Rickard, D. T. 1997 Kinetics of pyrite formation by the H<sub>2</sub>S oxidation of iron(II) monosulfide in aqueous solutions between 25°C and 125°C: the rate equation *Geochimica et Cosmochimica Acta* **61**, 115-134
- Rio D., Raffi I., and Villa G. (1990) Pliocene-Pleistocene calcareous nannofossil distribution patterns in the western Mediterranean. In *Proc. ODP, Sci. Res.*, Vol. 107 (ed. K. Kastens, Maske, J., et al.), pp. 513-530. College Station, TX (Ocean Drilling Program).
- Robertson, A. H. F., Emeis, K.-C., Richter, C. and Camerlenghi, A. (Eds.) 1998 *Proc. ODP, Sci. Results*, **160**, College Station, TX (Ocean Drilling Program).
- Rohling E. J. (1997) Review and new aspects concerning the formation of eastern Mediterranean sapropels. *Marine Geology* **122**, 1-28
- Rohling E. J., Jorissen F. J., and De Stigter H. C. (1997) 200 year interruption of Holocene sapropel formation in the Adriatic Sea. *Journal of Micropaleontology* **16**, 97-108.
- Romero O. E., Lange C. B., Fischer G., Treppke U. F., and Wefer G. (1999) Variability in export production documented by downward fluxes and species composition of marine planktic diatoms: Observations from the tropical and equatorial Atlantic. In *Use of proxies in paleoceanography: Example from the south Atlantic* (ed. G. Fischer and G. Wefer), pp. 365-392. Springer.
- Rossignol-Strick M. (1983) African monsoons, an immediate climate response to orbital insolation. *Nature* **304**, 46-49.
- Rossignol-Strick M. (1985) Mediterranean Quaternary sapropels, an immediate response of the African Monsoon to variation in insolation. *Palaeogeography, Palaeoclimatology, Palaeoecology* **49**, 237-263.

- Sakamoto T., Janecek T., and Emeis K.-C. (1998) Continuous sedimentary sequences from the eastern Mediterranean Sea: Composite depth sections. In *Proc. ODP, Sci. Res.*, Vol. 160 (ed. A. H. F. Robertson, K.-C. Emeis, C. Richter, and A. Camerlenghi), pp. 37-60. College Station, TX (Ocean Drilling Program).
- Sass A. M., Sass H., Coolen M. J. L., Cypionka H., and Overmann J. (2001) Microbial communities in the chemocline of a hypersaline deep-sea basin (Urania basin, Mediterranean Sea). *Applied and Environmental Microbiology* **67**, 5392-5402.
- Sass E. and Ben-Yaakov S. (1977) The carbonate system in hypersaline solutions: Dead Sea brines. *Marine Chemistry* **5**, 183-199.
- Schenau S. J., Antonarakou A., Hilgen F. J., Lourens L. J., Nijenhuis I. A., Van der Weijden C. H., and Zachariasse W. J. (1999) Organic-rich layers in the Metochia section (Gavdos, Greece): evidence for a single mechanism for sapropel formation during the last 10 My. *Marine Geology* **153**, 117-135.
- Schneider R. R., Schulz H. D., and Hensen C. (2000) Marine Carbonates: Their Formation and Destruction. In *Marine Geochemistry* (ed. H. D. Schulz and M. Zabel), pp. 283-308. Springer.
- Shokes R. F., Trabant P. K., and Presley B. J. (1977) Anoxic, hypersaline basin in the northern Gulf of Mexico. *Science* **196**, 1443-1446.
- Sofer Z. and Gat J. R. (1975) The isotope composition of evaporating brines: effect of the isotopic activity ratio in saline solutions. *Earth and Planetary Science Letters* **26**, 179-186.
- Sonnenfeld P. (1984) *Brines and evaporites*. Academic Press, Orlando, 613 pp.
- Stanley, D. J. and Wezel, F. C. (1985) *Geological evolution of the Mediterranean Basin*. Springer, Berlin, 589 pp.
- Stenni B. and Longinelli A. (1990) Stable isotope study of water, gypsum and carbonate samples from the Bannock and Tyro Basins, eastern Mediterranean. *Marine Geology* **31**, 123-135.
- Stuiver M. and Polach H. A. (1977) Discussion: Reporting of  $^{14}\text{C}$  data. *Radiocarbon* **19**, 355-363.
- Suess E., Bohrmann G., Von Huene R., Linke P., Wallmann K., Lammers S., Sahling H., Winckler G., Lutz R. A., and Orange D. (1998) Fluid venting in the eastern Aleutian subduction zone. *Journal of Geophysical Research* **103 (B2)**, 2597-2614.
- Ten Haven H. L., De Leeuw J. W., Schenk P. A., and Klaver G. T. (1987) Geochemistry of Mediterranean sediments. Bromine/organic carbon and uranium/organic carbon ratios as indicators for different source of input and post-depositional oxidation, respectively. *Organic Geochemistry* **13**, 255-261.
- Ten Haven L. H., De Lange G. J., and Klaver G. T. (1985) The chemical composition and origin of the Tyro Brine, eastern Mediterranean, a tentative model. *Marine Geology* **64**, 337-342.
- Thomson J., Higgs N. C., Croudace I. W., Colley S., and Hydes D. J. (1993) Redox zonation of elements at an oxic/post-oxic boundary in deep-sea sediments. *Geochimica et Cosmochimica Acta* **57**, 579-595.
- Thomson J., Higgs N. C., Wilson T. R. S., Croudace I. W., De Lange G. J., and Van Santvoort P. J. M. (1995) Redistribution and geochemical behaviour of redox-sensitive elements around S1, the most recent eastern Mediterranean sapropel. *Geochimica et Cosmochimica Acta* **59**(17), 3487-3501.
- Thomson J., Mercone D., De Lange G. J., and Van Santvoort P. J. M. (1999) Review of recent advances in the interpretation of eastern Mediterranean sapropel S1 from geochemical evidence. *Marine Geology* **153**, 77-89.
- Tucker M. E. (1988) *Techniques in Sedimentology*. Blackwell Scientific Publications, Oxford, 394 pp.
- Tucker M. E. and Wright V. P. (1990) *Carbonate Sedimentology*. Blackwell Scientific Publications, Oxford, 482 pp.
- Usdowski E. (1973) Das geochemische Verhalten des Strontiums bei der Diagenese von Ca-Karbonat- und Ca-Sulfat Mineralen. *Contributions to Mineralogy and Petrology* **38**, 177-195.
- Valentine D. L. and Reeburgh W. S. 2000 New perspectives on anaerobic methane oxidation. *Environmental Microbiology* **2**(5), 477-484
- Van Damm K. L., Edmond J. M., Measures C. I., and Grant B. (1985) Chemistry of submarine hydrothermal solutions at Guaymas Basin, Gulf of California. *Geochimica et Cosmochimica Acta* **49**, 2221-2237.
- Van Os B. J. H., Lourens L. J., Hilgen F. J., and De Lange G. J. (1994) The formation of Pliocene sapropels and carbonate cycles in the Mediterranean: Diagenesis, dilution, and productivity. *Paleoceanography* **9**(4), 601-617.
- Van Os B. J. H., Middelburg J. J., and De Lange G. J. (1991) Possible diagenetic mobilisation of barium in sapropelic sediment from the eastern Mediterranean. *Marine Geology* **100**, 125-136.
- Van Santvoort P. J. M., De Lange G. J., Langereis C. G., Dekkers M. J., and Paterne M. (1997) Geochemical and paleomagnetic evidence for the occurrence of "missing" sapropels in eastern Mediterranean sediments. *Paleoceanography* **12**(6), 773-786.
- Van Santvoort P. J. M., De Lange G. J., Thomson J., Cussen H., Wilson T. R. S., Krom M. D., and Ströhle K. (1996) Active post-depositional oxidation of the most recent sapropel (S1) in sediments of the eastern Mediterranean Sea. *Geochimica et Cosmochimica Acta* **60**, 4007-4024.
- Varnavas S. P. (1989) Submarine hydrothermal metallogenesis associated with the collision of two plates: The Southern Aegean Sea region. *Geochimica et Cosmochimica Acta* **53**, 1-15.
- Varnavas S. P., Papaioannou J., and Catani J. (1988) A hydrothermal manganese deposit from the Eratosthenes seamount, eastern Mediterranean Sea. *Marine Geology* **81**, 205-214.
- Vasconcelos C. and McKenzie J. A. (1997) Microbial mediation of modern dolomite precipitation and diagenesis under anoxic conditions (Lagoa Vermelha, Rio de Janeiro, Brazil). *Journal of Sedimentary Research* **67**, 378-390.

- Vengosh A., De Lange G. J., and Starinsky A. (1998) Boron isotope and geochemical evidence for the origin of Urania and Bannock brines at the eastern Mediterranean: Effect of water-rock interaction. *Geochimica et Cosmochimica Acta* **62**, 3221-3228.
- Vengosh A. and Starinsky A. (1993) Relics of evaporated sea water in deep basins of the eastern Mediterranean. *Marine Geology* **115**, 15-19.
- Venkataraman K., Biscaye P. E., and Ryan W. B. F. (1972) Origin and dispersal of Holocene sediments in the Eastern Mediterranean Sea. In *The Mediterranean Sea: a natural sedimentation laboratory* (ed. D. J. Stanley), pp. 455-469. Dowden, Hutchinson & Rows.
- Venkataraman K. and Ryan W. B. F. (1971) Dispersal patterns of clay minerals in the sediments of the eastern Mediterranean Sea. *Marine Geology* **11**, 261-282.
- Vergnaud-Grazzini C., Ryan W. B. F., and Cita M. B. (1977) Stable isotope fractionation, climate change and episodic stagnation in the eastern Mediterranean during the late Quaternary. *Marine Micropaleontology* **2**, 353-370.
- Von Huene R. (1997) Mediterranean Ridge structure: results from IMERSE. *EOS* **78**, 157.
- Wallmann K., Suess, E. Westbrook, G. H., Winckler, G., Cita, M.B. and the MEDRIFT Consortium 1997 Salty brines on the Mediterranean sea floor. *Nature* **387**, 31-32
- Wanty R. B. and Goldhaber M. B. (1992) Thermodynamics and kinetics of reactions involving vanadium in natural systems: Accumulation of vanadium in sedimentary rocks. *Geochimica et Cosmochimica Acta* **56**, 1471-1483.
- Warning B. and Brumsack H.-J. (2000) Trace metal signatures of eastern Mediterranean sapropels. *Palaeogeography, Palaeoclimatology, Palaeoecology* **158**, 293-309.
- Warthmann R., Van Lith Y., Vasconcelos C., McKenzie J. A., and Karpoff A. M. (2000) Bacterially induced dolomite precipitation in anoxic culture experiments. *Geology* **28**(12), 1091-1094.
- Wehausen R. and Brumsack H. J. (1998) The formation of Pliocene Mediterranean sapropels: constraints from high-resolution major and minor element studies. In *Proc. ODP, Sci. Res.*, Vol. 160 (ed. A. H. F. Robertson, K.-C. Emeis, C. Richter, and A. Camerlenghi), pp. 207-218. College Station, TX (Ocean Drilling Program).
- Wehausen R., Schnetger B., Brumsack H.-J., and De Lange G. J. (1999) Determination of major and minor ions in brines by X-ray fluorescence spectrometry: Comparison with other common analytical methods. *X-ray spectrometry* **28**, 168-172.
- Weldeab S., Emeis K.-C., Hemleben C., Schmiedl G., and Schulz H. (2002) Spatial productivity variations during formation of sapropel S5 and S6 in the Mediterranean Sea: Evidence from Ba concentration. *Palaeogeography, Palaeoclimatology, Palaeoecology* **in press**.
- Welling A., Pisias N. G., and Roelfs A. K. (1992) Radiolarian microfauna in the northern California Current System: indicators of multiple processes controlling productivity. In *Upwelling systems: evolution since the Miocene*, Vol. 64 (ed. C. P. Summerhayes, W. P. Prell, and K.-C. Emeis), pp. 177-195. Geological Society Special Publication.
- Wilkin R. T. and Barnes H. L. (1997) Formation processes of framboidal pyrite. *Geochimica et Cosmochimica Acta* **61**(2), 323-339.
- Williams D. F., Lerche I., and Full W. E. (1988) *Isotope Chronostratigraphy: Theory and Methods*. Academic Press, San Diego, 345 pp.
- Wilson T. R. S., Thomson J., Colley S., Hydes D. J., Culkin F., and Sorensen J. (1986) Oxidation fronts in pelagic sediments: diagenetic formation of metal-rich layers. *Science* **232**, 972-975.
- Wilson T. R. S., Thomson J., Colley S., Hydes D. J., Higgs N. C., and Sorensen J. (1985) Early organic diagenesis: the significance of progressive subsurface oxidation fronts in pelagic sediments. *Geochimica et Cosmochimica Acta* **49**, 811-822.
- Winckler G., Suess E., Wallmann K., De Lange G. J., Westbrook G. K., and Bayer R. (1997) Excess helium and argon of radiogenic origin in Mediterranean brine basins. *Earth and Planetary Science Letters* **151**, 225-231.
- Zheng Y.-F. (1999) Oxygen isotope fractionation in carbonate and sulfate minerals. *Geochemical Journal* **33**, 109-126.
- Ziebis W., Böttcher M. E., and Weber A. (1998) Biogeochemistry of the sulfur cycle in the hypersaline anoxic Urania Basin, Mediterranean. *Extreme Marine Environments. Workshop, Kiel, Germany*.
- Ziebis W., Böttcher M. E., Weber A., Miquel J.-C., Sievert S., and Linke P. (2000) Bacterial sulfate reduction and sulfur isotope discrimination in the hypersaline and hypersulfidic water column of the Urania Basin (Mediterranean Sea). *Goldschmidt 2000, Conference, Cambridge Publications* **5**(2), Oxford, GB, 1134.