

6. Literaturverzeichnis

1. Bonkowsky V., Wollenberg B., Siefert A. Zimmermann F. Malignome des Kehlkopfes MANUAL Kopf-Hals-Malignome Tumorzentrum München und W. Zuckerschwerdt Verlag München 2003;163
2. Gussenbauer C. Über die erste von Th. Billroth am Menschen ausgeführte Kehlkopfexstirpation und die Anwendung eines künstlichen Kehlkopfes Arch. Klin. Chir. 1874; 17: 343- 356
3. Gussenbauer C. Zur Casuistik der Kehlkopf-Exstirpation. Prager med. Wschr. 1883; 8: 297-299
4. Cermak J. Über die Sprache bei luftdichter Verschließung des Kehlkopfes Wien. Akad. Wissensch. 1859;35: 65-72
5. Cerny V. Versuche über Kehlkopfexstirpation Wien. Med. Wschr. 1870; 20: 591-592
6. Greene JS. Rehabilitating the laryngectomized patients. Bull Am Cancer Soc 1942; 24:5
7. Wendler J, Seidner W. Lehrbuch der Phoniatrie. Georg-Thieme-Verlag Leipzig. 1977; 245
8. Hagen R. Operative Verfahren zur Wiederherstellung des Sprechvermögens nach totaler Laryngektomie. Sprache Stimme Gehör 1997;21:7-12

9. Asai R. Asai's new voice production method, substitution for human speech.
Intern Congr of ORL 8 Tokio (1965), Proceedings.
10. Amatsu M. A one stage surgical technique for postlaryngectomy voice rehabilitation . Laryngoscope 1980; 90:1378- 1386
11. Staffieri M, Serafini, La riabilitazione chirurgica della voce respirazione dopo laringectomia. Atti del XXIX congresso nazionale A.O.O.I. Bologna 1976; 1-222
12. Mozolewski E, Surgical rehabilitation of voice and speech after laryngectomy (in Polish). Otolaryngol Pol 1972; 26: 653- 661
13. Kischk BT, Gross M. Vergleichende Beurteilung der Ersatzstimme nach Laryngektomie. HNO 1995; 43: 304- 310
14. Panje WR. Prosthetic voice rehabilitation following laryngectomy:the voice button. Ann Otol Rhinol Laryngol 1981;90:116-120
15. Annayas AA., Nijdam HF, Escajadillo JR, Mahieu HF, Leever H. Groningen prothesis for voice rehabilitation after laryngectomy.Clin. Otolaryngol.1984; 9:51-54
16. Singer MI, Blohm ED, Pharyngeal plexus neurectomy for alaryngeal speech rehabilitation. Laryngoscope 1986;96: 50-53
17. Gross M, Hess M, A new method for tracheoesophageal puncture under topical anesthesia. Laryngoscope 1994; 104: 233- 234
18. Hilgers FJ, Schouwenburg PF. A new low resistance, self-retraining prothesis (Provox) for voice rehabilitation after total laryngectomy. Laryngoscope 1990; 100:1202-1207

19. Hilgers FJ, Ackerstaff AH, Balm AJ. Development and clinical evaluation of a second-generation voice prosthesis (Provox 2), designed for anterograde and retrograde insertion. *Acta Otolaryngol* 1997; 117:57-68
20. Ackerstaff AH, Hilgers FJ, Meeuwis CA, van der Velden LA, van der Hoogen FJ, Manni JJ. Multi-institutional assessment of the Provox 2 voice prosthesis. *Arch Otolaryngol* 1998; 255: 410-413
21. Hilgers FM, Ackerstaff AH, Balm AJ, Van den Brekel MW, Persson JO, A new Problem-solving Indwelling Vioce prosthesis, Eliminating the Need for Frequent Candida- and Underpressure- related Replacement: Provox ActiValve. *Acta otolaryngol* 2003; 123: 972- 979
22. Van den Hoogen FJ, Oudes MJ, Hombergen G, Nijdam HF, Manni JJ. The Gronningen, Nijdam and Provox voice prostheses: a prospective clinical comparsion based on 845 replacements. *Acta Otolaryngol (Stockh)* 1996; 116:119-124
23. Schäfer P, Klützke N, Schwerdtfeger FP, Prothetische Stimmrehabilitation nach Laryngektomie. *Laryngo-Rhino-Otol* 2001; 80 677-681
24. Mehle ME, Lavertu P, Meeker SS, Tucker HM, Wood BG, Complications of secondary tracheoesophageal puncture: the Cleveland Clinic Foundation experience, *Otolaryngol Head Neck Surg*1992;Febr 106(2):189-92
25. Elving GJ, Van Weissenbruch R, Busscher HJ, Van der Mei HC, Albers FW. The influence of radiotherapy on the lifetime of silicone rubber voice prostheses in laryngectomized patients. *Laryngoscope* 2002; 112: 1680-1683
26. De Carpentier JP, Ryder WD, Saeed SR, Woolford TJ. Survival times of Provox valves. *J Laryngol Otol* 1996; 110: 37-42

27. Busscher HJ, Bruinsma G, van Weissenbruch R, Leunisse C, van der Mei HC, Dijk F, Albers FW. The Effect of Buttermilk consumption on biofilm formation on silicone rubber voice prostheses in an artificial throat. Eur Arch Otolaryngol 1998; 255:410-413
28. Op de Coul BMR, Hilgers FJ, Balm AJ, van den Hoogen FJ, van Tinteren H. A decade of postlaryngectomy vocal rehabilitation in 318 patients: a single institution's experience with consistent application of indwelling voice prostheses (Provox). Arch Otolaryngol Head Neck Surg 2000; 126: 1320- 1328
29. Free RH, Van der Mei HC, Elving GJ, Van Weissenbruch R, Albers FW, Busscher HJ. Influence of the Provox Flush, blowing and imitated coughing on voice prosthetic biofilm in vitro, Acta Otolaryngol 2003;123:547- 551
30. Hilgers FJ, Balm AJ, Gregor RT. Stimmrehabilitation nach Laryngektomie mit der Provox-Stimmprothese. Chirurgische und technische Aspekte. Teil II. HNO 1995; 43: 261- 267
31. Tisch M, Lorenz KJ, Storrle E, Maier H. Quality of life for patients after laryngectomy and surgical voice rehabilitation. Experience with the Provox prosthesis, HNO.2003; 51:467- 72
32. Epidemiologische Daten des Tumorregisters Münchens Tumorzentrum München 2004 Zuckerschwerdt Verlag München 2004;172
33. Koscielny S, Bräuer B. Welches System für den Stimmprothesenwechsel- Provox1 oder Provox2 ? Oto-Rhino-Laryngologia nova 2000;10:227-231
34. Van Weissenbruch R, Boukaert S, Remon J-P, Nelis HJ, Aerts R, Albers FWJ. Chemoprophylaxis of fungal deterioration of the Provox silicone

tracheoesophageal prothesis in postlaryngectomy patients. Ann Otol Rhinol Laryngol.1997;106:329-337

35. Ackerstaff AH, Hilgers FJM, Aaronson NK, Balm AJM. Kommunikation, functional disorders and lifestyle changes after total laryngectomy. Clin Otolaryngol.1994;19:295-300
36. Ackerstaff AH, Hilgers FJ, Balm AJM, Tan IB. Long-term compliance of laryngectomized patients with a spezialized pulmonary rehabilitation device: Provox Stomafilter. Laryngoscope.1998;108:257-260
37. Hilgers FJ, Ackerstaff AH, Balm AJM, Gregor RT. A new heat and moisture exchanger with speech valve (Provox stomafilter). Clin. Otolaryngol. 1996 Oct; 21(5):414-8
38. Wenig BL, Mullooly V, Levy J, Abramson AL. Voice restoration following laryngectomy:the role of primary versus secondary tracheoesophageal puncture. Ann Otol Rhinol Laryngol. 1998;98:70-73
39. Laccourreye O, Menard M, Crevier-Buchmann L, Couloigner V, Brasnu D. In situ lifetime, causes for replacements, and complications of the Provox voice prothesis. Laryngoscope. 1997;107:527-530
40. Delsupehe K, Zink I, Lejaegere M, Delaere P. Prospective randomized comparative study of tracheoesophageal voice prothesis:Blohm-Singer versus Provox. Laryngoscope. 1998;108:1561-1565
41. Van As CJ, Hilgers FJM, Koopmans-van Beinum FJ, Ackerstaff AH. The influence of stoma occlusion on aspects of tracheoesophageal voice. Acta Otolaryngol. 1998;118:732-738

42. Neumann A, Schultz-Coulon HJ. Management of complications after prosthetic voice rehabilitation. *HNO*.2000 Jul ;48(7) :508-16
43. Busscher HJ, van Hoogmoed CG, Geetsema-Dornbusch GI, van der Kuijl-Booij M, van der Mei HC. *Strptococcus Thermophilus* and its biosurfactants inhibit adhesion by *Candida* spp. On silicone rubber. *Appl Environ Microbiol* 1997;63:3810-3817
44. Schuster M, Hoppe U, Kummer P, Eysholdt U, Rosanowski F. Krankheitsbewältigungsstrategien laryngektomierter Patienten. *HNO* 2003;51:337-343
45. Klima A, von Illberg C. Sprachliche Rehabilitation Laryngektomierter nach der Methode von Staffieri. *Laryngo-Rhino-Otol* 1986;65:268-270
46. Ramage G, Vande Walle K, Wickes B, Lopez-Ribot J. Characteristics of biofilm formation by *Candida albicans*. *Rev Iberoam Micol* 2001;18:163-170
47. van den Hoogen FJ, van den Berg RJ, Oudes MJ, Manni JJ. A prospectiv study of speech and voice rehabilitation after total laryngectomy with the low-resistance Groningen, Nijdam and Provox voice Protheses. *Clin Otolaryngol*.1998 Oct;23(5):425-31
48. Lequeux T, Baldreldin A, Saussez S, Thill MP, Oujian L, Chantrain G. A comparison ot survival lifetime of the Provox and Provox 2 voice Prothesis. *J Laryngol Otol*.2003 Nov;17(11):875-8
49. Makitie AA, Niemensivu R, Juvas A, Aaltonen LM, Back L, Lehtonen H. Postlaryngectomy voice restoration using a voice prothesis: a single institution's ten -year experience. *Ann Otol.Rhinol Laryngol*.2003 Dec;112(12):1007-10

50. Van der Mei HC, Free RH, Elving GJ, van Weissenbruch R, Albers FWJ, Busscher HJ. Effect of probiotic bacteria on prevalence of yeasts in oropharyngeal biofilms on silicon rubber voice protheses in vitro. *J Med Microbiol* 2000;49:713-8