

7. Literatur

- Almkvist, O. & Winblad, B. (1999). Early Diagnosis of Alzheimer dementia based on clinical and biological factors. *Eur Arch Psychiatry Clin Neurosci* 249: Suppl.3 III/3-III/9.
- Alzheimer, A. (1907). Über eine eigenartige Erkrankung der Hirnrinde. *Allgemeine Zeitschrift für Psychiatrie* 64:146-148.
- Alzheimer Europe (Hrsg.; 1999). *Handbuch der Betreuung und Pflege von Alzheimer-Patienten*. Deutsche Ausgabe übersetzt und bearbeitet von A. Kurz. Stuttgart, New York: Thieme.
- American Psychiatric Association (APA; 1994). *Diagnostic and statistical manual of mental disorders*. DSM-IV, 4th edn. Washington, DC: American Psychiatric Association.
- Andersen, K., Nielsen, H., Lolk, A., Andersen, J., Becker, I. & Kragh-Sørensen, P. (1999). Incidence of very mild to severe dementia and Alzheimer's disease in Denmark: The Odense Study. *Neurology* 52:85-90.
- Armitage, P., Berry, G. & Matthews, J. N. S. (2002). *Statistical Methods in Medical Research*. 4th Edition. Oxford: Blackwell Science.
- Bachman, D. L., Wolf, P. A., Linn, R. T., Knoefel, J. E., Cobb, J. L., Belanger, A. J., White, L. R. & D'Agostino, R. B. (1993). Incidence of dementia and probable Alzheimer's disease in a general population: The Framingham Study. *Neurology* 43:515-519.
- Bäckman, L., Small, B. J. & Fratiglioni, L. (2001). Stability of the preclinical episodic memory deficit in Alzheimer's disease. *Brain* 124:96-102.
- Baltes, M. M., Freund, A. M. & Horgas, A. L. (1999). Men and women in the Berlin aging study. In Baltes, P. B. & Mayer, K. U. (Hrsg.), *The Berlin aging study* (S. 259-281). New York, NY: Cambridge University Press.
- Baltes, M. M. & Kindermann, T. (1985). Die Bedeutung der Plastizität für die klinische Beurteilung des Leistungsverhaltens im Alter. In D. Bente, H. Coper & S. Kanowski (Hrsg.), *Hirnorganische Psychosyndrome im Alter: Bd. II. Methoden zur Objektivierung pharmakotherapeutischer Wirkungen* (S. 171-184). Berlin: Springer-Verlag.
- Baltes, M. M., Kühl, K.-P., Gutzmann, H. & Sowarka, D. (1995). Potential of cognitive plasticity as a diagnostic instrument: A cross-validation and extension. *Psychology and Aging* 10:167-172.
- Baltes, M. M., Kühl, K.-P. & Sowarka, D. (1992). Testing for limits of cognitive reserve

- capacity: A promising strategy for early diagnosis of dementia? *Journals of Gerontology* 47:P165-P167.
- Baltes, P. B. & Mayer, K. U. (Hrsg.; 1999). *The Berlin aging study*. New York, NY: Cambridge University Press.
- Baltes, P. B., Mayer, K. U., Helmchen, H. & Steinhagen-Thiessen, E. (1999). The Berlin Aging Study (BASE): Sample, design, and overview of measures. In Baltes, P. B. & Mayer, K. U. (Hrsg.), *The Berlin aging study* (S. 15-55). New York, NY: Cambridge University Press.
- Baltes, P. B., Reese, H. W. & Nesselroade, J. R. (1988). *Life-span developmental psychology*. Hillsdale, NJ: Erlbaum.
- Berg, L., Danziger, W. L., Storandt, M., Coben, L. A., Gado, M., Hughes, C. P., Knesevich, J. W. & Botwinick, J. (1984). Predictive features in mild senile dementia of the Alzheimer type. *Neurology* 34:563-569.
- Boeve, B., McCormick, J., Smith, G., Ferman, T., Rummans, T., Carpenter, T., Ivnik, R., Kokmen, E., Tangalos, E., Edland, S., Knopman, D. & Petersen, R. (2003). Mild cognitive impairment in the oldest old. *Neurology* 60:477-80.
- Borenstein, M., Rothstein, H., Cohen, J., Schoenfeld, D., Berlin, J. & SPSS (2000). *Power and Precision™*, Release 2.00, Software Package, Biostat.
- Botwinick, J., Storandt, M. & Berg, L. (1986). A longitudinal, behavioral study of senile dementia of the Alzheimer type. *Arch Neurol* 43:1124-1127.
- Brandt, J., Spencer, M. & Folstein, M. (1988). The telephone interview for cognitive status. *Neuropsychiatry, Neuropsychology, and Behavioral Neurology* 1:111-117.
- Brayne, C. & Calloway, P. (1988). Normal ageing, impaired cognitive function, and senile dementia of the Alzheimer's type: a continuum? *Lancet* 339:1265-1267.
- Burns, A., Jacoby, R. & Levy, R. (1991). Progression of cognitive impairment in Alzheimer's disease. *J Am Geriatr Soc* 39: 39-45.
- Buschke, H. (1973). Selective reminding for analysis of memory and learning. *Journal of Verbal Learning and Verbal Behavior* 12:543-550.
- Buschke, H. (1984). Cued recall in amnesia. *Journal of Clinical Neuropsychology* 6:433-440.
- Chen, P., Ratcliff, G., Belle, S. H., Cauley, J. A., DeKosky, S. T. & Ganguli, M. (2001). Patterns of cognitive decline in presymptomatic Alzheimer's disease – a prospective community study. *Arch Gen Psychiatry* 58:853-58.

- Chodosh, J., Reuben, D. B., Albert, M. S. & Seeman, T. E. (2002). Predicting cognitive impairment in high-functioning community-dwelling older persons: MacArthur studies of successful aging. *J Am Geriatr Soc* 50:1051-60.
- Christensen, H., Korten, A. E., Jorm, A. F., Henderson, A. S., Jacomb, P. A., Rodgers, B. & Mackinnon A. J. (1997). Education and decline in cognitive performance: compensatory but not protective. *International Journal of Geriatric Psychiatry* 12:323-330.
- Dewachter, I. & van Leuven, F. (2002). Secretases as targets for the treatment of Alzheimer's disease: the prospects. *Lancet Neurology* 1:409-416.
- Drachman, D. A., O'Donnell, B. F., Lew, R. A. & Swearer, J. M. (1990). The prognosis in Alzheimer's disease: "How far" rather than "how fast" best predicts the course. *Arch Neurol* 47:851-856.
- Dufouil, C., Clayton, D., Brayne, C., Chi, L. Y., Denning, T. R., Paykel, E. S., O'Connor, D. W., Ahmed, A., McGee, M. A. & Huppert, F. A. (2000). Population norms for the MMSE in the very old – Estimates based on longitudinal data. *Neurology* 55:1609-13.
- Ebly, E. M., Hogan, D. B. & Parhad, I. M. (1995). Cognitive impairment in the nondemented elderly. Results from the Canadian study of health and aging. *Arch Neurol* 52:612-19.
- Folstein, M. F., Folstein, S. E. & McHugh, P.R. (1975). „Mini mental State“: a practical method for grading cognitive states of patients for the clinician. *J Psychiatr Res* 12:189-198.
- Förstl, H. & Einhäupl, K. M. (2002). Diagnose und Differentialdiagnose der Demenzen. In: K. Beyreuther, K. M. Einhäupl, H. Förstl & A. Kurz (Hrsg.), *Demenzen – Grundlagen und Klinik* (S. 43-70). Stuttgart, New York: Thieme.
- Fox, N. C., Warrington, E. K., Seiffer, A. L., Agnew, S. K. & Rossor, M. N. (1998). Presymptomatic cognitive deficits in individuals at risk of familial Alzheimer's disease. A longitudinal prospective study. *Brain* 121:1631-1639.
- Freedman, M., Leach, L., Kaplan, E., Winocur, G., Shulman, K. I. & Delis, D. (1994). *Clock drawing: A neuropsychological analysis*. New York, NY: Oxford University Press.
- Fratiglioni, L., Viitanen, M., von Strauss, E., Tontodonati, V., Herlitz, A. & Winblad, B. (1997). Very old women at highest risk of dementia and Alzheimer's disease: Incidence data from the Kungsholmen Project, Stockholm. *Neurology* 48:132-138.
- Gallo, J. J. & Breitner, J. C. (1995). Alzheimer's disease in the NAS-NRC registry of aging twin veterans, IV. Performance characteristics of a two-stage telephone screening

- procedure for Alzheimer's dementia. *Psychol Med* 25:1211-19.
- Ganguli, M., Dodge, H. H., Chen, P., Belle, S. & DeKosky, S. T. (2000). Ten-year incidence of dementia in a rural elderly US community population. The MoVIES project. *Neurology* 54:1109-1116.
- Gao, S., Hendrie, H. C., Hall, K. S. & Hui, S. (1998). The relationship between age, sex, and the incidence of dementia and Alzheimer's disease. A meta-analysis. *Arch Gen Psychiatry* 55:809-815.
- Grober, E., Buschke, H., Crystal, H., Bang, S. & Dresner, R. (1988). Screening for dementia by memory testing. *Neurology* 38:900-903.
- Grober, E. & Kawas, C. (1997). Learning and retention in preclinical and early Alzheimer's disease. *Psychology and Aging* 12:183-188.
- Grober, E., Lipton, R. B., Hall, C. & Crystal, H. (2000). Memory impairment on free and cued selective reminding predicts dementia. *Neurology* 54:827-832.
- Grober, E., Merling, A., Heimlich, T. & Lipton, R. B. (1997). Free and cued selective reminding and selective reminding in the elderly. *Journal of Clinical and Experimental Neuropsychology* 19:1-12.
- Guggenmoos-Holzmann, I. & Wernecke, K.-D. (1995). *Medizinische Statistik*. Berlin, Wien: Blackwell Wissenschafts-Verlag.
- Hall, C. B., Lipton, R. B., Sliwinski, M. & Stewart, W. F. (2000). A change point model for estimating the onset of cognitive decline in preclinical Alzheimer's disease. *Statistics in Medicine* 19:1555-1566.
- Helmchen, H., Baltes, M. M., Geiselman, B., Kanowski, S., Linden, M., Reischies, F. M., Wagner, M., Wernicke, T. & Wilms, H.-U. (1999). Psychiatric illnesses in old age. In Baltes, P. B. & Mayer, K. U. (Hrsg.), *The Berlin aging study* (S. 167-196). New York, NY: Cambridge University Press.
- Helmchen & Lauter (Hrsg., 1995). *Dürfen Ärzte mit Demenzkranken forschen?* Stuttgart, New York: Thieme.
- Helmchen, H. & Reischies, F. M. (1998). Normales und pathologisches kognitives Altern. *Nervenarzt* 69:369-378.
- Herlitz, A., Hill, R. D., Fratiglioni, L. & Bäckman, L. (1995). Episodic memory and visuospatial ability in detecting and staging dementia in a community-based sample of very old adults. *Journal of Gerontology: Medical Sciences* 50A:M107-M113.
- Herlitz, A., Small, B. J., Fratiglioni, L., Almkvist, O., Viitanen, M. & Bäckman, L. (1997).

- Detection of mild dementia in community surveys (Is it possible to increase the accuracy of our diagnostic instruments?) *Archives of Neurology* 54:319-324.
- Heuser, I. (2003). Prävention der Demenzen: Stand der Dinge. *Dtsch Med Wochenschr* 128:421-422.
- Heyman, A., Wilkinson, W. E., Hurwitz, B. J., Helms, M. J., Haynes, C. S., Utley, C. M. & Gwyther, L. P. (1987). Early-onset Alzheimer`s disease: clinical predictors of institutionalization and death. *Neurology* 37:980-984.
- Hock, C., Konietzko, U., Streffer, J. R., Tracy, J. Signorell, A., Müller-Tillmanns, B., Lemke, U., Henke, K., Moritz, E., Garcia, E., Wollmer, M. A., Umbricht, D., de Quervain, D. J. F., Hofmann, M., Maddalena, A., Papassotiropoulos, A. & Nitsch, R. (2003). Antibodies against β -amyloid slow cognitive decline in Alzheimer`s disease. *Neuron* 38:547-554.
- Hopp, G. A., Dixon, R. A., Grut, M. & Bäckman, L. (1997). Longitudinal and psychometric profiles of two cognitive status tests in very old adults. *J Clin Psychol* 53:673-686.
- Howieson, D. B., Dame, A., Camicioli, R., Sexton, G., Payami, H. & Kaye, J. A. (1997). Cognitive markers preceding Alzheimer`s dementia in the healthy oldest old. *Journal of the American Geriatrics Society* 45:584-589.
- Hy, L., X. & Keller, D., M. (2000). Prevalence of AD among whites. A summary by levels of severity. *Neurology* 55:198-204.
- Ivnik, R. J., Smith, G. E., Lucas, J. A., Tangalos, E. G., Kokmen, E. & Petersen, R. C. (1997). Free and cued selective reminding test: MOANS norms. *J Clin Exp Neuropsychol* 19:676-691.
- Jacobs, D. M., Sano, M., Doonief, G., Marder, K., Bell, K. L. & Stern, Y. (1995). Neuropsychological detection and characterization of preclinical Alzheimer`s disease. *Neurology* 45:957-62.
- Jorm, A. F. & Jolley, D. (1998). The incidence of dementia. A meta-analysis. *Neurology* 51:728-733.
- Kormann, S. (1998). TIND - Telefon-Interview für neuropsychologische Defizite: Das Telefoninterview als Instrument zur kognitiven Diagnostik in epidemiologischen und katamnestischen Untersuchungen. Dissertation an der Freien Universität Berlin.
- Kühl, K.-P. & Baltes, M. M. (1988). Zur testpsychologischen Diagnostik der Demenz: Aspekte traditioneller Vorgehensweisen und der „Testing-the-limits“ Ansatz. *Zeitschrift für Gerontopsychologie und Gerontopsychiatrie* 1:83-93.

- Kurz, A., Diehl, J., Riemenschneider, M., Perneczky, R. & Lautenschlager, N. (2003). Leichte kognitive Störung. Fragen zur Definition, Diagnose, Prognose und Therapie. Nervenarzt; Online publiziert am 13. August 2003.
- Lezak, M. D. (1995). *Neuropsychological Assessment*. 3rd Edition. New York, Oxford: Oxford University Press.
- Lindenberger, U., Gilberg, R., Pötter, U., Little, T. D. & Baltes, P. B. (1996). Stichprobenselektivität und Generalisierbarkeit der Ergebnisse der Berliner Altersstudie. In: K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 85-108). Berlin: Akademie Verlag.
- Lines, C. R., McCarroll, K. A., Lipton, R. B. & Block, G. A.; on behalf of the Prevention of Alzheimer's In Society's Elderly Study Group (2003). Telephone screening for amnesic mild cognitive impairment. *Neurology* 60:261-6.
- Linn, R. T., Wolf, T. A., Bachman, D. L., Knoefel, J. E., Cobb, J. L., Belanger, A. J., Kaplan, E. F. & D'Agostino, R. B. (1995). The 'preclinical phase' of probable Alzheimer's disease. *Archives of Neurology* 52:485-490.
- Lyketsos, C. G., Chen, L. C. & Anthony, J. C. (1999). Cognitive Decline in Adulthood: An 11.5 year follow-up of the Baltimore epidemiologic catchment area study. *Am J Psychiatry* 156: 58-65.
- Mandell, A. M., Knoefel, J. E. & Albert, M. L. (1997). Mental status examination in the elderly. In M. L. Albert & J. E. Knoefel (Hrsg.), *Clinical neurology of aging* (S. 277-313). Oxford, New York: Oxford University Press.
- Mangione, C. M., Seddon, J. M., Cook, E. F., Krug, J. H. Jr., Sahagian, C. R., Champion, E. W. & Glynn, R. J. (1993). Correlates of cognitive function scores in elderly outpatients. *J Am Geriatr Soc* 41:491-7.
- Marquis, S., Moore, M. M., Howieson, D. B., Sexton, G., Payami, H., Kaye, J. A. & Camicioli, R. (2002). Independent predictors of cognitive decline in healthy elderly persons. *Archives of Neurology* 59:601-606.
- Marson, D. C., Schmitt, F. A., Ingram, K. K. & Harrell, L. E. (1994). Determining the competency of Alzheimer patients to consent to treatment and research. *Alzheimer Dis Assoc Disord* 8(Suppl.4):5-18.
- Masur, D. M., Sliwinski, M., Lipton, R. B., Blau, A. D. & Crystal, H. A. (1994). Neuropsychological prediction of dementia and the absence of dementia in healthy elderly persons. *Neurology* 44:1427-1432.

- Mayeux, R. & Sano, M. (1999). Treatment of Alzheimer's disease. *The New England Journal of Medicine* 341:1670-1679.
- Monsch, A. U., Bondi, M. W., Butters, N., Salmon, D. P., Katzman, R. & Thal, L. J. (1992). Comparisons of verbal fluency tasks in the detection of dementia of the Alzheimer's type. *Arch Neurol* 49:1253-58.
- Morris J. C., Edland, S., Clark, C., Galasko, D., Koss, E., Mohs, R., van Belle, G., Fillenbaum, G. & Heyman, A. (1993). The consortium to establish a registry for Alzheimer's disease (CERAD). Part IV. Rates of cognitive change in the longitudinal assessment of probable Alzheimer's disease. *Neurology* 43:2457-2465.
- Morris, J. C., Heyman, A., Mohs, R. C., Hughes, J. P., van Belle, G., Fillenbaum, G., Mellits, E. D., Clark, C. & the CERAD investigators (1989). The consortium to establish a registry for Alzheimer's disease (CERAD). Part I. Clinical and neuropsychological assessment of Alzheimer's disease. *Neurology* 39:1159-1165.
- Morris, J. C., Storandt, M., McKeel, D. W. Jr., Rubin, E. H., Price, J. L., Grant, E. A. & Berg, L. (1996). Cerebral amyloid deposition and diffuse plaques in "normal" aging: evidence for presymptomatic and very mild Alzheimer's disease. *Neurology* 46:707-19.
- Ortof, E. & Crystal, H. A. (1989). Rate of progression of Alzheimer's disease. *J Am Geriatr Soc* 37:511-514.
- Palmer, K., Bäckman, L., Winblad, B. & Fratiglioni, L. (2003). Detection of Alzheimer's disease and dementia in the preclinical phase: population based cohort study. *BMJ* 326:245-49.
- Petersen, R. C., Smith, G. E., Ivnik, R. J., Kokmen, E. & Tangalos, E.G. (1994). Memory function in very early Alzheimer's disease. *Neurology* 44:867-872.
- Petersen, R. C., Stevens, J. C., Ganguli, M., Tangalos, E. G., Cummings, J. L. & DeKosky, S. T. (2001). Practice parameter: Early detection of dementia: Mild cognitive impairment (an evidence-based review). *Neurology* 56:1133-42.
- Prince, M. J., Reischies, F. M., Beekman, A. T. F., Fuhrer, R., Jonker, C., Kivela, S.-L., Lawlor, B. A., Lobo, A., Magnusson, H., Fichter, M., van Hoven, H., Roelands, M., Skoog, I., Turrina, C. & Copeland, J. R. M. (1999). Development of the EURO-D scale – a European Union initiative to compare symptoms of depression in 14 European centres. *British Journal of Psychiatry* 174:330-338.

- Reischies, F. M., Diefenbacher, A. & Reichwaldt, W. (2003). Delir. In: V. Arolt & A. Diefenbacher (Hrsg.), *Psychiatrie in der klinischen Medizin - Handbuch der Konsiliarpsychiatrie und -psychotherapie*. Darmstadt: Steinkopff.
- Reischies, F. M. & Geiselman, B (1997a). Age-related cognitive decline and vision impairment affecting the detection of dementia syndrome in old age. *British Journal of Psychiatry* 171:449-451.
- Reischies, F. M., Geiselman, B., Geßner, R., Kanowski, S., Wagner, M., Wernicke, F. & Helmchen, H. (1997b). Demenz bei Hochbetagten: Ergebnisse der Berliner Altersstudie. *Nervenarzt* 68:719-729.
- Reischies F. M. & Hellweg, R. (2000). Prediction of deterioration in mild cognitive disorder in old age - neuropsychological and neurochemical parameters of dementia diseases. *Comprehensive Psychiatry* 41(2; Suppl. 1):66-75.
- Reischies, F. M., Kühl, K.-P. & Krebs, M. (2000). Zehn-Wort-Merkliste mit Imaginations-Einspeicherhilfe. Erste Ergebnisse mit einem neuen Instrument zur klinischen Gedächtnisprüfung. *Z f Gerontopsychologie und -psychiatrie* 13:30-37.
- Reischies F. M. & Lindenberger, U. (1996). Grenzen und Potentiale kognitiver Leistungsfähigkeit im Alter. In: K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 351-377). Berlin: Akademie Verlag.
- Reischies, F. M. & Schaub, R. T. (eingereicht). Speed of cognitive decline in old age - continuity or discontinuity between demented and non-demented elderly.
- Reischies, F. M., Schaub, R. T. & Schlattmann, P. (1996). Normal ageing, impaired cognitive functioning and senile dementia – a mixture distribution analysis. *Psychological Medicine* 26:785-790.
- Reischies, F. M. & Wertenaue, F. (2002). Die Frühdiagnose der Demenzen. *Wien Med Wschr* 152:66-71.
- Reischies, F. M., Wertenaue, F. & Kühl, K.-P. (eingereicht). Der "Lector" – Ein Untersuchungsverfahren zur Bestimmung des verbalen Bildungsniveaus.
- Reitan, R. M. (1958). Validity of the trail making test as an indicator of organic brain damage. *Perceptual and Motor Skills* 8:271-276.
- Rubin, E. H., Storandt, M., Miller, P., Kinscherf, D. A., Grant, E. A., Morris, J. C. & Berg, L. (1998). A prospective study of cognitive function and onset of dementia in cognitively healthy elders. *Archives of Neurology* 55:395-401.
- Sachs, G. A. (1994). Advance consent for dementia research. *Alzheimer Dis Assoc Disord*

8(Suppl.4):19-27.

- Schenk, D., Barbour, R., Dunn, W., Gordon, G., Grajeda, H., Guido, T., Hu, K., Huang, J., Johnson-Wood, K., Khan, K., Kholodenko, D., Lee, M., Liao, Z., Lieberburg, I., Motter, R., Mutter, L., Soriano, F., Shopp, G., Vasquez, N., Vandeventer, C., Walker, S., Wogulis, M., Yednock, T., Games, D. & Seubert, P. (1999). Immunization with amyloid- β attenuates Alzheimer-disease-like pathology in the PDAPP mouse. *Nature* 400:173-177.
- Small, B. J., Fratiglioni, L., Viitanen, M., Winblad, B. & Bäckman, L. (2000). The course of cognitive impairment in preclinical Alzheimer disease: three- and 6-year follow-up of a population-based sample. *Arch Neurol* 57:839-44.
- Small, S. A., Stern, Y., Tang, M. & Mayeux, R. (1999). Selective decline in memory function among healthy elderly. *Neurology* 52:1392-96.
- Solomon, P. R., Hirschhoff, A., Kelly, B., Relin, M., Brush, M., DeVeaux, R. D. & Pendlebury, W. W. (1998). A 7 minute neurocognitive screening battery highly sensitive to Alzheimer's disease. *Archives of Neurology* 55:349-355.
- Sowarka, D., Neher, M. N., Gutzmann, H., Kühl, K.-P. & Baltes, M. M. (2000). Kognitive Plastizität als Diagnostikum zur Früherkennung pathologischen Alterns. *Zeitschrift für Differentielle und Diagnostische Psychologie* 21(2):125-137.
- Sowarka, D., Neher, K. M., Kwon, S. & Baltes, M. M. (1996). Spezifität und Sensitivität der Testing-the-Limits-Strategie auf Fallebene für die Früherkennung dementieller Erkrankungen. *Zeitschrift für Gerontopsychologie und Gerontopsychiatrie* 9:181-194.
- Sunderland, T., Hill, J. L., Mellow, A. M., Lawlor, B. A., Gundersheimer, J., Newhouse, P. A. & Grafman, J. H. (1989). Clock drawing in Alzheimer's disease. A novel measure of dementia severity. *J Am Geriatr Soc* 37:725-729.
- Tabachnick, B. G. & Fidell, L. S. (1989). *Using Multivariate Statistics*. 2nd edition. New York, NY: HarperCollins Publishers.
- Teri, L., Hughes, J. P. & Larson E. B. (1990). Cognitive deterioration in Alzheimer's disease: behavioral and health factors. *J Gerontol* 45:58-63.
- The Canadian Study of Health and Aging Working Group (2000). The incidence of dementia in Canada. *Neurology* 55:66-73.
- Tierney, M. C., Szalai, J. P., Snow, W. G., Fisher, R. H., Nores, M. B., Nadon, G., Dunn, E. & George-Hyslop, P. H. (1996). Prediction of probable Alzheimer's disease in memory-impaired patients: a prospective longitudinal study. *Neurology* 46:661-665.

- Tulving, E. (1972). Episodic and semantic memory. In E. Tulving, W. Donaldson (Eds.), *Organization of memory*. New York: Academic Press, 381-403.
- Vollmann, J., Kühl, K.-P., Tilmann, A., Hartung, H. D. & Helmchen, H. (2004). Einwilligungsfähigkeit und neuropsychologische Einschränkungen bei dementen Patienten. *Nervenarzt* 75:29-35.
- Welsh, K. A., Breitner, J. C. S. & Magruder-Habib, K. M. (1993). Detection of dementia in the elderly using telephone screening of cognitive status. *Neuropsychiatry, Neuropsychology, and Behavioral Neurology* 6:103-110.
- Wernicke, T. F. & Reischies, F. M. (1994). Prevalence of dementia in old age: clinical diagnoses in subjects aged 95 years and older. *Neurology* 44:250-253.
- Wimo, A. & Winblad, B. (2003). Pharmacoeconomics of mild cognitive impairment. *Acta Neurol Scand* 107(Suppl. 179): 94-99.
- Wimo, A., Ljunggren, G. & Winblad, B. (1997). Costs of dementia and dementia care: a review. *International Journal of Geriatric Psychiatry* 12:841-856.
- World Health Organization (WHO; 1992). *The ICD-10 classification of mental and behavioral disorders. Clinical descriptions and diagnostic guidelines*. Geneva: WHO.