

Structural and Functional Analyses of the ScPex13p SH3 Domain and its Interactions with ScPex5p and ScPex14p

Dissertation

**zur Erlangung des akademischen Grades
des Doktors der Naturwissenschaften
im Fachbereich Biologie/Chemie/Pharmazie
der Freien Universität Berlin**

**angefertigt am
Institut für Biochemie**

**vorgelegt von
Xinji Hong
aus Shaanxi, P.R. China**

Berlin 2003

- 1. Gutachter: Prof. Dr. R. Erdmann**
- 2. Gutachter: PD Dr. M. Ziegler**

Eingereicht am: 28. February 2003
Tag der Disputation: 28. April 2003

Teile der vorliegenden Arbeit wurden unter folgenden Titeln veröffentlicht:

Will, G. K.; Soukupova, M.; **Hong, X.**; Erdmann, K. S.; Kiel, J. A.; Dodt, G.; Kunau, W. H.; Erdmann, R. (1999)

Identification and characterization of the human orthologue of yeast Pex14p, *Mol Cell Biol*, Vol. 19 (3), 2265-77

José R. Pires[§], **Xinji Hong**[§], Christoph Brockmann, Rudolf Volkmer-Engert, Jens Schneider-Mergener, Hartmut Oschkinat, and Ralf Erdmann (2003)

The ScPex13p SH3 domain exposes two distinct binding sites for Pex5p and Pex14p, *J Mol Biol* 326(5): 1427-35. ([§] Authors contributed equally to this work.)

Poster:

Stein, K., **Hong, X.**, Schneider-Mergener, J. and Erdmann, R. (2000)

Functional analysis of Pex13p: A key component of the peroxisomal protein import machinery, *Biol. Chem.* 381, p. 144

Stein, K., **Hong, X.**, Schneider-Mergener, J. and Erdmann, R. (2000)

Functional Characterization of Pex13p, an Essential Component of the Peroxisomal Docking Complex. GBM Herbsttagung, 10.-13. Oktober 2000, München, *Mol. Biol. Cell*. 11, p. 2198

Erdmann, R., **Hong, X.**, Stein, K. and Schneider-Mergener, J. (2001)

Structural and Functional Analysis of the Docking Complex of the Peroxisomal Protein Import Machinery, 3rd Cell Biology Symposium of the MDC on Protein Transport and Stability, Book of Abstracts, 2001, p. 49

Erdmann, R., Stein, K., **Hong, X.** und Rottensteiner, H. (2001)

Struktur und Funktion des Pex13p/Pex14p-Rezeptorkomplexes der peroxisomalen Proteinimport-Maschinerie, SFB, Teilbereich A7, 20.-22. Aug. 2001, Berlin

Xinji Hong, José R. Pires, Hartmut Oschkinat, Ralf Erdmann (2002)

Structural and functional analysis of the SH3-domain of Pex13p

European Life Scientist Orgination (ELSO), Poster 696, 30 June – 2 July, 2002.

José R. Pires, **Xinji Hong**, Christoph Brockmann, Rudolf Volkmer-Engert, Jens Schneider-Mergener, Hartmut Oschkinat, and Ralf Erdmann (2002)

The ScPex13p SH3 domain exposes two distinct binding sites for Pex5p and Pex14p. (42nd American Society for Cell Biology annual meeting 2002, 14-18, Dec., 2002)

Molecular Biology of the cell, vol. 13, Nov. 2002, page 131a

Abbreviations used in this work

3-AT	3-amino-1, 2, 4-triazole; a competitive inhibitor of the His3 protein.
3D	three-dimensional
aa	amino acid
APS	Ammonium peroxodisulfate
bp	bais pairs
BPB	bromphenol blue
CIAP	calf intestine alkaline phosphate
COSY	correlation spectroscopy
DMF	methyl formamide
DNA	deoxynucleic acid
dNTP	2'-deoxynucleoside 5'-triphosphate, sodium salt
ECL	enhanced chemiluminescence
<i>E. coli</i>	<i>Escherichia coli</i>
EDTA	ethylenediaminetetraacetic acid
ER	endoplasmatic reticulum
HSQC	heteronuclear single quantum coherence
IgG	immunoglobulin G
IPTG	isopropyl-thiogalactosidase
kDa	kilo Dalton
LB	Laurian broth
MCS	multiple cloning site
Ni-NTA	nickel-nitrilotriacetic acid
NOE	nuclear overhauser effect
NOESY	nuclear overhauser enhancement spectroscopy
NMR	nuclear magnetic resonance
OD	optical density
PBS	phosphate-buffered saline
PCR	polymerase chain reaction
PEX	proteins involved in the peroxisome biogenesis
PMP	peroxisomal membrane protein
rmsd	root mean square deviation

Abbreviations

RU	reflection unit
<i>S.c.</i>	<i>Saccharomyces cerevisiae</i>
SD	synthetic dropout
SDS	sodium dodecyl sulfate
SDS-PAGE	SDS-polyacrylamide gel electrophoresis
SH3	Src homology 3
TCA	trichloric acetic acid
TH	two-hybrid method
TEMED	N,N,N,N-tetramethyl-ethylenediamine
Tris	Tris-(hydroxymethyl)-aminoethane
X-gal	5-bromo-4-chloro-3-indolyl-beta-D-galactoside

Contents

ABBREVIATIONS USED IN THIS WORK	1
ZUSAMMENFASSUNG.....	6
ABSTRACT	7
1. INTRODUCTION	8
1.1 PEROXISOMES.....	8
1.2 PEROXISOMAL DISORDERS	9
1.3 PEX-GENES, PEROXINS AND MUTANTS WITH DEFECTS IN PEROXISOMAL BIOGENESIS	10
1.4 PEROXISOMAL BIOGENESIS	12
1.5 IMPORT AND SYNTHESIS OF PEROXISOME MEMBRANE PROTEINS	13
1.6 IMPORT MATRIX PROTEINS INTO PEROXISOMES.....	14
1.6.1 Peroxisomal targeting signals.....	15
1.6.2 Recognition Receptors of Peroxisomal Matrix Proteins	15
1.6.3 Role of molecular chaperons in protein import	16
1.6.4 Membrane Docking Machinery.....	16
1.6.5 Translocation and receptor recycling.....	18
1.7 YEAST AS A MODEL SYSTEM FOR STUDYING PEROXISOMES	20
1.8 SETTING OF TASKS IN THIS WORK	21
2. MATERIAL AND METHODS	22
2.1 CHEMICALS	22
2.2 MICROORGANISMS	23
2.2.1 <i>Escherichia coli</i>	23
2.2.2 <i>Saccharomyces cerevisiae</i>	23
2.3 MEDIA	24
2.3.1 Media for <i>E. coli</i>	24
2.3.2 Media for yeast	24
2.4 ANTIBODIES.....	25
2.5 DNA AND VECTOR PLASMIDS	25
2.6 PRIMERS FOR PCR	25
2.7 MOLECULAR BIOLOGICAL METHODS	26
2.7.1 Standard PCR Protocols.....	26
2.7.2 Restriction of DNA	27
2.7.3 Ligation of DNA Fragments.....	27
2.7.4 Preparation of CaCl_2 Competent Cells	27
2.7.5 Transformation in <i>E.coli</i>	28
2.7.6 Plasmid Isolation from <i>E.coli</i> by NaOAc and Ethanol Precipitation.....	28
2.8 DNA ANALYSIS METHODS	29
2.8.1 Agarose Gel Electrophoresis	29
2.8.2 Isolation of DNA-Fragments from Agarose Gels Using QIAEX II Kit	30
2.9 PROTEIN ANALYSIS METHODS.....	30
2.9.1 SDS-PAGE	30
2.9.2 Western Blot.....	31
2.9.3 Protein Concentration Assay	32
2.9.3.1 Spectroscopic Determination	32
2.9.3.2 Colorimetric Determination of Protein Concentration by Pierce BCA kit	32
2.9.3.3 Colorimetric Determination of Protein Concentration by Bio-Rad Protein Assay	32
2.10 PROTEIN OVER-EXPRESSION IN <i>E. COLI</i> AND SOLUBILITY TEST	33
2.10.1 Overexpression of Protein in <i>E. coli</i>	33
2.10.2 Determination of Protein Solubility in <i>E. coli</i>	33
2.11 ISOLATE PROTEIN OUT OF CELL LYSATE	34
2.11.1 Purification of GST Fusion Protein	34
2.11.2 Purification of His-tagged Protein under Native Condition	35
2.11.3 Purification of MBP Tagged Proteins	36
2.12 PURIFICATION OF PROTEINS WITH PHYSICAL METHODS	36
2.12.1 Centricon Filter Memberane.....	36
2.12.2 Gel Filtration Chromatography.....	36
2.13 PROTEASE DIGESTION.....	37
2.13.1 Digestion of Proteins with Factor Xa	37

Contents

2.13.1.1 Preparation of "Factor Xa Away" Resin	37
2.13.1.2 Removal of Factor Xa by Xarrest Agarose.....	37
2.13.2 <i>Protein Digestion with Thrombin</i>	38
2.13.2.1 Biotinylated Thrombin Capture.....	38
2.14 PROTEIN INTERACTION	39
2.14.1 <i>Two-Hybrid System</i>	39
2.14.1.1 Two-Hybrid Transformation	39
2.14.1.2 β -galactosidase Filter Assay	40
2.14.1.3 Construct of ScPex5p, ScPex13p and ScPex14p used in the TH Analyses	41
2.14.2 <i>Biacore Measure</i>	41
2.14.3 <i>Spot Blot Scanning</i>	42
2.14.3.1 Synthesis of Peptides on Membrane.....	42
2.14.3.2 Ligandblot Analysis	42
3. RESULTS.....	43
3.1 THE PHYSICAL PROPERTIES OF THE SCPPEX13P SH3 DOMAIN.....	43
3.1.1 <i>ScPex13p Entry in the Gene Database</i>	43
3.1.2 <i>Determination of the ScPex13p SH3 Protein Sequence</i>	43
3.1.3 <i>Predicted Physical Properties of the ScPex13p SH3 Domain</i>	44
3.2 ISOLATION AND PURIFICATION OF THE SCPPEX13P SH3 DOMAIN BY STRATEGY I.....	45
3.2.1 <i>Strategy for the Expression Construct</i>	45
3.3 ISOLATION AND PURIFICATION OF THE SCPPEX13P SH3 DOMAIN BY STRATEGY II	46
3.3.1 <i>Strategy for the Expression Construct</i>	46
3.3.3 <i>Optimization of Expression and Purification</i>	47
3.3.3.1 Cleavage of the GST Fusion Protein in Solution.....	48
3.3.3.2 Isolation of SH3 from the Cleaved Mixture	49
3.3.3.3 Cleave GST Fusion Protein on the GST Sepharose	51
3.4 ISOLATION AND PURIFICATION OF SCPPEX13P SH3 BY STRATEGY III	53
3.4.1 <i>Strategy for the Expression Construct</i>	53
3.4.3 <i>Overexpression and Purification of the SH3 Domain</i>	54
3.4.3.1 Optimization of the Expression in <i>E. coli</i>	54
3.4.3.2 Optimization of the Purification of the SH3	54
3.5 LARGE SCALE PURIFICATION OF THE SH3 DOMAIN.....	58
3.5.1 <i>Purity of the Isolated SH3</i>	58
3.5.2 <i>Checking Tertiary Structure of Purified SH3</i>	59
3.5.3 <i>Purification of ^{15}N labeled SH3</i>	59
3.5.4 <i>Purification of ^{15}N and ^{13}C Double labeled SH3</i>	60
3.6 COMPUTER MODELLING OF THE STRUCTURE OF THE SH3 DOMAIN	60
3.6.1 <i>Automatic Modelling by the Swiss Modeling Server</i>	60
3.6.2 <i>Manually Modelled Stereo Structure of ScPex13p SH3</i>	62
3.6.2.1 Modelling ScPex13p SH3 without ScPex14p Peptide Ligand	62
3.6.2.2 Modelling of the ScPex13p SH3 Domain with ScPex14p Peptide Ligand.....	64
3.7 SCPPEX13P SH3 STEREO STRUCTURE GENERATED BY NMR.....	65
3.8 COMPARISON OF THE COMPUTER-DERIVED MODEL AND THE NMR STRUCTURE	68
3.9 INTERACTION BETWEEN SCPPEX13P AND SCPPEX14P	69
3.9.1 <i>Mapping the ScPex14p Binding Site for the ScPex13p SH3 Domain</i>	69
3.9.2 <i>Location of the ScPex14p Binding Site on the ScPex13p SH3 Domain</i>	70
3.9.3 <i>Modelling of the SH3-ScPex14 Peptide Complex Based on the SH3 NMR Structure</i>	71
3.10 INTERACTION BETWEEN SCPPEX13P AND SCPPEX5P	72
3.10.1 <i>Mapping the Binding site of ScPex13p SH3 in ScPex5p</i>	72
3.10.1.1 Mapping the Binding Site of ScPex13p SH3 in ScPex5p by two-the hybrid Methodology	72
3.10.1.2 Mapping the Binding Site by Ligand Blot Analysis.....	73
3.10.1.3 Substitution and Truncation Analyses by Ligand Blot	74
3.10.2 <i>Localization of the Binding Site on ScPex13p SH3 for ScPex5p</i>	76
3.10.3 <i>Modelling of the SH3-ScPex5p Peptide Complex Based on the SH3 NMR Structure</i>	77
3.10.4 <i>Localization of the Second Binding Site in ScPex13p for ScPex5p</i>	78
3.11 COMPETITION BETWEEN SCPPEX5P AND SCPPEX14P UPON BINDING TO THE SH3 DOMAIN.....	79
3.11.1 <i>In vitro Binding Assays</i>	79
3.11.2 <i>Binding Competition Assays by NMR Experiments</i>	80
3.11.2.1 Chemical Shift of SH3 Domain Amino Acids upon Sequential Binding of ScPex14p and ScPex5p Peptides	80

Contents

3.11.2.1 Chemical Shift of SH3 Domain Amino Acids upon Sequential Binding of ScPex5p and ScPex14p Peptides	81
3.12 IN VITRO RESEARCH ON INTERACTIONS AMONG PEX5P, PEX14P AND THE PEX13P SH3 DOMAIN	82
3.12.1 <i>Interaction between Pex5p and Pex14p</i>	82
3.12.1.1 Ligand Blot Analysis.....	82
3.12.1.2 Binding Constants between Pex5p and Pex14p.....	83
3.12.2 <i>Interaction between Pex5p and Pex13p SH3 Domain</i>	84
3.12.3 <i>Interaction between Pex14p and Pex13p SH3 Domain</i>	85
3.12 DETECTION OF CONCENTRATION OF PEX5P, PEX13P AND PEX14P IN VIVO	85
4. DISCUSSION.....	87
4.1 STRUCTURE OF PEX13P SH3 DOMAIN	88
4.1.1 <i>SH3 Domain in General</i>	88
4.1.2 <i>ScPex13p SH3 Domain Structure</i>	88
4.2 PROTEIN-PROTEIN INTERACTIONS RELATED TO PROTEIN IMPORT INTO PEROXISOMES	89
4.2.1 <i>Binding Sites of ScPex5p / ScPex14p for ScPex13p SH3 Domain</i>	90
4.2.2 <i>Binding Sites of the ScPex13p SH3 Domain for Pex5p and Pex14p</i>	91
4.3 BINDING CONSTANTS OF THE BINDINGS AMONG SCPLEX5P, SCPLEX13P AND SCPLEX14P.....	93
4.3 COMPETITION BETWEEN PEX5P AND PEX14P FOR BINDING ON THE SH3 DOMAIN	94
4.4 SPECULATION ON THE BIOLOGICAL FUNCTION OF THE SCPLEX13P SH3 DOMAIN	95
REFERENCES	97
ACKNOWLEDGMENT	107

Acknowledgment

The work presented in this thesis has been performed in the research group “AG Ralf Erdmann” of the Institute of Biochemistry, Free University Berlin (FU Berlin), Berlin. The NMR related work in this thesis has done in collaboration with the research group “AG Hartmut Oschkinat” of the “Forschungsinstitut für Molekulare Pharmakologie (FMP)”, Berlin. The peptide library screen in this work has been done in collaboration with the research group “AG Jens Schneider-Mergener” of “Institut für Medizinische Immunologie, Universitätsklinikum Charité, Humboldt-Universität Berlin”.

I would like to express my highest gratitude to Prof. Dr. Ralf Erdmann for the opportunity to work in his lab and for his continuous support and advice.

Further, I am grateful to Prof. Dr. Hartmut Oschkinat for the collaboration in the NMR related work and helpful discussion during this work.

I am thankful to Prof. Dr. Jens Schneider-Mergener and Prof. Dr. Rudolf Volkmer-Engert for the help with the peptide library screen related work.

Also, I would like to thank

Dr. Jose' R. Pires (AG Oschkinat) for the constructive collaboration in the NMR related work and the helpful discussion.

Dr. Anette Diehl (AG Oschkinat) for the helpful discussion about the protein isolation.

Christiane Landgraf (AG Schneider-Mergener) for the friendly collaboration in peptide library screen and introduction to the BIACore technique.

Dr. Hanspeter Rottensteiner and Dr. Claudia Merz for general discussions and for reading this work.

Michael Nündel and for generous support and helpful advices, especially about chromatography, and more.

Gisela Wendel for helpful advices about chromatography, for generous support and helpful advices for working and living, and for friendly working atmosphere in the labor, where we both have been worked for 3 years.

Mrs. Werth and Mrs. Riedel easing every-day lab work.

Dr. Jutta Rinke-Appel (Max-Planck-Institute for Molecular Genetics) for reading this work for correction.

In particular, I would like to thank my colleagues Katja Nau and Katharina Stein for general help and support at my moving from Bochum to Berlin and in the whole work later; my colleagues Kerstin Schulz, Mara Amorós Alonso, Jörg Eckert, Ines Heiland

Acknowledgment

and Annette Schell-Steven for general discussion and the friendly working atmosphere.

Also, I am thankful to all the members of the group “AG Ralf Erdmann” for their help and cooperation.

My special gratitude flies to Prof. Dr. Werner Hofer (University Konstanz, Germany) and Prof. Dr. Eberhard Riedel for their helpful advice and support during my studies here in German.

I am indebted to my parents and my brother for their enormous support and understanding.