

5 REFERENCES

- Aagaard, L., G. Laible, P. Selenko, M. Schmid, R. Dorn, G. Schotta, S. Kuhfittig, A. Wolf, A. Lebersorger, P. B. Singh, G. Reuter, and T. Jenuwein.** 1999. Functional mammalian homologues of the Drosophila PEV-modifier Su(var)3-9 encode centromere-associated proteins which complex with the heterochromatin component M31. *EMBO J* **18**: 1923-1938.
- Aparicio, O. M., B. L. Billington, and D. E. Gottschling.** 1991. Modifiers of position effect are shared between telomeric and silent mating-type loci in *S. cerevisiae*. *Cell* **66**: 1279-1287.
- Bannister, A. J., P. Zegerman, J. F. Partridge, E. A. Miska, J. O. Thomas, R. C. Allshire, and T. Kouzarides.** 2001. Selective recognition of methylated lysine 9 on histone H3 by the HP1 chromo domain. *Nature* **410**: 120-124.
- Birnboim, H. C., and J. Doly.** 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res* **7**: 1513-1523.
- Boulton S. J., and S. P. Jackson.** 1998. Components of the Ku-dependent non-homologous end-joining pathway are involved in telomeric length maintenance and telomeric silencing. *EMBO J* **17**: 1819-1828.
- Brachmann, C. B., J. M. Sherman, S. E. Devine, E. E. Cameron, L. Pillus, and J. D. Boeke.** 1995. The SIR2 gene family, conserved from bacteria to humans, functions in silencing, cell cycle progression, and chromosome stability. *Genes Dev* **9**: 2888-2902.
- Braunstein, M., A. B. Rose, S. G. Holmes, C. D. Allis, and J. R. Broach.** 1993. Transcriptional silencing in yeast is associated with reduced nucleosome acetylation. *Genes Dev* **7**: 592-604.
- Braunstein, M., R. E. Sobel, C. D. Allis, B. M. Turner, and J. R. Broach.** 1996. Efficient transcriptional silencing in *Saccharomyces cerevisiae* requires a heterochromatin histone acetylation pattern. *Mol Cell Biol* **16**: 4349-4356.

- Bryk, M., M. Banerjee, M. Murphy, K. E. Knudsen, D. J. Garfinkel, and M. J. Curcio.** 1997. Transcriptional silencing of Ty1 elements in the RDN1 locus of yeast. *Genes Dev* **11**: 255-269.
- Carmo-Fonseca M., L. Mendes-Soares, and I. Campos.** 2000. To be or not to be in the nucleolus. *Nat Cell Biol.* **2**: E107-E112.
- Cowell, I. G., and C. A. Austin.** 1997. Self-association of chromo domain peptides. *Biochim Biophys Acta* **1337**: 198-206.
- Eissenberg, J.C., and S. C. Elgin.** 2000. The HP1 protein family: getting a grip on chromatin. *Curr Opin Genet Dev* **10**: 204-210.
- Ekwall, K., and T. Ruusala.** 1994. Mutations in rik1, clr2, clr3 and clr4 genes asymmetrically derepress the silent mating-type loci in fission yeast. *Genetics* **136**: 53-64.
- Finnin, M. S., J. R. Donigian, and N. P. Pavletich.** 2001. Structure of the histone deacetylase SIRT2. *Nat Struct Biol* **8**: 621-625.
- Fox, C. A., A. E. Ehrenhofer-Murray, S. Loo, and J. Rine.** 1997. The origin recognition complex, SIR1, and the S phase requirement for silencing. *Science* **276**: 1547-1551.
- Francis N. J., and R. E. Kingston,** 2001 Mechanisms of transcriptional memory. *Nat Rev Mol Cell Biol* **2**: 409-421.
- Fritze, C. E., K. Verschueren, R. Strich, and R. Easton Esposito.** 1997. Direct evidence for SIR2 modulation of chromatin structure in yeast rDNA. *EMBO J* **16**: 6495-6509.
- Frye, R. A.** 2000. Phylogenetic classification of prokaryotic and eukaryotic Sir2-like proteins. *Biochem Biophys Res Commun* **273**: 793-798.
- Gartenberg, M. R.** 2000. The Sir proteins of *Saccharomyces cerevisiae*: mediators of transcriptional silencing and much more. *Curr Opin Microbiol* **3**: 132-137.
- Ghidelli, S., D. Donze, N. Dhillon, and R. T. Kamakaka.** 2001. Sir2p exists in two nucleosome-binding complexes with distinct deacetylase activities. *EMBO J* **20**: 4522-4535.

- Gotta, M., S. Strahl-Bolsinger, H. Renauld, T. Laroche, B. K. Kennedy, M. Grunstein, and S. M. Gasser.** 1997. Localization of Sir2p: the nucleolus as a compartment for silent information regulators. *EMBO J* **16**: 3243-3255.
- Gottlieb, S., and R. E. Esposito.** 1989. A new role for a yeast transcriptional silencer gene, SIR2, in regulation of recombination in ribosomal DNA. *Cell* **56**: 771-776.
- Gottschling, D. E., O. M. Aparicio, B. L. Billington, and V. A. Zakian.** 1990. Position effect at *S. cerevisiae* telomeres: reversible repression of Pol II transcription. *Cell* **63**: 751-762.
- Gottschling, D. E.** 1992. Telomere-proximal DNA in *Saccharomyces cerevisiae* is refractory to methyltransferase activity in vivo. *Proc Natl Acad Sci USA* **89**: 4062-4065.
- Grewal S. L.**, 2000. Transcriptional silencing in fission yeast. *J Cell Physiol* **184**: 311-318.
- Grunstein, M.** 1997. Molecular model for telomeric heterochromatin in yeast. *Curr Opin Cell Biol* **9**: 383-387.
- Guarente, L.** 2000. Sir2 links chromatin silencing, metabolism, and aging. *Genes Dev* **14**: 1021-1026.
- Guthrie, C., and G. R. Fink.** 1991. Guide to Yeast Genetics and Molecular Biology. Academic Press
- Hecht, A., T. Laroche, S. Strahl-Bolsinger, S. M. Gasser, and M. Grunstein.** 1995. Histone H3 and H4 N-termini interact with SIR3 and SIR4 proteins: a molecular model for the formation of heterochromatin in yeast. *Cell* **80**: 583-592.
- Hecht, A., S. Stahl-Bolsinger, and M. Grunstein.** 1996. Spreading of transcriptional repressor SIR3 from telomeric heterochromatin. *Nature* **383**: 92-96.
- Herskowitz, I., J. Rine, and J. N. Strathern.** 1992. Mating-type Determination and Mating-type Interconversion in *Saccharomyces cerevisiae*. In :The Molecular and Cellular Biology of the Yeast *Saccharomyces*, E. W. Jones, J. R. Pringle and J. R. Broach, eds.: Cold Spring Harbor LaboratoryPress, pp. 583-656.

- Ho, S. N., H. D. Hunt, R. M. Horton, J. K. Pullen, and L. R. Pease.** 1989. Site-directed mutagenesis by overlap extension using the polymerase chain reaction. *Gene* **77**: 51-59.
- Hoppe, G. J., J. C. Tanny, A. D. Rudner, S. A. Gerber, S. Danaie, S. P. Gygy, and D. Moazed.** 2002. Steps in assembly of silent chromatin in yeast: Sir3-independent binding of a Sir2/Sir4 complex to silencers and role of Sir2-dependent deacetylation. *Mol Cell Biol* **22**: 4167-4180.
- Huang, H., A. Kahana, D. E. Gottschling, L. Prakash, and S. W. Lieberman.** 1997. The ubiquitin-conjugating enzyme Rad6 (Ubc2) is required for silencing in *Saccharomyces cerevisiae*. *Mol Cell Biol* **17**: 6693-6699.
- Imai, S., C. M. Armstrong, M. Kaeberlein, and L. Guarente.** 2000. Transcriptional silencing and longevity protein Sir2 is an NAD-dependent histone deacetylase. *Nature* **403**: 795-800.
- James, T. C., and S. C. Elgin.** 1986. Identification of a nonhistone chromosomal protein associated with heterochromatin in *Drosophila melanogaster* and its gene. *Mol Cell Biol* **6(11)**: 3862-72.
- Jenuwein, T., and C. D. Allis.** 2001. Translating the histone code. *Science* **293**: 1074-1080.
- Johnson, L. M., P. S. Kayne, E. S. Kahn, and M. Grunstein.** 1990. Genetic evidence for an interaction between SIR3 and histone H4 in the repression of the silent mating loci in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci USA* **87**: 6286-6290.
- Kayne, P. S., U. J. Kim, M. Han, J. R. Mullen, F. Yoshizaki, and M. Grunstein.** 1988. Extremely conserved histone H4 N terminus is dispensable for growth but essential for repressing the silent mating loci in yeast. *Cell* **55**: 27-39.
- Kennedy, B. K., M. Gotta, D. A. Sinclair, K. Mills, D. S. McNabb, M. Murthy, S. M. Pak, T. Laroche, S. M. Gasser, and L. Guarente.** 1997. Redistribution of silencing proteins from telomeres to the nucleolus is associated with extension of life span in *S. cerevisiae*. *Cell* **89**: 381-391.

- Kingston, R. E., and G. J. Narlikar.** 1999. ATP-dependent remodeling and acetylation as regulators of chromatin fluidity. *Genes Dev* **13**: 2339-2352.
- Klar, A. J. S., S. Fogel, and K. MacLeod.** 1979. MAR1 - a regulator of HMa and HM α loci in *Saccharomyces cerevisiae*. *Genetics* **93**: 37-50.
- Klar, A. J., J. N. Strathern, J. R. Broach, and J. B. Hicks.** 1981. Regulation of transcription in expressed and unexpressed mating type cassettes of yeast. *Nature* **289**: 239-244.
- Kornberg, R. D., and Y. Lorch.** 1999. Twenty-five years of the nucleosome, fundamental particle of the eukaryote chromosome. *Cell* **98**: 285-294.
- Kuras, L., and K. Struhl.** 1999. Binding of TBP to promoters *in vivo* is stimulated by activators and requires Pol II holoenzyme. *Nature* **399**: 609-613.
- Kyrian G., K. Liu, C. Liu, and A. J. Lustig.** 1993. RAP1 and telomere structure regulate telomere position effects in *Saccharomyces cerevisiae*. *Dev* **7**: 1146-1159.
- Lachner, M., D. O'Carroll, S. Rea, K. Mechtler, and T. Jenuwein.** 2001. Methylation of histone H3 lysine 9 creates a binding site for HP1 proteins. *Nature* **410**: 116-120.
- Landry, J., A. Sutton, S. T. Tafrov, R. C. Heller, J. Stebbins, L. Pillus, and R. Sternnglanz.** 2000. The silencing protein SIR2 and its homologs are NAD-dependent protein deacetylases. *Proc Natl Acad Sci USA* **97**: 5807-5811.
- Laroche T., S. G. Martin, M. Gotta, H. C. Gorham, F. E. Pryde, E. J. Louis, and S. M. Gasser.** 1998. Mutation of yeast Ku genes disrupts the subnuclear organization of telomeres. *Curr Biol* **8**: 653-656.
- Longtine, M. S., A. McKenzie 3rd, D. J. Demarini, N. G. Shah, A. Wach, A. Brachat, P. Philippsen, and J. R. Pringle.** 1998. Additional modules for versatile and economical PCR-based gene deletion and modification in *Saccharomyces cerevisiae*. *Yeast* **14**: 953-961.
- Loo, S., and J. Rine.** 1994. Silencers and domains of generalized repression. *Science* **264**: 1768-1771.

- Loo, S., and J. Rine.** 1995. Silencing and heritable domains of gene expression. *Annu Rev Cell Dev Biol* **11**: 519-548.
- Luger K., A. W. Mader, R. K. Richmond, D. F. Sargent, and T. J. Richmond.** 1997. Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* **389**: 251-260.
- Martin, S. G., T. Laroche, N. Suka, M. Grunstein, and S. M. Gasser.** 1999. Relocalization of telomeric Ku and SIR proteins in response to DNA strand breaks in yeast. *Cell* **97**: 621-633.
- Messing J, and J. Vieira.** 1982. A new pair of M13 vectors for selecting either DNA strand of double-digest restriction fragments. *Gene* **19**: 269-76.
- Mills, K. D., D. A. Sinclair, and L. Guarente.** 1999. MEC1-dependent redistribution of the Sir3 silencing protein from telomeres to DNA double-strand breaks. *Cell* **97**: 609-20.
- Min, J., J. Landry, R. Sternglanz, and R. M. Xu.** 2001. Crystal structure of a SIR2 homolog-NAD complex. *Cell* **105**: 269-279.
- Moazed, D., and A. D. Johnson.** 1996. A deubiquitinating enzyme interacts with SIR4 and regulates silencing in *S. cerevisiae*. *Cell* **86**: 667-677.
- Moazed, D., A. Kistler, A. Axelrod, J. Rine, and A. D. Johnson.** 1997. Silent information regulator protein complexes in *Saccharomyces cerevisiae*: a SIR2/SIR4 complex and evidence for a regulatory domain in SIR4 that inhibits its interaction with SIR3. *Proc Natl Acad Sci USA* **94**: 2186-2191.
- Moretti, P., K. Freeman, L. Coodly, and D. Shore.** 1994. Evidence that a complex of SIR proteins interacts with the silencer and telomere-binding protein RAP1. *Genes Dev* **8**: 2257-2269.
- Nasmyth, K. A., K. Tatchell, B. D. Hall, C. Astell, M. Smith.** 1981. A position effect in the control of transcription at yeast mating type loci. *Nature* **289**: 244-250.
- Nasmyth, K. A.** 1982. The regulation of yeast mating-type chromatin structure by SIR: an action at a distance affecting both transcription and transposition. *Cell* **30**: 567-578.

- Nielsen, A. L., M. Oulad-Abdelghani, J. A. Ortiz , E. Remboutsika, P. Chambon, and R. Losson.** 2001. Heterochromatin formation in mammalian cells: interaction between histones and HP1 proteins. *Mol Cell* **7**:729-739.
- Palladino, F., T. Laroche, E. Gilson, A. Axelrod, L. Pillus, and S. M. Gasser.** 1993. SIR3 and SIR4 proteins are required for the positioning and integrity of yeast telomeres. *Cell* **75**: 543-555.
- Paro, B.** 1993. Mechanisms of heritable gene repression during development of Drosophila. *Curr Opin Cell Bio* **5**: 999-1005.
- Peterson, C. L., and J. L. Workman.** 2000. Promoter targeting and chromatin remodeling by the SWI/SNF complex. *Curr Opin Genet Dev* **10**: 187-192.
- Pillus, L., and J. Rine.** 1989. Epigenetic inheritance of transcriptional states in *S. cerevisiae*. *Cell* **59**: 637-647.
- Rea, S., F. Eisenhaber, D. O'Carroll, B. D. Strahl, Z. W. Sun, M. Schmid, S. Opravil, K. Mechtlar, C. P. Ponting, C. D. Allis, and T. Jenuwein.** 2000. Regulation of chromatin structure by site-specific histone H3 methyltransferases. *Nature* **406**: 593-599.
- Rine, J., and I. Herskowitz.** 1987. Four genes responsible for a position effect on expression from HML and HMR in *Saccharomyces cerevisiae*. *Genetics* **116**: 9-22.
- Rine, J.** 1999. On the mechanism of silencing in *Escherichia coli*. *Proc Natl Acad Sci USA*. **96**: 8309-8311.
- Schnell, R., and J. Rine.** 1986. A position effect on the expression of a tRNA gene mediated by the SIR genes in *Saccharomyces cerevisiae*. *Mol Cell Bio* **6**: 494-501.
- Shaw, P. J., and E. G. Jordan,** 1995. The nucleolus. *Annu Rev Cell Dev Biol* **11**: 93-121.
- Shou, W., J. Seol, A. Shevchenko, C. Baskerville, D. Moazed, J. Jiang, S. Chen, H. Charbonneau, A. Shenvchenko, and R. J. Deshaies.** 1999. The termination of telophase is triggered by Tem1-dependent release of the protein phosphatase Cdc14 from the nucleolar RENT complex. *Cell* **97**: 233-244.

- Shou, W., K. M. Sakamoto, J. Keener, K. W. Morimoto, E. E. Traverso, R. Azzam, G. J. Hoppe, R. M. Feldman, J. DeModena, D. Moazed, H. Charbonneau, M. Nomura, and R. J. Deshaies.** 2001. Net1 stimulates RNA polymerase I transcription and regulates nucleolar structure independently of controlling mitotic exit. *Mol Cell* **8**: 45-55.
- Sinclair, D. A., and L. Guarente.** 1997. Extrachromosomal rDNA circles--a cause of aging in yeast. *Cell* **91**: 1033-1042.
- Singh, J., and A. J. Klar.** 1992. Active genes in budding yeast display enhanced in vivo accessibility to foreign DNA methylases: a novel in vivo probe for chromatin structure of yeast. *Genes Dev* **6**: 186-196.
- Smith, J. S., and J. D. Boeke.** 1997. An unusual form of transcriptional silencing in yeast ribosomal DNA. *Genes Dev* **11**: 241-254.
- Smith, J. S., C. B. Brachmann, I. Celic, M. A. Kenna, S. Muhammad, V. J. Starai, J. L. Avalos, J. C. Escalante-Semerena, C. Grubmeyer, C. Wolberger, and J. D. Boeke.** 2000. A phylogenetically conserved NAD⁺-dependent protein deacetylase activity in the Sir2 protein family. *Proc Natl Acad Sci USA* **97**: 6658-6663.
- Strahl, B. D., R. Ohba, R. G. Cook, and C. D. Allis.** 1999. Methylation of histone H3 at lysine 4 is highly conserved and correlates with transcriptionally active nuclei in Tetrahymena. *Proc Natl Acad Sci USA* **96**: 14967-14972.
- Strahl-Bolsinger, S., A. Hecht, K. Luo, and M. Grunstein.** 1997. SIR2 and SIR4 interactions differ in core and extended telomeric heterochromatin in yeast. *Genes Dev* **11**: 83-93.
- Straight, A. F., A. S. Belmont, C. C. Robinett, and A. W. Murray.** 1996. GFP tagging of budding yeast chromosomes reveals that protein-protein interactions can mediate sister chromatid cohesion. *Curr Biol* **6**: 1599-1608.

- Straight, A. F., W. Shou, G. J. Dowd, C. W. Turck, R. J. Deshaies, A. D. Johnson, and D. Moazed.** 1999. Net1, a Sir2-associated nucleolar protein required for rDNA silencing and nucleolar integrity. *Cell* **97**: 245-256.
- Struhl, K.** 1996. Chromatin structure and RNA polymerase II connection: implications for transcription. *Cell* **84**: 179-82.
- Suka, N., Y. Suka, A. A. Carmen, J. Wu, and M. Grunstein.** 2001. Highly specific antibodies determine histone acetylation site usage in yeast heterochromatin and euchromatin. *Mol Cell* **8**: 473-479.
- Tamkun, J. W.** 1995. The role of brahma and related proteins in transcription and development. *Curr Opin Genet Dev.* **5**: 473-477.
- Tanner, K. G., J. Landry, R. Sternglanz, and J. Denu.** 2000. Silent information regulator 2 family of NAD-dependent histone/protein deacetylases generates a unique product, 1-O-acetyl-ADP-ribose. *Proc. Nat. Acad Sci USA* **97**: 14178-14182.
- Tanny, J. C., G. J. Dowd, J. Huang, H. Hilz, and D. Moazed.** 1999. An enzymatic activity in the yeast Sir2 protein that is essential for gene silencing. *Cell* **99**: 735-745.
- Tanny, J. C., and D. Moazed.** 2001. Coupling of histone deacetylation to NAD breakdown by the yeast silencing protein Sir2: Evidence for acetyl transfer from substrate to an NAD breakdown product. *Proc Natl Acad Sci U S A* **98**: 415-420.
- Taylor, G. S., Y. Liu, C. Baskerville, and H. Charbonneau.** 1997. The activity of Cdc14p, an oligomeric dual specificity protein phosphatase from *Saccharomyces cerevisiae*, is required for cell cycle progression. *J Biol Chem* **272**: 24054-24063.
- Thompson, J. S., X. Ling, and M. Grunstein.** 1994. Histone H3 amino terminus is required for telomeric and silent mating locus repression in yeast. *Nature* **369**: 245-247.
- Thon, G., and J. Verhein-Hansen.** 2000. Four chromo-domain proteins of *Schizosaccharomyces pombe* differentially repress transcription at various chromosomal locations. *Genetics* **155**: 551-568.

- Tissenbaum, H. A., and L. Guarente.** 2001. Increased dosage of a sir-2 gene extends lifespan in *Caenorhabditis elegans*. *Nature* **410**: 227-230.
- Tollervey D., H. Lehtonen, R. Jansen, H. Kern, and E. C. Hurt.** 1993. Temperature-sensitive mutations demonstrate roles for yeast fibrillarin in pre-rRNA processing, pre-rRNA methylation, and ribosome assembly. *Cell* **72**: 443-457.
- Triolo, T., and R. Sternglanz.** 1996. Role of interactions between the origin recognition complex and SIR1 in transcriptional silencing. *Nature* **381**: 251-253.
- Tsukamoto, Y., J. Kato, and H. Ikeda.** 1997. Silencing factors participate in DNA repair and recombination in *Saccharomyces cerevisiae*. *Nature* **388**: 900-903.
- Vogelstein, B., and D. Gillespie.** 1979. Preparative and analytical purification of DNA from agarose. *Proc Natl Acad Sci USA* **76**: 615-619.
- Visintin, R., K. Craig, E. S. Hwang, S. Prinz, M. Tyers, and A. Amon.** 1998. The phosphatase Cdc14 triggers mitotic exit by reversal of Cdk-dependent phosphorylation. *Mol Cell* **2**: 709-718.
- Wallrath, L. L., and S. C. Elgin.** 1995. Position effect variegation in *Drosophila* is associated with an altered chromatin structure. *Genes Dev* **9**: 1263-1277.
- Warner, J. R.** 1999. The economics of ribosome biosynthesis in yeast. *Trends Biochem Sci* **24**: 437-440.
- Weiler, K. S., and B. T. Wakimoto.** 1995. Heterochromatin and gene expression in *Drosophila*. *Annu Rev Genet* **29**: 577-605.