

## 6. Verzeichnisse

### 6.1. Literaturverzeichnis

1. **Albrand, G**, Munoz, F, Sornay-Rendu, E, DuBoeuf, F, Delmas, PD, *Independent predictors of all osteoporosis-related fractures in healthy postmenopausal women: The OFELY Study*. Bone Vol. 32 (1) (2003), pp. 78-85
2. **Bauer DC**, Browner WS, *Factors associated with appendicular bone mass in older women*. Ann Intern Med 118 (9) (1993), pp. 657-665
3. **Berard A**, Bravo G, Gauthier P, *Meta-analysis of the effectiveness of physical activity for the prevention of bone loss in postmenopausal woman*. Osteoporos Int 7 (1997), pp.331-33
4. **Black, DM**, Cummings, SR, Genant, HK, Nevitt, MC, Palermo, L, Browner, W, *Axial and appendicular bone density predict fractures in older women*. J Bone Miner Res 7 (1992), pp. 633-638
5. **Borkan, GA**, Hults, DE, Gerzof SG, Robbins, AH, Silbert, CK, *Age changes in body composition revealed by computed tomography*. J Gerontol 38 (1983), pp. 673-677
6. **Brown, M**, *Strength training and aging*. Top Geriatr Rehabil 15 (2000), pp. 1-5
7. **Cadarette, SM**, Jaglal, SB, Kreiger, N, McIsaac WJ, Darlington GA, Tu, JV, *Development and validation of the Osteoporosis Risk Assessment Instrument to*

*facilitate selection of woman for bone densitometry.* CMAJ 162 (2000), pp. 1289-1294

**8. Chang, JT**, Morton, SC, Rubenstein, LZ, Mojica, WA, Maglione, M, Suttorp, MJ, Roth, EA, Shekelle, PG, *Interventions for the prevention of falls in older adults: systematic review and meta-analysis of randomised clinical trials.* BMJ 328 (2004), pp. 680-683

**9. Cooper, C**, *The epidemiology of fragility fractures: is there a role for bone quality?* Calcif Tissue Int 53 (suppl 1) (1993), S23-S26

**10. Cooper, C**, *The crippling consequences of fractures and their impact on quality of life.* Am J Med 103 (2A) (1997), pp. 12S-17S

**11. Cooper, C**, Barker, D, Morris, J et al., *Osteoporosis, falls and age in fracture of the proximal femur.* Br Med J 295 (1987), pp. 13-15

**12. Cummings, SR**, Black, DM, Nevitt, MC et al., *Bone density at various sites for prediction of hip fractures.* Lancet 341 (1993), pp 72-75

**13. Cummings, SR**, Kelsey, JL, Nevitt, MC, O'Dowd, KJ, *Epidemiology of osteoporosis and osteoporotic fractures.* Epidemiol Rev 7 (1985), pp. 178-208

**14. Cummings, SR**, Melton, LJ, *Epidemiology and outcomes of osteoporotic fractures.* Lancet 359 (2002), pp. 1761-1767

**15. Cummings SR**, Nevitt, MC, *Falls (editorial)*, N J Engl Med 331 (1994), pp. 872-873

**16. Cummings, SR**, Nevitt, MC, Browner, WS et al., *Risk factors for hip fracture in white women: Study of osteoporotic fractures research group.* N Engl J Med 332 (1995), pp. 767-773

**17. Cummings, SR**, Nevitt, MC, Kidd, S, *Forgetting falls: the limited accuracy of recall of falls in the elderly.* J Am Geriatr Soc 36 (1988), pp. 613-616

**18. Cutson, TM**, *Falls in the elderly.* A. Fam Physician 49 (1994), pp. 149-156

**19. Czuka, M**, McCarty, MD, *Simple method for measurement of lower extremity muscle strength.* Am J Med 78 (1985), pp. 77-81

**20. Conference, N.C.D.**, NIH Consensus Development Conference, *Diagnosis, prophylaxis and treatment of osteoporosis.* Am J Med 94 (1993), pp. 646-650

21. **Dargent-Molina, P**, Favier, F, Grandjean, H, Baudoin, C et al., *Fall related factors and risk of hip fractures: the EPIDOS prospective study*. Lancet 348 (1996), pp. 145-149
22. **Dargent-Molina, P**, Poitiers, F, Bréart, G for the EPIDOS group, *In elderly woman weight is the best predictor of a very low bone mineral density: evidence from the EPIDOS study*. Osteoporos Int 11 (2000), pp. 881-888
23. **Davis, JW**, Nevitt, MC, Wasnich, RD, Ross, PD, *A cross-cultural comparison of neuromuscular performance, functional status and falls between japanese and white women*. J Gerontol: medical sciences Vol. 54A (6) (1999), M288-M292
24. **De Boer MR**, Pluijm, SMF, Lips, P, Moll, AC et al., *Different aspects of visual impairment as risk factors of falls and fractures in older men and woman*. J Bone Miner Res 19 (9) (2004), pp. 1539-1547
25. **de Rekeneire, N**, Visser, M, Peila, R, Nevitt, MC et al., *Is a fall just a fall: correlates of falling in healthy older persons. The health, aging and body composition study*. J Am Geriatr Soc. Vol. 51 (6) (2003), pp. 841-846
26. **DVO Leitlinien**, *Osteoporose bei postmenopausalen Frauen*, pp. 7-11
27. **Era P**, Heikkinen, E, *Postural sway during standing and unexpected disturbance of balance in random samples of men of different ages*. J Gerontol 40 (1985), pp. 287-295
28. **Felsenberg, D**, Silman AJ, Lunt, M et al. for the European Prospective Osteoporosis Study (EPOS) Group, *Incidence of vertebral fracture in Europe: results from the European Prospective Osteoporosis Study (EPOS)*, J Bone Miner Res 17 (2002), pp. 716-724
29. **Gardner, MM**, Robertson, MC, Campbell, AJ, *Exercise in preventing falls and fall related injuries in older people: a review of randomised controlled trials*. Br J Sports Med 34 (2000), pp. 7-17
30. **Gryfe, C**, Amies, A, Ashley, M, *A longitudinal study of falls in an elderly population: I. incidence and morbidity*. Age Ageing 6 (1977), pp. 201-210
31. **Guralnik, JM**, Ferrucci, L, Simonsick, EM et al., *Lower extremity function in persons over the age of 70 years as a predictor of subsequent disability*. N Engl J Med Vol 332 (9) (1995), pp. 556-561

- 32. Guralnik, JM**, Simonsick, EM, Ferrucci, L et al., *A short physical performance battery assessing lower extremity function: association with self-reported disability and prediction of mortality and nursing home admission.* J Gerontol Med Sci Vol 49 (2) (1994), M85-M94
- 33. Haines, TP**, Bennell, KL, Osborne, RH, Hill, KD, *Effectiveness of targeted prevention programme in subacute hospital setting: randomised controlled trial.* BMJ 328, (2004), pp. 676-679
- 34. Hughes, MA**, Myers, SB, Schenckmann, LM, *The role of strength in rising from a chair in the functionally impaired elderly.* J Biomechanics Vol. 29 (12) (1996), pp. 1509-1513
- 35. Hughes, MA**, Studenski, SA, Weiner, DK, Long, RM, *Chair rise strategies in the elderly.* Clin Biomech 9 (1994), pp. 187-192
- 36. Isaacs, B**, Clinical and laboratory studies of falls in older people. Clin Geriatr Med 1 (1985), p. 513
- 37. Jaglal, SB**, Sherry, PG, Schatzker, J, *The impact and consequences of hip fracture in Ontario.* Can J Surg 39 (2) (1996), pp. 105-111
- 38. Jette, AM**, Branch, LG, *The Framingham disability study: II - Physical disability among the aging.* Am J Public Health 71 (1981), pp. 1211-1216
- 39. Kanis, JA**, *Osteoporosis III: Diagnosis of osteoporosis and assessment of fracture risk.* Lancet Vol. 359 (9321) (2002), pp. 1929-1936
- 40. Kanis, JA**, Johnell, O. *The Requirements for DXA for the management of osteoporosis in Europe.* Osteoporos Int 16 (2005), pp. 229-238
- 41. Kanis, JA**, Melton, LJ, Christiansen, C, Johnston, CC, Khaltaev, N, *The diagnosis of osteoporosis.* Bone Miner Res 9 (1994), pp. 1137-1141
- 42. Kerschan-Schindl, K**, Uher, E, Grampp, S, Kaider, A et al., *A neuromuscular test battery for osteoporotic woman: a pilot study.* Am J Phys Med Rehabil 80 (5) (2001), pp. 351-357
- 43. Kirkwood, BR**, Sterne, JA, *Medical Statistics.* Blackwell Science Ltd., Oxford, 2nd ed. 2003, pp. 148-164

- 44 Koh, LKH**, Sedrine, WB, Torralba, TP, Kung,A et al., *A simple tool to identify asian woman at increased risk of osteoporosis*. Osteoporos Int 12 (2000), pp. 699-705
- 45. Larsson, L**, *Histochemical characteristics of human skeletal muscle during aging*. Acto Physiol Scand 117 (1983), pp. 469-471
- 46. Legood, R**, Scuffham, P, Cryer, C, *Are we blind to injuries in the visually impaired? A review of the literature*. Inj Prev 8 (2002), pp. 155-160
- 47. Leipzig, RM**, Cumming, RG, Tinetti, ME, *Drugs and falls in older people: a systematic review and meta-analysis*. II. Cardiac and analgesic drugs. J Am Geratr Soc 47 (1999), pp. 40-50
- 48. Lord, SR**, Murray, SM, Chapman, K, Munroe, B, Tiedemann, A, *Sit-to-stand performance depends on sensation, speed, balance and psychological status in addition to strength in older people*. Journal of Gerontology: Medical Sciences 57A (8) (2002), M539-M543
- 49. Lunt M**, Masaryk P, *The effects of lifestyle, dietary intake and diabetes on bone density and vertebral deformity prevalence: The EVOS study*. Osteoporos Int 12 (2001), pp. 688-698
- 50. Marshall, D** Johnell, O, Wedel, H, *Meta-analysis of how well measures of bone mineral density predict occurrence of osteoporotic fractures*. BMJ 312 (1996), pp. 1254-1259
- 51. Mathias, S**, Nayak, USL, Isaacs, B, *Balance in elderly patients: The „Get-up and Go“ test*. Arch Phys Med Rehabil 67 (6) (1986), 387-389
- 52. McCabe, P**, Nason, F, Demers TP, Friedman, D, Seddon, JM, *Evaluating the effectiveness of a vision rehabilitation intervention using an objective and subjective measure of functional performance*. Ophthalmic Epidemiol 7 (4) (2000), pp. 259-270
- 53. Means, KM**, O'Sullivan, PS, Rodell, DE, *Balance, mobility and falls among elderly african, american women*. Am J Phys Med Rehabil 79 (2000), pp. 30-39
- 54. Melton, LJ**, Chao, EYS, Lane, J, *Biomechanical aspects of fractures*. In: Riggs, BL, Melton, LJ III, eds. Osteoporosis: etiology, diagnosis and management. New York: Raven Press (1988), pp. 111-132

- 55. Millar, WJ**, Hill, GB, *Hip fractures: mortality, morbidity and surgical treatment.* Health Rep 6 (3) (1994), pp. 323-337
- 56. Minne, HW**, Pfeifer, M, *Treatment of osteoporosis with regard of evidence-based medicine.* Dtsch med Wochenschr (2003), pp. 931-934
- 57. Morris, JC**, McManus, DQ, *The neurology of aging: normal versus pathologic change.* Geriatrics 46 (1991), pp. 47-54
- 58. Nelson, HD**, Helfand, M, Woolf, SH, Allan, JD, *Screening for postmenopausal osteoporosis: a review for the U.S. Preventive Services Task Force.* Ann intern Med 137 (2002), pp. 529-541
- 59. Nevitt, MC**, Cummings, SR, Hudes, ES, *Risk factors for injurious falls: a prospective study.* J Gerontol 46 (1991), M164-M170
- 60. Nevitt, MC**, Cummings, SR, Kidd, S et al., *Risk factors for recurrent nonsyncopal falls.* JAMA 261 (1989), pp. 2663-2668
- 61. Newman, AB**, Nevitt, MC et al., *Reexamining the sarcopenia hypothesis: muscle mass versus muscle strength.* Annals of the New York Academy of Sciences 904 (2000), pp. 456-461
- 62. Papadimitropoulos, EA**, Coyte, PC, Josse, Rg, Greenwood, CE, *Current and projected rates of hip fracture in Canada.* CMJA 157 (10) (1997), pp. 1357-1363
- 63. Pfeifer, M**, Wittenberg, R, Würtz, R, Minne, HW, *Schenkelhalsfrakturen in Deutschland.* Dt Ärztebl 98 (2001), A1751-1757
- 64. Podsiadlo, D**, BScPT, Richardson, S, *The timed „up and go“: a test of basic functional mobility for frail elderly persons.* JAGS 39 (1991), pp. 142-148
- 65. Podsiadlo, D**, Richardson, S, *The timed „up & go“: a test of basic functional mobility for frail elderly persons.* J Am Geriatr Soc 39 (1991), pp. 142-148
- 66. Porter, MM**, Vandervoort, AA, Kramer, JF, *Eccentric peak torque of the plantar and the dorsiflexors is maintained in older women.* J Gerontol Biol Sci 52 (1997), pp. 125-131
- 67. Ray, NF**, Chan, JK, Thamer, M, Melton, LJ, *Medical expenditures for the treatment of osteoporotic fractures in the United States in 1995: report from the National Osteoporosis.* Bone Miner Res 12 (1997), pp. 24-35

- 68.** Riley, PO, Schenckmann, ML, Mann, RW, Hodge, WA, *Mechanics of a constrained chair rise*. J Biomechanics 24 (1991), pp. 77-85
- 69.** Robertson, MC, Devlin, N, Gardner, MM, Campbell, AJ, *Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. Randomised controlled trial*. BMJ 322 (2001), pp. 697-701
- 70.** Rodosky, MW, Andriacchi, TP, Anderson, GB, *The influence of chair height on lower limb mechanics during rising*. J Orthop Res 7 (1990), pp. 266-271
- 71.** Ross, PD, *Risk factors for osteoporotic fractures*, Endocrinol Metab Clin N Am 27 (1998), pp. 289-301
- 72.** Runge, JW, *The cost of injury*. Emerg Med Clin North Am 11 (1993), pp. 241-253
- 73.** Runge, M, Rehfeld, G, *Mobil bleiben – Pflege bei Gehstörungen und Sturzgefahr*. Schlütersche GmbH & Co. KG (2001), pp. 7-50; (1)
- 74.** Runge, M, Rehfeld, G, *Mobil bleiben – Pflege bei Gehstörungen und Sturzgefahr*. Schlütersche GmbH & Co. KG (2001), pp. 51-89; (2)
- 75.** Runge, M, Rehfeld, G, *Mobil bleiben – Pflege bei Gehstörungen und Sturzgefahr*. Schlütersche GmbH & Co. KG (2001), pp. 101-105; (3)
- 76.** Runge, M, Rehfeld, G, *Mobil bleiben – Pflege bei Gehstörungen und Sturzgefahr*. Schlütersche GmbH & Co. KG (2001), pp. 91-111; (4)
- 77.** Runge, M, Rittweger, J, Russo, CR, Schiessl, H, Felsenberg, D, *Is muscle power output a key factor in the age related decline in physical performance? A comparison of muscle cross section, chair rising test and jumping power*. Clinical Physiology and Functional Imaging Vol 24 (6) (2004), pp. 335-343
- 78.** Sands, ML, Schwartz, AV, Brown, BW, Nevitt, MC et al., *Relationship of neurological function and age in older women*. Neuroepidemiology 17 (1998), pp. 318-329
- 79.** Sattin, RW, *Falls among older persons. A public health perspective*. Annu Rev Public Health 13 (1992), pp. 489-508
- 80.** Saw, SM, Hong, CY, Lee, J, Wong, ML et al., *Awareness and health beliefs of women towards osteoporosis*. Osteoporos Int Jul 14 (7) (2003), pp. 595-601

- 81. Schenkmann M**, Hughes, MA, Samsa, G et al., *The relative importance of strength and balance in chair rise by functionally impaired older individuals*. J Am Geriatr Soc. 44 (1996), pp. 1441-1446
- 82. Schott, AM**, Cormier, C, Hans, D, Favier, F, Hausherr, E, Dargent-Molina, P et al., *How hip and whole-body bone mineral density predict hip fracture in elderly woman. The EPIDOS prospective study*. Osteoporos Int 8 (1998), pp. 247-254
- 83. Schürch, MA**, Rizzoli, R, Mermilliod, B, Vasey, H, Michel, JP, Bonjour, JP, *Prospective study on socioeconomic aspects of fractureof the proximal femur*. J Bone Miner Res 12 (1996), pp. 1935-194
- 84. Sheldon, JH**, *Problems of an ageing population*. Br Med J (1960), pp. 1223-1226
- 86. Stalenhoef, PA**, Diederiks, JPM, Knottnerus, JA, Kester, ADM, Crebolder, HFJM, *A risk model for the prediction of recurrent falls in community-dwelling elderly. A prospective cohort study*. J Clin Epidemiol, Vol. 55 (11) (2002), pp. 1088-1094
- 87. Stelmack, J**, *Quality of life of low-vision patients and outcomes of low-vision rehabilitation*. Optom Vis Sci 78 (2001), pp. 335-342
- 88. Thelen, DG**, Brockmiller, C, Ashton Miller, JA et al., *Thresholds for sensing foot dorsi- and plantarflexion during upright stance: effects of age and velocity*. J Gerontol Med Sci 53A (1998), M33-M38
- 89. Thimme, W**, Schultze, G, Vogel, HP, *Anamnese und allgemeine Krankenuntersuchung*. Ferdinand Enke Verlag (1996), pp. 160-193
- 90. Tinetti, ME**, *Preventing falls in elderly persons*. N Engl J Med 348 (1) (2003), pp. 42-49
- 91. Tinetti, ME**, Ginter, SF, *Identifying mobility dysfunctions in elderly patients. Standard neuromuscular examination or direct assessment?* JAMA 259 (8) (1988), pp. 1190-1193
- 92. Tinetti, ME**, Speechley, M, *Prevention of falls among the elderly*. N Engl J Med 320, (1989), pp. 1055-1059
- 93. Tinetti, ME**, Speechley, M, Ginter, SF, *Risk faktors for falls among elderly persons living in the community*. N Engl J Med 319 (26) (1988), pp. 1701-1707

- 94. Tomlinson, BE**, Irving, D, *The numbers of limb motor units in the human lumbosacral cord throughout life*. J Neurol Sci 34 (1977), pp. 213-219
- 95. Tromp, AM**, Pluijm, SMF, Smit, JH, Deeg, DJH; Bouter, LM, Lips, P, A *prospective study on predictors for falls in community-dwelling elderly*. J Clin Epidemiol 54 (8) (2001), pp. 837-844
- 96. Tromp, AM**, Smit, JH, Deeg, DJH et al., *Predictors for falls and fractures in the Longitudinal Aging Study Amsterdam*. J Bone Miner Res 13 (1998), pp. 1932-1939
- 97. Vandervoort AA**, *Aging of the human neuromuscular system*. Muscle nerve 25 (2002), pp. 17-25
- 98. Visser, M**, Newman, AB, Nevitt, MC, Kritchevsky, SB, Stamm, EB, Goodpaster, BH, Harris, TB for the health, aging and body composition study research group, *Reexamining the sarcopenia hypothesis: muscle mass versus muscle strength*. Annals of the New York Academy of Sciences 904 (2000), pp. 456-461
- 99. Wallace BA**, Cumming R, *Systematic review of randomized trials of the effect of exercise on bone mass in pre- and postmenopausal women*. Calcif Tissue Int 67 (2000), pp. 10-18
- 100. Wildner, M**, Peters, A, Raghuvanshi, VS, Hohnloser, J, Siebert, U, *Superiority of age and weight as variables in predicting osteoporosis in postmenopausal woman*. Osteoporos Int (11) 14 (2003), pp. 950-956
- 101. WHO**, *Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group*. WHO Technical Report Series No. 843 (1994), pp.1-129
- 102. Wolff, I**, van Croonenborg, JJ, Kemper, HCG, Kostense, PJ, Twisk, JWR, *The effect of exercise training programs on bone mass: a metaanalysis of published controlled trials in pre- and postmenopausal woman*. Osteoporos Int 9 (1999), pp. 1-12

## 6.2. Abkürzungsverzeichnis

ALS	Amyotrope Lateralsklerose
BMD	Bone mineral density
BMI	Body mass index
CI	Konfidenzintervall
CRZ	Chair rising Zeit
DVO	Dachverband Deutschsprachiger Wissenschaftlicher Gesellschaften für Osteologie
DXA	Dual energy X ray Absorptiometry
EHVO	Evaluierung eines Hochrisiko-Scores zur Vorhersage der Osteoporose
LWK	Lendenwirbelkörper
LWS	Lendenwirbelsäule
pQCT	periphere quantitative Computertomographie
RR	Relatives Risiko
SD	Standarddeviation (Standardabweichung)