

Bibliography

- [1] I.N. Levine. Quantum Chemistry. *Prentice Hall*, Englewood Cliffs, N.J., (1999).
- [2] L.C. Balling, J.J. Wright. Use of dimer potentials to calculate the energy levels of alkali atoms in rare-gas matrices. *J. Chem. Phys.*, **79**, 2941 (1983).
- [3] V. Aquilanti, G. Grossi. Angular momentum coupling schemes in the quantum mechanical treatment of p-state atom collisions. *J. Chem. Phys.*, **73**, 1165 (1980).
- [4] K. Rebane. Impurity spectra of solids. *Plenum*, New York, (1970).
- [5] W.E. Baylis. Three-body alkali-noble-gas interactions and secondary satellites. *J. Phys. B*, **10**, L477 (1977).
- [6] M. Roeselovà, U. Kaldor, P. Jungwirth. Ultrafast dynamic of chlorine-water and bromine-water radical complexes following electron photodetachment in their anionic precursors. *J. Phys. Chem. A*, **104**, 6523 (2000).
- [7] F.O. Ellison. A Method of Diatomics in Molecules. I. General Theory and Application to H₂O. *J. Am. Chem. Soc.*, **85**, 3540 (1963).
- [8] R. Polak, P.J. Kuntz. An analysis of semi-empirical valence bond models for MX₂ potential energy surfaces: a case study of LiF₂. *Chem. Phys.*, **168**, 301 (1992).
- [9] R. Polak, I. Paidarova, P.J. Kuntz. On the fragmentation dynamics of NH₃ → NH₂ + H. Diatomics-in-molecules potential energy surfaces. *Int. J. Quant. Chem.*, **62**, 659 (1997).

- [10] J.L. Schreiber, P.J. Kuntz. A criterion for the applicability of the method of diatomics-in-molecules to potential surface calculations. I. Selection of the dim basis.
J. Chem. Phys., **76**, 1872 (1982).
- [11] N.L. Doltsinis, P.J. Knowles. Accurate diatomics-in-molecules calculations on Ar_n^+ clusters. *Mol. Phys.*, **252**, 301 (2000).
- [12] A.A. Buchachenko, N.F. Stepanow. First-order intermolecular diatoms-in-molecule potentials. Potential energy surfaces, spectra and fragmentation dynamics of the $\text{Ne} \dots \text{Cl}_2$ complex. *J. Chem. Phys.*, **106**, 10134 (1997).
- [13] A.A. Buchachenko, N.F. Stepanow. Ar-I₂ interactions: The models based on the diatomics-in-molecule approach *J. Chem. Phys.*, **104**, 9913 (1996).
- [14] A.A. Buchachenko, N.F. Stepanow., B.L. Grigorenko, A.V. Nemukhin. ArHF vibrational predissociation dynamics using the diatomics-in-molecule potential energy surface. *J. Chem. Phys.*, **111**, 2470 (1999).
- [15] M. Weissbluth. Atoms and Molecules. *Academic Press*, New York (1980).
- [16] M. Bargheer, R. B. Gerber, M. V. Korolkov, O. Kuhn, J. Manz, M. Schroder and N. Schwentner. Subpicosecond spin-flip induced by the photodissociation dynamics of ClF in an Ar matrix. *Phys. Chem. Chem. Phys.*, **4**, 5554 (2002).
- [17] G.C. Pimentel. Reaction Kinetics by the Matrix Isolation Method: Diffusion in Argon; cis-trans Isomerization of Nitrous Acid.
J. Am. Chem. Soc., **80**, 62 (1958).
- [18] E. Whittle, D.A. Dows, G.C. Pimentel. *J. Chem. Phys.*, **22**, 1943 (1954).
- [19] V.A. Apkarian, N. Schwentner. Molecular photodynamics in rare gas solids. *Chem. Rev.*, **99**, 1481 (1999).
- [20] V. E. Bondybey, C. Fletcher. Photophysics of low lying electronic states of Cl₂ in rare gas solids. *J. Phys. Chem.*, **64**, 3615 (1976).
- [21] P. Jungwirth, R.B. Gerber. Quantum molecular dynamics of ultrafast processes in large polyatomic systems. *Chem. Rev.*, **99**, 1583 (1999).

- [22] M.Y. Niv, M. Bargheer, R.B. Gerber. Photodissociation and recombination of F₂ molecule in Ar₅₄ cluster: Nonadiabatic molecular dynamics simulations. *J. Chem. Phys.*, **113**, 6660 (2000).
- [23] R.B. Gerber, M.V. Korolkov, J. Manz, M.Y. Niv, B. Schmidt. A reflection principle for the control of molecular photodissociation in solids: model simulation for F₂ in Ar. *Chem. Phys. Lett.*, **327**, 76 (2000).
- [24] J.C. Tully. Theories of the dynamics of inelastic and reactive processes at surfaces. *Ann. Rev. Phys. Chem.*, **31**, 319 (1980).
- [25] J.C. Tully. Mixed quantum-classical dynamics: mean-field and surface hopping. In: Classical and quantum dynamics in condensed phase simulations. Proceedings of the International School of Physics, 'Computer simulation of rare events and the dynamics of classical and quantum condensed-phase systems'. Editors: B.J. Berne, G. Ciccotti, D.F. Coker *World Scientific*, Singapore, 1998.
- [26] J.C. Tully. Trajectory surface hopping approach to nonadiabatic molecular collisions: The reaction of H⁺ with D₂. *J. Chem. Phys.*, **55**, 562 (1971).
- [27] J.C. Tully. Molecular dynamics with electronic transitions. *J. Chem. Phys.*, **93**, 1061 (1990).
- [28] J.C. Tully. Diatomics-in-molecules potential energy surfaces. II. Nonadiabatic and spin-orbit interactions. *J. Chem. Phys.*, **59**, 5122 (1973).
- [29] I.H. Gersonde, H. Gabriel. Molecular dynamics of photodissociation in matrices including nonadiabatic processes. *J. Chem. Phys.*, **98**, 2094 (1993).
- [30] P.J. Kuntz. Classical path surface-hopping dynamics. I. General theory and illustrative trajectories. *J. Chem. Phys.*, **95**, 141 (1991).
- [31] P. Zdánská, B. Schmidt, P. Jungwirth. Photolysis of Hydrogen Chloride Embedded in the First Argon Solvation Shell: Rotational Control and Quantum Dynamics of Photofragments. *J. Chem. Phys.*, **110**, 6246 (1999).
- [32] P. Jungwirth, E. Fredj, R.B. Gerber. Ultrafast quantum dynamics and resonance Raman spectroscopy of photoexcited I₂(B) in large argon and xenon clusters. *J. Chem. Phys.*, **104**, 9332 (1996).

- [33] H. Kunttu, V. A. Apkarian. Photodissociation of F₂ and mobility of F atoms in crystalline argon. *J. Phys.Chem.*, **93**, 1009 (1990).
- H. Kunttu, V. A. Apkarian. Photodissociation of F₂ in crystalline krypton: effect of molecule??lattice prealignment. *Chem. Phys. Lett.*, **171**, 423 (1990).
- [34] M. Ovchinnikov, V. A. Apkarian. Mixed-order simeclassical dynamics in coherent state representation: The connection between phonon sidebands and guest-host dynamics. *J. Phys.Chem.*, **108**, 2277 (1998).
- [35] Z. Bihary, G. M. Chaban, R. B. Gerber. Vibrational spectroscopy and matrix-site geometries of HArF, HKrF, HXeCl and HXeI in rare-gas solids. *J. Phys.Chem.*, **116**, 5521 (2002).
- [36] L. Khriachtchev, H. Tanskanen, A. Cohen, R. B. Gerber, J. Lundell, M. Petterson. A Gate to Organokrypton Chemistry: HKrCCH *J. Am. Chem. Soc.*, **125**, 3876 (2003).
- [37] A. Cenian, S. Hennig, H. Gabriel. Energy relaxation of localized excitations in solid argon. *J. Phys.Chem.*, **102**, 9276 (1995).
- [38] B. Schmidt, R.B. Gerber. Solvation effects on association reactions in microclusters: Classical trajectory study of H+Cl(Ar)_n.
J. Phys.Chem., **101**, 343 (1994).
- [39] I. H. Gersonde, H. Gabriel. Molecular dynamics of photodissociation in matrices inlcuding nonadiabatic processes. *J. Phys.Chem.*, **98**, 2094 (1993).
- [40] M. Bargheer. Ultrafast photodynamics in condensed phase: ClF, Cl₂ and I₂ in solid rare gases. *Ph.D. thesis,Shaker Verlag*,(2002) .
- [41] M. Gühr, M. Bargheer, N. Schwentnter. Generation of Coherent Zone Boundary Phonons by Impulsive Excitation of Molecules. *Phys. Rev. Lett.*, **91**, 085504 (2003).
- [42] M.Y. Niv. Nonadiabatic Transitions in Clusters. *Ph.D. thesis, Hebrew University, Jerusalem* (2000)
- [43] A. Borrmann, C. C. Martens. Nanoscale shock wave generation by photodissociation of impurities in solids: A molecular study. *J. Phys.Chem.*, **102**, 1905 (1995).

- [44] S. Cui, R.E. Johnson, P. Cummings. Classical dynamics description of low energy cascades in solids: atomic ejection from solid argon. *Surf. Sci.*, **207**, 186 (1988).
- [45] W.H. Miller, T.F. George. Semiclassical theory of electronic transitions in low energy atomic and molecular collisions involving several nuclear degrees of freedom. *J. Chem. Phys.*, **56**, 5637 (1972).
- [46] P. Beeken, M. Mandich, G. W. Flynn. Photochemical dynamics of $^{79}\text{Br}_2$ in Xe matrices. *J. Phys.Chem.*, **76**, 5995 (1982).
P. Beeken, M. Mandich, G. W. Flynn. Photochemical dynamics of $^{79}\text{Br}_2$ in Xe matrices. *J. Phys.Chem.*, **77**, 702 (1982).
P. Beeken, E. A. Hanson, G. W. Flynn. Photochemical and photophysical dynamics of I₂ isolated in a rare gas cage. *J. Phys.Chem.*, **78**, 5892 (1983).
- [47] D. B. Kokh, A. Alekseyev, R.J. Buenker. Ab initio study of spectroscopic and radiative characteristics of ion-pair states of the Cl₂ molecule. *J. Chem. Phys.*, **115**, 9298 (2001).
- [48] A. I. Krylov, R. B. Gerber, R. D. Coalson. Nonadiabatic dynamics and electronic energy relaxation of Cl(²P) atoms in solid Ar. *J. Chem. Phys.*, **105**, 4626 (1996).
- [49] S.-H. Lee, K. Liu. Exploring the spin-orbit reactivity in the simplest chlorine reaction. *J. Chem. Phys.*, **111**, 6253 (1999).
- [50] R. A. Aziz, M. J. Slaman. The argon and krypton interatomic potentials revisited. *Mol.Phys.*, **58**, 679 (1986).
- [51] V. Aquilanti, D. Cappelletti, V. Lorent, E. Luzzatti, F. Pirani. Molecular beam studies of weak interactions of open-shell atoms: the ground and lowest excited stated of rare-gas chlorides. *J. Phys.Chem.*, **97**, 2063 (1993).
- [52] M. E. Jacox. Comparison of the electronic energy levels of diatomic molecules in the gas phase and in inert solid matrices. *J. Mol. Struc.*, **157**, 43 (1987).
- [53] M. E. Jacox. The stabilization and spectroscopy of free radicals and reactive molecules in inert matrices. In: Chemistry and physics of matrix-isolated species. L. Andrews, M. Moskovits, ed.

- [54] H. J. Jodl. Solid -state aspects of matrices. in L. Andrews, M. Moskovits, Chemistry and Physics of Matrix-isolated Species Elsevier, North-Holland (1989)
- [55] H. j. Zeiger, J. Vidal, T. K.heng, E. P. Ippen, G. Dresselhaus, M. S. Dresselhaus. Theory for displacive excitation of coherent phonons. *Phys. Rev. B*, **45**, 768 (1992).
- [56] A. J. Lobad, A.. Taylor. Coherent phonon generation mechanism in solids. *Phys. Rev. B*, **64**, 180301 (2001).
- [57] O. V. Misochko. Coherent Phonons and Their Properties. *JETP*, **92**, 246 (2001).
- [58] O. V. Misochko, K. Kisoda, K. Sakai, and S. Nakashima. Dynamics of low-frequency phonons in the YBa₂Cu₃O_{7-x} superconductor studied by time- and frequency-domain spectroscopies . *Phys. Rev. B*, **61**, 4305 (2000). K. J. Yee, Y. S. Lim, T. Dekorsy, and D. S. Kim. Mechanisms for the Generation of Coherent Longitudinal-Optical Phonons in GaAs/AlGaAs Multiple Quantum Wells. *Phys. Rev. Lett.*, **86**, 1630 (2001).
- [59] M. Hase,M. Kitajima, S. Nakashima, K. Mizoguchi. Dynamics of coherent anharmonic phonons in bismuth using high density photoexcitation. *Phys. Rev. Lett.*, **88**, 067401 (2002).
- [60] R. Zadoyan, J. Almy, V. A. Apkarian. Lattice dynamics from the eyes of the chromophore. Real-time studies of I₂ in rare gas matrices. *Faraday Discuss.*, **108**, 225 (1997).
- [61] R. Zadoyan, Z. Li, C. C. Martens, V. A. Apkarian. The breaking and remaking of a bond: Caging of I₂ in solid Kr. *J. Chem. Phys.*, **101**, 6648 (1994).
- [62] Y. Yan, R.M. Whitnell, K.R. Wilson, A.H. Zewail. Femtosecond chemical dynamics in solution. Wavepacket evolution and caging of I₂. *Chem. Phys. Lett.*, **193**, 402 (1992).

- [63] R. Zadoyan, Z. Li, P. Ashijan, C.C. Martens, V.A. Apkarian. Femtosecond dynamics of coherent photodissociation-recombination of I₂ in matrix Ar. *Chem. Phys. Lett.*, **218**, 504 (1994).
- [64] M. Guehr, M. Bargheer, P. Dietrich, N. Schwentner. Predissociation and vibrational relaxation in the B state of I₂ in a Kr matrix. *J. Phys. Chem. A* , **106**, 12002 (2002).
- [65] M. Bargheer, P. Dietrich, K. Donovang, N. Schwentner. Extraction of potentials and dynamics from condensed phase pump-probe spectra: Application to I₂ in Kr matrices. *J. Chem. Phys.* , **111**, 8556 (1999).
- [66] M. Bargheer, M. Gühr, P. Dietrich N. Schwentner. Femtosecond spectroscopy of fragment-cage dynamics: I₂ in Kr. *Phys. Chem. Chem. Phys.* , **4**, 75 (2002).
- [67] M.P. Allen, D.J. Tildesley. Computer Simulations of Liquids. Clarendon Press, Oxford (1997)
- [68] H. Kunz, J.G. McCaffrey, R. Schriever, N. Schwentner. Spectroscopy and photodissociation of molecular chlorine in argon *J. Phys.Chem*, **94** , 1039 (1991).
- [69] J.G. McCaffrey, H. Kunz, N. Schwentner. Spectroscopy and photodissociation of chlorine monomers and clusters in argon matrices. *J. Phys.Chem*, **96** , 155 (1992).
- [70] G.J. Hoffmann, V.A. Apkarian. Photodynamics of (Cl₂)_n clusters trapped in solid krypton *J. Phys.Chem*, **95**, 5372 (1991).
- [71] D. Logan, C.A. Wight, V.A. Apkarian. Vibron-mediated electronic relaxation in crystalline chlorine *Chem. Phys.*, **217**, 99 (1997).
- [72] J. Fournier, F. Salama, R.J. Le Roy. Ultraviolet photolysis and internal dynamics of molecular chlorine in an argon matrix at 4.2 K. *J. Phys. Chem*, **89**, 3530 (1985).
- [73] V.S. Batista, D.F. Coker. Nonadiabatic molecular dynamics simulation of ultrafast pump-probe experiments on I₂ in solid rare gases. *J. Phys. Chem*, **106**, 6923 (1997).

- [74] A.B. Alekseyev, H.-P. Liebermann, R.J. Buenker, D.B. Kokh. Relativistic configuration interaction study of the ClF molecule and its emission spectra from 0^+ ion-pair states. *J. Chem. Phys.*, **112**, 2274 (2000).
- [75] G. Chaban, R.B. Gerber, M. Korolkov, J. Manz, M.Y. Niv, B. Schmidt. Photodissociation dynamics of molecular fluorine in an argon matrix induced by ultrashort laser pulses.
J. Phys. Chem. A, **105**, 2770 (2001).
- [76] V. Aquilanti, E. Luzzatti, F. Pirani, G.G. Volpi. Molecular beam studies of weak interactions for open-shell systems: The ground and lowest excited states of ArF, KrF and XeF. *J. Chem. Phys.*, **89**, 6165 (1988).
- [77] T. Kiljunen, M. Bargheer, M. Gühr, N. Schwentner. A potential energy surface and a trajectory study of photodynamics and strong-field alignment of ClF molecule in rare gas (Ar, Kr) solids. *Phys. Chem. Chem. Phys.*, **6**, 2185 (2004).
- [78] M. Bargheer, M.Y. Niv, R.B. Gerber, N. Schwentner. Ultrafast solvent-induced spin-flip and nonadiabatic coupling: ClF in argon solids. *Phys. Rev. Lett.*, **89**, 108301 (2002).
- [79] A.I. Krylov, R.B. Gerber. Photodissociation dynamics of HCl in solid Ar: Cage exit, nonadiabatic transitions and recombination. *J. Chem. Phys.*, **106**, 6574 (1997).
- [80] M.Y. Niv, A.I. Krylov, R.B. Gerber. Photodissociation, electronic relaxation and recombination of HCl in $\text{Ar}_n(\text{HCl})$ clusters: Non-adiabatic molecular dynamics simulations. *Faraday Discuss.*, **108**, 243 (1997).
- [81] T. Kiljunen, M. Bargheer, M. Gühr, N. Schwentner, B. Schmidt. Photodynamics and ground state librational states of ClF molecule in solid Ar. Comparison of experiment and theory. *Phys. Chem. Chem. Phys.*, **6**, 2932 (2004).
- [82] M.V. Korolkov, J. Manz. Coherent spin control of matrix isolated molecules by IR+UV pulses: Quantum simulations for ClF in Ar. *J. Chem. Phys.*, **120**, 11522 (2004).
- [83] A. Lifshitz (ed.). Shock Waves in Chemistry. *Dekker*, New York (1981).

- [84] A. B. Sawaoka (ed.). Shock Waves in Materials Science. *Springer* , New York, (1993).
- [85] W.G. Hoover. Structure of a Shock-Wave Front in a Liquid. *Phys. Rev. Lett.*, **42**,1531 (1979).
- [86] H.M. Urbassek and K.T. Waldeer. Spikes in condensed rare gases induced by keV-atom bombardment. *Phys. Rev. Lett.* , **67** , 105 (1991).
- [87] G. Herzberg. Molecular spectra and molecular structure. I. Spectra of diatomic molecules.
Van Nostrand Reinhold Company, New York (1950).