

7 Literaturverzeichnis¹

- ADAMS, L. G., POLZIN, D. J., OSBORNE, C. A., O'BRIEN, T. D. (1991): Comparison of fractional excretion and 24-hour urinary excretion of sodium and potassium in clinically normal cats and cats with induced chronic renal failure. *Am. J. Vet. Res.* **52**: 718-22.
- ADAMS, L. G., POLZIN, D. J., OSBORNE, C. A., O'BRIEN, T. D., HOSTETTER, T. H. (1994): Influence of dietary protein/calorie intake on renal morphology and function in cats with ⁵/₆ nephrectomy. *Lab. Invest.* **70**: 347-57.
- ALMY, F. S., CHRISTOPHER, M. M., KING, D. P., BROWN, S. A. (2002): Evaluation of cystatin C as an endogenous marker of glomerular filtration rate in dogs. *J. Vet. Intern. Med.* **16**: 45-51.
- ATKINSON, A. J., RUO, T. I., FREDERIKSEN, M. C. (1991): Physiological basis of multicompartmental models of drug distribution. *Trends Pharmacol. Sci.* **12**: 96-101.
- BAGGOT, J. D. (2001): Pharmacokinetic terms: symbols and units. *J. Vet. Pharmacol. Ther.* **24**: 81-2.
- BARBER, P. J., ELLIOTT, J. (1998): Feline chronic renal failure: calcium homeostasis in 80 cases diagnosed between 1992 and 1995. *J. Small Anim. Pract.* **39**: 108-16.
- BARBER, P. J., RAWLINGS, J. M., MARKWELL, P. J., ELLIOTT, J. (1999): Effect of dietary phosphate restriction on renal secondary hyperparathyroidism in the cat. *J. Small Anim. Pract.* **40**: 62-70.
- BARTHEZ, P. Y., CHEW, D. J., DIBARTOLA, S. P. (2000): Effect of sample number and time on determination of plasma clearance of technetium ^{99m}Tc-pentetate and orthoiodohippurate sodium I 131 in dogs and cats. *Am. J. Vet. Res.* **61**: 280-5.
- BARTHEZ, P. Y., CHEW, D. J., DIBARTOLA, S. P. (2001): Simplified methods for estimation of ^{99m}Tc-pentetate and ¹³¹I-orthoiodohippurate plasma clearance in dogs and cats. *J. Vet. Intern. Med.* **15**: 200-8.
- BECKER, D. (1987): *Vademecum Labordiagnostik*. 1. Auflage, Verlag Volk und Gesundheit, Berlin.
- BERGMEYER, H. U. (1984): Inulin. In: BERGMEYER, H. U., GRAßL, M. (Hrsg.): *Methods of enzymatic analysis*. 3. Auflage, Verlag Chemie, Weinheim, Deerfield Beach, Basel, Band 6, 41-5.
- BERKSON, J. (1947): "Cost-utility" as a measure of the efficiency of a test. *J. Am. Stat. Assoc.* **42**: 246-55.

¹ Die Abkürzung der Zeitschriftentitel erfolgte nach dem American National Standard for Information Sciences – Abbreviation of Titles of Publications, ANSI Z39.5-1985

- BLAND, J. M., ALTMAN, D. G. (1999): Measuring agreement in method comparison studies. *Stat. Methods Med. Res.* **8**: 135-60.
- BOVEE, K. C., JOYCE, T. (1979): Clinical evaluation of glomerular function: 24-hour creatinine clearance in dogs. *J Am Vet Med Assoc.* **174**: 488-91.
- BRØCHNER-MORTENSEN, J. (1972): A simple method for the determination of glomerular filtration rate. *Scand. J. Clin. Lab. Invest.* **30**: 271-4.
- BRØCHNER-MORTENSEN, J., RØDBRO, P. (1976): Optimum time of blood sampling for determination of glomerular filtration rate by single-injection [⁵¹Cr]EDTA plasma clearance. *Scand. J. Clin. Lab. Invest.* **36**: 795-800.
- BROWN, S. A. (1994): Evaluation of a single-injection method for estimating glomerular filtration rate in dogs with reduced renal function. *Am. J. Vet. Res.* **55**: 1470-3.
- BROWN, S. A., BROWN, C. A., CROWELL, W. A., BARSANTI, J. A., FINCO, D. R. (1996a): Does modifying dietary lipids influence the progression of renal failure? *Vet. Clin. North Am. Small Anim. Pract.* **26**: 1277-85.
- BROWN, S. A., HABERMAN, C., FINCO, D. R. (1996b): Use of plasma clearance of Inulin for estimating glomerular filtration rate in cats. *Am. J. Vet. Res.* **57**: 1702-5.
- BROWN, S. C., O'REILLY, P. H. (1991): Iohexol clearance for the determination of glomerular filtration rate in clinical practice: evidence for a new gold standard. *J. Urol.* **146**: 675-9.
- CHEW, D. J., DIBARTOLA, S. P. (2000a): Management of chronic renal failure. WSAVA-FECAVA World Congress: Scientific Proceedings.
- CHEW, D. J., DIBARTOLA, S. P. (2000b): Evaluation of renal funktion. WSAVA-FECAVA World Congress: Scientific Proceedings, Amsterdam.
- CHEW, D. J., DIBARTOLA, S. P. (2000c): Feline renal disease. WSAVA-FECAVA World Congress: Scientific Proceedings, Amsterdam.
- CLAUß, G., EBNER, H. (1989): Statistik für Soziologen, Pädagogen, Psychologen und Mediziner. Band 1, 6. Auflage, Verlag Harri Deutsch, Thun, Frankfurt/M.
- DEGENAAR, C. P., FRENKEN, L. A., VON HOOFF, J. P. (1987): Enzymatic method for determination of Inulin. *Clin. Chem.* **33**: 1070-1.
- DIBARTOLA, ST. P. (1995): Clinical approach and laboratory evaluation of renal disease. In: ETTINGER, S. J., FELDMANN, E. C. (Hrsg.): Textbook of Veterinary Internal Medicine. 4. Auflage, B. Saunders Company, Philadelphia and others, 1706-19.
- DIBARTOLA ST. P. (2000): Medical management of chronic renal failure in cats. Proceedings of the 18th Annual Veterinary Medical Forum. Seattle, Washington.

- DIBARTOLA, ST. P., RUTGERS, H. C., ZACK, P. M., TARR, M. J. (1987): Clinicopathologic findings associated with chronic renal disease in cats: 74 cases (1973-1984). *J. Am. Vet. Med. Assoc.* **190**: 1196-202.
- ELLIOTT, J., RAWLINGS, J. M., MARKWELL, P. J., BARBER, P. J. (2000): Survival of cats with naturally occurring chronic renal failure: effect of dietary management. *J. Small Anim. Pract.* **41**: 235-42.
- ESTELBERGER, W., PETEK, W., ZITTA, S., MAURIC, A., HORN, S., HOLZER, H., POGGLITSCH, H. (1995): Determination of the glomerular filtration rate by identification of sinistrin kinetics. *Eur. J. Clin. Chem. Clin. Biochem.* **33**: 201-9.
- FETTMAN, M. J., ALLEN, T. A., WILKE, W. L., RADIN, M. J., EUBANK, M. C. (1985): Single-injection method for evaluation of renal function with ¹⁴C-Inulin and ³H-tetraethylammonium bromide in dogs and cats. *Am. J. Vet. Res.* **46**: 482-5.
- FINCO, D. R. (1995a): Applied physiology of the kidney. In: OSBORNE, C. A., FINCO, D. R. (Hrsg.): Canine and feline nephrology and urology. Williams and Wilkins, Baltimore, Philadelphia [u.a.], 29-46.
- FINCO, D. R. (1995b): Evaluation of renal functions. In: OSBORNE, C. A., FINCO, D. R. (Hrsg.): Canine and feline nephrology and urology. Williams and Wilkins, Baltimore, Philadelphia [u.a.], 216-29.
- FINCO, D. R., BARSANTI, J. A. (1982): Mechanism of urinary excretion of creatinine by the cat. *Am. J. Vet. Res.* **43**: 2207-9.
- FINCO, D. R., DUNCAN, J. R. (1976): Evaluation of blood urea nitrogen and serum creatinine concentrations as indicators of renal dysfunction: a study of 111 cases and a review of related literature. *J. Am. Vet. Med. Assoc.* **168**: 593-601.
- FINCO, D. R., COULTER, D. B., BARSANTI, J. A. (1981): Simple, accurate method for clinical estimation of glomerular filtration rate in the dog. *Am. J. Vet. Res.* **42**: 1874-7.
- FINCO, D. R., COULTER, D. B., BARSANTI, J. A. (1982): Procedure for a simple method of measuring glomerular filtration rate in the dog. *J. Am. Anim. Hosp. Assoc.* **18**: 804-6.
- FINCO, D. R., BROWN, S. A., CROWELL, W. A., BARSANTI, J. A. (1991): Exogenous creatinine clearance as a measure of glomerular filtration rate in dogs with reduced renal mass. *Am. J. Vet. Res.* **52**: 1029-32.
- FINCO, D. R., BROWN, S. A., CROWELL, W. A., DUNCAN, R. J., BARSANTI, J. A., BENNETT, S. E. (1992): Effects of dietary phosphorus and protein in dogs with chronic renal failure. *Am. J. Vet. Res.* **53**: 2264-71.
- FINCO, D. R., BROWN, S. A., BARSANTI, J. A., BARTGES, J. W., COOPER, T. A. (1997): Reliability of using random urine samples for "spot" determination of fractional excretion of electrolytes in cats. *Am. J. Vet. Res.* **58**: 1184-7.

- FINCO, D. R., BROWN, S. A., BROWN, C. A., CROWELL, W. A., SUNVOLD, G., COOPER, T. L. (1998): Protein and calorie effects on progression of induced chronic renal failure in cats. *Am. J. Vet. Res.* **59**: 575-82.
- FINNAH A., FREISTEDT R., HARTMANN H., HÖCHEL J. (2002): Mechanismen der renalen Creatinin-Ausscheidung bei der Katze. Proceedings der 15. Tagung der Fachgruppe Biochemie und Physiologie der DVG. Wien.
- FLETCHER, R. H., FLETCHER, S. W., WAGNER, E. H. (1996): Clinical epidemiology: The essentials. 3. Auflage, Williams & Wilkins, Baltimore.
- FLORIJN, K. W., BARENDREGT, J. N., LENTJES, E. G., VAN DAM, W., PRODJOSUDJADI, W., VAN SAASE, J. L., VAN ES, L. A., CHANG, P. C. (1994): Glomerular filtration rate measurement by "single-shot" injection of Inulin. *Kidney Int.* **46**: 252-9.
- FORTH, W., HENSCHLER, D., RUMMEL, W., STARKE, K. (Hrsg.) (1992): Allgemeine und spezielle Pharmakologie und Toxikologie. 6. Auflage, BI-Wissenschaftsverlag, Mannheim, Leipzig, Wien, Zürich.
- FROMM, M., HIERHOLZER, K. (2000): Niere. In: V. ENGELHARDT, W., BREVES, G. (Hrsg.): Physiologie der Haustiere. Enke Verlag, Stuttgart.
- GASPARI, F., PERICO, N., RUGGENENTI, P., MOSCONI, L., AMUCHASTEGUI, C. S., GUERINI, E., DAINA, E., REMUZZI, G. (1995): Plasma clearance of nonradioactive iohexol as a measure of glomerular filtration rate. *J. Am. Soc. Nephrol.* **6**: 257-63.
- GENNARO, M. C., ABRIGO, C., MARENGO, E., BALDIN, C., MARTELLETTI, M. T. (1995): Determination of creatinine in human serum. Statistical intercalibration of methods. *Analyst.* **120**: 47-51.
- GILLESPIE, W. R. (1991): Noncompartmental versus compartmental modelling in clinical pharmacokinetics. *Clin. Pharmacokinet.* **20**: 253-62.
- GLEADHILL, A., MARLIN, D., HARRIS, P. A., MICHELL, A. R. (1999): Use of a three-blood-sample plasma clearance technique to measure GFR in horses. *Vet. J.* **158**: 204-9.
- GLEADHILL, A., MICHELL, A. R. (1996): Evaluation of iohexol as a marker for the clinical measurement of glomerular filtration rate in dogs. *Res. Vet. Sci.* **60**: 117-21.
- GLEADHILL, A., PETERS, A. M., MICHELL, A. R. (1995): A simple method for measuring glomerular filtration rate in dogs. *Res. Vet. Sci.* **59**: 118-23.
- GOY-THOLLOT, I., CHAFOTTE, C., GARNIER, F., BARTHEZ, P. Y. (2001): Estimation of glomerular filtration rate (GFR) using plasma clearance of iohexol: Establishing normal values in dogs and cats. Proceedings 11th ESVIM Congress. Dublin, Ireland.

- GREINER, M. (1996): Two-graph receiver operating characteristic (TG-ROC): update version supports optimisation of cut-off values that minimise overall misclassification costs. *J. Immunol. Methods*. **191**: 93-4.
- GREINER, M., SOHR, D., GÖBEL, P. (1995): A modified ROC analysis for the selection of cut-off values and the definition of intermediate results of serodiagnostic tests. *J. Immunol. Methods*. **185**: 123-32.
- GREINER, M., PFEIFFER, D., SMITH, R. D. (2000): Principles and practical application of the receiver-operating characteristic analysis for diagnostic tests. *Prev. Vet. Med.* **45**: 23-41.
- GRUBB, A. (1992): Diagnostic value of analysis of cystatin C and protein HC in biological fluids. *Clin. Nephrol.* **38** Suppl 1: 20-7.
- GRUBB, A., SIMONSEN, O., STURFELT, G., TRUEDSSON, L., THYSELL, H. (1985): Serum concentration of cystatin C, factor D and beta 2-microglobulin as a measure of glomerular filtration rate. *Acta Med. Scand.* **218**: 499-503.
- GRÜNBAUM E.-G. (2000): Diagnostik von Nierenerkrankungen bei Hund und Katze. Fachgruppe Kleintierkrankheiten der DVG, Arbeitstagung Ost, Cottbus.
- HALL, J. E., GUYTON, A. C., FARR, B. M. (1977): A single-injection method for measuring glomerular filtration rate. *Am. J. Physiol.* **232**: F72-6.
- HALLER, M., MÜLLER, W., BINDER, H., ESTELBERGER, W., ARNOLD, P. (1998): Single-injection Inulin clearance--a simple method for measuring glomerular filtration rate in dogs. *Res. Vet. Sci.* **64**: 151-6.
- HALLER M., ROHNER K., MÜLLER W., BINDER H., ESTELBERGER W. (2001): Single-injection Inulin clearance for routine measurement of glomerular filtration rate in cats. Proceedings 11th ESVIM Congress, Dublin, Ireland.
- HARTE, J. G., MARKWELL, P. J., MORAILLON, R. M., GETTINBY, G. G., SMITH, B. H., WILLS, J. M. (1994): Dietary management of naturally occurring chronic renal failure in cats. *J. Nutr.* **124**: 2660-2662.
- HARTH, O. (1963): Ein neues inulinartiges Fructosepolysaccharid. *Klin. Wochenschr.* **41**:769-70.
- HARTMANN, H., BANDT, C., GLATZEL, P. S. (2001): Einfluss wechselnder oraler Mineralstoffzufuhr auf Nierenfunktionen einschließlich renaler fraktioneller Exkretion von Ca, Mg, und Phosphat bei Kühen. *Berl. Münch. Tierärztl. Wochenschr.* **114**: 267-72.
- HEIENE, R., MOE, L. (1998): Pharmacokinetic aspects of measurement of glomerular filtration rate in the dog: a review. *J. Vet. Intern. Med.* **12**: 401-14.
- HEIENE, R., MOE, L. (1999): The relationship between some plasma clearance methods for estimation of glomerular filtration rate in dogs with pyometra. *J. Vet. Intern. Med.* **13**: 587-96.

- HEINEGARD, D., TIDERSTRÖM, G. (1973): Determination of serum creatinine by a direct colorimetric method. *Clin. Chem. Acta.* **43**: 305-10.
- HELLERSTEIN, S., BERENBOM, M., ALON, U., WARADY, B. A. (1993): The renal clearance and infusion clearance of Inulin are similar, but not identical. *Kidney Int.* **44**: 1058-61.
- HÖCHEL, J., FINNAH, A., FREISTEDT, R., BAUMGARDT, T., BANIA, S., VELDE, K., HARTMANN, H. (2001a): Simplified method for estimation of glomerular filtration rate. Proceedings der 7. FECAVA & 47. Jahrestagung der Fachgruppe Kleintierkrankheiten der DVG, Berlin.
- HÖCHEL, J., VELDE, K., BANIA, S., FINNAH, A., HARTMANN, H. (2001b): Abschätzung der GFR aus zwei Messwerten der exogenen Creatinin-Clearance - ein diagnostisches Verfahren für die Kleintierpraxis. Proceedings der 10. Jahrestagung der DVG-Fachgruppe Innere Medizin und klinische Laboratoriumsdiagnostik, München.
- HÖCHEL, J., VELDE, K., FINNAH, A., BANIA, S., BAUMGARDT, T., HARTMANN, H. (2001c): Modified plasma creatinine clearance for estimation of glomerular filtration rate in dogs and cats: What has to be payed attention to? Proceedings 11th ESVIM Congress, Dublin, Ireland.
- HÖCHEL, J., LEHMANN, D., GROßE-SIESTRUP, C., HARTMANN, H. (2003): Is there a significant tubular creatinine secretion in the dog? zur Publikation eingereicht.
- HORIO, M., ORITA, Y. (1996): Comparison of Jaffe rate assay and enzymatic method for the measurement of creatinine clearance. *Nippon Jinzo Gakkai Shi.* **38**: 296-9.
- HOSTETTER, T. H., OLSON, J. L., RENNKE, H. G., VENKATACHALAM, M. A., BRENNER, B. M. (1981): Hyperfiltration in remnant nephrons: a potentially adverse response to renal ablation. *Am. J. Physiol.* **241**: 85-93.
- HOSTETTER, T. H., OLSON, J. L., RENNKE, H. G., VENKATACHALAM, M. A., BRENNER, B. M. (2001): Hyperfiltration in remnant nephrons: a potentially adverse response to renal ablation. *J. Am. Soc. Nephrol.* **12**: 1315-25.
- JENSEN, A. L., BOMHOLT, M., MOE, L. (2001): Preliminary evaluation of a particle-enhanced turbidimetric immunoassay (PETIA) for the determination of serum Cystatin C-like immunoreactivity in dogs. *Veterinary Clinical Pathology* **30**: 86-90.
- KNAPP, M. L., HADID, O. (1987): Investigations into negative interference by jaundiced plasma in kinetic Jaffe methods for plasma creatinine determination. *Ann. Clin. Biochem.* **24** (Pt 1): 85-97.
- KRAFT, W. (1996): Krankheiten der Harnorgane. In: KRAFT, W., DÜRR, U. M. (Hrsg.): Katzenkrankheiten. 4. Auflage, Verlag M. & H. Schaper, Alfeld, Hannover, 577-638.

- KRAFT, W., DANCKERT, D. (1999): Entwicklung einer Katzenpopulation. Teil 1: Anteil der Katze am Patientengut, Geschlechts-, Rassen- und Altersentwicklung - ein Vergleich der Jahre 1967 und 1997. *Tierärztl. Prax.* **27**: 194-7.
- KRAFT, W., DÜRR, U. M. (Hrsg.) (1999): Klinische Labordiagnostik in der Tiermedizin. 5. Auflage, Schattauer, Stuttgart, New York.
- LABATO, M. A., ROSS, L. A. (1991): Plasma disappearance of creatinine as a renal function test in the dog. *Res. Vet. Sci.* **50**: 253-8.
- LADD, M., LIDDLE, L., GAGNON, J. A. (1956): Renal excretion of Inulin, creatinine and ferrocyanide at normal and reduced clearance levels in the dog. *M. J. Physiol.* **184**: 505-14.
- LE GARRÉRÈS, A., LAROUTE, V., DE LA FARGE, F., LEFEBVRE, H. P. (2001): Comparison of plasma clearances of creatinine and iohexol for glomerular filtration rate assessment in cats. Proceedings ACVIM Forum, Denver, USA.
- LEE, K. E., BEHRENDT, U., KACZMARCZYK, G., MOHNHAUPT, R., REINHARDT, H. W. (1983): Estimation of glomerular filtration rate in conscious dogs following a bolus of creatinine. Comparison with simultaneously determined Inulin clearance. *Pflügers Arch.* **396**: 176-8.
- LEVINSKY, N. G., BERLINER, R. W. (1959): Changes in composition of the urine in ureter and bladder at low urine flow. *Am. J. Physiol.* **196**: 549-53.
- LULICH, J. P., OSBORNE, C. A., O'BRIEN, T. D., POLZIN, D. J. (1992): Feline renal failure: Questions, answers, questions. *Comp. Contin. Ed.* **14**: 127-53.
- MARTINEZ, M. N. (1998a): Noncompartmental methods of drug characterization: statistical moment theory. *J. Am. Vet. Med. Assoc.* **213**: 974-80.
- MARTINEZ, M. N. (1998b): Use of pharmacokinetics in veterinary medicine. Article. II: Volume, clearance, and half-life. *J. Am. Vet. Med. Assoc.* **213**: 1122-7.
- MEEH, K. (1879): Oberflächenmessung des menschlichen Körpers. *Zeitschr. Biol.* **15**: 425-58.
- MERTZ, D. P. (1963): Observations on the renal clearance and the volume of distribution of Polyfructosan-S, a new Inulin-like substance. *Experientia* **19**: 248-9.
- MERTZ, D. P., SARRE, H. (1963): Polyfructosan-S: Eine neue inulinartige Substanz zur Bestimmung des Glomerulusfiltrates und des physiologisch aktiven extrazellulären Flüssigkeitsvolumens beim Menschen. *Klin. Wochenschr.* **41**: 868-72.
- MEYER-LINDENBERG, A., WESTHOFF, A., WOHLSEIN, P., NOLTE, I. (1996): Wertigkeit diagnostischer Verfahren zur Nierenfunktionsprüfung bei der Katze. *Tierärztl. Praxis* **24**: 395-401.
- MEYER-LINDENBERG, A., JANTHUR, M., SOMMER, B., NOLTE, I. (1998a): Untersuchungen zur polyzystischen Nierendegeneration bei Perserkatzen. *Prakt. Tierarzt.* **79**: 1122-36.

- MEYER-LINDENBERG, A., WOHLSEIN, P., TRAUTWEIN, G., NOLTE, I. (1997): Untersuchungen zum Urinproteinmuster mit der Natrium Dodecyl Sulfat-Polyacrylamid-Gradientengel Elektrophorese (SDS-Page) bei gesunden und nierenkranken Katzen. *Zentralbl. Veterinarmed. A* **44**: 39-54.
- MEYER-LINDENBERG, A., WESTHOFF, A., WOHLSEIN, P., POHLENZ, J., NOLTE, I. (1998b): Die Messung der glomerularen Filtrationsrate (GFR) nach Jodkontrastmittelgabe mit dem Renalyzer PRX90 bei gesunden und nierenkranken Katzen. *Berl. Münch. Tierärztl. Wochenschr.* **111**: 344-51.
- MITCH, W. E., WALSER, M. (2000): Nutritional therapy in renal disease. In: BRENNER, B. M. (Hrsg.): The kidney. 6. Auflage, W. B. Saunders, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, Volume II.
- MIYAMOTO, K. (1998): Evaluation of single-injection method of Inulin and creatinine as a renal function test in normal cats. *J. Vet. Med. Sci.* **60**: 327-32.
- MOE, L., HEIENE, R. (1995): Estimation of glomerular filtration rate in dogs with ^{99m}Tc-DTPA and iohexol. *Res. Vet. Sci.* **58**: 138-43.
- NAGODE, L. A., CHEW, D. J., PODELL, M. (1996): Benefits of calcitriol therapy and serum phosphorus control in dogs and cats with chronic renal failure. Both are essential to prevent or suppress toxic hyperparathyroidism. *Vet. Clin. North Am. Small Anim. Pract.* **26**: 1293-330.
- NEWMAN, D. J., THAKKAR, H., EDWARDS, R. G., WILKIE, M., WHITE, T., GRUBB, A. O., PRICE, C. P. (1995): Serum Cystatin C measured by automated immunoassay: a more sensitive marker of changes in GFR than serum creatinine. *Kidney Int.* **47**: 312-8.
- NISSEN, O. I. (1966): The relation between reabsorption rate and filtration rate in the superficial and deep areas of the kidney. *Acta Physiol. Scand.* **66**: 286.
- NITSCH, E. (o. J.): Chemistry of Inutest. In: POGGLITSCH, H., PETEK, W., ESTELBERGER, W., NITSCH, E. Inutest Scientific Brochure, Linz.
- NITSCH, E., IWANOV, W., LEDERER, K. (1979): Molecular characterization of Sinistrin. *Carbohydr. Res.* **72**: 1-12.
- NOSSLIN, B. (1965): Determination of clearance and distribution volume with the single injection technique. *Acta Med. Scand.*: 97-101.
- O'CONNELL, J. M. B., ROMEO, J. A., MUDGE, G. H. (1962): Renal tubular secretion of creatinine in the dog. *Am. J. Physiol.* **203**: 985-90.
- OSBALDISTON, G. W., FUHRMANN, W. (1970): The clearance of creatinine, Inulin, paraaminohippurate and phenolsulphothalein in the cat. *Can. J. Comp. Med.* **34**: 138-141.
- OSBORNE, C. A., LOW, D. G., FINCO, D. R. (1981): Canine and feline urology. Saunders, Philadelphia, London.

- OSBORNE, C. A., FINCO, D. R., LOW, D. G. (1983): Pathophysiology of renal disease, renal failure and uremia. In: ETTINGER, S. J. (Hrsg.): Textbook of Veterinary Internal Medicine. 2. Auflage, W. B. Saunders, Philadelphia, 1733-92.
- PETEK, W. (o. J.): Laboratory methods for the determination of Inutest. In: POGGLITSCH, H., PETEK, W., ESTELBERGER, W., NITSCH, E. Inutest Scientific Brochure, Linz.
- PETERS, A. M. (1991): Quantification of renal haemodynamics with radionuclides. *Eur. J. Nucl. Med.* **18**: 274-86.
- PETERS, A. M. (1992): Expressing glomerular filtration rate in terms of extracellular fluid volume. *Nephrol. Dial. Transplant.* **7**: 205-10.
- POLZIN, D. J., OSBORNE, C. A. (1995): Pathophysiology of renal failure and uremia. In: OSBORNE, C. A., FINCO, D. R. (Hrsg.): Canine and Feline Nephrology and Urology. Williams and Wilkins, Baltimore, Philadelphia [u.a.], 335-67.
- POLZIN, D. J., OSBORNE, C. A., BARTGES, J. W., JAMES, K. M., CHURCHILL, J. A. (1995): Chronic renal failure. In: ETTINGER, S. J., FELDMANN, E. C. (Hrsg.): Textbook of Veterinary Internal Medicine. 4. Auflage, B. Saunders Company, Philadelphia [u.a.], 1734-60.
- POLZIN, D. J., OSBORNE, C. A., HAYDEN, D. W., STEVENS, J. B. (1983): Influence of reduced protein diets on morbidity, mortality, and renal function in dogs with induced chronic renal failure. *Am. J. Vet. Res.* **45**: 506-17.
- POLZIN, D. J., OSBORNE, C. A., LULICH, J. P. (1996): Diet therapy guidelines for cats with chronic renal failure. *Vet. Clin. North Am. Small Anim. Pract.* **26**: 1269-75.
- POLZIN, D. J., OSBORNE, C. A., ROSS, S., JACOB, F. (2000): Dietary management of feline chronic renal failure: where are we now? In what direction are we headed? *J. Feline Med. Surg.* **2**: 75-82.
- POWERS, T. A., STONE, W. J., GROVE, R. B., PLUNKETT, J. M., KADIR, S., PATTON, J. A., BOWEN, R. D. (1981): Radionuclide measurement of differential glomerular filtration rate. *Invest. Radiol.* **16**: 59-64.
- REDER, S., HARTMANN, H. (1994): Diagnostische und pathophysiologische Aspekte der Nierenfunktionsbestimmung bei Tieren. *Zentralbl. Veterinärmed. A* **41**: 253-67.
- RENSCHLER, H. E. (1963): Die Anwendung enzymatischer Methoden zur Bestimmung von Inulin. *Klin. Wochenschr.* **41**: 615-7.
- ROBINSON, T., HARBISON, M., BOVEE, K. C. (1974): Influence of reduced renal mass on tubular secretion of creatinine in the dog. *Am. J. Vet. Res.* **35** No.4: 487-91.
- ROGERS, K. S., KOMKOV, A., BROWN, S. A., LEES, G. E., HIGHTOWER, D., RUSSO, E. A. (1991): Comparison of four methods of estimating glomerular filtration rate in cats. *Am. J. Vet. Res.* **52**: 961-4.

- ROSS, L. A., FINCO, D. R. (1981): Relationship of selected clinical renal function tests to glomerular filtration rate and renal blood flow in cats. *Am. J. Vet. Res.* **42**: 1704-10.
- ROSS, L. A., FINCO, D. R., CROWELL, W. A. (1982): Effect of dietary phosphorus restriction on the kidneys of cats with reduced renal mass. *Am. J. Vet. Res.* **43**: 1023-6.
- ROWLAND, M., TUCKER, G. (Hrsg.) (1986): Pharmacokinetics: Theory and methodology. Pergamon Press, Oxford.
- RUSSO, E. A., LEES, G. E., HIGHTOWER, D. (1986): Evaluation of renal function in cats, using quantitative urinalysis. *Am. J. Vet. Res.* **47**: 1308-12.
- SAPIRSTEIN, L. A., VIDT, D. G., MANDEL, M. J., HANUSEK, G. (1955): Volumes of distribution and clearances of intravenously injected creatinine in the dog. *Am. J. Physiol.* **181**: 330-6.
- SAURWEIN, K.-H., HÖNEKOPP, T. (1994): SPSS/PC+ 5.0: Eine anwendungsorientierte Einführung zur professionellen Datenanalyse. 2. Auflage, Addison-Wesley, Bonn, München, Reading, Mass. [u.a.].
- SCHLOERB, P. R. (1960): Total body water distribution of creatinine and urea in nephrectomized dogs. *Am. J. Physiol.* **199**: 661-5.
- SCHWENDENWEIN, I. (1989): Labordiagnostische Möglichkeiten für Praktiker bei Nierenerkrankungen des Hundes und der Katze. *Wien. Tierärztl. Mschr.* **76**: 244-8.
- SCHWENDENWEIN, I. (1993): Nieren und harnableitende Organe. In: SCHMIDT, V., HORZINEK, M. Ch. (Hrsg.): Krankheiten der Katze. Verlag G. Fischer, Jena, Stuttgart, Band 2: 363-97.
- SILBERNAGL, S., DESPOPOULOS, A. (1991): Taschenatlas der Physiologie. 4. Auflage, Georg Thieme Verlag, Stuttgart, New York.
- SIMONSEN, O., GRUBB, A., THYSELL, H. (1985): The blood serum concentration of cystatin C (gamma-trace) as a measure of the glomerular filtration rate. *Scand. J. Clin. Lab. Invest.* **45**: 97-101.
- SOLDIN, S. J., HENDERSON, L., HILL, J. G. (1978): The effect of bilirubin and ketones on reaction rate methods for the measurement of creatinine. *Clin. Biochem.* **11**: 82-6.
- SOPER, C. P., BENDING, M. R., BARRON, J. L. (1995): An automated enzymatic Inulin assay, capable of full sinistrin hydrolysis. *Eur. J. Clin. Chem. Clin. Biochem.* **33**: 497-501.
- SPECTOR, W. S. (Hrsg.) (1961): Handbook of Biological Data. W. B. Saunders, Philadelphia u. London.

- SPIES, T., PRAZNIK, W., HOFINGER, A., ALTMANN, F., NITSCH, E., WUTKA, R. (1992): The structure of the fructan sinistrin from *Urginea maritima*. *Carbohydr. Res.* **235**: 221-30.
- STAKE, G., MONN, E., ROOTWELT, K., MONCLAIR, T. (1991a): A single plasma sample method for estimation of the glomerular filtration rate in infants and children using iohexol, II: Establishment of the optimal plasma sampling time and a comparison with the ^{99}Tcm -DTPA method. *Scand. J. Clin. Lab. Invest.* **51**: 343-8.
- STAKE, G., MONN, E., ROOTWELT, K., MONCLAIR, T. (1991b): The clearance of iohexol as a measure of the glomerular filtration rate in children with chronic renal failure. *Scand. J. Clin. Lab. Invest.* **51**: 729-34.
- SUGITA, O., TOMIYAMA, Y., MATSUTO, T., OKADA, M., GEJYO, F., ARAKAWA, M., TAKAHASHI, S., WATAZU, Y., KANEDA, N. (1995): A new enzymatic method for the determination of Inulin. *Ann. Clin. Biochem.* **32** : 561-5.
- SUMMERFIELD, A. L., HORTIN, G. L., SMITH, C. H., WILHITE, T. R., LANDT, M. (1993): Automated enzymatic analysis of Inulin. *Clin. Chem.* **39**: 2333-7.
- SWANSON, R. E., HAKIM, A. A. (1962): Stop-flow analysis of creatinine excretion in the dog. *Am. J. Physiol.* **203**: 980-4.
- TABARU, H., FINCO, D. R., BROWN, S. A., COOPER, T. (1993): Influence of hydration state on renal functions of dogs. *Am. J. Vet. Res.* **54**: 1758-64.
- URIBE, D., KRAWIEC, D. R., TWARDOCK, A. R., GELBERG, H. B. (1992): Quantitative renal scintigraphic determination of the glomerular filtration rate in cats with normal and abnormal kidney function, using $^{99\text{m}}\text{Tc}$ -diethylenetriaminepentaacetic acid. *Am. J. Vet. Res.* **53**: 1101-7.
- VAN DEN BROM, W. E., BIEWENGA, W. J. (1981): Assessment of glomerular filtration rate in normal dog: analysis of the ^{51}Cr -EDTA clearance and its relation to several endogenous parameters of glomerular filtration. *Res. Vet. Sci.* **30**: 152-7.
- VERLANDER, J. W. (1997): Renal physiology. In: CUNNINGHAM, J. G. (Hrsg.): *Textbook of Veterinary Physiology*. Saunders, Philadelphia u.a.: 510-554.
- WATSON, A. D., CHURCH, D. B., FAIRBURN, A. J. (1981): Postprandial changes in plasma urea and creatinine concentrations in dogs. *Am. J. Vet. Res.* **42**: 1878-80.
- WATSON, A. D., LEFEBVRE, H. P., CONCORDET, D., LAROUTE, V., FERRE, J. P., BRAUN, J. P., CONCHOU, F., TOUTAIN, P. L. (2002): Plasma exogenous creatinine clearance test in dogs: comparison with other methods and proposed limited sampling strategy. *J. Vet. Intern. Med.* **16**: 22-33.
- WESTHOFF, A. E. (1996): Diagnostik von Nierenerkrankungen beim Hund unter besonderer Berücksichtigung der Jodkontrastmittelclearance. Dissertation, Tierärztliche Hochschule Hannover.

- WESTHOFF, A., MEYER-LINDENBERG, A., WOHLSEIN, P., NOLTE, I. (1993): Messung der glomerulären Filtrationsrate (GFR) beim Hund mittels nichtradioaktiver Jod-Kontrastmittel Clearance durch den Renalyzer PRX90. *Mh. Vet. Med.* **48**: 573-82.
- WESTHOFF, A. E., MEYER, I., MEYER-LINDENBERG, A., NOLTE, I. (1995): Nierenzintigraphie bei Hund und Katze. Proceedings der 5. Jahrestagung der DVG Fachgruppe Innere Medizin und Laboratoriumsdiagnostik. München.
- WRIGHT, J. G., BODDY, A. V., HIGHLEY, M., FENWICK, J., MCGILL, A., CALVERT, A. H. (2001): Estimation of glomerular filtration rate in cancer patients. *Br. J. Cancer* **84**: 452-9.