

6 Literaturverzeichnis

- ABEL J (1987) 2,3,7,8-TCDD-Intoxikation beim Menschen. In: Dioxin. Eine technische analytische, ökologische und toxikologische Herausforderung. VDI Herausgeb., VDI Berichte 634, VDI Verlag Düsseldorf 487-501
- ABRAHAM K, NEUBERT R, DELGADO I, HELGE H, NEUBERT D (1994) Altersabhängige Veränderungen von Adhäsionsmolekülen auf Lymphozyten bei Kindern. Monatsschr Kinderheilkd 142:142 (Abstract)
- AGUILAR LK, AGUILAR-CORDOBA E, CARTWRIGHT J, BELMONT JW (1994) Thymic nurse cells are sites of thymocyte apoptosis. J Immunol 152:2645-2651
- ALBELDA SM, BUCK CA (1990) Integrins and other cell adhesion molecules. FASEB J 4:2868-2880
- ANDERSON G, HARE KJ, PLATT N, JENKINSON EJ (1997) Discrimination between maintenance- and differentiation-inducing signals during initial and intermediate stages of positive selection. Eur J Immunol 27:1838-1842
- ANDERSON G, MOORE NC, OWEN JJT, JENKINSON EJ (1996) Cellular interactions in thymocyte development. Ann Rev Immunol 14:73-99
- AUERBACH R (1960) Morphogenetic interactions in the development of mouse thymus gland. Dev Biol 2:271
- AUERBACH R (1961) Experimental analysis of the origin cell types in the development of mouse thymus. Dev Biol 3:336-354
- BARCLAY AN, MAYRHOFER G. (1981) Bone marrow origin of Ia-positive cells in the medulla of the rat thymus. J Exp Med 153(6):1666-1671

BENNINGHOFF A (1994) Makroskopische Anatomie, Embryologie und Histologie des Menschen. Urban und Schwarzenberg, München

BEVILACQUA MP (1993) Endothelial-leukocyte adhesion molecules. *Annu Rev Immunol* 11:767-804

BOCKMAN DE (1997) Development of the Thymus. *Micr Res Tech* 38:209-215

BOCKMAN DE, KIRBY ML (1984) Dependence of thymus development on deriviations of the neural crest. *Science* 223:498-500

BOCKMAN DE, KIRBY ML (1985) Neural crest interactions in the development of the immune system. *J Immunol* 135:766-768

BOCKMAN DE, KIRBY ML (1989) Neural crest function in thymus development. *Immunol Ser* 45:451-467

BODEY B, BODEY B JR, SIEGEL SE, KAISER HE (2000) Novel insights into the function of the thymic Hassall's bodies. *In vivo* 14:407-418

BODEY B, KAISER HE (1997) Development of Hassall's bodies of the thymus in humans and other vertebrates (especially mammals) under physiological and pathological conditions: immunocytochemical, electron microscopic and in vitro observations. *In Vivo* 11(1):61-85

BOYD RL, TUCEK CL, GODFREY DI, IZON DJ, WILSON TJ, DAVIDSON NJ, BEAN AGD, LADYMAN HM, RITTER MA, HUGO P (1993) The thymic microenvironment. *Immunol Today* 14:9:445-459

BRELINSKA R, WARCHOL JB (1997) Thymic nurse cells: their functional ultrastructure. *Microsc Res Tech* 38:250-266

CORDIER HC, HAUMONT SM (1980) Development of the thymus, parathyroids and ultimo-brachial bodies in NMRI and nude mice. Am J Anat 157:227-263

CRISA L, CIRULLI V, ELLISMAN MH, ISHII J, ELICES MJ, SALOMON DR (1996) Cell adhesion and migration are regulated at distinct stages of thymic T cell development: the roles of fibronectin, VLA4 and VLA5. J Exp Med 184:215-228

CROUSE DA, TURPAN JB, SHARP JG (1985) Thymic non lymphoid cells. Sur Immunol Res 4:120-134

DE HEER C, DE WAAL EJ, SCHUURMAN H-J, VOS JG, VAN LOVEREN H (1994) The intrathymic target cell for the thymotoxic action of 2,3,7,8-tetrachlorodibenzo-p-dioxin. Exp Clin Immunogenet 11:86

DE WAAL EJ, RADEMAKERS LHPM (1997) Heterogeneity of epithelial cells in the rat thymus. Micros Res Tech 38:227-236

DE WAAL EJ, SCHUURMAN H-J, RADEMAKERS LHPM, LOEBER JG, VAN LOVEREN H, VOS JG (1993a) The cortical thymic epithelium of the rat thymus after in vivo exposure to *bis*(tri-*n*-butyltin)oxide (TBTO). An immunhistologic and electron microscopic study. Arch Toxicol 67:186-192

DE WAAL EJ, SCHUURMAN H-J, VAN LOVEREN H, VOS JG (1997) Differential effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin, *bis*(Tri-*N*-Butyltin)Oxide and cyclosporine on thymus histophysiology. Crit Rev Toxicol 27(4):381-430

DE WAAL EJ; RADEMAKERS LHPM; VAN LOVEREN H, SCHUURMAN H-J, VOS JG (1993b) Ultrastructure of the cortical epithelium of the rat thymus after in vivo exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Arch Toxicol 67:558-564

DE WAAL EJ, MALEFIJT R, LEENE W, ROHOLL PJM, WORMEESTER J, HOEBEN KA (1986) T cell differentiation within thymic nurse cells. Lab Invest 55:25-34

- DENNING SM, TUCK DT, VOLLMER LW, SPRINGER TA, SINGER KH, HAYNES BF (1987) Monoclonal antibodies to CD2 and lymphocyte function-associated antigen 3 inhibit human thymic epithelial cell-dependent mature thymocyte activation. *J Immunol* 139(8):2573-2578.
- DIPASQUALE B, TRIDENTE G (1991) Immunohistochemical characterization of nurse cells in normal human thymus. *Histochemistry* 96:499-503
- DUIJVESTIJN AM, HOEFSMIT EC (1981) Ultrastructure of the rat thymus: the micro-environment of T-lymphocyte maturation. *Cell Tissue Res* 218(2):279-92
- DUSTIN ML, SPRINGER TA (1999) CD2/LFA-3. In: KREIS T, VALE R (eds.) (1999) Guidebook to the extracellular matrix, anchor and adhesion proteins. Oxford University press pp.196-212
- ESSER C (1994) Dioxins and the immune system: mechanisms of interference. A meeting report. *Innt Arch Allergy Immunol* 104:126-130
- FINE JS, GASIEWICZ TA, SILVERSTONE AE (1989) Lymphocyte stem cell alterations following perinatal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Mol Pharmacol* 35:18-25
- FÖRSTER M, DELGADO I, ABRAHAM K, GERSTMAYER S, NEUBERT R (1997) Comparative study on age-dependent development of surface receptors on peripheral blood lymphocytes in children and young non-human primates (marmosets). *Life Sci* 60:773-785
- GIRAUD F, FABIEN N, AUGER C, GIROD C, LOIRE R, MONIER JC (1990) Human epithelial thymic tumors: heterogeneity in immunostaining of epithelial cell markers and thymic hormones. *Thymus* 15:15-29

GREENLEE WF, DOLD KM, IRONS RD, OSBORNE R (1985) Evidence for direct action of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on thymic epithelium. *Toxicol Appl Pharmacol* 79:112-120

HAYNES BF (1984) The human thymic microenvironment. *Adv Immunol* 36:87-142

HAYNES BF (1990) Human thymic epithelial T-cell-development: current issue and further directions. *Thymus* 16(3-4):143-157

HAYNES BF, SCEARCE RM, LOBACH DF, HENSLEY LL (1984) Phenotypic characterization and ontogeny of mesodermal derived and endocrine epithelial components of the human thymic microenvironment. *J Exp Med* 159:1149-1168

HEMLER ME (1999) Integrins. In: KREIS T, VALE R (eds.) (1999) Guidebook to the extracellular matrix, anchor and adhesion proteins. Oxford University press pp.196-212

HOLSAPPLE MP, MORRIS DL, WOOD SC, SNYDER NK (1991a) 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced changes in immunocompetence: possible mechanisms. *Annu Rev Pharmacol Toxicol* 31:73-100

HOLSAPPLE MP, SNYDER NK , WOOD SC, MORRIS DL (1991b) A review of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced changes in immunocompetence: 1991 update, *Toxicology* 69:219

HYNES RO (1987) Integrins: A family of cell surface receptors. *Cell* 48:549-554

HYNES RO (1992) Integrins: Versatility, modulation and signaling in cell adhesion. *Cell* 69:11-25

IWAO M, FUKADA S, HARADA T, TSUJIKAWA K, YAGITA H, HIRAMINE C, MIYAGOE Y, TAKEDA S, YAMAMOTO H (2000) Interaction of merosin (laminin 2) with very late activation antigen-6 is necessary for the survival of CD4+ CD8+ immature thymocytes. *Immunology* 99(4):481-488

JANOSSY G, THOMAS JA, BOLLUM FJ, GRANGER S, PIZZOLO G, BRADSTOCK KF, WONG L, MCMICHAEL A, GANESHAGURU K, HOFFBRAND AV (1980) The human thymic microenvironment: an immunohistologic study. *J Immunol* 125(1):202-212

JENKINSON EJ, ANDERSON G (1995) The role of the thymus during T lymphocyte differentiation in vitro. *Semin Immunol* 7:177-183

KAMATH AB, CAMACHO I, NAGARKATTI PS, NAGARKATTI M (1999) Role of Fas-Fas ligand interactions in 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-induced immunotoxicity: increased resistance of thymocytes from Fas-deficient (lpr) and Fas ligand-defective (gld) mice to TCDD-induced toxicity. *Toxicol Appl Pharmacol* 160:141-155

KAMATH AB, NAGARKATTI PS, NAGARKATTI M (1998) Characterization of phenotypic alterations induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin on thymocytes in vivo and its effect on apoptosis. *Toxicol Appl Pharmacol* 150:117-124

KAMPINGA J, BERGES S, BOYD RL, BREKELMANS P, COLIC M, VAN EWINK W, KENDALL MD, LADYMAN HM, NIEUWENHUIS P, RITTER MA, SCHUURMAN H-J, TOURNIFIER A (1990) Thymic epithelial antibodies: immunohistological analysis and introduction of nomenclature. *Thymus* 13:165-173

KARAOZ E, ILGAZ C, ERDOGAN D, DAGDEVIREN A (1996) The expression of VLA integrins in the human thymus. *Anat Anz* 178:33-40

KENDALL MD (1991) Functional Anatomy of the Thymic Microenvironment. *J Anat* 177:1-29

KENDALL MD, SCHUURMAN H-J, FENTON J, BROEKHUIZEN R, KAMPINGA J (1988) Implantation of cultured thymic fragments in congenitally (nude) rats. Ultrastructural characteristics of the developing microenvironment. *Cell Tissue Res* 254:283-294

KERKVLIET NI, BRAUNER JA (1990) Flow cytometric analysis of lymphocyte subpopulations in the spleen and thymus of mice exposed to an acute immunosuppressive dose of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *Environ Res* 52:146-154

KUPER CF, BEEMS RB, BRUIJNTJES JP, SCHUURMAN HJ, VOS JG (1992) Normal development, growth and aging of the thymus. In: *Pathology of the aging rat*, Vol. 1. MOOR U, DUNGWORTH DL, CAPEN CC, eds. ILSI Press, Washington DC, pp. 25-28

KYEWISKI BA (1986) Thymic nurse cells: possible sites of T-cell selection. *Immunol Today* 7:374-379

KYEWISKI BA (1987) Seeding of thymic microenvironments defined by distinct thymocyte-stromal cell interactions is developmentally controlled. *J Exp Med* 166(2):520-538

KYEWISKI BA, MOMBURG F, SCHIRRMACHER V (1987) Phenotype of stromal cell-associated thymocytes *in situ* is compatible with selection of the T cell repertoire at an "immature" stage of thymic T cell differentiation. *Eur J Immunol* 17(7):961-967

KYEWISKI BA, ROUSE RV, KAPLAN HS (1982) Thymocyte rosettes: multicellular complexes of lymphocytes and bone marrow-derived stromal cells in the mouse thymus. *Proc Natl Acad Sci USA* 79(18):5646-5650

- LAHOUD M, VREMEC D, BOYD R, SHORTMAN K (1993) Characterization of thymic nurse cell lymphocytes, using an improved procedure for nurse-cell isolation. *Dev Immunol* 3:103
- LANDERS JP, BUNCE NJ (1991) The Ah receptor and the mechanism of dioxin toxicity. *Biochem* 276:273-287
- LE DOUARIN NM, JOTEREAU FV (1975) Tracing of cells of the avian thymus through embryonic life in interspecific chimeras. *J Exp Med* 142:17-40
- LOBACH DF, HAYNES BF (1987) Ontogeneity of the human thymus during fetal development. *J Clin Immunol* 7:81-97
- LOBACH DF, SCEARCE RM, HAYNES BF (1985) The human thymic microenvironment. Phenotypic characterization of Hassall's bodies with the use of monoclonal antibodies. *J Immunol* 134:250-257
- MATHAR W, PALAVINSKAS R, KLEEMANN WJ (1998) Polychlorinated dibenzo-p-dioxins, dibenzofurans and biphenyls in organs of infants. Proceeding of the 4th World Congress on Foodborne Infections and Intoxications II:1105-1112
- MC FARLAND E, SCEARCE RM, HAYNES BF (1984) The human thymic microenvironment: cortical thymic epithelium is an antigenically distinct region of the thymic microenvironment. *J Immunol* 133:1241-1249
- MILICEVIC NM, MILICEVIC Z, COLIC M, MUJOVIC S (1987) Ultrastructural study of macrophages in the rat thymus, with special reference to the cortico-medullary zone. *J Anat* 150:89-98
- MOJCIK CF, SALOMON DR, CHANG AC, SHEVACH EM (1995) Differential expression of integrins on human thymus subpopulations. *Blood* 86:4206-4217

- NABARRA B, PAPIERNIK M (1988) Phenotype of thymic stromal cells. An Immunoelectron microscopic study with anti-IA, anti-MAC-1, and anti-MAC-2 antibodies. *Lab Invest* 58(5):524-531
- NEUBERT D, HEGER W, FISCHER B, MERKER HJ (1988a) Variability and speed of development in marmosets as compared to man. In: NEUBERT D, MERKER HJ, HENDRICKX AG: Non-human primates. Developmental biology and toxicology; Ueberreuter Wissenschaft, Wien, Berlin, S. 205-215
- NEUBERT D, MERKER HJ, HENDRICKX AG (1988b) Non-human primates. Developmental biology and toxicology; Ueberreuter Wissenschaft, Wien, Berlin, S.1-606
- NEUBERT R, DELGADO I, ABRAHAM K, SCHUSTER C, HELGE H (1998) Evaluation of the age-dependent development of lymphocyte surface receptors in children. *Life Sci* 62:1099-1110
- NEUBERT R, FÖRSTER M, NOGUEIRA AC, HELGE H (1995) Cross reactivity of anti-human monoclonal antibodies with cell surface receptors in the common marmoset. *Life Sci* 58:317-324
- NEUBERT R, WEBB JR, NEUBERT D (2002) Feasibility of human trials to assess developmental immunotoxicity, and some comparison with data on New World monkeys. *Hum Exp Toxicol* 21:543-567
- NICOLAS JF, SAVINO W, REANO A, VIAC J, BROCHIER J, DARDENNE M (1985) Heterogeneity of thymic epithelial cell (TEC) keratins - immunohistochemical and biochemical evidence for a subset of highly differentiated TEC in the mouse. *J Histochem Cytochem* 33(7):687-694
- NORRIS EH (1938) The morphogenesis and histogenesis of the thymus gland in man: in which the origin of the Hassall's corpuscles of the human thymus is discovered. *Contrib Embryol Carnegie Inst* 27:193

OKEY AB, RIDICK DS, HARPER PA (1994) The Ah-Receptor: mediator of the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. *Toxicol Lett* 70:1-22

OOSTERWEGEL MA, HAKS MC, JEFFRY U, MURRAY R, KRUISBEEK AM (1997) Induction of TRC gene rearrangements in uncommitted stem cells by a subset of IL-7 producing, MHC class II-expressing thymic stromal cells. *Immunity* 6:351-370

PARDI R, INVERARDI L, BENDER JR (1992) Regulatory mechanisms in leukocyte adhesion: flexible receptors for sophisticated travelers. *Immunol Today* 13(6):224-30

PATTEN BM (1968) Human Embryology. McGraw-Hill Book Co., New York

PLATT JL, MICHAEL AF (1983) Retardation of fading and enhancement of intensity of immun-fluorescence by p-phenylenediamine. *J Histochem Cytochem* 31: 840-842

RAMARLI D, SCUPOLI MT, FIORINI E, POFFE O, BRENTEGANI M, VILLA A, CECCHINI G, TRIDENTE G, MARCHISIO PC (1998) Thymocyte contact or monoclonal antibody-mediated clustering of 3 β 1 or 6 β 4 integrins activate interleukin-6 (IL-6) transcription factors (NF-kappaB and NF-IL6) and IL-6 production in human thymic epithelial cells. *Blood* 92(10):3745-55

REZA JN, RITTER MA (1994) Differential expression of adhesion molecules within the human thymus. *Dev Immunol* 4:55-64

RIECKE K, STAHLmann R, PALAVINSKAS R, ALEXI-MESKISHVILI V, MATHAR W (1999) Polychlorinated dibenzodioxins and polychlorinated dibenzofurans in juvenile thymus. *Organohalogen Compounds* 44:233-236

RIECKE K, NOGUEIRA AC, ALEXI-MESKISHVILI V, STAHLmann R (2000) Cross-reactivity of antibodies on thymic epithelial cells from humans and marmosets by flow-cytometry. *J Med Primatol* 29:343-349

RIECKE K, GRIMM D, SHAKIBAEI M, KOSSMEHL P, SCHULZE-TANZIL G, PAUL M, STAHLMANN R (2002) Low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin increase transforming growth factor beta and cause myocardial fibrosis in marmosets (*Callithrix jacchus*). *Arch Toxicol* 2002 76(5-6):360-366

RITTER MA, CRISPE IN (1992) The Thymus. IRL Series (Male D, ed.) Oxford University Press

RITTER MA, HAYNES BF (1987) Summary of the thymic epithelial workshop. In: Leukocyte typing III. (MC MICHAEL AJ, BEVERLY PCL, LOBBOLD S, CRUMPTON MJ, GRIEKS W, GOTCH FM, HOGG N, HORTON M, LING N, MAC LENNAN ICM, MASON DY, MILSTEIN C, SPIEGELHALTER D, WALDMANN H (eds.) Oxford University Press, Oxford, UK pp.247-248

RITTER MA, PALMER DB (1999) The human thymic microenvironment: new approaches to functional analysis. *Sem Immunol* 11:13-21

RITTER MA, SAUVAGE CA, COTMORE SF (1981) The human thymic microenvironment: In vivo identification of thymic nurse cells and other antigenically distinct subpopulations of epithelial cells. *Immunology* 44:462-469

ROUSE RV, PARHAM P, GRUMET FC, WEISSMAN IL (1982) Expression of HLA antigens by human thymic epithelial cells. *Hum Immunol* 5:21-34

SAVINO W, DALMAU SR, DEALMEIDA VC (2000) Role of extracellular matrix-mediated interactions in thymocyte migration. *Dev Immunol* 7(2-4):279-291

SAVINO W, DARDENNE M (1988b) Immunohistochemical studies on a human thymic epithelial cell subset defined by the anti-cytokeratin 18 monoclonal antibody. *Cell Tissue Res* 254(1):225-231

- SAVINO W, DARDENNE M (1988a) Developmental studies on expression of monoclonal antibody-defined cytokeratins by thymic epithelial cells from normal and autoimmune mice. *J Histochem Cytochem* 36(9):1123-1129
- SAVINO W, VILLAWERDE DM, LANNES-VIEIRA J (1993) Extracellular matrix proteins in intrathymic T cell migration and differentiation. *Immunol Today* 14:158-161
- SCHECTER A, PÄPKE O, LIS A, BALL M, RYAN JJ, OLSON JR, LI L, KESSLER H (1996) Decrease in milk and blood dioxin levels over two years in a mother nursing twins: estimates of decreased maternal and increased infant dioxin body burden from nursing. *Chemosphere* 32:543-549
- SCHMEISSNER PJ, XIE H, SMILENOV LB, SHU F, MARCANTONIO EE (2001) Integrin functions play a key role in the differentiation of thymocytes *in vivo*. *J Immunol* 167(7): 3715-3724
- SCHULZ T (2000) Zur Eignung von Primaten als Tiermodell in der Toxikologie unter besonderer Berücksichtigung der polyhalogenierten Dibenzodioxine. *Habilitationsschrift*. Universität Göttingen
- SCHUURMAN H-J, DE WAAL EJ, VAN LOVEREN H, VOS JG (1991) The toxicity of dioxin to the thymus. In: *The thymus in immunotoxicology, thymus update 4*. KENDALL MD, RITTER MA (eds.) Harwood Academic Publishers, Chur, Switzerland, 35
- SCHUURMAN HJ, KUPER CF, KENDALL MD (1997) Thymic Microenvironment at the Light Microscopic Level. *Micros Res Tech* 38:216-226
- SHIMIZU Y, ROSE DM, GINSBERG MH (1999) Integrins in the immune system. *Adv Immunol* 72:325-380

SHORTMAN K, VREMEC D (1991a) Different subpopulations of developing thymocytes are associated with adherent (macrophage) or nonadherent (dendritic) thymic rosettes. Dev Immunol 1(3):225-235

SHORTMAN K, VREMEC D, D'AMICO A, BATTYE F, BOYD R (1989) Nature of the thymocytes associated with dendritic cells and macrophages in thymic rosettes. Cell Immunol 119(1):85-100

SHORTMAN K, VREMEC D, LEES RK, MACDONALD HR (1991b) Does negative selection involve accumulation of self-reactive thymocytes in thymic rosettes? Immunol Lett 28(3):201-205

SILVERSTONE AE, THURMOND TS, BAGGS RB, QUIMBY FW, STAPLES JE, GASIEWICZ TA (1999) A chimeric aryl hydrocarbon receptor knockout mouse model indicates that aryl hydrocarbon receptor activation in hematopoietic stem cells contributes to the hepatic lesions induced by 2,3,7,8-Tetrachlorodibenzo-p-dioxin. Toxicol Appl Pharmacol 158:33-40

SINGER KH, HARDEN EA, ROBERTSON AL, LOBACH DF, HAYNES BF (1985) In vitro growth and phenotypic characterization of mesodermal-derived and epithelial components of normal and abnormal human thymus. Hum Immunol 13:161-176

SINGER KH, DENNING SM, WHICHARD LP, HAYNES BF (1990) Thymocyte LFA-1 and thymic epithelial cell ICAM-1 molecules binding of activated human thymocytes to thymic epithelial cells. J Immunol 144:2931-2939

STAHLmann R, NEUBERT R (1995) Value of non-human primate data. Human & Experimental Toxicology 14:146-147

STEINMANN GG (1984) Altersveränderungen des menschlichen Thymus. Habilitations-schrift. Medizinische Fakultät, Kiel.

STEINMANN GG (1985) Changes in the human thymus during aging. Curr Top Pathol 75:43-88

STEINMANN GG, KLAUS B, MÜLLER-HERMELINK HK (1985) The involution of the aging human thymic epithelium is independent of puberty. A morphometric study. Scand J Immunol 22:563-575

STOLTERFOHT R (1990) Die Entwicklung des Thymus bei *Callithrix jacchus*. Dissertationsschrift. Medizinische Fakultät, Freie Universität Berlin

STREULI CH, BAILEY N, BISSELL MJ (1991) Control of mammary epithelial differentiation: basement membrane induces tissue-specific gene expression in the absence of cell-cell interaction and morphological polarity. J Cell Biol 115:1383-1395

UTSUMI K, SAWADA M, NARUMIYA S, NAGAMINE J, SAKATA T, IWAGAMI S, KITA Y, TERAOKA H, HIRANO H, OGATO M (1991) Adhesion of immature thymocytes to thymic stromal cells through fibronectin molecules and its significance for the induction of thymocyte differentiation. Proc Natl Acad Sci USA 88:5685-5689

VAN DE WIJNGAERT FP, KENDALL MD, SCHUURMAN H-J, RADEMAKERS LHPM, KATER L (1984) Heterogeneity of epithelial cells in the human thymus. An ultrastructural study. Cell Tissue Res 237:227-237

VAN DE WIJNGAERT WP, RADEMAKERS LHPM, SCHUURMAN H-J, DE WEGER RA, KATER L (1983) Identification of the „thymic nurse cell“ in man. J Immunol 130:2348-2351

VAN EWIK W, RON Y, MONACO J, KAPPLER J, MARRACK P, LE MEUR M, GERLINGER P, DURAND B, BENOIST C, MATHIS D (1988) Compartmentalisation of MHC-class II gene expression in transgenic mice. Cell 53:357-370

- VAN EWIJK W, ROUSE RV, WEISSMAN IL (1980) Distribution of H-2 microenvironments in the mouse thymus. Immunoelectron microscopic identification of I-A and H-2K bearing cells. *J Histochem Cytochem* 28(10):1089-1099
- VIRTANEN I, LOHI J, TANI T, SARIOLA H, BURGESON RE, LEHTO VP (1996) Laminin chains in the basement membranes of the human thymus. *Histochem J* 28:643-650
- VOLGER LW, TUCK DT, SPRINGER TA, HAYNES BF, SINGER KH (1987) Thymocyte binding to human thymic epithelial cells is inhibited by monoclonal antibodies to CD2 and LFA-3 antigens. *J Immunol* 138:358-363
- VOLKMANN A, ZAL T, STOCKINGER B (1997) Antigen presenting cells in the thymus that can negatively select MHC class II-restricted T cells recognizing a circulating self antigen. *J Immunol* 158:693-706
- VON GAUDECKER B (1986) The development of the human thymic microenvironment. *Curr Path Top* 75:2-41
- VON GAUDECKER B, KENDALL MD, RITTER MA (1997) Immunelectron microscopy of the thymic epithelial microenvironment. *Microsc Res Tech* 38:1-13
- VON GAUDECKER B, MÜLLER-HERMELINK HK (1980) Ontogeneity and organization of the stationary non-lymphoid cells in the human thymus. *Cell Tissue Res* 244:403-412
- WELLER GL (1933) Development of the thyroid, parathyroid and thymus glands in man. *Contrib Embryol Carnegie Inst* 22:95