Literaturverzeichnis

Aki, K., and P. G. Richards. *Quantitative Seismology.* W.H. Freeman and Co., USA, 1980.

Alsina, D., and R. Snieder. Small-scale sublithospheric continental mantle deformation: constraints from SKS splitting observations. *GJI*, 123:431–448, 1995.

Amato, A., L. Margheriti, R. Azzara, A. Basili, C. Chiarabba, M. Ciaccio, G. Cimini, M. D. Bona, A. Frepoli, F. Lucente, C. Nostro, and G. Selvaggi. Passive Seismology and Deep Structure in Central Italy. *Pure appl. geophys.*, 151:479–493, 1998.

Ammon, C. J.. A comparison of deconvolution techniques. Technical Report UCID-ID-111667, Lawrence Livermore Natl. Lab., Livermore, California, 1992.

Asch, G., G. Bock, F. Graeber, C. Haberland, M. Hellweg, R. Kind, A. Rudloff, and K. Wylegalla. Passive Seismologie im Rahmen von PISCO '94. In *Berichtsband für die Jahre 1993 - 1995*, pages 619–677. SFB 267, Sonderforschungbereich 267: Deformationsprozesse in den Anden, 1996.

Babuška and Cara. *Seismic Anisotropy in the Earth.* Kluwer Academic Publishers, Dordrecht, 1991.

Babuška, V., J. Plomerová, and M. Granet. The deep lithosphere in the Alps: a model inferred from P residuals. *Tectonophysics*, 176:137–165, 1990.

Babuška, V., J. Plomerová, and J. Šilený. Spatial variations of P residuals and deep structure of the European lithosphere. *Geophys. J. R. astr. Soc.*, 79:363–383, 1984.

Balling, N., and E. Banda. Europe's lithosphere- recent activity. In D. Blundell, editor, *A continent revealed: The European Geotraverse*, pages 111–137. Cambridge Univ. Press, New York, 1992.

Barruol, G., and A. Souriau. Anisotropy beneath the Pyrenees range from teleseismic shear wave splitting. *Geophys. Res. Lett.*, 22:493–496, 1995.

Barruol, G., A. Souriau, A. Vauchez, J. Diaz, and J. Gallart. Lithospheric anisotropy beneath the Pyrenees from shear wave splitting. *J. Geophys. Res.*, 103(B12):30039–30053, 1998.

Bayer, R., M. T. Carozzo, R. Lanza, M. Miletto, and D. Rey. Gravity modelling along the ECORPS-CROP vertical seismic reflection profile through the western Alps. *Tectonophysics*, 162:203–218, 1989.

Berckhemer, H.. Topographie des Ivreakörpers, abgeleitet aus seismischen und gravimetrischen Daten. *Schweiz. Mineral. Petrogr. Mitt.*, 48:235–246, 1968.

Berkhout, A.. *Seismic Migration.* Elsevier (2nd edtn), The Netherlands, 1982.

Beucler, E., S. Chevrot, and J.-P. Montagner. The Snake River Plain experiment revisited. Relashionships between a Farallon plate fragment and the transition zone. *Geophys. Res. Lett.*, 26(17):2.673–2.676, 1999.

Bijwaard, H., and W. Spakman. Non-linear global P-wave tomography by iterized linearized inversion. *Geophys. J. Int.*, 141:71–82, 2000.

Bleibinhaus, F., and TRANSALP Working Group. Velocity structure in the Eastern Alps along the TRANSALP profile. *Geophys. Res. Abstr.*, page 620, 2001.

Blundell, D., S. Mueller, and K. Mengel. Geodynamics of Europe. In D. Blundell, editor, *A continent revealed: The European Geotraverse*, pages 215–232. Cambridge Univ. Press, New York, 1992.

Bormann, P., P.-T. Burghardt, L. Makeyeva, and L. Vinnik. Teleseismic shear-wave splitting and deformation in Central Europe. *Phys. Earth and Plan. Int.*, 78:157–166, 1993.

Bostock, M. G.. Ps conversions from the upper mantle transition zone beneath the Canadian landmass. *J. Geophys. Res.*, 101(B4):8393–8402, 1996.

Bostock, M. G.. Mantle stratigraphy and evolution of the Slave Province. *J. Geophys. Res.*, 103:21183–21200, 1998.

Bostock, M. G.. Kirchhoff-approximate inversion of teleseismic wavefields. *Geophys. J. Int.*, 149:787, 2002.

Bostock, M. G., S. Rondenay, and J. Shragge. Multi-parameter 2-D inversion of scattered teleseismic body-waves–I. Theory for oblique incidence. *J. Geophys. Res.*, 160:30771–30782, 2001.

Brechner, S., K. Klinge, F. Krüger, and T. Plenefisch. Backazimuthal Variations of Splitting Parameters of Teleseismic SKS Phases Observed at the Broadband Stations in Germany. *Pure appl. geophys.*, 151:305–331, 1998.

Buness, H.. *Krustale Kollisionsstrukturen an den Rändern der nordwestlichen Adriaplatte.* Number 18 in B. Berliner Geowissenschaftliche Abhandlungen, 1992.

Burdick, L. J., and C. A. Langston. Modelling crustal structure through the use of converted phases in teleseismic body-wave forms. *Bull. Seism. Soc. Am.*, 67(3):677–691, 1977.

Carulli, G., R. Nicolich, A. Rebez, and D. Slejko. Seismotectonics of the Northwest External Dinarides. *Tectonophysics*, 179:11–25, 1990.

Cassidy, J. F.. Numerical experiments in broadband receiver function analysis. *Bull. Seism. Soc. Am.*, 82(3):1453–1474, 1992.

Castellarin, A. and L. Cantelli. Neo-Alpine evolution of the Southern Eastern Alps. *Journal of Geodynamics*, 30:251–274, 2000.

Cattaneo, M., P. Augliera, S. Parolai, and D. Spallarossa. Anomalously deep earthquakes in northwestern Italy. *J. of Seismology*, 3:421–435, 1999.

Cattaneo, M., and C. Eva. Propagation anomalies in the Northwestern Italy by inversion of teleseismic residuals. *Terra Nova*, 2:577–584, 1990.

Chevrot, S.. Multichannel analysis of shear wave splitting. *J. Geophys. Res.*, 105(B9): 21.579–21.590, 2000.

Chevrot, S., L. Vinnik, and J.-P. Montagner. Global-scale analysis of the mantle *Pds* phases. *J. Geophys. Res.*, 104(B9):20203–20219, 1999.

Clouser, R. H., and C. A. Langston. Effect of sinusoidal interfaces on teleseismic P-wave receiver functions. *Geophys. J. Int.*, 123:541–558, 1995.

Coward, M., and D. Dietrich. Alpine tectonics - an overview. In M. Coward, D. Dietrich, and R. Park, editors, *Alpine tectonics*, pages 1–29. Geol. Soc. Spec. Publ. No. 45, London, 1989.

Crampin, S.. Wave propagation through fluid-filled inclusions of various shapes: Interpretation of extensive-dilatancy anisotropy. *GJI*, 104:611–623, 1991.

Deichmann, N., and M. Baer. Earthquake focal depths below the Alps and northern Alpine foreland of Switzerland. In R. Freeman, P. Giese, and S. Mueller, editors, *The European Geotraverse: Integrative studies*, pages 277–288. European Science Foundation, Strasbourg, 1990.

DeMets, C., R. Gordon, D. Argus, and S. Stein. Effect of recent revisions to the geomagnetic reversal time scale on estimates of current plate motions. *Geophys. Res. Lett.*, 21(20):2191–2194, 1994.

Dercourt, J., L. P. Zonenshain, L. E. Ricou, V. G. Kazmin, X. L. Pichon, A. Knipper, C. Grandjacquet, I. Sbortshikov, J. Geyssant, C. Lepvrier, D. Pechersky, J. Boulin, J. Sibuet, L. Savostin, O. Sorokhtin, M. Westphal, M. Bazhenov, J. Lauer, and B. Biju-Duval. Geological evolution of the Thethys belt from the Atlantic to the Pamirs since the Lias. *Tectonophysics*, 123:241–315, 1986.

Dewey, J. F., and J. Bird. Mountain belts and the New Global Tectonics. *J. Geophys. Res.*, 75:2625–2647, 1970.

Dewey, J. F., M. L. Helman, E. Turco, D. H. W. Hutton, and S. D. Scott. Kinematics of the western Mediterranean. In M. Coward, D. Dietrich, and R. Park, editors, *Alpine tectonics*, pages 265–283. Geol. Soc. Spec. Publ. No. 45, London, 1989.

Dueker, K., and A. Sheehan. Mantle discontinuity structure from midpoint stacks of converted P to S waves across the Yellowstone hotspot trace. *J. Geophys. Res.*, 102: 8313–8327, 1997.

Dueker, K., and A. Sheehan. Mantle discontinuity structure beneath the Colorado Rocky Mountains and High Plains. *J. Geophys. Res.*, 103:7153–7169, 1998.

Ebbing, J.. 3-D Dichteverteilung und isostatisches Verhalten der Lithospäre in den Ostalpen. Dissertation, Freie Universität Berlin, 2002.

Farra, V., and L. Vinnik. Upper mantle stratification by P and S receiver functions. *Geophys. J. Int.*, 141:699–712, 2000.

Faupl, P.. *Historische Geologie*. WUV Verlag, Austria, 1997.

Feynman, R. P., R. B. Leighton, and M. Sands. *Feynman Vorlesungen über Physik, 2. Auflage*. Oldenbourg, München, 1991.

Frisch, W.. Tectonic progradation and plate tectonic evolution of the Alps. *Tectonophysics*, 60:121–139, 1979.

Frisch, W., J. Kuhlemann, I. Dunkl, and A. Brügel. Palinspastic reconstruction and topographic evolution of the Eastern Alps during late Tertiary tectonic extrusion. *Tectonophysics*, 297:1–15, 1998.

Froidevaux, P., and A. Guillaume. Contribution à l'analyse structurale des Alpes liguro-piémontaises par l'étude du champ magnétique terrestre. *Tectonophysics*, 54:139–157, 1979.

Gentile, G., G. Bressan, L. Burlini, and R. D. Franco. Three-dimensional Vp and Vp/Vs models of the upper crust in the Friuli area (northeastern Italy). *Geophys. J. Int.*, 141 (2):457–478, 2000.

Giese, P., R. Nicolich, and K.-J. Reutter. Explosion Crustal Seismic Studies in the Alpine-Mediterranean Region and their Implications to Tectonic Processes. In H. Berckhemer and K. Hsü, editors, *Alpine-Mediterranean Geodynamics*, pages 39–74. AGU Geodynamics series Vol. 7, Boulder, Colorado, 1982.

Giese, P., and C. Prodehl. Main features of crustal structure in the Alps. In P. Giese, C. Prodehl, and A. Stein, editors, *Explosion Seismology in Central Europe*, pages 347–376. Springer Verlag, Berlin, 1976.

Granet, M., A. Glahn, and U. Achauer. Anisotropic Measurements in the Rheingraben Area and the French Massif Central: Geodynamic Implications. *Pure appl. geophys.*, 151:333–364, 1998.

Grunewald, S., M. Weber, and R. Kind. The upper mantle under Central Europe: indications for the Eifel plume. *Geophys. J. Int.*, 147:590–601, 2001.

Gurrola, H., G. Baker, and J. Minster. Simultaneous time-domain deconvolution with application to the computation of receiver functions. *Geophys. J. Int.*, 120:537–543, 1995.

Gurrola, H., J. Minster, and T. Owens. The use of velocity spectrum for stacking receiver functions and imaging upper mantle discontinuities. *Geophys. J. Int.*, 117:427–440, 1994.

Hanka, W.. The German Regional Broadband Seismic Network (GRN) Project. In E. Boschi, D. Giardini, and A. Morelli, editors, *Workshop on Mednet*, pages 83–95. Istituto Nationale di Geofisica, Roma, 1990.

Helbig, K.. *Foundations of Anisotropy for Exploration Seismics*. Elsevier Sci., New York, 1994.

Hjelt, S.-E., and T. Korja. Lithospheric and upper-mantle structures, results of electromagnetic soundings in Europe. *Phys. Earth and Plan. Int.*, 79:137–177, 1993.

Holliger, K., and E. Kissling. Gravity interpretation of a unified 2D acoustic image of the central Alpine collision zone. *Geophys. J. Int.*, 111:213–225, 1992.

Huang, W.-C., J. Ni, W. Zhao, F. Tilmann, R. Kind, J. Guo, D. Nelson, J. Mechie, J. Saul, T. Hearn, and R. Rapine. Seismic polarization anisotropy beneath the Central Tibetan Plateau. *J. Geophys. Res.*, 105:27979–27989, 2000.

Hudson, J. A.. Wave speeds and attenuation of elastic waves in material containing cracks. *Geophys. J. R. astr. Soc.*, 64:133–150, 1981.

Hunziker, J., J. Desmons, and G. Martinotti. Alpine thermal evolution in the central and the western Alps. In M. Coward, D. Dietrich, and R. Park, editors, *Alpine tectonics*, pages 353–367. Geol. Soc. Spec. Publ. No. 45, London, 1989.

Jones, C. H., and R. A. Phinney. Seismic structure of the lithosphere from teleseismic converted arrivals observed at small arrays in the southern Sierra Nevada and vicinity, California. *J. Geophys. Res.*, 103(B5):10.065–10.090, 1998.

Kennett, B. L. N., and E. R. Engdahl. Travel times for global earthquake location and phase identification. *Geophys. J. Int.*, 105:429–465, 1991.

Kind, R., G. L. Kosarev, and N. V. Petersen. Receiver functions at the stations of the German Regional Seismic Network (GRSN). *Geophys. J. Int.*, 121:191–202, 1995.

Kind, R., X. Yuan, J. Saul, S. Sobolev, J. Mechie, W. Zhao, G. Kosarev, J. Ni, U. Achauer, and M. Jiang. Seismic Images of Crust and Upper Mantle beneath Tibet: Evidence for Eurasian Plate Subduction. *Science*, 298:1219–1221, 2002.

Kissling, E.. Deep structure of the Alps- what do we really know? *Phys. Earth and Plan. Int.*, 79:82–112, 1993.

Knipper, A., L.-E. Ricou, and J. Decourt. Ophiolithes as indicators of the geodynamic evolution of the Thethyan ocean. *Tectonophysics*, 123:213–240, 1986.

Kosarev, G., R. Kind, S. Sobolev, and X. Yuan. Seismic Evidence for a Detached Indian Lithospheric Mantle Beneath Tibet. *Science*, 283:1306–1309, 1999.

Langston, C. A.. Structure Under Mount Rainier, Washington, Inferred From Teleseismic Body Waves. *J. Geophys. Res.*, 84(B9):4749–4762, 1979.

Langston, C. A.. Scattering of Teleseismic Body Waves Under Pasadena, California. *J. Geophys. Res.*, 94(B2):1935–1951, 1989.

Li, X.. A Receiver Function Study of the Northwest Pacific Subduction Zone an the Hawaiian Mantle Plume. Scientific Technical Report STR00/19, GeoForschungsZentrum Potsdam, 2000.

Li, X., R. Kind, K. Priestley, S. Sobolev, F. Tilman, X. Yuan, and M. Weber. Mapping the Hawaiian plume conduit with converted seismic waves. *Nature*, 405:938–941, 2000a.

Li, X., and J. Nábělek. Deconvolution of Teleseismic Body Waves for Enhancing Structure beneath a Seismometer Array. *Bull. Seism. Soc. Am.*, 89(1):190–201, 1999.

Li, X., S. Sobolev, R. Kind, X. Yuan, and C. Estabrook. A detailed receiver function image of the upper mantle discontinuities in the Japan subduction zone. *Earth and Planetary 3 Letters*, 183:527–541, 2000b.

Lippitsch, R.. *Lithosphere and upper mantle P- wave velocity structure beneath the Alps by high-resolution teleseismic tomography.* PhD thesis, ETH-Zürich, 2002.

Lowrie, W.. Paleomagnetism and the Adriatic promontory: a reappraisal. *Tectonics*, 5: 797–807, 1986.

Mainprice, D. and P. G. Silver. Interpretation of SKS-waves using samples from the subcontinental lithosphere. *Phys. Earth and Plan. Int.*, 78:257–280, 1993.

Marquering, H. and R. Snieder. Shear-wave velocity structure beneath Europe, the northeastern Atlantic and western Asia from wavevorm inversions including surface-wave mode coupling. *GJI*, 127:283–304, 1996.

Meissner, R. and R. Bortfeld. *DEKORP Atlas, Results of Deutsches Kontinentales Reflexionsseismisches Programm.* Springerverlag, Berlin, 1990.

Meissner, R., W. D. Mooney, and I. Artemieva. Seismic anisotropy and mantle creep in young orogens. *Geophys. J. Int.*, 149:1–14, 2002.

Ménard, G., and P. Molnar. Budget of crustal shortening and subduction of continental crust in the Alps. *Tectonics*, 10(2):231–244, 1991.

Miller, H., S. Mueller, and G. Perrier. Structure and Dynamics of the Alps- A Geophysical Inventory. In H. Berckhemer and K. Hsü, editors, *Alpine-Mediterranean Geodynamics*, pages 175–204. AGU Geodynamics series Vol. 7, Boulder, Colorado, 1982.

Moores, E., and R. Twiss. *Tectonics.* Freeman and Company, New York, 1995.

Morelli, A., and C. Piromallo. The late stage of retreating subduction in the Alpine-Mediterranean region: constraints from travel time seismic tomography. In E. Boschi, G. Ekström, and A. Morelli, editors, *Problems in Geophysics for the New Millenium*, pages 179–215. Editrice Compositori, Bologna, 2000.

Mueller, St.. Deep reaching geodynamic structures in the Alps. In M. Coward, D. Dietrich, and R. Park, editors, *Alpine tectonics*, pages 353–367. Geol. Soc. Spec. Publ. No. 45, London, 1989.

Neubauer, F.. Kontinentkollision in den Ostalpen. *Geowissenschaften*, 12:136–140, 1994.

Nicolas, A., A. Hirn, R. Nicolich, R. Polino, and ECORP-CROP Working Group. Lithospheric wedging in the western Alps inferred from the ECORS-CROP traverse. *Geology*, 18:587–590, 1990.

Nicolas, A., and J. Poirier. *Crystalline Plasticity and Solid State flow in Metamorphic rocks*. Wiley, London, 1976.

Oldenburg, D., S. Levy, and K. Whittall. Wavelet estimation and deconvolution. *Geophysics*, 46(11):1528–1542, 1981.

Owens, T. J., G. Zandt, and S. R. Taylor. Seismic Evidence for an Ancient Rift Beneath the Cumberland Plareau, Tennessee: A Detailed Analysis of Broadband Teleseismic P Waveforms. *J. Geophys. Res.*, 89(B9):7783–7795, 1984.

Oxburgh, E.. Flake tectonics and continental collision. *Nature*, 239:202–204, 1972.

Özalaybey, S. and M. K. Savage. Double-layer anisotropy resolved from S phases. *GJI*, 117:653–664, 1994.

Paul, A., M. Cattaneo, F. Thouvenot, D. Spallarossa, N. Béthoux, and J. Fréchet. A three-dimensional crustal velocity model of the southwestern Alps from local earthquake tomography. *J. Geophys. Res.*, 106(B9):19367–19389, 2001.

Peng, X., and E. D. Humphreys. Crustal velocity structure in the eastern Snake River Plain and the Yellowstone swell. *J. Geophys. Res.*, 103(B4):7171–7186, 1998.

Pfiffner, O.. Alpine orogeny. In D. Blundell, editor, *A continent revealed: The European Geotraverse*, pages 180–190. Cambridge Univ. Press, New York, 1992.

Pfiffner, O., S. Ellis, and C. Beaumont. Collision tectonics in the Swiss Alps: Insight from geodynamic modelling. *Tectonics*, 19(6):1065–1094, 2000.

Pfiffner, O., P. Lehner, P. Heitzmann, S. Mueller, and A. Steck. *Deep structure of the Alps: results from NRP 20.* Birkhäuser, Basel, Switzerland, 1997.

Phinney, R.. Structure of the Earth‘s crust from spectral behaviour of long-period body waves. *J. Geophys. Res.*, 69:2997–3017, 1964.

Plomerová, J.. Seismic anisotropy in tomographic studies of the upper mantle beneath Southern Europe. *Ann. Geofis.*, 40(N1):111–121, 1997.

Ratschbacher, L., W. Frisch, and H. Linzer. Lateral extrusion in the Eastern Alps, part 2: structural analysis. *Tectonics*, 10(2):257–271, 1991.

Ratschbacher, L., S. Neubauer, S. Schmid, and J. Neugebauer. Extension in compressional orogenic belts: The Eastern Alps. *Geology*, 17:404–407, 1989.

Restivo, A., and G. Helffrich. Teleseismic shear wave splitting measurements in noisy environments. *GJI*, 137:821–830, 1999.

Ringwood, A.. *Compostion and Petrology of the Earth's Interior.* McGraw-Hill, New York, 1975.

Roeder, D.. Continental convergence in the Alps. *Tectonophysics*, 40:339–350, 1977.

Roure, F., F. Bergerat, B. Damotte, J.-L. Mugnier, and R. Polino. The ECORPS-CROP Alpine seismic traverse. *Mem. Geol. Fr.*, 170:113pp, 1996.

Rümpker, G., and P. G. Silver. Apparent shear-wave splitting parameters in the presence of vertically varying anisotropy. *GJI*, 135:790–800, 1998.

Ryberg, T., G. Rümpker, M. Budweg, and J. Kummerow. Finite-difference simulations of seismic wavefields in isotropic and anisotropic Earth models. In E. Krause and W. Jäger, editors, *High Performance Computations in Science and Engineering '02 (submitted).* Springer, Berlin Heidelberg, 2002.

Ryberg, T., and M. Weber. Receiver function arrays: a reflection seismic approach. *Geophys. J. Int.*, 141:1–11, 2000.

Savage, M. K.. Lower crustal anisotropy or dipping boundaries? Effects on receiver functions and case study in New Zealand. *J. Geophys. Res.*, 103(B7):15069–15087, 1998.

Scarascia, S., and R. Cassinis. Crustal structures in the central-eastern Alpine sector: a revision of the available DSS data. *Tectonophysics*, 271:157–188, 1997.

Schmid, S., R. Aebli, F. Heller, and A. Zingg. The role of the Periadriatic Line in the tectonic evolution of the Alps. In M. Coward, D. Dietrich, and R. Park, editors, *Alpine tectonics*, pages 353–367. Geol. Soc. Spec. Publ. No. 45, London, 1989.

Schmid, S., and E. Kissling. The arc of the western Alps in the light of geophysical data on deep crustal structure. *Tectonics*, 19(1):62–85, 2000.

Schmid, S., O. Pfiffner, N. Froitzenheim, G. Schönborn, and E. Kissling. Geophysical-geological transect and tectonic evolution of the Swiss-Italien Alps. *Tectonics*, 15: 1036–1064, 1996.

Sheehan, A. F., P. M. Shearer, H. J. Gilbert, and K. G. Dueker. Seismic migration processing of P-SV converted phases for mantle discontinuity structure beneath the Snake River Plain, western United States. *J. Geophys. Res.*, 105(B8):19.055–19.065, 2000.

Silver, P. G.. Seismic Anisotropy beneath the Continents: Probing the Depths of Geology. *Annu. Rev. Earth Planet. Sci.*, 22:385–432, 1996.

Silver, P. G., and W. W. Chan. Implications for continental structure and evolution from seismic anisotropy. *Nature*, 335:34–39, 1988.

Silver, P. G., and W. W. Chan. Shear Wave Splitting and Subcontinental Mantle Deformation. *J. Geophys. Res.*, 96(B10):16429–16454, 1991.

Silver, P. G., and M. K. Savage. The interpretation of shear-wave splitting parameters in the presence of two anisotropic layers. *GJI*, 119:949–963, 1994.

Slejko, D., G. Carulli, R. Nicolich, A. Rebez, A. Zanferrari, A. Cavallin, C. Doglioni, F. Carraro, D. Castaldini, V. Iliceto, E. Semenza, and C. Zanolla. Seismotectonics of the Eastern Southern Alps: a review. *Boll. di Geof. Theor. ed Appl.*, 31(122):109–136, 1989.

Smith, G., and G. Ekström. A global study of Pn anisotropy beneath continents. *J. Geophys. Res.*, 104:963–980, 1999.

Snieder, R.. Large scale waveform inversions of surface waves for lateral heterogenity-II: Application to surface waves in Europe and the Mediterranean. *J. Geophys. Res.*, 93 (B10):12067–12080, 1988.

Solarino, S., E. Kissling, S. Sellami, G. Smriglio, F. Thouvenot, M. Granet, K. Bonjer, and D. Sleijko. Compilation of a recent seismicity data base of the greater Alpine region from several seismological networks and preliminary 3D tomographic results. *Ann. Geofis.*, 40(N1):161–174, 1997.

Spakman, W., S. van der Lee, and R. van der Hilst. Travel-time tomography of the European-Mediterranean mantle down to 1400km. *Phys. Earth and Plan. Int.*, 79: 3–74, 1993.

Stammler, K.. *Ein Beitrag zur Untersuchung des oberen Erdmantels mithilfe von PS Konversionsphasen*. PhD thesis, Friedrich-Alexander- Universität Erlangen-Nürnberg, 1992.

Stampfli, G., J. Mosar, D. Marquer, R. Marchant, T. Baudin, and G. Borel. Subduction and obduction processes in the Swiss Alps. *Tectonophysics*, 296:159–204, 1998.

Sue, C., F. Thouvenot, J. Fréchet, and P. Tricart. Widespread extension in the core of the western Alps revealed by earthquake analysis. *J. Geophys. Res.*, 104(B11):25611–25622, 1999.

Suhadolc, P., G. F. Panzo, and S. Mueller. Physical properties of the lithosphere-asthenosphere system in Europe. *Tectonophysics*, 176:123–135, 1990.

Teledyne Geotech. *PDAS USER'S GUIDE*. Garland, Texas, November 1989.

Tommasi, A., B. Tikoff, and A. Vauchez. Upper mantle tectonics: three-dimensional deformation, olivine crystallographic fabrics and seismic properties. *Earth and Planetary Science Letters*, 168:173–186, 1999.

Tommasi, A., A. Vauchez, and R. Russo. Seismic anisotropy in oceanic basins: Resistive drag of the sublithospheric mantle? *Geophys. Res. Lett.*, 23:2991–2994, 1996.

TRANSALP Working Group. European Orogenic Processes Research Transects the Eastern Alps. *EOS Trans. Am. Geophys. Union*, 82:455–461, 2001.

TRANSALP Working Group. First deep seismic reflection images of the Eastern Alps reveal giant crustal wedges and transcrustal ramps. *Geophys. Res. Lett.*, 29(10):92–1–92–4, 2002.

Truempy, R.. Why plate tectonics was not invented in the Alps. *Int. J. Earth Sciences*, 90:477–483, 2001.

Vauchez, A., and A. Nicolas. Mountain building: strike-parallel motion and mantle anisotropy. *Tectonophysics*, 185:183–201, 1991.

Vernant, P., F. Masson, R. Bayer, and A. Paul. Sequential inversion of local earthquake traveltimes and gravity anomaly- the example of the western Alps. *Geophys. J. Int.*, 150:79–90, 2002.

Vinnik, L., S. Chevrot, and J. Montagner. Seismic evidence of flow at the base of the upper mantle. *Geophys. Res. Lett.*, 25(11):1995–1998, 1998.

Vinnik, L., V. Krishna, R. Kind, P. Bormann, and K. Stammler. Shear wave splitting in the records of the German Regional Seismic Network. *Geophys. Res. Lett.*, 21(6): 457–460, 1994.

Vinnik, L. P.. Detection of waves converted from P to SV in the mantle. *Phys. Earth and Plan. Int.*, 15:39–45, 1977.

Vinnik, L. P., R. Kind, G. L. Kosarev, and L. I. Makeyeva. Azimuthal anisotropy in the lithosphere from observations of long-period S-waves. *Geophys. J. Int.*, 99:549–559, 1989.

Vinnik, L. P., L. Makeyeva, A. Milev, and A. Y. Usenko. Global patterns of azimuthal anisotropy and deformations in the continetal mantle. *Geophys. J. Int.*, 111:433–447, 1992.

Waldhauser, F., E. Kissling, J. Ansorge, and S. Mueller. Three-dimensional interface modelling with two-dimensional seismic data: the Alpine crust-mantle boundary. *Geophys. J. Int.*, 135:264–278, 1998.

Werner, D.. A two-dimensional geodynamic model for the southern segment of the EGT. In D. Galson and S. Mueller, editors, *Second EGT workshop: the Southern Segment*, pages 65–69. European Science Foundation, Strasbourg, 1985.

Wessel, P., and W. Smith. New, improved version of the generic mapping tools released. *suppl. to EOS, Transactions, AGU*, 79:579, 1998.

Will, M.. Calculation of travel times and ray paths for lateral inhomogeneous media. In P. Giese, C. Prodehl, and A. Stein, editors, *Explosion Seismology in Central Europe*, pages 168–177. Springer Verlag, Berlin, 1976.

Wylegalla, K., G. Bock, J. Gossler, W. Hanka, and T. W. Group. Anisotropy across the Sorgenfrei-Tornquist Zone from shear wave splitting. *Tectonophysics*, 314:335–350, 1999.

Ye, S., J. Ansorge, E. Kissling, and S. Mueller. Crustal structure beneath the eastern Swiss Alps derived from seismic refraction data. *Tectonophysics*, 242:199–221, 1995.

Yilmaz, O.. *Seismic Data Processing*. Society of Exploration Geophysicists, USA, 1987.

Yuan, X.. Teleseismic Receiver Function Study and its Application in Tibet and the Central Andes. Scientific Technical Report STR00/10, GeoForschungsZentrum Potsdam, 2000.

Yuan, X., J. Ni, R. Kind, J. Mechie, and E. Sandvol. Lithospheric and upper mantle structure of southern Tibet from a seismological passive source experiment. *J. Geophys. Res.*, 102(B12):27491–27500, 1997.

Zandt, G., S. Myers, and T. Wallace. Crust and mantle structure across the Basin and Range-Colorado Plateau boundary at $37° N$ latitude and implications for Cenozoic extensional mechanism. *J. Geophys. Res.*, 100(B6):10.529–10.548, 1995.

Zhu, L., and H. Kanamori. Moho depth variation in southern California from teleseismic receiver functions. *J. Geophys. Res.*, 105(B2):2969–2980, 2000.

Zielhuis, A., and G. Nolet. Shear-wave velocity variations in the upper mantle beneath central Europe. *GJI*, 117:695–715, 1994.

Zonno, G., and R. Kind. Depth determination of north Italian earthquakes using Graefenberg data. *Bull. Seism. Soc. Am.*, 74(5):1645–1659, 1984.

Zschau, J., and K. Koschyk. Results of a combined evaluation of longitudinal and transverse waves on a seismic profile along the northern margin of the Alps. In P. Giese, C. Prodehl, and A. Stein, editors, *Explosion Seismology in Central Europe*, pages 332–338. Springer Verlag, Berlin, 1976.