

American Cancer Society

Cancer facts and figures. Atlanta (GA): The American Cancer Society (1991)

Bartlett DL, Fong Y, Fortner JG, Brennan MF, Blumgart LH

Long-Term Results After Resection for Gallbladder Cancer. *Ann Surg* (1996), 224(5):639-46

Benoist S, Panis Y, Fagniez PL

Long-Term Results after Curative Resection for Carcinoma of the Gallbladder. *Am J Surg* (1998), 175(2):118-22

Berdah SV, Delpero JR, Garcia S et al.

A western surgical experience of peripheral cholangiocarcinoma. *Br J Surg* (1996), 83:1517-21

Bismuth H, Castaing D, Houssin D

Die Leberresektion. *Chirurg* (1985), 56:203-10

Bloechle C, Izbicki JR, Passlick B, Gawad K, Passow C, Rogiers X, Schreiber HW, Broelsch CE

Is radical surgery in locally advanced gallbladder carcinoma justified?. *Am J Gastroenterol* (1995), 90(12):2195-200

Brancatisano R, Isla A, Habib N

Is Radical Hepatic Surgery Safe?. *Am J Surg* (1998), 175(2):161-3

Bresnick E

Regenerating liver : An experimental model for the study of growth. In: Busch H (Hrsg.) *Methods in Cancer Research*; Academic Press New York - London (1971), 6:347-397

Carty NJ, Johnson CD

Carcinoma of the gallbladder: A survey of cases in Wessex 1982-89. *J Royal Coll Surg* (1991), 36(4):238-41

Chen MF, Jan YY, Wang CS, Jeng LB, Hwang TL

Clinical experience in 20 hepatic resections for peripheral cholangiocarcinoma. *Cancer* (1989), 64(11):2226-32

Chen MF, Yan YY, Jeng LB, Hwang TL, Wang CS, Chen SC, Chao TC, Chen HM, Lee WC, Yeh TS, Lo YF
Intrahepatic cholangiocarcinoma in Taiwan. *J Hepatobiliary Pancreat Surg* (1999), 6(2):136-41

Cherqui D, Tanawi B, Alon R, Piedbois P, Rahmouni A, Dhumeaux D, Julin M, Fagniez PL
Intrahepatic Cholangiocarcinoma. Results of Aggressive Surgical Management. *Arch Surg* (1995), 130(10):1073-8

Chijiwa K, Yamaguchi K, Tanaka M
Clinicopathologic differences between long-term and short-term postoperative survivors with advanced gallbladder carcinoma. *World J Surg* (1997), 21(1):98-102

Chou FF, Sheen-Chen SM, Chen CL, Chen YS, Chen MC
Prognostic factors of resectable intrahepatic cholangiocarcinoma. *J Surg oncol* (1995), 59(1):40-4

Chou FF, Sheen-Chen SM, Chen YS, Chen MC, Chen CL
Surgical Treatment of cholangiocarcinoma. *Hepatogastroenterology* (1997), 44(15):760-5

Chu KM, Fan ST
Intrahepatic cholangiocarcinoma in Hong Kong. *J Hepatobiliary Pancreat Surg* (1999), 6(2):149-53

Chu KM, Lai EC, Al-Hadeedi S, Arcilla CE Jr, Lo CM, Liu CL, Fan ST, Wong J
Intrahepatic cholangiocarcinoma. *World J Surg* (1997), 21(3):301-5

Couineaud C

Lobes de segments hepaticques: notes sur architecture, anatomique et chirurgicale du foie. *Presse Med* (1957), 62:709

Cox DR

Regression models and life tables. *J R Stat Soc Series B* (1972), 34:187-220

Cubertafond P, Gainant A, Cuchiaro G

Surgical treatment of 724 carcinomas of the gallbladder. Results of the French Surgical Association Survey. *Ann Surg* (1994), 219(39):275-80

Cubertafond P, Mathonnet M, Gainant A, Launois B
Radical surgery for gallbladder cancer. Results of the French Surgical Association Survey. *Hepatogastroenterology* (1999), 46(27):1567-71

Cunningham CC, Zibari GB, Johnston LW
Primary Carcinoma of the Gall Bladder: A Review of Our Experience. *J La State Med Soc* (2002), 154:196-9

Donohue J, Nagorney DM, Grant CS, Tsushima K, Ilstrup DM, Adson MA
Carcinoma of the Gallbladder. Does Radical Resection Improve Outcome?. *Arch Surg* (1990), 125(2):237-41

Dunbar LL, Adkins RB, Farringer J, Waterhouse G, O'Leary JP
Carcinoma of the gallbladder and bile ducts. *Am Surg* (1983), 49:94-104

El Rassi Z, Partensky C, Scoazec JY, Henry L, Lombard-Bohas C, Maddern G
Peripheral cholangiocarcinoma: Presentation, diagnosis, pathology and management. *Eur J Surg oncol* (1999), 25(4):375-80

Elias D, Desruennes E, Lasser A
Prolonged intermittent clamping of the portal triad during hepatectomy. *Br J Surg* (1991), 78:42-44

Fong Y, Heffernan N, Blumgart LH
Gallbladder carcinoma discovered during laparoscopic cholecystectomy: aggressive resection is beneficial. *Cancer* (1998), 83(3):423-7

Foster JH
History of liver surgery. *Arch Surg* (1991), 126:381-7

Frauenschuh D, Greim R, Kraas E
How to proceed in patients with carcinoma detected after laparoscopic cholecystectomy. *Langenbecks Arch Chir* (2000), 385:495-500

Gall FP, Köckerling F, Scheele J, Schneider C, Hohenberger W
Radical operations for carcinoma of the gallbladder: present status in Germany. *World J Surg* (1991), 15(3):328-36

Göke B, Printz H

Gallenblasenkarzinom. In: Göke B, Arnold R (Hrsg.) Gastroenterologie systematisch; Uni-Med Verlag AG Bremen (1999), 262

Hamrick RE, Liner FJ, Hastings PR, Cohn I

Primary carcinoma of the Gallbladder. *Ann Surg* (1982), 3:270-3

Han S, Wang H, Xu L

Diagnosis and surgical treatment of peripheral intrahepatic cholangiocarcinoma. *Chin J Surg* (2001), 39(8):590-2

Hanazaki K, Kajikawa S, Shimosawa N, Shimada K, Hiraguri M, Koide N, Adachi W, Amano J

Prognostic Factors of Intrahepatic Cholangiocarcinoma after Hepatic Resection: Univariate and Multivariate Analysis. *Hepatogastroenterology* (2002), 49(44):311-6

Harder J, Blum HE

Cholangiokarzinome. *Schweiz Rundsch Med Prax* (2002), 91(34):1352-6

Harrison LE, Fong Y, Klimstra DS, Zee SY, Blumgart LH

Surgical treatment of 32 patients with peripheral intrahepatic cholangiocarcinoma. *Br J Surg* (1998), 85(8):1068-70

Hart J, Modan B, Shani M

Cholelithiasis in the etiology of gallbladder neoplasms. *Lancet* (1971), 1:1151-3

Heymann H

Leber: Tumoren des Gallensystems. In: Koslowski L, Irmer W, Bushe KA (Hrsg.); *Lehrbuch der Chirurgie*, 2. Aufl.; Schattauer Verlag Stuttgart, New York (1982), S. 557

Hirohashi K, Uenishi T, Kubo S, Yamamoto T, Tanaka H, Shuto T, Kinoshita H

Macroscopic Types of Intrahepatic Cholangiocarcinoma: Clinicopathologic Features and Surgical Outcomes. *Hepatogastroenterology* (2002), 49(44):326-9

Hobsley M

Intrahepatic anatomy: A surgical evaluation. *Br J Surg* (1958), 635-44

Houry S, Barrier A, Huguier M

Irradiation therapie for gallbladder carcinoma: recent advances. *J Hepatobiliary Pancreat Surg* (2001), 8:518-24

Huguet C, Nordlinger B, Galopin J

Tolerance of the human liver to prolonged normothermic ischaemia: A biologic study of 20 patients submitted to extensive hepatectomy. *Arch Surg* (1978), 113:1448-51

Hüsler J, Zimmermann H

Statistische Prinzipien für medizinische Projekte. 3. Auflage, Verlag Hans Huber - Bern; Toronto; Seattle (2001), S. 51

Isa T, Kusano T, Shimoji H, Takeshima Y, Muto Y, Furukawa M

Predictive factors for long-term survival in patients with intrahepatic cholangiocarcinoma. *Am J Surg* (2001), 181(6):507-11

Isaji S, Kawarada Y, Taoka H, Tabata M, Suzuki H, Yokoi H

Clinicopathological features and outcome of hepatic resection for intrahepatic cholangiocarcinoma in Japan. *J Hepatobiliary Pancreat Surg* (1999), 6(2):108-16

Ishikawa T, Horimi T, Shima Y, Okabayashi T, Nishioka, Hamada M, Ichikawa J, Tsuji A, Takamatsu M, Morita S

Evaluation of aggressive surgical treatment for advanced carcinoma the gallbladder. *hpb surg* (2003), 10:233-238

Iwatsuki S, Starzl TE

Personal Experience With 411 Hepatic Resections. *Ann Surg* (1988), 208(4):421-34

Jan YY, Jeng LB, Hwang TL, Wang CS, Chen MF, Chen TJ

Factors influencing survival after hepatectomy for peripheral cholangiocarcinoma. *Hepatogastroenterology* (1996), 43:614-9

Jones RS

Carcinoma of the gallbladder. *Surg clin north am* (1990), 70(6):1419-28

Kaplan GL, Meier P

Nonparametric estimation from incomplete observations. *J Am Stat Assoc* (1958), 53:457-81

Kawarada Y, Yamagiwa

Analysis of the relationships between clinicopathologic factors and survival time in intrahepatic cholangiocarcinoma. *Am J Surg* (2002), 183(6):679-85

Kelly TR, Chamberlain TR

Carcinoma of the gallbladder. *Am J Surg* (1982), 143:737-41

Khan SA, Davidson BR, Goldin R, Pereira SP, Rosenberg WMC, Taylor-Robinson SD, Thillainayagam AV, Thomas HC, Thursz MR, Wasan H

Guidelines for the diagnosis and treatment of cholangiocarcinoma: consensus document. *Gut* (2002), 51(6):VI1-VI9

Kim HJ, Yun SS, Jung KH, Kwun WH, Choi JH

Intrahepatic cholangiocarcinoma in Korea. *J Hepatobiliary Pancreat Surg* (1999), 6:142-8

Kinoshita H, Tanimura H, Uchiyama K, Tani M, Onishi H, Yamaue H

Prognostic factors of intrahepatic cholangiocarcinoma after surgical treatment. *Oncol Rep* (2002), 9(1):97-101

Klar E, Angelescu M, Herfarth C

Chirurgische Therapie primärer maligner Lebertumoren. In: Siewert JR (Hrsg.) *Praxis der Viszeralchirurgie*; Springer Verlag Berlin (2001), 539-66

Klempnauer J, Kip A

Chirurgie der Leber: interaktives Lernprogramm. CD-ROM; Urban & Schwarzenberg (1997)

Kondo S, Nimura Y, Hayakawa N, Kamiya J, Nagino M, Uesaka K

Extensive surgery for carcinoma of the gallbladder. *Br J Surg* (2002), 89:179-184

Koperna T, Kisser M, Schulz F

Hepatic Resection in the Elderly. *World J Surg* (1998), 22:406-12

Koperna T, Kisser M, Schulz F

Infektionen nach Leberresektionen im Alter. *Langenbecks Arch Chir* (1997), 382:192-6

Kosuge T, Sano K, Shimada K, Yamamoto J, Yamasaki S, Makuuchi M
Should the Bile Duct be Preserved or Removed in Radical Surgery for Gallbladder Cancer?. *Hepatogastroenterology* (1999), 46:2133-7

Kraus T, Herfarth C
Chirurgische Therapie von Karzinomen der extrahepatischen Gallenwege und der Gallenblase. In: Siewert JR (Hrsg.) *Praxis der Viszeralchirurgie*; Springer Verlag Berlin (2001), 577-579

Lang H, Sotiropoulos GC, Frühauf NR, Dömland M, Paul A, Kind EM, Malago M, Broelsch CE
Extended Hepatectomy for Intrahepatic Cholangiocellular Carcinoma. *Arch Surg* (2005), 241(1):134-43

Langenbuch C
Ein Fall von Resektion eines linksseitigen Schnürlappens der Leber: Heilung. *Berliner Klein Wochenschr* (1888), 25:37-8

Leung JW, Yu AS
Hepatolithiasis and biliary parasites. *Bailliere's clin gastroenterol* (1997), 11(4):681-706

Lieser MJ, Barry MK, Rowland C, Ilstrup DM, Nagorney DM
Surgical Management of intrahepatic cholangiocarcinoma: A 31 year experience. *J Hepatobiliary Pancreat Surg* (1998), 5(1):41-7

Lippert H
Technik der Hemihepatektomie. In: Köckerling F, Waclawiczek HW (Hrsg) *Leberchirurgie*; Barth, Heidelberg Leipzig (1999), S. 146

Liver Cancer Study Group of Japan, Editors
Classification of primary liver cancer: Macroscopic typing of intrahepatic cholangiocarcinoma. Tokyo: Kanehara Shuppan (1997), 6-7

Lorenz W
Retrospektive Studien in der Chirurgie: Eine Einführung in die Terminologie und Problematik. *Langenbecks Arch Chir* (1981), 355:37-38

Lowenfels AB, Maisonneuve P, Boyle P, Zatonski WA
Epidemiology of Gallbladder Cancer. *Hepatogastroenterology* (1999), 46:1529-32

Lundberg O, Kristoffersson A

Port Site Metastases from Gallbladder Cancer after Laparoscopic Cholecystectomy. Results of a Swedish Survey and Review of Published Reports. *Eur J Surg* (1999), 165:215-22

Madariaga JR, Iwatsuki S, Todo S, Lee RG, Irish W, Starzl TE

Liver resection for hilar and peripheral cholangiocarcinomas: A study of 62 cases. *Ann Surg* (1998), 227:70-79

Marzell A, Glaser K, Karner J, Mischinger HJ, Schratte-Sehn H, Tatzler G
Gallenblasen- und Gallengangskarzinome. In: ACO-Manual der chirurgischen
Krebstherapie; Arbeitsgemeinschaft für Chirurgische Onkologie; Österreich;
www.aco.at (1999)

Miyazaki M, Ito H, Nakagawa K, Ambiru S, Shimizu H, Okuno A, Nozawa S, Nukui
Y, Yoshitomi H, Furuya S, Kusashio K, Nakajima N

Does aggressive surgical resection improve the outcome in advanced gallbladder
carcinoma?. *Hepatogastroenterology* (1999), 46(28):2128-32

Morrow CE, Sutherland DE, Florack G, Eisenberg MM, Grage TB

Primary gallbladder carcinoma: Significance of subserosal lesions and results of
aggressive surgical treatment and adjuvant chemotherapy. *Surgery* (1983), 94:709-
14

Nagino M, Nimura Y, Kamiya J, Kanai M, Miyaji M, Kamisaka K, Hayakawa N,
Yamamoto H, Kondo S

Surgical treatment for intrahepatic bile duct carcinoma. *J Biliary Tract and Pancreas*
(1997), 18:1111-6

Nakajima T, Kondo T, Miyazaki M, Okui K

A histopathologic study of 102 cases of intrahepatic cholangiocarcinoma. *Hum Pathol*
(1998), 19:112-34

Nakamura S, Suzuki S, Konno H, Baba S, Baba S

Outcome of Extensive Surgery for TNM Stage IV Carcinoma of the Gallbladder.
Hepatogastroenterology (1999), 46:2138-43

Nakeeb A, Pitt HA, Sohn TA, Coleman J, Abrams RA, Piantadosi S, Hruban RH,
Lillemoe KD, Yeo CJ, Cameron JL

Cholangiocarcinoma. A spectrum of intrahepatic, perihilar and distal tumors. *Ann
Surg* (1996), 224(4):463-75

Nevin JE, Moran TJ, Kay S, King R
Carinoma of the gallbladder: staging, treatment and prognosis. *Cancer* (1976), 37(1):141-8

Nilius, Rink
Cholangiokarzinom. In: *Gastroenterologie & Hepatologie*; Ullstein (1995)

Noie T, Kubota K, Abe H, Kimura W, Harihara Y, Takayama T, Makuuchi M
Proposal on the Extent of Lymph Node Dissection for Gallbladder Carcinoma. *Hepatogastroenterology* (1999), 46:2122-27

North JH Jr, Pack MS, Hong C, Rivera DE
Prognostic Factors for Adenocarcinoma of the Gallbladder: An Analysis of 162 Cases. *Am Surg* (1998), 64(5):437-40

Nozaki Y, Yamamoto M, Ikai I, Yamamoto Y, Ozaki N, Fujii H, Nagahori K, Matsumoto Y, Yamaoka Y
Reconsideration of the lymph node metastasis pattern (N factor) from intrahepatic cholangiocarcinoma using the International Union Against Cancer TNM staging system for primary liver carcinoma. *Cancer* (1998), 83(9):1923-9

Oertli D, Herzog U, Tondelli P
Primary carcinoma of the gallbladder: operative experience during a 16 year period. *Eur J Surg* (1993), 159(8):415-20

Ogura Y, Mizumoto R, Isaji S, Kusuda T, Matsuda S, Tabata M
Radical operations for carcinoma of the gallbladder: present status in Japan. *World J Surg* (1991), 15(3):337-43

Ohashi K, Nakajima Y, Tsutsumi M, Kanehiro K, Fukuoka T, Hisanaga M, Taki J, Nakae D, Konishi Y, Nakano H
Clinical characteristics and proliferating activity of intrahepatic cholangiocarcinoma. *J Gastroenterol Hepatol* (1994), 9(5):442-6

Ohtsuka M, Ito H, Kimura F, Shimizu H, Togawa A, Yoshidome H, Miyazaki M
Results of surgical treatment for intrahepatic cholangiocarcinoma and clinicopathological factors influencing survival. *Br J Surg* (2002), 89:1525-31

Ohtsuka M, Ito H, Fumio K, Hiroaki S, Togawa A, Yoshidome H
Extended hepatic resection and outcomes in intrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Surg* (2003), 10:259-64

Okuda K, Kubo Y, Okazaki N, Arishima T, Hashimoto M, Jinnouchi S, Sawa Y, Shimokawa Y, Nakajima Y, Noguchi T, Nakano M, Kojiro M, Nakashima T
Clinical aspects of intrahepatic bile duct carcinoma including hilar carcinoma: A study of 57 autopsy-proven cases. *Cancer* (1977), 39:232-246

Paolucci V

Port site recurrences after laparoscopic cholecystectomy. *J Hepatobiliary Pancreat Surg* (2001), 8:535-43

Paquet KJ

Appraisal of surgical resection of gallbladder carcinoma with special reference to hepatic resection. *J Hepatobiliary Pancreat Surg* (1998), 5(2):200-6

Pascher A, Jonas S, Neuhaus P

Intrahepatic cholangiocarcinoma: indication for transplantation. *J Hepatobiliary Pancreat Surg* (2003), 10:282-7

Patel T

Worldwide trends in mortality from biliary tract malignancies.. *BMC cancer* (2002), 2(1):10

Peto R, Pike MC

Conservation of the approximation $\text{Epsilon}(\text{O}-\text{E})^2/\text{E}$ in the logrank test for survival data on tumor incidence data. *Biometrics* (1973), 29:579-84

Pichlmayr R, Lamesch P, Weimann A, Tusch G, Ringe B

Surgical treatment of cholangiocellular carcinoma. *World J Surg* (1995), 19(1):83-8

Piehler JM, Crichlow RW

Primary carcinoma of the gallbladder. *Arch Surg* (1977), 112:26-30

Pinocy J, Becker HD

Das zufällig entdeckte Karzinom der Gallenblase - Was ist zu tun?. *Deutsches Ärzteblatt* (2001), 98(34-35):2193-4

Pitt H, Nakeeb A, Abrams R, Coleman J, Piantadosi S, Yeo C, Lillemore K, Cameron J

Perihilar cholangiocarcinoma: Postoperative Radiochemotherapie does not improve survival. *Ann Surg* (1995), 221:788-797

Priesching A

Leberresektionen: Chirurgische Anatomie, Indikationen, Technik. Urban und Schwarzenberg - München; Wien; Baltimore (1986)

Pringle JH

Notes on the arrest of hepatic haemorrhage due to trauma. *Ann Surg* (1908), 48:451

Puhalla H, Schuell B, Pokorny H, Kornek GV, Scheitauer W, Gruenberger T
Treatment and outcome of intrahepatic cholangiocellular carcinoma. *Am J Surg* (2005), 189:173-7

Puhalla H, Bareck E, Scheitauer W, Ploner M, Stiglbauer W, Depisch D
Die Therapie des Gallenblasenkarzinoms - eine Standortanalyse. *Chirurg* (2002), 73:50-56

Roayaie S, Guarrera JV, Ye MQ, Thung SN, Emre S, Fishbein TM, Guy SR, Sheiner PA, Miller CM, Schwartz ME
Aggressive Surgical treatment of Intrahepatic Cholangiocarcinoma: Predictors of Outcomes. *J Am Coll Surg* (1998), 187(4):365-72

Sasaki A, Aramaki M, Kawano K, Morii Y, Nakashima K, Yoshida T, Kitano S
Intrahepatic peripheral cholangiocarcinoma: mode of spread and choice of surgical treatment. *Br J Surg* (1998), 85(9):1206-9

Schauer R, Rau HG, Schildberg FW

Früh- und Langzeitergebnisse nach operativer Behandlung des Gallenblasenkarzinoms. *Viszeralchirurgie* (1999), 34:123-8

Schauer R, Rau H, Barreton G, Blasenbreu S, Meyer G, Schildberg FW
Prognostische Faktoren beim Gallenblasenkarzinom als Entscheidungshilfe zur Nachresektion. *Langenbecks Arch Chir* (1997), Suppl Kongressband 114:1072-4

Schauer R, Rau HG, Grundner H, Schildberg FW

Operation oder Intervention beim fortgeschrittenen Gallenblasenkarzinom?. *Langenbecks Arch Chir* (1998), Suppl 2 Kongressbd 1998 115:348-51

Schlinkert RT, Nagorney DM, Van Heerden JA, Adson MA

Intrahepatic cholangiocarcinoma: clinical aspects, pathology and treatment. *hpb surg* (1992), 5(2):95-102

Schmielau J, Klempnauer J, Schmiegel W
Cholangiokarzinome. Internist (1997), 38:970-6

Schramm H, Theilig K, Schmidt S, Arnold F
Zu den Spätergebnissen der Karzinome der biliopankreatischen Region nach operativer Therapie. Zentralbl Chir (2003), 128:401-405

Shimada M, Yamashita Y, Aishima S, Shirabe K, Takenaka K, Sugimachi K
Value of lymph node dissection during resection of intrahepatic cholangiocarcinoma. Br J Surg (2001), 88(11):1463-6

Shirabe K, Shimada M, Harimoto N, Sugimachi K, Yamashita Y, Tsujita E, Aishima S
Intrahepatic cholangiocarcinoma: Its mode of spreading and therapeutic modalities. Surgery (2002), 131(1 Suppl):159-64

Siewert JR

Tumoren der Gallenblase. In: Siewert JR, Harder F (Hrsg.) Chirurgische Gastroenterologie, Band 3, 2. Auflage; Springer Verlag Berlin (1990), 1384-90

Siewert JR

Tumoren des Gallengangs. In: Siewert JR, Harder F (Hrsg.) Chirurgische Gastroenterologie, Band 3, 2. Auflage; Springer Verlag Berlin (1990), 1390

Starzl TE, Bell RH, Beart RW, Putnam CW

Hepatic trisegmentectomy and other liver resections. Surg Gynecol Obstet (1975), 141:429-37

Suzuki S, Sakaguchi T, Yokoi Y, Okamoto K, Kurachi K, Tsuchiya Y, Okumura T, Konno H, Baba S, Nakamura S

Clinicopathological prognostic factors and impact of surgical treatment of mass-forming intrahepatic cholangiocarcinoma. World J Surg (2002), 26(6):689-93

Thuluvath PJ, Rai R, Venbrux AC, Yeo CJ

Cholangiocarcinoma: a review. Gastroenterologist (1997), 5(4):306-15

Tietz B

Komplikationen nach Leberresektionen. Medizinische Dissertation; FU-Berlin (1995), Kap. 3.2.1, S. 26

Todoroki T, Takahashi H, Koike N, Kawamoto T, Kondo T, Yoshida S, Kashiwagi H, Otsuka M, Fukao K, Saida Y
Outcomes of Aggressive Treatment of Stage IV Gallbladder Cancer and Predictors of Survival. *Hepatogastroenterology* (1999), 46:2114-21

Todoroki T

Chemotherapy for primary gallbladder cancer - a surgeon's perspective. *Hepatogastroenterology* (2000), 44:948-55

Uenishi T, Hirohashi K, Kubo S, Yamamoto T, Yamazaki O, Kinoshita H
Clinicopathological factors predicting outcome after resection of mass-forming intrahepatic cholangiocarcinoma. *Br J Surg* (2001), 88(7):969-74

UICC, International Union Against Cancer

TNM: Classification of malignant tumors. Wiley-Liss; New York, Brisbane, Toronto (1997)

Uttaravichien T, Bhudhisawasdi V, Pairojkul C, Pugkhem A

Intrahepatic cholangiocarcinoma in Thailand. *J Hepatobiliary Pancreat Surg* (1999), 6(2):128-35

Valverde A, Bonhomme N, Farges O, Sauvanet A, Flejou JF, Belghiti J

Resection of intrahepatic cholangiocarcinoma: A western experience. *J Hepatobiliary Pancreat Surg* (1999), 6(2):122-7

Wanebo HJ, Castle WN, Fechner RE

Is carcinoma of the gallbladder a curable lesion?. *Ann Surg* (1982), 195(5):624-31

Weber SM, Jarnagin WR, Klimstra D, DeMatteo RP, Fong Y, Blumgart LH

Intrahepatic cholangiocarcinoma: resectability, recurrence pattern and outcomes. *J Am Coll Surg* (2001), 193(4):384-91

White K, Kraybill WG, Lopez MJ

Primary carcinoma of the gallbladder: TNM staging and prognosis. *J Surg oncol* (1988), 39(4):251-5

WHO

A coded compendium of the international histological classification of tumors. Geneva: WHO (World Health Organization) (1978)

Wittekind C, Tannapfel A

Anatomie und Pathologie des Gallengangskarzinom. *Onkologe* (1999), 5:482-9

Yamaguchi K, Chijiwa K, Saiki S, Nishihara K, Takashima M, Kawakami K, Tanaka M

Retrospective analysis of 70 operations for gallbladder carcinoma. *Br J Surg* (1997), 84(2):200-4

Yamamoto M, Takasaki K, Otsubo T, Katsuragawa H, Katagiri S

Recurrence after surgical resection of intrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Surg* (2001), 8(2):154-7

Yamamoto M, Onoyama H, Ajiki T, Yamada I, Fujita T, Saitoh Y

Surgical Results of Operations for Carcinoma of the Gallbladder. *Hepatogastroenterology* (1999), 46:1552-6

Yamanaka N, Okamoto E, Ando T, Oriyama T, Fujimoto J, Furukawa K, Tanaka T, Tanaka W, Nishigami T

Clinicopathologic spectrum of resected extraductal mass-forming intrahepatic cholangiocarcinoma. *Cancer* (1995), 76:2449-2456

Yamasaki S

Intrahepatic cholangiocarcinoma: macroscopic type and stage classification. *J Hepatobiliary Pancreat Surg* (2003), 10:288-91