

## 7. Literaturverzeichnis

- 1 Abbott JA, Hawe J, Clayton RD, Garry R. The effects and effectiveness of laparoscopic excision of endometriosis: a prospective study with 2-5 years follow-up. *Hum Reprod* 2003;18(9):1922-27
- 2 Abu JI, Konje JC. Leukotrienes in gynaecology: the hypothetical value of anti-leukotriene therapy in dysmenorrhoea and endometriosis. *Hum Reprod Update* 2000;6(2):200-5
- 3 Aguilar Z, Akita RW, Finn RS et al. Biologic effects of heregulin/neu differentiation factor on normal and malignant human breast and ovarian epithelial cells. *Oncogene* 1999;18(44):6050-62
- 4 Allen LF, Lenehan PF, Eiseman IA, Elliott WL, Fry DW. Potential benefits of the irreversible pan-erbB inhibitor CI – 1033, in the treatment of breast cancer. *Semin Oncol* 2002;29(3 Suppl 11):11-21
- 5 Alroy I, Yarden Y. The ErbB signaling network in embryogenesis and oncogenesis: signal diversification through combinatorial ligand-receptor interactions. *FEBS Lett* 1997;410(1):83-6
- 6 Alvarado RG, Liu JY, Zwolak RM. Danazol and limb-threatening arterial thrombosis: two case reports. *J Vasc Surg* 2001;34(6):1123-6
- 7 American Society for Reproductive Medicine: Revised American Society for Reproductive Medicine classification of endometriosis: 1996. *Fertil Steril* 1997;67(5):817-21
- 8 Anaf V, Simon P, Fayt I, Noel J. Smooth muscles are frequent components of endometriotic lesions. *Human Reproduction* 2000;15(4):767-71
- 9 Anido J, Matar P, Albanell J et al. ZD1839, a specific epidermal growth factor receptor (EGFR) tyrosine kinase inhibitor, induces the formation of inactive EGFR/HER2 and EGFR/HER3 heterodimers and prevents heregulin signalling in HER2-overexpressing breast cancer cells. *Clin Cancer Res* 2003;9(4):1274-83
- 10 Arici A, Metalliotakis I, Goumenou A, Koumantakis G, Vassiliadis S, Selam B, Mahutte NG. Increased levels of interleukin-15 in the peritoneal fluid of women with endometriosis: inverse correlation with stage and depth of invasion. *Hum Reprod* 2003;18(2):429-32
- 11 Arici A, Metalliotakis I, Goumenou A, Koumantakis G, Vassiliadis S, Mahutte NG. Altered expression of interleukin-18 in the peritoneal fluid of women with endometriosis. *Fertil Steril* 2003;80(4):889-94
- 12 Arteaga CL. Epidermal growth factor receptor dependence in human tumors: More than just expression? *The Oncologist* 2002;7(suppl 4): 31-9
- 13 Attar E, Bulun SE. Aromatase and other steroidogenic genes in endometriosis: translational aspects. *Hum Reprod Update* 2006;12(1):49-56
- 14 Azios NG, Romero FJ, Denton MC, Doherty JK, Clinton GM. Expression of herstatin, an autoinhibitor of HER-2/neu, inhibits transactivation of HER-3 by HER-2 and blocks EGF activation of the EGF receptor. *Oncogene* 2001;20(37):5199-209
- 15 Bacus SS, Zelnick CR, Plowman G, Yarden Y. Expression of the erbB-2 family of growth factor receptors and their ligands in breast cancer. Implication for tumor biology and clinical behaviour. *Am J Clin Pathol* 1994;102(4 suppl 1):S13-24
- 16 Badawy SZ, Holland J, Landas S, Frankel L, Cuenca V, Khan S. The role of estradiol, progesterone, and transforming growth factor on human endometrioma cell culture. *Am J Reprod Immunol* 1996;36(1):58-63
- 17 Barbieri RL, Ryan KJ. Danazol: endocrine pharmacology and therapeutic applications. *Am J Obstet Gynecol* 1981;141(4):453-63
- 18 Barbieri RL. Endometriosis 1990. Current treatment approaches. *Drugs* 1990;39(4):502-10
- 19 Barbieri RL. Endometriosis and the estrogen threshold theory. Relation to surgical and medical treatment. *J Reprod Med* 1998;43(suppl 3):287-92

- 20 Bartley J, Mechsner S, Beutler C, Halis G, Lange J, Ebert AD. COX-2-Expression in extragenitalen Endometrioseläsionen als neuer Therapieansatz? *Zentralbl Gynakol* 2003;125:252-5
- 21 Baselga J. Herceptin alone or in combination with chemotherapy in the treatment of HER-2-positive metastatic breast cancer: pivotal trials. *Oncology* 2001;61(suppl 2):14-21
- 22 Basu M, Frick K, Sen-Majumdar A, Scher CD, Das M. EGF receptor-associated DNA-nicking activity is due to a M,-100,000 dissociable protein. *Nature* 1985;316:640-41
- 23 Bedaiwy MA, Falcone T, Goldberg JM, Sharma RK, Nelson DR, Agarwal A. Peritoneal fluid leptin is associated with chronic pelvic pain but not infertility in endometriosis patients. *Hum Reprod* 2006;21(3):788-91
- 24 Bergqvist A, Borg A, Ljungberg O. Protooncogenes in endometriotic and endometrial tissue. *Ann N Y Acad Sci* 1991;626:276-83
- 25 Birchmeier C, Birchmeier W. Molecular aspects of mesenchymal-epithelial interactions. *Annu Rev Cell Biol* 1993;9:511-40
- 26 Borer JG, Park JM, Atala A et al. Heparin-binding EGF-like growth factor expression increases selectively in bladder smooth muscle in response to lower urinary tract obstruction. *Lab Invest* 1999;79(11):1335-45
- 27 Breyer JA, Cohen S. The epidermal growth factor precursor isolated from murine kidney membranes. Chemical characterization and biological properties. *J Biol Chem* 1990;265(27):16564-70
- 28 Brosens IA. Endometriosis – a disease because it is characterized by bleeding. *Am J Obstet Gynecol* 1997;176:263-7
- 29 Brosens IA, Brosens JJ. Endometriosis. *Eur J Obstet Gynecol Reprod Biol* 2000;90(2):159-64
- 30 Brosens IA, Brosens JJ. Redefining endometriosis: Is deep endometriosis a progressive disease ? *Hum Reprod* 2000;15(1):1-3
- 31 Bruner KL, Eisenberg E, Gorstein F, Osteen KG. Progesterone and transforming growth factor-beta coordinately regulate suppression of endometrial matrix metalloproteinases in a model of experimental endometriosis. *Steroids* 1999;64(9):648-53
- 32 Bulletti C, DeZiegler D, Stefanetti M et al. Endometriosis: absence of recurrence in patients after endometrial ablation. *Hum Reprod* 2001;16(12):2676-9
- 33 Bulun SE, Fang Z, Imir G et al. Aromatase and endometriosis. *Semin Reprod Med* 2004;22(1):45-50
- 34 Bulun SE, Zeitoun KM, Takayama K, Sasano H. Estrogen biosynthesis in endometriosis: molecular basis and clinical relevance. *J Mol Endocrinol* 2000;25(1):35-42
- 35 Bulun SE, Zeitoun KM, Takayama K, Sasano H. Molecular basis for treating endometriosis with aromatase inhibitors. *Hum Reprod Update* 2000;6(5):413-8
- 36 Buttram VC Jr, Belue JB, Reiter R. Interim report a study of danazol for the treatment of endometriosis. *Fertil Steril* 1982;37(4):478-83
- 37 Carpenter G. ErbB-4: mechanism of action biology. *Exp Cell Res* 2003;284(1):66-77
- 38 Carpenter G. The EGF receptor: a nexus for trafficking and signaling. *Bio Essays* 2000;22:697-707
- 39 Carraway KL, Carraway CA, Carraway KL 3<sup>rd</sup>. Roles of ErbB-3 and ErbB-4 in the physiology and pathology of the mammary gland. *J Mammary Gland Biol Neoplasia* 1997;2(2):187-98
- 40 Chen GT, Tai CT, Yeh LS, Yang TC, Tsai HD. Identification of the cadherin subtypes present in the human peritoneum and endometriotic lesions: Potential role for P-cadherin in the development of endometriosis. *Mol Reprod Dev* 2002;62(3):289-94
- 41 Christensen B, Freie HM, Schindler AE. Endometriosis – diagnosis and therapy. Results of a current survey of 6,700 gynecologists. *Geburtshilfe Frauenheilkd* 1995;55(12):674-9

- 42 Cirkel U, Ochs H, Schneider HP. A randomized, comparative trial of triptorelin depot (D-Trp6-LHRH) and danazol in the treatment of endometriosis. *Eur J Obstet Gynecol Reprod Biol* 1995;59(1):61-9
- 43 Citri A, Skaria KB, Yarden Y. The deaf and the dumb: the biology of ErbB-2 and ErbB-3. *Exp Cell Res* 2003;284(1):54-65
- 44 Clement PB. Pathology of endometriosis. *Pathol Annu* 1990;25:245-95
- 45 Cramer DW, Missmer SA. The epidemiology of endometriosis. *Ann N Y Acad Sci* 2002;955:11-22
- 46 Dewji MR. Early phase I data on an irreversible pan-erb inhibitor: CI – 1033. What did we learn? *J Chemother* 2004;16(suppl 4):44-8
- 47 Di Lieto A, De Rosa G, Albano G et al. Influence of goserelin depot therapy on epidermal growth factor receptor expression in pelvic endometriosis. *Gynecol Endocrinol* 1997;11(1):17-20
- 48 Dicker D, Goldman JA, Levy T, Feldberg D, Ashkenazi J. The impact of long-term gonadotropin-releasing hormone analogue treatment on preclinical abortions in patients with severe endometriosis undergoing in vitro fertilization-embryo transfer. *Fertil Steril* 1992;57(3):597-600
- 49 Dlugi AM, Miller JD, Knittle J. Lupron depot (leuprolide acetate for depot suspension) in the treatment of endometriosis: a randomized, placebo-controlled, double-blind study. *Lupron Study Group. Fertil Steril* 1990;54(3):419-27
- 50 Dokras A, Olive DL. Endometriosis and assisted reproductive technologies. *Clin Obstet Gynecol* 1999;42(3):687-98
- 51 Donnez J, Van Langendonck A, Casanas-Roux F et al. Current Thinking on the Pathogenesis of Endometriosis. *Gynecol Obstet Invest* 2002;54(suppl 1):52-62
- 52 Donnez J, Nisolle M, Smoes P, Gillet N, Beguin S, Casanas-Roux F. Peritoneal endometriosis and 'endometriotic' nodules of the rectovaginal septum are two different entities. *Fertil Steril* 1996;66:362-8
- 53 Donnez J, Nisolle M, Casanas-Roux F et al. Rectovaginal septum, endometriosis or adenomyosis : laparoscopic management in a series of 231 patients. *Hum Reprod* 1995;2:630-5
- 54 Ebert AD, Bartley J, David M, Schweppe KW. Aromatasehemmer – theoretisches Konzept und bisherige Erfahrungen in der Endometriosetherapie. *Zentralbl Gynakol* 2003;125:247-51
- 55 Ebert AD, Bartley J, Mechsner S, Lange J, Becker C, Halis G, Starzinski-Powitz A. New concepts for individual medical treatment of endometriosis. *Proceedings of the Congress of Gynaecological Endoscopy and Innovative Surgery. Monduzzi Editore* 2002;1-6
- 56 Ebert AD, Starzinski-Powitz A. Aromatase und Cyclooxygenase-2 – neue Ansätze in der Endometriosetherapie? *Gynäkologie* 2002;35:250-254
- 57 Ebert AD. Endometriose – Ein Wegweiser für die Praxis. *De Gruyter, Frauenärztliche Taschenbücher, Berlin* 2003
- 58 Ekstrand AJ, Sugawa N, James CD, Collins VP. Amplified and rearranged epidermal growth factor receptor genes in human glioblastomas reveal deletions of sequences encoding portions of the N- and/or C-terminal tails. *Proc Natl Acad Sci USA* 1992;89(10):4309-13
- 59 Elenius K, Choi CJ, Paul S, Santiestevan E, Nishi E, Klagsbrun M. Characterization of a naturally occurring ErbB4 isoform that does not bind or activate phosphatidylinositol 3-kinase. *Oncogene* 1999;18(6):2607-15
- 60 Elenius K, Corfas G, Paul S, Choi CJ, Rio C, Plowman GD, Klagsbrun M. A novel juxtamembrane domain isoform of HER-4/ErbB4. *Journal of Biological Chemistry* 1997;272(42):26761-8
- 61 Esteva FJ, Hortobagyi GN, Sahin AA et al. Expression of erbB/HER receptors, heregulin and P38 in primary breast cancer using quantitative immunohistochemistry. *Pathol Oncol Res* 2001;7(3):171-7
- 62 Fang Z, Yang S, Gurates B et al. Genetic or enzymatic disruption of aromatase inhibits the growth of ectopic uterine tissue. *J Clin Endocrinol Metab* 2002;87(7):3460-6

- 63 Fauconnier A, Chapron C. Endometriosis and pelvic pain: epidemiological evidence of the relationship and implications. *Hum Reprod Update* 2005;11(6):595-606
- 64 Fedele L, Parazzini F, Bianchi S, Arcaini L, Candiani GB. Stage and localization of pelvic endometriosis and pain. *Fertil Steril* 1990;54(1):180-1
- 65 Floyd WS. Danazol: endocrine and endometrial effects. *Int J Fertil* 1980;25(1):75-80
- 66 Garcia de Palazzo IE, Adams GP, Sundareshan P et al. Expression of mutated epidermal growth factor receptor by non-small cell lung carcinomas. *Cancer Res* 1993;53(14):3217-20
- 67 Gassmann M, Casagrande F, Orioli D et al. Aberrant neural and cardiac development in mice lacking the ErbB4 neuregulin receptor. *Nature* 1995;378(6555):390-4
- 68 Gerecke KM, Wyss JM, Karavanova I, Buonanno A, Carroll SL. ErbB transmembrane tyrosine kinase receptors are differentially expressed throughout the adult rat central nervous system. *J Comp Neurol* 2001;433(1):86-100
- 69 Gilmour LM, Macleod KG, McCaig A, Gullick WJ, Smyth JF, Langdon SP. Expression of erbB-4/HER-4 growth factor receptor isoforms in ovarian cancer. *Cancer Res* 2001;61:2169-76
- 70 Goebel R. Therapy of endometriosis with a new synthetic antigonadotropin: danazole. *Arch Gynecol* 1979;228(1-4):568
- 71 Gogusev J, Bouquet de Joliniere J, Telvi L et al. Genetic abnormalities detected by comparative genomic hybridization in a human endometriosis-derived cell line. *Mol Hum Reprod* 2000;6(9):821-7
- 72 Gulliford TJ, Huang GC, Ouyang X, Epstein RJ. Reduced ability of transforming growth factor-alpha to induce EGF receptor heterodimerization and downregulation suggests a mechanism of oncogenic synergy with ErbB2. *Oncogene* 1997;15(18):2219-23
- 73 Hadfield RM, Mardon HJ, Barlow DH, Kennedy SH. Endometriosis in monozygotic twins. *Fertil Steril* 1997;68:585-96
- 74 Halis G, Arici A. Endometriosis and inflammation in infertility. *Ann N Y Acad Sci* 2004;1034:300-15
- 75 Haney AF, Weinberg JB. Reduction of the intraperitoneal inflammation associated with endometriosis by treatment with medroxyprogesterone acetate. *Am J Obst Gynecol* 1988;159(2):450-4
- 76 Harada T, Enatsu A, Mitsunari M, Nagano Y, Ito M, Tsudo T, Taniguchi F, Iwabe T, Tanikawa M, Terakawa N. Role of cytokines in progression of endometriosis. *Gynecol Obstet Invest* 1999;47(1):34-40
- 77 Harada T, Iwabe T, Terakawa N. Role of cytokines in endometriosis. *Fertil Steril* 2001;76(1):1-10
- 78 Heldin CH, Ericsson J. Signal transduction. RIPping tyrosine kinase receptors apart. *Science* 2001;294:2111-13
- 79 Hornstein MD, Surrey ES, Weisberg GW, Casino LA. Leuprolide acetate depot and hormonal add-back in endometriosis: a 12-month study. *Lupron Add-Back Study Group. Obstet Gynecol* 1998;91(1):16-24
- 80 Hornstein MD, Hemmings R, Yuzpe AA, Heinrichs WL. Use of nafarelin versus placebo after reductive laparoscopic surgery for endometriosis. *Fertil Steril* 1997;68(5):860-4
- 81 Huang JC, Yeh J. Quantitative analysis of epidermal growth factor receptor gene expression in endometriosis. *J Clin Endocrinol Metab* 1994;79(4):1097-101
- 82 Hughes DP, Thomas DG, Giordano TJ, Baker LH, McDonagh KT. Cell surface expression of epidermal growth factor and Her-2 with nuclear expression of Her-4 in primary osteosarcoma. *Cancer Res* 2004;64(6):2047-53
- 83 Hughes EG, Fedorkow D, Collins J, Vandekerckhove P. Ovulation suppression for endometriosis. *Cochrane Database Syst Rev* 2003;(3):CD000155

- 84 Hughes EG, Fedorkow DM, Daya S, Sagle MA, Van de Koppel P, Collins JA. The routine use of gonadotropin-releasing hormone agonists prior to in vitro fertilization and gamete intrafallopian transfer: a meta-analysis of randomized controlled trials. *Fertil Steril* 1992;58(5):888-96
- 85 Humphrey PA, Gangarosa LM, Wong AJ et al. Deletion-mutant epidermal growth factor receptor in human gliomas: effects of type II mutation on receptor function. *Biochem Biophys Res Commun* 1991;178(3):1413-20
- 86 Hurst BS, Gardner SC, Tucker KE, Awoniyi CA, Schlaff WD. Delayed oral estradiol combined with leuprolide increases endometriosis-related pain. *JSLs* 2000;4(2):97-101
- 87 Jabbour HN, Sales KJ, Smith OP, Battersby S, Boddy SC. Prostaglandin receptors are mediators of vascular function in endometrial pathologies. *Mol Cell Endocrinol* 2006;252(1-2):191-200
- 88 Jones RC. The effect of a luteinizing hormone-releasing hormone antagonist on experimental endometriosis in the rat. *Acta Endocrinol (Copenh.)* 1987;114(3):379-82
- 89 Judson PL, Temple AM, Fowler WC Jr, Novotny DB, Funkhouser WK Jr.. Case report: vaginal adenosarcoma arising from endometriosis. *Gynecol Oncol* 2000;76:123-25
- 90 Junttila TT, Sundvall M, Lundin M, Lundin J, Tanner M, Harkonen P, Joensuu H, Isola J, Elenius K. Cleavable ErbB4 isoform in estrogen receptor-regulated growth of breast cancer cells. *Cancer Res* 2005;65(4):1384-93
- 91 Kainulainen V, Sundvall M, Määttä JA, Santiestevan E, Klagsbrun M, Elenius K. A natural ErbB4 isoform that does not activate phosphoinositide 3-kinase mediates proliferation but not survival or chemotaxis. *J Biol Chem* 2000;275(12):8641-9
- 92 Kapitanovic S, Radosevic S, Slade N et al. Expression of erbB-3 protein in colorectal adenocarcinoma: correlation with poor survival. *J Cancer Res Clin Oncol* 2000;126:205-11
- 93 Karunagaran D, Tzahar E, Beerli RR et al. ErbB-2 is a common auxiliary subunit of NDF and EGF receptors: implications for breast cancer. *EMBO J* 1996;15(2):254-64
- 94 Keckstein J, Ulrich U, Kandolf O, Wiesinger H, Wustlich M. Die laparoskopische Therapie der Darmendometriose und der Stellenwert der medikamentösen Therapie. *Zentralbl Gynakol* 2003;125:259-66
- 95 Keckstein J. Surgical therapy of endometriosis. *Wien Med Wochenschr* 1999;149(13):366-71
- 96 Kennedy S, Bergqvist A, Chapron C et al. ESHRE guidelines for the diagnosis and treatment of endometriosis. *Hum Reprod* 2005;20(10):2698-704
- 97 Kennedy S, Mardon H, Barlow D. Familial endometriosis. *J Assist Reprod Genet* 1995;12(1):32-4
- 98 Kettel LM, Murphy AA, Morales AJ, Yen SS. Preliminary report on the treatment of endometriosis with low-dose mifepristone (RU 486). *Am J Obstet Gynecol* 1998;178:1151-4
- 99 Kiilholma P, Tuimala R, Kivinen S, Korhonen M, Hagman E. Comparison of the gonadotropin-releasing hormone agonist goserelin acetate alone versus goserelin combined with estrogen-progesterone add-back therapy in the treatment of endometriosis. *Fertil Steril* 1995;64(5):903-8
- 100 Knapp V. How old is endometriosis? Late 17th- and 18th-century European descriptions of the disease. *Fertil Steril* 1999;72(1):10-14
- 101 Kodama H, Fukuda J, Karube H, Matsui T, Shimizu Y, Tanaka T. Benefit of in vitro fertilization treatment for endometriosis-associated infertility. *Fertil Steril* 1996;66(6):974-9
- 102 Koninckx PR, Oosterlynck D, D'Hooghe T, Meuleman C. Deeply infiltrating endometriosis is a disease whereas mild endometriosis could be considered a non-disease. *Ann NY Acad Sci* 1994;734:333-41
- 103 Koninckx PR, Kennedy SH, Barlow DH. Endometriotic disease: the role of peritoneal fluid. *Hum Reprod Update* 1998;4(5):741-51
- 104 Koninckx PR, Barlow D, Kennedy S. Implantation versus infiltration : the Sampson versus the endometriotic disease theory. *Gynecol Obstet Invest* 1999;47(Suppl 1):3-9

- 105 Konopka B, Skasko E, Kluska A et al. Changes in the concentrations of receptors of insulin-like growth factor-I, epithelial growth factor, oestrogens and progestagens in adenomyosis foci, endometrium and myometrium of women during menstrual cycle. *Eur J Gynaecol Oncol* 1998;19(1):93-7
- 106 Krymskaya VP, Hoffman R, Eszterhas A, Kane S, Ciocca V, Panettieri RA Jr.. EGF activates ErbB-2 and stimulates phosphatidylinositol 3-kinase in human airway smooth muscle cells. *Am J Physiol* 1999;276(2 Pt 1):L246-55
- 107 Kuohung W, Jones GL, Vitonis AF et al. Characteristics of patients with endometriosis in the United States and the United Kingdom. *Fertil Steril* 2002;78(4):767-72
- 108 Lacroix H, Iglehart JD, Skinner MA, Kraus MH. Overexpression of erbB-2 or EGF receptor proteins present in early stage mammary carcinoma is detected simultaneously in matched primary tumor and regional metastases. *Oncogene* 1989;4(2):145-51
- 109 Larsen SS, Egeblad M, Jaattela M, Lykkesfeldt AE. Acquired antiestrogen resistance in MCF-7 human breast cancer sublines is not accomplished by altered expression of receptors in the ErbB-family. *Breast Cancer Res Treat* 1999;58:41-56
- 110 Leary A, Dowsett M. Combination therapy with aromatase inhibitors: the next era of breast cancer treatment? *Br J Cancer* 2006;95(6):661-6
- 111 Lebovic DI, Mueller MD, Taylor RN. Immunobiology of endometriosis. *Fertil Steril* 2001;75(1):1-10
- 112 Lebovic DI, Chao VA, Taylor RN. Peritoneal macrophages induce RANTES (regulated on activation, normal T cell expressed and secreted) chemokine gene transcription in endometrial stromal cells. *J Clin Endocrinol Metab* 2004;89(3):1397-401
- 113 Lee AV, Cui X, Oesterreich S. Cross-talk among estrogen receptor, epidermal growth factor, and insulin-like growth factor signaling in breast cancer. *Clin Cancer Res* 2001;7(12 suppl):4429s-35s
- 114 Lee HJ, Jung KM, Huang YZ, Bennett LB, Lee JS, Mei L, Kim TW. Presenilin-dependent gamma-secretase-like intramembrane cleavage of ErbB4. *J Biol Chem* 2002;277(8):6318-23
- 115 Lenferink AE, Pinkas-Kramarski R, van de Poll ML et al. Differential endocytic routing of homo- and hetero-dimeric ErbB tyrosine kinases confers signaling superiority to receptor heterodimers. *EMBO J* 1998;17(12):3385-97
- 116 Lessey BA. Medical management of endometriosis and infertility. *Fertil Steril* 2000;73(6):1089-96
- 117 Leyendecker G, Kunz G, Herbertz M et al. Uterine peristaltic activity and the development of endometriosis. *Ann N Y Acad Sci* 2004;1034:338-55
- 118 Leyendecker G. Endometriosis is an entity with extreme pleiomorphism. *Hum Reprod* 2000;15(1):4-7
- 119 Leyendecker G, Herbertz M, Kunz G, Mall G. Endometriosis results from the dislocation of basal endometrium. *Hum Reprod* 2002;17(19):2725-36
- 120 Leyendecker G, Kunz G, Wildt L, Beil D, Deininger H. Uterine hyperperistalsis and dysperistalsis as dysfunctions of the mechanism of rapid sperm transport in patients with endometriosis and infertility. *Hum Reprod* 1996;11:1542-51
- 121 Lin SY, Makino K, Xia W et al. Nuclear localization of EGF receptor and its potential new role as a transcription factor. *Nature Cell Biol* 2001;3:802-8
- 122 Lu C, Speers C, Zhang Y et al. Effect of epidermal growth factor receptor inhibitor on development of estrogen receptor-negative mammary tumors. *J Natl Cancer Inst* 2003;95(24):1825-33
- 123 Lupu R, Cardillo M, Harris L, Hijazi M, Rosenberg K. Interaction between erbB-receptors and heregulin in breast cancer tumor progression and drug resistance. *Semin Cancer Biol* 1995;6:135-45

- 124 Määttä JA, Sundvall M, Junttila TT, Peri Liisa, Laine VJO, Isola J, Egeblad M, Elenius K. Proteolytic cleavage and phosphorylation of a tumor-associated ErbB4 isoform promote ligand-independent survival and cancer cell growth. *Molecular Biology of the Cell* 2006;17:67-79
- 125 Makarainen L, Ronnberg L, Kauppila A. Medroxyprogesterone acetate supplementation diminishes the hypoestrogenic side effects of gonadotropin-releasing hormone agonist without changing its efficacy in endometriosis. *Fertil Steril* 1996;65(1):29-34
- 126 Marcoux S, Maheux R, Berube S. Laparoscopic surgery in infertile women with minimal or mild endometriosis. Canadian Collaborative Group on Endometriosis. *N Engl J Med* 1997;337(4):217-22
- 127 Marti U, Burwen SJ, Wells A et al. Localization of epidermal growth factor receptor in hepatocyte nuclei. *Hepatology* 1991;13(1):15-20
- 128 Marti U, Ruchti C, Kampf J et al. Nuclear localization of epidermal growth factor and epidermal growth factor receptors in human thyroid tissues. *Thyroid* 2001;11(2):137-145
- 129 Matalliotakis IM, Goumenou AG, Koumantakis GE et al. Serum concentrations of growth factors in women with and without endometriosis: the action of anti-endometriosis medicines. *Int Immunopharmacol* 2003;3(1):81-89
- 130 McClelland RA, Barrow D, Madden TA et al. Enhanced epidermal growth factor receptor signaling in MCF7 breast cancer cells after long-term culture in the presence of the pure antiestrogen ICI 182,780 (Faslodex). *Endocrinology* 2001;142(7):2776-88
- 131 Mechsner S, Bartley J, Loddenkemper C, Salomon DS, Starzinski-Powitz A, Ebert AD. Oxytocin receptor expression in smooth muscle cells of peritoneal endometriotic lesions and ovarian endometriotic cysts. *Fertil Steril* 2005;83(4):1220-31
- 132 Melega C, Balducci M, Bulletti C et al. Tissue factor influencing growth and maintenance of endometriosis. *Ann N Y Acad Sci* 1991;622:256-65
- 133 Meresman GF, Bilotas MA, Lombardi E, Tesone M, Sueldo C, Baranao RI. Effect of GnRH analogues on apoptosis and release of interleukin-1 beta and vascular endothelial growth factor in endometrial cell cultures from patients with endometriosis. *Hum Reprod* 2003;18(9):1767-71
- 134 Mertens HJ, Heineman MJ, Theunissen PH, de Jong FH, Evers JL. Androgen, estrogen and progesterone receptor expression in the human uterus during the menstrual cycle. *Eur J Obstet Gynecol Reprod Biol* 2001;98(1):58-65
- 135 Mettler, L. *Endometriose 2000*, pmi Verlag AG, Frankfurt am Main 2000
- 136 Meyer R. Über den Stand der Frage der Adenomyositis und Adenome im allgemeinen und insbesondere über Adenomyositis seroepithelialis und Adenomyometritis sarcomatosa. *Zbl Gynäkol* 1919;43:745-50
- 137 Miettinen PJ, Berger JE, Meneses J et al. Epithelial immaturity and multiorgan failure in mice lacking epidermal growth factor receptor. *Nature* 1995;376(6538):337-41
- 138 Missmer SA, Cramer DW. The epidemiology of endometriosis. *Obstet Gynecol Clin N Am* 2003;30:1-19
- 139 Miturski R, Semczuk A, Postawski K, Jakowicki JA. Epidermal growth factor receptor immunostaining and epidermal growth factor receptor-tyrosine kinase activity in proliferative and neoplastic human endometrium. *Tumour Biol* 2000;21(6):358-66
- 140 Moghal N, Sternberg PW. Multiple positive and negative regulators of signaling by the EGF-receptor, *Curr Opin Cell Biol* 1999;11(2):190-96
- 141 Moghissi KS, Schlaff WD, Olive DL, Skinner MA, Yin H. Goserelin acetate (Zoladex) with or without hormone replacement therapy for the treatment of endometriosis. *Fertil Steril* 1998;69(6):1056-62
- 142 Moscatello DK, Holgado-Madruga M, Godwin AK et al. Frequent expression of a mutant epidermal growth factor receptor in multiple human tumors. *Cancer Res* 1995;55(23):5536-9
- 143 Mroczkowski B, Mosig G, Cohen S. ATP-stimulated interaction between epidermal growth factor receptor and supercoiled DNA. *Nature* 1984;309:270-73

- 144 Muzii L, Marana R, Pedulla S, Catalano GF, Mancuso S. Correlation between endometriosis-associated dysmenorrhea and the presence of typical or atypical lesions. *Fertil Steril* 1997;68(1):19-22
- 145 Nagata K, Wada K, Tatsuguchi A, Futagami S, Gudis K, Miyake K, Tsukui T, Sakamoto C. Heregulin-alpha and heregulin-beta expression is linked to a COX-2-PGE2 pathway in human gastric fibroblasts. *Am J Physiol Gastrointest Liver Physiol* 2006;290(6):G1243-51
- 146 Nasu K, Hayata T, Takai N et al. Immunohistochemical study of c-erbB-2 protein expression in endometriosis. *Hum Reprod* 1995;10(4):935-7
- 147 Natale RB. Inhibition of epidermal growth factor receptor and symptom improvement in advanced non-small cell lung cancer. *Semin Respir Crit Care Med* 2004;25(1):29-32
- 148 Ni CY, Murphy MP, Golde TE, Carpenter G. Gamma-Secretase cleavage and nuclear localization of erbB-4 receptor tyrosine kinase. *Science* 2001;294:2179-84
- 149 Nicholson RI, Hutcheson IR, Harper ME et al. Modulation of epidermal growth factor receptor in endocrine-resistant, oestrogen receptor-positive breast cancer. *Endocr Relat Cancer* 2001;8(3):175-182
- 150 Nicholson RI, Hutcheson IR, Hiscox SE, Knowlden JM, Giles M, Barrow D, Gee JMW. Growth factor signalling and resistance selective oestrogen receptor modulators and pure anti-oestrogens: the use of anti-growth therapies to treat or delay endocrine resistance in breast cancer. *Endocr Relat Cancer* 2005;12:S29-S36
- 151 Nicholson RI, Staka C, Boyns F, Hutcheson IR, Gee JMW. Growth factor-driven mechanisms associated with resistance to estrogen deprivation in breast cancer: new opportunities for therapy. *Endocr Relat Cancer* 2004;11:623-41
- 152 Nisolle M, Casanas-Roux F, Donnez J. Immunohistochemical analysis of proliferative activity and steroid receptor expression in peritoneal and ovarian endometriosis. *Fertil Steril* 1997;68(5):912-9
- 153 Nisolle M, Donnez J. Peritoneal endometriosis, ovarian endometriosis and adenomyotic nodules of the rectovaginal septum are three different entities. *Fertil Steril* 1997;68(4):585-96
- 154 Offterdinger M, Schofer C, Weipoltshammer K, Grunt TW. c-erbB-3: a nuclear protein in mammary epithelial cells. *J Cell Biol* 2002;157(6):929-39
- 155 Olive DL, Lindheim SR, Pritts EA. Endometriosis and infertility: what do we do for each stage? *Curr Womens Health Rep* 2003;3(5):389-94
- 156 Olive DL. Endometriosis : pathogenesis and mechanisms of infertility. *Postgrad Obstet Gynecol* 1985;5:1
- 157 Olive DL, Pritts EA. The treatment of endometriosis. A Review of Evidence. *N Engl J Med* 2001;345(4):266-75
- 158 Olive DL. medical therapy of endometriosis. *Semin Reprod Med* 2003;21(2):209-22
- 159 Olivennes F, Feldberg D, Liu HC, Cohen J, Moy F, Rosenwaks Z. Endometriosis : a stage by stage analysis – the role of in vitro fertilization. *Fertil Steril* 1995;64(2):392-8
- 160 Pagidas K, Falcone T, Hemmings R, Miron P. Comparison of reoperation for moderate (stage III) and severe (stage IV) endometriosis-related infertility with in vitro fertilization-embryo transfer. *Fertil Steril* 1996;65(4):791-5
- 161 Parazzini F. Ablation of lesions or no treatment in minimal-mild endometriosis in infertile women: a randomized trial. Gruppo Italiano per lo Studio dell'Endometriosi. *Hum Reprod* 1999;14(5):1332-4
- 162 Pauwels A, Schepens PJ, D'Hooghe T et al. The risk of endometriosis and exposure to dioxins and polychlorinated biphenyls : a case-control study of infertile women. *Hum Reprod* 2001;16(10):2050-5
- 163 Pederson T. Growth factors in the nucleolus? *J Cell Biol* 1998;143(2):279-81

- 164 Perez MC, Bodine PV, Leiva MC, Isaacson KB, Komm BS. Signal transduction pathways involved in macrophage migration induced by peritoneal fluid chemotactic factors in stages I and II endometriosis. *Fertil Steril* 2002;77(6):1261-8
- 165 Porebska I, Harlozinska A, Bojarowski T. Expression of the tyrosine kinase activity growth factor receptors (EGFR, ERB B2, ERB B3) in colorectal adenocarcinomas and adenomas. *Tumour Biol* 2000;21(2):105-15
- 166 Prentice A, Thomas EJ, Weddell A, McGill A, Randall BJ, Horne CH. Epidermal growth factor receptor expression in normal endometrium and endometriosis: an immunohistochemical study. *Br J Obstet Gynaecol* 1992;99(5):395-8
- 167 Prentice A, Deary AJ, Goldbeck-Wood S, Farquhar C, Smith SK. Gonadotropin-releasing hormone analogues for pain associated with endometriosis. *Cochrane Database Syst Rev* 2000;(2):CD000346
- 168 Prentice A, Deary AJ, Bland E. Progestagens and anti-progestagens for pain associated with endometriosis. *Chochrane Database Syst Rev* 2000;(2):CD002122
- 169 Prenzel N, Fischer OM, Streit S, Hart S, Ullrich A. The epidermal growth factor receptor family as a central element for cellular signal transduction and diversification. *Endocr Relat Cancer* 2001;8(1):11-31
- 170 Pritts EA, Taylor RN. An evidence-based evaluation of endometriosis-associated infertility. *Endocrinol Metab Clin North Am* 2003;32(3):653-67
- 171 Pschyrembel Medizinisches Wörterbuch, Walter de Gruyter, 2000
- 172 Rajkumar T, Stamp GW, Pandha HS, Waxman J, Gullick WJ. Expression of the type 1 tyrosine kinase growth factor receptors EGF receptor, c-erbB2 and c-erbB3 in bladder cancer. *J Pathol* 1996;179(4):381-85
- 173 Ram TG, Schelling ME, Hosick HL. Blocking HER-2/HER-3 function with a dominant negative form of HER-3 in cells stimulated by heregulin and in breast cancer cells with HER-2 gene amplification. *Cell Growth Differ* 2000;11(3):173-83
- 174 Ram TG, Hosick HL, Ethier SP. Heregulin-beta is especially potent in activating phosphatidylinositol 3-kinase in nontransformed human mammary epithelial cells. *J Cell Physiol* 2000;183(3):301-13
- 175 Reise DJI. Specificity within the EGF family/erbB receptor family signaling network. *Bioessays* 1998;20:41-8
- 176 Revillion F, Pawlowski V, Lhotellier V, Louchez MM, Peyrat JP. mRNA expression of the type I growth factor receptors in the human breast cancer cells MCF-7 : regulation by estradiol and tamoxifen. *Anticancer Res* 2003;23(2B):1455-60
- 177 Rio C, Buxbaum JD, Peschon JJ, Corfas G. Tumor necrosis factor-alpha-converting enzyme is required for cleavage of erbB4/HER4. *J Biol Chem* 2000;275(14):10379-87
- 178 Rock JA, Truglia JA, Caplan RJ. Zoladex (goserelin acetate implant) in the treatment of endometriosis: a randomized comparison with danazol. The Zoladex Endometriosis Study Group. *Obstet Gynecol* 1993;82(2):198-205
- 179 Saha D, Datta PK, Sheng M, Morrow JD, Wada M, Moses HL, Beauchamp RD. Synergistic induction of cyclooxygenase-2 by transforming growth factor beta-1 and epidermal growth factor inhibits apoptosis in epithelial cells. *Neoplasia* 1999;1(6):508-17
- 180 Saito T, Yoshizawa M, Yamauchi Y et al. Effects of the novel orally active antiestrogen TZE-5323 on experimental endometriosis. *Arzneimittelforschung* 2003;53(7):507-14
- 181 Sampson JA. Endometrial carcinoma of the ovary. *Arch Surg* 1925;10:1-72
- 182 Sampson JA. Peritoneal endometriosis due to menstrual dissemination of endometrial tissue into the peritoneal cavity. *Am J Obstet Gynecol* 1927;14:422-69
- 183 Sawyer C, Hiles I, Page M, Crompton M, Dean C. Two erbB-4 transcripts are expressed in normal breast and most breast cancers. *Oncogene* 1998;17(7):919-24

- 184 Schilder RJ, Sill MW, Chen X et al. Phase II study of gefitinib in patients with relapsed or persistent ovarian or primary peritoneal carcinoma and evaluation of epidermal growth factor receptor mutations and immunohistochemical expression: a Gynecologic Oncology Group Study. *Clin Cancer Res* 2005;11(15):5539-48
- 185 Schindler AE. Kombiniertes chirurgisch-hormonelles Management der Endometriose. Langzeit Follow-up. *Zentralbl Gynakol* 1999;121:325-9
- 186 Schneider J, Jimenez E, Rodriguez F, del Tanago JG. c-myc, c-erb-B2, nm23 and p53 expression in human endometriosis. *Oncol Rep* 1998;5(1):49-52
- 187 Schweppe KW. Stellenwert der Gestagene in der Behandlung endometriosebedingter Beschwerden – eine Übersicht. *Zentralbl Gynakol* 2003;125:276-80
- 188 Schweppe KW. Therapie der Endometriose unter Berücksichtigung der Aktivitätsgrade. *Gynäkologie* 2002;35:255-61
- 189 Senturk LM, Arici A. Immunology of endometriosis. *J Reprod Immunol* 1999;43:67-83
- 190 Sharpe-Timms KL, Zimmer RL, Jolliff WJ, Wright JA, Nothnick WB, Curry TE. Gonadotropin-releasing hormone agonist (GnRH-a) therapy alters activity of plasminogen activators, matrix metalloproteinases, and their inhibitors in rat models for adhesion formation and endometriosis: potential GnRH-a-regulated mechanisms reducing adhesion formation. *Fertil Steril* 1998;69(5):916-23
- 191 Shaw RW. An open randomised comparative study of the effect of goserelin depot and danazol in the treatment of endometriosis. Zoladex Endometriosis Study Team. *Fertil Steril* 1992;58(2):265-72
- 192 Sibilia M, Wagner EF. Strain-dependent epithelial defects in mice lacking the EGF receptor. *Science* 1995;269(5221):234-8
- 193 Simms JS, Chegini N, Williams RS, Rossi AM, Dunn WA Jr.. Identification of epidermal growth factor, transforming growth factor-alpha, and epidermal growth factor receptor in surgically induced endometriosis in rats. *Obstet Gynecol* 1991;78(5 Pt 1):850-7
- 194 Slamon DJ, Clark GM, Wong SG, Levin WJ, Ullrich A, McGuire WL. Human breast cancer: correlation of relapse and survival with amplification of the HER-2/neu oncogene. *Science* 1987;235(4785):177-82
- 195 Sokolov DI, Solodovnikova NG, Pavlov OV, Niauri DA, Volkov NN, Sel'kov SA. Study of cytokine profile and angiogenic potential of peritoneal fluid in patients with external genital endometriosis. *Bull Exp Biol Med* 2005;140(5):541-4
- 196 Soliman S, Daya S, Collins J, Jarrell J. A randomized trial of in vitro fertilization versus conventional treatment for infertility. *Fertil Steril* 1993;59(6):1239-44
- 197 Spaczynski RZ, Duleba AJ. Diagnosis of endometriosis. *Semin Reprod Med* 2003;21(2):193-208
- 198 Srinivasan R, Benton E, McCormick F, Thomas H, Gullick WJ. Expression of the c-erbB-3 and c-erbB-4/HER-4 growth factor receptors and their ligands, neuregulin-1 alpha, neuregulin-1 beta, and betacellulin, in normal endometrium and endometrial cancer. *Clin Cancer Res* 1999;5(10):2877-83
- 199 Srinivasan R, Poulosom R, Hurst HC, Gullick WJ. Expression of the c-erbB-4/HER-4 protein and mRNA in normal human fetal and adult tissues in a survey of nine solid tumour types. *J Pathol* 1998;185(3):236-45
- 200 Srinivasan R, Gillett CE, Barnes DM, Gullick WJ. Nuclear expression of the c-erbB-4/HER-4 growth factor receptor in invasive breast cancers. *Cancer Res* 2000;60(6):1483-87
- 201 Steiner H, Blum M, Kitai ST, Fedi P. Differential expression of ErbB3 and ErbB4 neuregulin receptors in dopamine neurons and forebrain areas of the adult rat. *Exp Neurol* 1999;159(2):494-503
- 202 Study JJ. HER1/EGFR tyrosine kinase inhibitors for the treatment of glioblastoma multiforme. *J Neurooncol* 2005;74(1):77-86

- 203 Surrey ES, Voigt B, Fournet N, Judd HL. Prolonged gonadotropin-releasing hormone agonist treatment of symptomatic endometriosis: the role of cyclic sodium etidronate and low-dose norethindrone "add-back" therapy. *Fertil Steril* 1995;63(4):747-55
- 204 Sutton CJ, Pooley AS, Ewen SP, Haines P. Follow-up report on a randomized controlled trial of laser laparoscopy in the treatment of pelvic pain associated with minimal to moderate endometriosis. *Fertil Steril* 1997;68(6):1070-4
- 205 Sutton CJ, Ewen SP, Whitelaw N, Haines P. Prospective, randomized, double-blind, controlled trial of laser laparoscopy in the treatment of pelvic pain associated with minimal, mild, and moderate endometriosis. *Fertil Steril* 1994;62(4):696-700
- 206 Taylor RN, Lebovic DI, Mueller MD. Angiogenetic factors in endometriosis. *Ann NY Acad Sci* 2002;955:89-100
- 207 Telimaa S, Puolakka J, Ronnberg L, Kauppila A. Placebo-controlled comparison of danazol and high-dose medroxyprogesterone acetate in the treatment of endometriosis. *Gynecol Endocrinol* 1987;1(1):13-23
- 208 Telimaa S, Ronnberg L, Kauppila A. Placebo-controlled comparison of danazol and high-dose medroxyprogesterone acetate in the treatment of endometriosis after conservative surgery. *Gynecol Endocrinol* 1987;1(4):363-71
- 209 Threadgill DW, Dlugosz AA, Hansen LA et al. Targeted disruption of mouse EGF receptor: effect of genetic background on mutant phenotype. *Science* 1995;269(5221):230-4
- 210 Treloar SA, Wicks J, Nyholt DR et al. Genomwide linkage study in 1,176 affected sister pair families identifies a significant susceptibility locus for endometriosis on chromosome 10q26. *Am J Hum Genet* 2005;77(3):365-76
- 211 Tummon IS, Asher LJ, Martin JS, Tulandi T. Randomized controlled trial of superovulation and insemination for infertility associated with minimal or mild endometriosis. *Fertil Steril* 1997;68(1):8-12
- 212 Tzahar E, Waterman H, Chen X et al. A hierarchical network of interreceptor determines signal transduction by Neu differentiation factor/neuregulin and epidermal growth factor. *Mol Cell Biol* 1996;16(10):5276-87
- 213 Ullrich A, Coussens L, Hayflick JS et al. Human epidermal growth factor receptor cDNA sequence and aberrant expression of the amplified gene in A431 epidermoid carcinoma cells. *Nature* 1984;309(5967):418-25
- 214 Ulrich U, Sillem M, Keckstein J. Endometriose – medikamentöse und chirurgische Therapie. *Med Welt* 2002;53(1):23-8
- 215 Valle RF. Review article: Endometriosis: current concepts and therapy. *Int J Gynaecol Obstet* 2002;78(2):107-19
- 216 Van de Vijver MJ, Mooi WJ, Wisman P, Peterse JL, Nusse R. Immunohistochemical detection of the neu protein in tissue sections of human breast tumors with amplified neu DNA. *Oncogene* 1988;2(2):175-8
- 217 Vecchi M, Baulida J, Carpenter G. Selective cleavage of the heregulin receptor ErbB-4 by protein kinase C activation. *J Biol Chem* 1996;271(31):18989-95
- 218 Vercellini P. Endometriosis: what a pain it is. *Semin Reprod Endocrinol* 1997;15(3):251-61
- 219 Vercellini P, Boccione L, Vendola N, Colombo A, Rognoni MT, Fedele L. Peritoneal endometriosis. Morphologic appearance in women with chronic pelvic pain. *J Reprod Med* 1991;36(7):533-6
- 220 Vercellini P, Trespidi L, Colombo A, Vendola N, Marchini M, Crosignani PG. A gonadotropin-releasing hormone agonist versus low-dose oral contraceptive for pelvic pain associated with endometriosis. *Fertil Steril* 1993;60(1):75-9
- 221 Vercellini P, Frontino G, De Giorgi O, Pietropaolo G, Pasin R, Crosignani PG. Continuous use of an oral contraceptive for endometriosis-associated recurrent dysmenorrhea that does not respond to a cyclic pill regimen. *Fertil Steril* 2003;80(3):560-3

- 222 Vercellini P, Fedele L, Pietropaolo G, Frontino G, Somigliana E, Crosignani PG. Progestogens for endometriosis: forward to the past. *Hum Reprod Update* 2003;9(4):387-96
- 223 Vercellini P, Trespidi L, Panazza S, Bramante T, Mauro F, Crosignani PG. Very low dose danazol for relief of endometriosis-associated pelvic pain: a pilot study. *Fertil Steril* 1994;62(6):1136-42
- 224 Walker RA. The erbB/HER Type 1 tyrosine kinase receptor family. *J Pathol* 1998;185(3):234-35
- 225 Waller KG, Shaw RW. Gonadotropin-releasing hormone analogue for the treatment of endometriosis: long term follow up. *Fertil Steril* 1993;59(3):511-5
- 226 Wells A, Marti U. Signalling shortcuts: cell-surface receptors in the nucleus? *Nat Rev Mol Cell Biol* 2002;3(9):697-702
- 227 Wells A. Molecules in focus: EGF receptor. *Int J Biochem Cell Biol* 1999;31(6):637-43
- 228 Wiesen JF, Young P, Werb Z, Cunha GR. Signaling through the stromal epidermal growth factor receptor is necessary for mammary ductal development. *Development* 1999;126(2):335-44
- 229 Wikstrand CJ, Hale LP, Batra SK et al. Monoclonal antibodies against EGFRvIII are tumor specific and react with breast and lung carcinomas and malignant gliomas. *Cancer Res* 1995;55(14):3140-8
- 230 Witz CA. Current concepts in the pathogenesis of endometriosis. *Clin Obstet Gynecol* 1999;42(3):566-85
- 231 Wu MH, Sun HS, Lin CC et al. Distinct mechanisms regulate cyclooxygenase-1 and -2 in peritoneal macrophages of women with and without endometriosis. *Mol Hum Reprod* 2002;8(12):1103-10
- 232 Yarden RI, Lauber AH, El-Ashry D, Chrysogelos SA. Bimodal regulation of epidermal growth factor receptor by estrogen in breast cancer cells. *Endocrinology* 1996;137(7):2739-47
- 233 Yarden RI, Wilson MA, Chrysogelos SA. Estrogen suppression of EGFR expression in breast cancer cells: a possible mechanism to modulate growth. *J Cell Biochem Suppl* 2001;Suppl 36:232-46
- 234 Yarden Y. The EGFR family and its ligands in human cancer: signalling mechanisms and therapeutic opportunities. *Eur J Cancer* 2001;37(Suppl 4):3-8
- 235 Zhang H, Gu M, Wang C. The expression of the receptors of estrogen, progesterone, epidermal growth factor and growth hormone in uterine adenomyosis and a comparative study after treatment with androgen. *Zhonghua Fu Chan Ke Za Zhi* 1999;34(4):210-3
- 236 Zhao D, Pritts EA, Chao VA, Savouret JF, Taylor RN. Dioxin stimulates RANTES expression in an in-vitro model of endometriosis. *Mol Hum Reprod* 2002;8(9):849-54