

7 Literaturverzeichnis

- AKALIN,A., ELMORE,L.W., FORSYTHE,H.L., AMAKER,B.A., MCCOLLUM,E.D., NELSON,P.S., WARE,J.L. & HOLT,S.E. (2001) A Novel Mechanism for Chaperone-mediated Telomerase Regulation during Prostate Cancer Progression. *Cancer Res* **61**, 4791.
- ALEXANDER,P. & MIKULSKI,Z.B. (1961) Mouse lymphoma cells with different radiosensitivities. *Nature* **192**, 572.
- ALLSOPP,R.C., VAZIRI,H., PATTERSON,C., GOLDSTEIN,S., YOUNGLAI,E.V., FUTCHER,A.B., GREIDER,C.W. & HARLEY,C.B. (1992) Telomere length predicts replicative capacity of human fibroblasts. *Proc.Natl.Acad.Sci.U.S.A.* **89**, 10114.
- AUTEXIER,C. (1999) Telomerase as a possible target for anticancer therapy. *Chem.Biol.* **6**, R299.
- AVILION,A.A., PIATYSZEK,M.A., GUPTA,J., SHAY,J.W., BACCHETTI,S. & GREIDER,C.W. (1996) Human telomerase RNA and telomerase activity in immortal cell lines and tumor tissues. *Cancer Res* **56**, 645.
- BEATTIE,T.L., ZHOU,W., ROBINSON,M.O. & HARRINGTON,L. (1998) Reconstitution of human telomerase activity in vitro. *Curr.Biol.* **8**, 177.
- BEATTIE,T.L., ZHOU,W., ROBINSON,M.O. & HARRINGTON,L. (2001) Functional multimerization of the human telomerase reverse transcriptase. *Mol.Cell Biol.* **21**, 6151.
- BELAIR,C.D., YEAGER,T.R., LOPEZ,P.M. & REZNIKOFF,C.A. (1997) Telomerase activity: a biomarker of cell proliferation, not malignant transformation. *Proc.Natl.Acad.Sci.U.S.A.* **94**, 13677.
- BISOFFI,M., CHAKERIAN,A.E., FORE,M.L., BRYANT,J.E., HERNANDEZ,J.P., MOYZIS,R.K. & GRIFFITH,J.K. (1998) Inhibition of human telomerase by a retrovirus expressing telomeric antisense RNA. *Eur.J.Cancer* **34**, 1242.
- BLACKBURN,E.H. & GALL,J.G. (1978) A tandemly repeated sequence at the termini of the extrachromosomal ribosomal RNA genes in Tetrahymena. *J.Mol.Biol.* **120**, 33.
- BLASCO,M.A., FUNK,W., VILLEPONTEAU,B. & GREIDER,C.W. (1995) Functional characterization and developmental regulation of mouse telomerase RNA. *Science* **269**, 1267.
- BLASCO,M.A., LEE,H.W., HANDE,M.P., SAMPER,E., LANSDORP,P.M., DEPINHO,R.A. & GREIDER,C.W. (1997) Telomere shortening and tumor formation by mouse cells lacking telomerase RNA. *Cell* **91**, 25.
- BRANCH,A.D. (1998) A good antisense molecule is hard to find. *Trends Biochem.Sci.* **23**, 45.
- BROOKS,J.D., BOVA,G.S., MARSHALL,F.F. & ISAACS,W.B. (1993) Tumor suppressor gene allelic loss in human renal cancers. *J.Urol.* **150**, 1278.
- BRYAN,T.M., ENGLEZOU,A., DALLA,P.L., DUNHAM,M.A. & REDDEL,R.R. (1997a) Evidence for an alternative mechanism for maintaining telomere length in human tumors and tumor-derived cell lines. *Nat.Med.* **3**, 1271.
- BRYAN,T.M., ENGLEZOU,A., GUPTA,J., BACCHETTI,S. & REDDEL,R.R. (1995) Telomere elongation in immortal human cells without detectable telomerase activity. *EMBO J.* **14**, 4240.
- BRYAN,T.M., MARUSIC,L., BACCHETTI,S., NAMBA,M. & REDDEL,R.R. (1997b) The telomere lengthening mechanism in telomerase-negative immortal human cells does not involve the telomerase RNA subunit. *Hum.Mol.Genet.* **6**, 921.
- BRYAN,T.M. & REDDEL,R.R. (1997) Telomere dynamics and telomerase activity in in vitro immortalised human cells. *Eur.J.Cancer* **33**, 767.

- BUCHLER,P., CONEJO-GARCIA,J.R., LEHMANN,G., MULLER,M., EMRICH,T., REBER,H.A., BUCHLER,M.W. & FRIESS,H. (2001) Real-time quantitative PCR of telomerase mRNA is useful for the differentiation of benign and malignant pancreatic disorders. *Pancreas* **22**, 331.
- CHEN,X.Q., BONNEFOI,H., PELTE,M.F., LYAUTHEY,J., LEDERREY,C., MOVAREKHI,S., SCHAEFFER,P., MULCAHY,H.E., MEYER,P., STROUN,M. & ANKER,P. (2000) Telomerase RNA as a detection marker in the serum of breast cancer patients. *Clin.Cancer Res* **6**, 3823.
- CLARK,C.C., COHEN,I., EICHSTETTER,I., CANNIZZARO,L.A., MCPHERSON,J.D., WASMUTH,J.J. & IOZZO,R.V. (1993) Molecular cloning of the human proto-oncogene Wnt-5A and mapping of the gene (WNT5A) to chromosome 3p14-p21. *Genomics* **18**, 249.
- COLGIN,L.M. & REDDEL,R.R. (1999) Telomere maintenance mechanisms and cellular immortalization. *Curr.Opin.Genet.Dev.* **9**, 97.
- COLGIN,L.M., WILKINSON,C., ENGLEZOU,A., KILIAN,A., ROBINSON,M.O. & REDDEL,R.R. (2000) The hTERTalpha splice variant is a dominant negative inhibitor of telomerase activity. *Neoplasia* **2**, 426.
- COUNTER,C.M., AVILION,A.A., LEFEUVRE,C.E., STEWART,N.G., GREIDER,C.W., HARLEY,C.B. & BACCHETTI,S. (1992) Telomere shortening associated with chromosome instability is arrested in immortal cells which express telomerase activity. *EMBO J.* **11**, 1921.
- COUNTER,C.M., GUPTA,J., HARLEY,C.B., LEBER,B. & BACCHETTI,S. (1995) Telomerase activity in normal leukocytes and in hematologic malignancies. *Blood* **85**, 2315.
- COUNTER,C.M., HIRTE,H.W., BACCHETTI,S. & HARLEY,C.B. (1994) Telomerase activity in human ovarian carcinoma. *Proc.Natl.Acad.Sci.U.S.A.* **91**, 2900.
- CUTHBERT,A.P., BOND,J., Trott,D.A., GILL,S., BRONI,J., MARRIOTT,A., KHOUDOLI,G., PARKINSON,E.K., COOPER,C.S. & NEWBOLD,R.F. (1999) Telomerase repressor sequences on chromosome 3 and induction of permanent growth arrest in human breast cancer cells [see comments 767]. *J.Natl.Cancer Inst.* **91**, 37.
- DAHSE,R., FIEDLER,W. & ERNST,G. (1997) [Telomeres and telomerase]. *Pathologe* **18**, 425.
- DAHSE,R., FIEDLER,W., ERNST,G., KOSMEHL,H., SCHLICHTER,A., SCHUBERT,J. & CLAUSSEN,U. (1996) Changes in telomere lengths in renal cell carcinomas. *Cell Mol.Biol.Noisy.le.grand.* **42**, 477.
- DAHSE,R., FIEDLER,W., JUNKER,K., SCHLICHTER,A., SCHUBERT,J. & CLAUSSEN,U. (1999) Telomerase activity and telomere lengths: Alterations in renal cell carcinomas. *Kidney Int.* **56**, 1289.
- DASI,F., LLEDO,S., GARCIA-GRANERO,E., RIPOLL,R., MARUGAN,M., TORMO,M., GARCIA-CONDE,J. & ALINO,S.F. (2001) Real-time quantification in plasma of human telomerase reverse transcriptase (hTERT) mRNA: a simple blood test to monitor disease in cancer patients. *Lab Invest* **81**, 767.
- DE KERNION,J.B., RAMMING,K.P. & SMITH,R.B. (1978) The natural history of metastatic renal cell carcinoma: a computer analysis. *J Urol* **120**, 148.
- DE KOK,J.B., RUERS,T.J., VAN MUIJEN,G.N., VAN BOKHOVEN,A., WILLEMS,H.L. & SWINKELS,D.W. (2000) Real-time quantification of human telomerase reverse transcriptase mRNA in tumors and healthy tissues. *Clin.Chem.* **46**, 313.
- DE LANGE,T. (1992) Human telomeres are attached to the nuclear matrix. *EMBO J.* **11**, 717.
- DE LANGE,T., SHIUE,L., MYERS,R.M., COX,D.R., NAYLOR,S.L., KILLERY,A.M. & VARMUS,H.E. (1990) Structure and variability of human chromosome ends. *Mol.Cell Biol.* **10**, 518.
- DELHOMMEAUX,F., THIERRY,A., FENEUX,D., LAURET,E., LECLERCQ,E., COURTIER,M.H., SAINTENY,F., VAINCHENKER,W. & BENNACEUR-GRISCELLI,A. (2002) Telomere dysfunction and telomerase reactivation in human leukemia cell lines after telomerase inhibition by the expression of a dominant-negative hTERT mutant. *Oncogene* **21**, 8262.

- DESSAIN,S.K., YU,H., REDDEL,R.R., BEIJERSBERGEN,R.L. & WEINBERG,R.A. (2000) Methylation of the human telomerase gene CpG island. *Cancer Res* **60**, 537.
- DEVEREUX,T.R., HORIKAWA,I., ANNA,C.H., ANNAB,L.A., AFSHARI,C.A. & BARRETT,J.C. (1999) DNA methylation analysis of the promoter region of the human telomerase reverse transcriptase (hTERT) gene. *Cancer Res* **59**, 6087.
- DOME,J.S., CHUNG,S., BERGEMANN,T., UMBRICHT,C.B., SAJI,M., CAREY,L.A., GRUNDY,P.E., PERLMAN,E.J., BRESLOW,N.E. & SUKUMAR,S. (1999) High telomerase reverse transcriptase (hTERT) messenger RNA level correlates with tumor recurrence in patients with favorable histology Wilms' tumor. *Cancer Res* **59**, 4301.
- FENG,J., FUNK,W.D., WANG,S.S., WEINRICH,S.L., AVILION,A.A., CHIU,C.P., ADAMS,R.R., CHANG,E., ALLSOPP,R.C., YU,J. & ET,a. (1995) The RNA component of human telomerase. *Science* **269**, 1236.
- FIEDLER,W., DAHSE,R., SCHLICHTER,A., JUNKER,K., KOSMEHL,H., ERNST,G., SCHUBERT,J. & CLAUSSEN,U. (1996) Telomerase activity and telomere length in different areas of renal cell carcinoma. *Int.J.Oncol.* **9**, 1227.
- FISCHER,C.G., OBERNEDER,R., ALTWEIN,J., WIRTH,M. & MILLER,K. (2000) Immuntherapie des Nierenzellkarzinoms. *Deutsches Aerzteblatt* **97**, 2781.
- FLETCHER,T.M., SALAZAR,M. & CHEN,S.F. (1996) Human telomerase inhibition by 7-deaza-2'-deoxypurine nucleoside triphosphates. *Biochemistry* **35**, 15611.
- FUJIOKA,T., HASEGAWA,M., SUZUKI,Y., SUZUKI,T., SUGIMURA,J., TANJI,S. & KOIKE,H. (2000) Telomerase activity in human renal cell carcinoma. *Int.J.Urol* **7**, 16.
- GLUKHOV,A.I., ZIMNIK,O.V., GORDEEV,S.A. & SEVERIN,S.E. (1998) Inhibition of telomerase activity of melanoma cells in vitro by antisense oligonucleotides. *Biochem.Biophys.Res.Commun.* **248**, 368.
- GODLEY,P.A. & ATAGA,K.I. (2000) Renal cell carcinoma. *Curr.Opin.Oncol.* **12**, 260.
- GOMEZ,D.E., TEJERA,A.M. & OLIVERO,O.A. (1998) Irreversible telomere shortening by 3'-azido-2',3'-dideoxythymidine (AZT) treatment. *Biochem.Biophys.Res.Commun.* **246**, 107.
- GREENBERG,R.A., ALLSOPP,R.C., CHIN,L., MORIN,G.B. & DEPINHO,R.A. (1998) Expression of mouse telomerase reverse transcriptase during development, differentiation and proliferation. *Oncogene* **16**, 1723.
- GREIDER,C.W. (1999) Telomeres do D-loop-T-loop. *Cell* **97**, 419.
- GREIDER,C.W. & BLACKBURN,E.H. (1985) Identification of a specific telomere terminal transferase activity in *Tetrahymena* extracts. *Cell* **43**, 405.
- GREIDER,C.W. & BLACKBURN,E.H. (1989) A telomeric sequence in the RNA of *Tetrahymena* telomerase required for telomere repeat synthesis. *Nature* **337**, 331.
- HAHN,W.C., COUNTER,C.M., LUNDBERG,A.S., BEIJERSBERGEN,R.L., BROOKS,M.W. & WEINBERG,R.A. (1999a) Creation of human tumour cells with defined genetic elements. *Nature* **400**, 464.
- HAHN,W.C., STEWART,S.A., BROOKS,M.W., YORK,S.G., EATON,E., KURACHI,A., BEIJERSBERGEN,R.L., KNOLL,J.H., MEYERSON,M. & WEINBERG,R.A. (1999b) Inhibition of telomerase limits the growth of human cancer cells. *Nat.Med.* **5**, 1164.
- HAMILTON,S.E., PITTS,A.E., KATIPALLY,R.R., JIA,X., RUTTER,J.P., DAVIES,B.A., SHAY,J.W., WRIGHT,W.E. & COREY,D.R. (1997) Identification of determinants for inhibitor binding within the RNA active site of human telomerase using PNA scanning. *Biochemistry* **36**, 11873.

- HANDE,M.P., SAMPER,E., LANSDORP,P. & BLASCO,M.A. (1999) Telomere Length Dynamics and Chromosomal Instability in Cells Derived from Telomerase Null Mice. *J.Cell Biol.* **144**, 589.
- HARA,T., NOMA,T., YAMASHIRO,Y., NAITO,K. & NAKAZAWA,A. (2001) Quantitative analysis of telomerase activity and telomerase reverse transcriptase expression in renal cell carcinoma. *Urol.Res* **29**, 1.
- HARLE,B.C. & BOUKAMP,P. (1996) Telomerase activity in the regenerative basal layer of the epidermis in human skin and in immortal and carcinoma-derived skin keratinocytes. *Proc.Natl.Acad.Sci.U.S.A.* **93**, 6476.
- HARLEY,C.B. (1991) Telomere loss: mitotic clock or genetic time bomb? *Mutat.Res* **256**, 271.
- HARLEY,C.B., FUTCHER,A.B. & GREIDER,C.W. (1990) Telomeres shorten during ageing of human fibroblasts. *Nature* **345**, 458.
- HERRERA,E., MARTINEZ,A. & BLASCO,M.A. (2000) Impaired germinal center reaction in mice with short telomeres. *EMBO J.* **19**, 472.
- HERRERA,E., SAMPER,E. & BLASCO,M.A. (1999) Telomere shortening in mTR-/- embryos is associated with failure to close the neural tube. *EMBO J.* **18**, 1172.
- HISATOMI,H., NAGAO,K., KANAMARU,T., ENDO,H., TOMIMATSU,M. & HIKIJI,K. (1999) Levels of telomerase catalytic subunit mRNA as a predictor of potential malignancy. *Int.J.Oncol.* **14**, 727.
- HIYAMA,E., HIYAMA,K., YOKOYAMA,T. & SHAY,J.W. (2001) Immunohistochemical detection of telomerase (hTERT) protein in human cancer tissues and a subset of cells in normal tissues. *Neoplasia* **3**, 17.
- HOARE,S.F., BRYCE,L.A., WISMAN,G.B., BURNS,S., GOING,J.J., VAN DER ZEE,A.G. & KEITH,W.N. (2001) Lack of telomerase RNA gene hTERC expression in alternative lengthening of telomeres cells is associated with methylation of the hTERC promoter. *Cancer Res* **61**, 27.
- HOLT,S.E., AISNER,D.L., BAUR,J., TESMER,V.M., DY,M., OUELLETTE,M., TRAGER,J.B., MORIN,G.B., TOFT,D.O., SHAY,J.W., WRIGHT,W.E. & WHITE,M.A. (1999) Functional requirement of p23 and Hsp90 in telomerase complexes. *Genes Dev.* **13**, 817.
- HORIKAWA,I., OSHIMURA,M. & BARRETT,J.C. (1998) Repression of the telomerase catalytic subunit by a gene on human chromosome 3 that induces cellular senescence. *Mol.Carcinog.* **22**, 65.
- ITO,H., KYO,S., KANAYA,T., TAKAKURA,M., INOUE,M. & NAMIKI,M. (1998a) Expression of human telomerase subunits and correlation with telomerase activity in urothelial cancer. *Clin.Cancer Res.* **4**, 1603.
- ITO,H., KYO,S., KANAYA,T., TAKAKURA,M., KOSHIDA,K., NAMIKI,M. & INOUE,M. (1998b) Detection of human telomerase reverse transcriptase messenger RNA in voided urine samples as a useful diagnostic tool for bladder cancer. *Clin.Cancer Res.* **4**, 2807.
- JANTA-LIPINSKI,M., GAERTNER,K., LEHMANN,C., SCHEER,H., SCHILDT,J. & MATTHES,E. (1999) Protein and RNA of human telomerase as targets for modified oligonucleotides. *Nucleosides Nucleotides* **18**, 1719.
- JOYCE,C.M. & STEITZ,T.A. (1994) Function and structure relationships in DNA polymerases. *Annu.Rev.Biochem.* **63**, 777.
- KANAYA,T., KYO,S., TAKAKURA,M., ITO,H., NAMIKI,M. & INOUE,M. (1998) hTERT is a critical determinant of telomerase activity in renal-cell carcinoma. *Int.J.Cancer* **78**, 539.
- KANAZAWA,Y., OHKAWA,K., UEDA,K., MITA,E., TAKEHARA,T., SASAKI,Y., KASAHARA,A. & HAYASHI,N. (1996) Hammerhead ribozyme-mediated inhibition of telomerase activity in extracts of human hepatocellular carcinoma cells. *Biochem.Biophys.Res Commun.* **225**, 570.
- KANG,S.S., KWON,T., KWON,D.Y. & DO,S.I. (1999) Akt protein kinase enhances human telomerase activity through phosphorylation of telomerase reverse transcriptase subunit. *J.Biol.Chem.* **274**, 13085.

- KASS-EISLER,A. & GREIDER,C.W. (2000) Recombination in telomere-length maintenance. *Trends Biochem.Sci.* **25**, 200.
- KELLAND,L.R. (2000) Telomerase inhibitors: targeting the vulnerable end of cancer? *Anticancer Drugs* **11**, 503.
- KELLAND,L.R. (2001) Telomerase: biology and phase I trials. *Lancet Oncol.* **2**, 95.
- KHARBANDA,S., KUMAR,V., DHAR,S., PANDEY,P., CHEN,C., MAJUMDER,P., YUAN,Z.M., WHANG,Y., STRAUSS,W., PANDITA,T.K., WEAVER,D. & KUFE,D. (2000) Regulation of the hTERT telomerase catalytic subunit by the c-Abl tyrosine kinase. *Curr.Biol.* **10**, 568.
- KILIAN,A., BOWTELL,D.D., ABUD,H.E., HIME,G.R., VENTER,D.J., KEESE,P.K., DUNCAN,E.L., REDDEL,R.R. & JEFFERSON,R.A. (1997) Isolation of a candidate human telomerase catalytic subunit gene, which reveals complex splicing patterns in different cell types. *Hum.Mol.Genet.* **6**, 2011.
- KIM,N.W., PIATYSZEK,M.A., PROWSE,K.R., HARLEY,C.B., WEST,M.D., HO,P.L., COVIELLO,G.M., WRIGHT,W.E., WEINRICH,S.L. & SHAY,J.W. (1994) Specific association of human telomerase activity with immortal cells and cancer. *Science* **266**, 2011.
- KIM,N.W. & WU,F. (1997) Advances in quantification and characterization of telomerase activity by the telomeric repeat amplification protocol (TRAP). *Nucleic Acids Res* **25**, 2595.
- KINOSHITA,H., OGAWA,O., MITSUMORI,K., KAKEHI,Y., TERACHI,T. & YOSHIDA,O. (1998) Low frequency of positive telomerase activity in a chromophobe subtype of renal cell carcinoma. *J.Urol.* **159**, 245.
- KIPLING,D. (1997) Mammalian telomerase: catalytic subunit and knockout mice. *Hum.Mol.Genet.* **6**, 1999.
- KIPLING,D. & COOKE,H.J. (1990) Hypervariable ultra-long telomeres in mice. *Nature* **347**, 400.
- KIYONO,T., FOSTER,S.A., KOOP,J.I., MCDOUGALL,J.K., GALLOWAY,D.A. & KLINGELHUTZ,A.J. (1998) Both Rb/p16INK4a inactivation and telomerase activity are required to immortalize human epithelial cells. *Nature* **396**, 84.
- KLINGELHUTZ,A.J., FOSTER,S.A. & MCDOUGALL,J.K. (1996) Telomerase activation by the E6 gene product of human papillomavirus type 16. *Nature* **380**, 79.
- KOGA,S., KONDO,Y., KOMATA,T. & KONDO,S. (2001) Treatment of bladder cancer cells in vitro and in vivo with 2'-5'A antisense telomerase RNA. *Gene Ther.* **8**, 654.
- KOLQUIST,K.A., ELLISEN,L.W., COUNTER,C.M., MEYERSON,M., TAN,L.K., WEINBERG,R.A., HABER,D.A. & GERALD,W.L. (1998) Expression of TERT in early premalignant lesions and a subset of cells in normal tissues. *Nat.Genet.* **19**, 182.
- KONDO,S., TANAKA,Y., KONDO,Y., HITOMI,M., BARNETT,G.H., ISHIZAKA,Y., LIU,J., HAQQI,T., NISHIYAMA,A., VILLEPONTEAU,B., COWELL,J.K. & BARNA,B.P. (1998) Antisense telomerase treatment: induction of two distinct pathways, apoptosis and differentiation. *FASEB J.* **12**, 801.
- KOVACS,G. (1999) [Molecular genetics and diagnosis of renal cell tumors]. *Urologe A* **38**, 433.
- KOVACS,G., AKHTAR,M., BECKWITH,B.J., BUGERT,P., COOPER,C.S. & U.A (1997) The Heidelberg Classification of Renal Cell Tumours. *J.Pathol.* **183**, 131.
- KU,W.C., CHENG,A.J. & WANG,T.C. (1997) Inhibition of telomerase activity by PKC inhibitors in human nasopharyngeal cancer cells in culture. *Biochem.Biophys.Res Commun.* **241**, 730.
- KYO,S. & INOUE,M. (2002) Complex regulatory mechanisms of telomerase activity in normal and cancer cells: how can we apply them for cancer therapy? *Oncogene* **21**, 688.

- KYO,S., KANAYA,T., TAKAKURA,M., TANAKA,M., YAMASHITA,A., INOUE,H. & INOUE,M. (1999a) Expression of human telomerase subunits in ovarian malignant, borderline and benign tumors. *Int.J.Cancer* **80**, 804.
- KYO,S., TAKAKURA,M., KANAYA,T., ZHUO,W., FUJIMOTO,K., NISHIO,Y., ORIMO,A. & INOUE,M. (1999b) Estrogen activates telomerase. *Cancer Res* **59**, 5917.
- KYO,S., TAKAKURA,M., TAIRA,T., KANAYA,T., ITOH,H., YUTSUDO,M., ARIGA,H. & INOUE,M. (2000) Sp1 cooperates with c-Myc to activate transcription of the human telomerase reverse transcriptase gene (hTERT). *Nucleic Acids Res* **28**, 669.
- LAND,H., PARADA,L.F. & WEINBERG,R.A. (1983) Tumorigenic conversion of primary embryo fibroblasts requires at least two cooperating oncogenes. *Nature* **304**, 596.
- LANSDROP,P.M. (1997) Lessons from mice without telomerase. *J.Cell Biol.* **139**, 309.
- LATIF,F., TORY,K., GNARRA,J., YAO,M., DUH,F.M., ORCUTT,M.L., STACKHOUSE,T., KUZMIN,I., MODI,W. & GEIL,L. (1993) Identification of the von Hippel-Lindau disease tumor suppressor gene. *Science* **260**, 1317.
- LEE,H.W., BLASCO,M.A., GOTTLIEB,G.J., HORNER,J.W., GREIDER,C.W. & DEPINHO,R.A. (1998) Essential role of mouse telomerase in highly proliferative organs. *Nature* **392**, 569.
- LI,H., ZHAO,L., YANG,Z., FUNDER,J.W. & LIU,J.P. (1998) Telomerase is controlled by protein kinase Calpha in human breast cancer cells. *J.Biol.Chem.* **273**, 33436.
- LI,H., ZHAO,L.L., FUNDER,J.W. & LIU,J.P. (1997) Protein phosphatase 2A inhibits nuclear telomerase activity in human breast cancer cells. *J.Biol.Chem.* **272**, 16729.
- LICHTSTEINER,S.P., LEBKOWSKI,J.S. & VASSEROT,A.P. (1999) Telomerase. A target for anticancer therapy. *Ann.N.Y.Acad.Sci.* **886:1-11**, 1.
- LINGNER,J., HUGHES,T.R., SHEVCHENKO,A., MANN,M., LUNDBLAD,V. & CECH,T.R. (1997) Reverse transcriptase motifs in the catalytic subunit of telomerase. *Science* **276**, 561.
- MACHTENS,S., KUCZYK,M., BECKER,A.J., BOKEMEYER,C., SERTH,J. & JONAS,U. (1999) [New aspects on the identification of genetic alterations and prognostically important biological parameters in renal cell cancer]. *Urologe A* **38**, 442.
- MAITRA,A., YASHIMA,K., RATHI,A., TIMMONS,C.F., ROGERS,B.B., SHAY,J.W. & GAZDAR,A.F. (1999) The RNA component of telomerase as a marker of biologic potential and clinical outcome in childhood neuroblastic tumors. *Cancer* **85**, 741.
- MARTENS,U.M., ZIJLMANS,J.M., POON,S.S., DRAGOWSKA,W., YUI,J., CHAVEZ,E.A., WARD,R.K. & LANSDROP,P.M. (1998) Short telomeres on human chromosome 17p. *Nat.Genet.* **18**, 76.
- MATA,J.E., JOSHI,S.S., PALEN,B., PIRRUCCELLO,S.J., JACKSON,J.D., ELIAS,N., PAGE,T.J., MEDLIN,K.L. & IVERSEN,P.L. (1997) A hexameric phosphorothioate oligonucleotide telomerase inhibitor arrests growth of Burkitt's lymphoma cells in vitro and in vivo. *Toxicol.Appl.Pharmacol.* **144**, 189.
- MATTHES,E. & LEHMANN,C. (1999) Telomerase protein rather than its RNA is the target of phosphorothioate-modified oligonucleotides. *Nucleic Acids Res.* **27**, 1152.
- MCCLINTOCK,B. (1941) The stability of broken ends of chromosomes in *Zea mays*. *Genetics* **26**, 234.
- MCILRATH,J., BOUFFLER,S.D., SAMPER,E., CUTHBERT,A., WOJCIK,A., SZUMIEL,I., BRYANT,P.E., RICHES,A.C., THOMPSON,A., BLASCO,M.A., NEWBOLD,R.F. & SLIJEPCVIC,P. (2001) Telomere length abnormalities in mammalian radiosensitive cells. *Cancer Res* **61**, 912.
- MCKENZIE,K.E., UMBRECHT,C.B. & SUKUMAR,S. (1999) Applications of telomerase research in the fight against cancer. *Mol.Med.Today* **5**, 114.

- MEHLE,C., LINDBLOM,A., LJUNGBERG,B., STENLING,R. & ROOS,G. (1998) Loss of heterozygosity at chromosome 3p correlates with telomerase activity in renal cell carcinoma. *Int.J.Oncol.* **13**, 289.
- MEHLE,C., LJUNGBERG,B. & ROOS,G. (1994) Telomere shortening in renal cell carcinoma. *Cancer Res* **54**, 236.
- MEHLE,C., PIATYSZEK,M.A., LJUNGBERG,B., SHAY,J.W. & ROOS,G. (1996) Telomerase activity in human renal cell carcinoma. *Oncogene* **13**, 161.
- MELANA,S.M., HOLLAND,J.F. & POGO,B.G. (1998) Inhibition of cell growth and telomerase activity of breast cancer cells in vitro by 3'-azido-3'-deoxythymidine. *Clin.Cancer Res.* **4**, 693.
- MEYERSON,M., COUNTER,C.M., EATON,E.N., ELLISEN,L.W., STEINER,P., CADDLE,S.D., ZIAUGRA,L., BEIJERSBERGEN,R.L., DAVIDOFF,M.J., LIU,Q., BACCHETTI,S., HABER,D.A. & WEINBERG,R.A. (1997) hEST2, the putative human telomerase catalytic subunit gene, is up-regulated in tumor cells and during immortalization. *Cell* **90**, 785.
- MINEV,B., HIPP,J., FIRAT,H., SCHMIDT,J.D., LANGLADE-DEMOYEN,P. & ZANETTI,M. (2000) Cytotoxic T cell immunity against telomerase reverse transcriptase in humans. *Proc.Natl.Acad.Sci.U.S.A* **97**, 4796.
- MORGENSTERN,J.P. & LAND,H. (1990) Advanced mammalian gene transfer: high titre retroviral vectors with multiple drug selection markers and a complementary helper-free packaging cell line. *Nucleic Acids Res* **18**, 3587.
- MORIN,G.B. (1989) The human telomere terminal transferase enzyme is a ribonucleoprotein that synthesizes TTAGGG repeats. *Cell* **59**, 521.
- MOSTOFI,F.K. & DAVIES,C.J. (1998) Histological typing of kidney tumors. In: *WHO, International histological Classification of Tumours, 2nd ed*. Springer, Berlin Heidelberg New York
- MOYZIS,R.K., BUCKINGHAM,J.M., CRAM,L.S., DANI,M., DEAVEN,L.L., JONES,M.D., MEYNE,J., RATLIFF,R.L. & WU,J.R. (1988) A highly conserved repetitive DNA sequence, (TTAGGG)_n, present at the telomeres of human chromosomes. *Proc.Natl.Acad.Sci.U.S.A* **85**, 6622.
- MUKAI,S., KONDO,Y., KOGA,S., KOMATA,T., BARNA,B.P. & KONDO,S. (2000) 2-5A antisense telomerase RNA therapy for intracranial malignant gliomas. *Cancer Res.* **60**, 4461.
- MULLER,A., SARETZKI,G. & VON ZGLINICKI,T. (1998) Telomerase inhibition by induced expression of antisense RNA. *Adv.Exp.Med.Biol.* **451:23-6**, 23.
- MULLER,F., WICKY,C., SPICHER,A. & TOBLER,H. (1991) New telomere formation after developmentally regulated chromosomal breakage during the process of chromatin diminution in *Ascaris lumbricoides*. *Cell* **67**, 815.
- MURPHY,G.P. & HRUSHESKY,W.J. (1973) A murine renal cell carcinoma. *J.Natl.Cancer Inst.* **50**, 1013.
- MÜLLER,H.J. (1938) The remaking of chromosomes. *Collecting Net* **8**, 182.
- MÜLLER,M. (2002) Telomerase: its clinical relevance in the diagnosis of bladder cancer. *Oncogene* **21**, 650.
- MÜLLER,M., HEICAPPELL,R., KRAUSE,H., SACHSINGER,J., PORSCHE,C. & MILLER,K. (1999) Telomerase activity in malignant and benign renal tumors. *Eur.Urol.* **35**, 249.
- MÜLLER,M., KRAUSE,H., HEICAPPELL,R., TISCHENDORF,J., SHAY,J.W. & MILLER,K. (1998) Comparison of human telomerase RNA and telomerase activity in urine for diagnosis of bladder cancer. *Clin.Cancer Res* **4**, 1949.

- NAKA,K., YOKOZAKI,H., YASUI,W., TAHARA,H. & TAHARA,E. (1999) Effect of antisense human telomerase RNA transfection on the growth of human gastric cancer cell lines. *Biochem.Biophys.Res.Commun.* **255**, 753.
- NAKAMURA,T.M., MORIN,G.B., CHAPMAN,K.B., WEINRICH,S.L., ANDREWS,W.H., LINGNER,J., HARLEY,C.B. & CECH,T.R. (1997) Telomerase catalytic subunit homologs from fission yeast and human. *Science* **277**, 955.
- NAKAYAMA,J., SAITO,M., NAKAMURA,H., MATSUURA,A. & ISHIKAWA,F. (1997) TLP1: a gene encoding a protein component of mammalian telomerase is a novel member of WD repeats family. *Cell* **88**, 875.
- NAKAYAMA,J., TAHARA,H., TAHARA,E., SAITO,M., ITO,K., NAKAMURA,H., NAKANISHI,T., IDE,T. & ISHIKAWA,F. (1998) Telomerase activation by hTRT in human normal fibroblasts and hepatocellular carcinomas. *Nat.Genet.* **18**, 65.
- NICOL,K.W., EVANS,T.R.J. & GLASSPOOL,R.M. (2001) Telomerase and cancer: time to move from a promising target to a clinical reality. *J.Pathol.* **195**, 404.
- NISHIMOTO,A., MIURA,N., HORIKAWA,I., KUGOH,H., MURAKAMI,Y., HIROHASHI,S., KAWASAKI,H., GAZDAR,A.F., SHAY,J.W., BARRETT,J.C. & OSHIMURA,M. (2001) Functional evidence for a telomerase repressor gene on human chromosome 10p15.1. *Oncogene* **20**, 828.
- NORTON,J.C., PIATYSZEK,M.A., WRIGHT,W.E., SHAY,J.W. & COREY,D.R. (1996) Inhibition of human telomerase activity by peptide nucleic acids. *Nat.Biotechnol.* **14**, 615.
- OH,S., SONG,Y., YIM,J. & KIM,T.K. (1999a) The Wilms' tumor 1 tumor suppressor gene represses transcription of the human telomerase reverse transcriptase gene. *J.Biol.Chem.* **274**, 37473.
- OH,S., SONG,Y.H., KIM,U.J., YIM,J. & KIM,T.K. (1999b) In vivo and in vitro analyses of Myc for differential promoter activities of the human telomerase (hTERT) gene in normal and tumor cells. *Biochem.Biophys.Res.Commun.* **263**, 361.
- OLOVNIKOV,A.M. (1973) A theory of marginotomy. *J.Theor.Biol.* **41S**, 181.
- OLSON,D.J., OSHIMURA,M., OTTE,A.P. & KUMAR,R. (1998) Ectopic expression of wnt-5a in human renal cell carcinoma cells suppresses in vitro growth and telomerase activity. *Tumour.Biol.* **19**, 244.
- OSHIMURA,M. & BARRETT,J.C. (1997) Multiple pathways to cellular senescence: role of telomerase repressors. *Eur.J.Cancer* **33**, 710.
- PARADIS,V., BIECHE,I., DARGERE,D., BONVOUST,F., FERLICOT,S., OLIVI,M., LAGHA,N.B., BLANCHET,P., BENOIT,G., VIDAUD,M. & BEDOSSA,P. (2001) hTERT expression in sporadic renal cell carcinomas. *J.Pathol.* **195**, 209.
- PARK,T.W., RIETHDORF,S., RIETHDORF,L., LONING,T. & JANICKE,F. (1999) Differential telomerase activity, expression of the telomerase catalytic sub-unit and telomerase-RNA in ovarian tumors. *Int.J.Cancer* **84**, 426.
- PERREM,K., COLGIN,L.M., NEUMANN,A.A., YEAGER,T.R. & REDDEL,R.R. (2001) Coexistence of Alternative Lengthening of Telomeres and Telomerase in hTERT-Transfected GM847 Cells. *Mol.Cell Biol.* **21**, 3862.
- PITTS,A.E. & COREY,D.R. (1998) Inhibition of human telomerase by 2'-O-methyl-RNA. *Proc.Natl.Acad.Sci.U.S.A.* **95**, 11549.
- POMER,S., SCHUBERT,J., SCHMITZ-DRÄGER,B. & VOGES,G.E. (1998) Nierenparenchykarzinom. *Diagnostische und therapeutische Standards in der Urologischen Onkologie* 1.
- PRESTON,R.J. (1997) Telomeres, telomerase and chromosome stability. *Radiat.Res* **147**, 529.

- PROWSE,K.R., AVILION,A.A. & GREIDER,C.W. (1993) Identification of a nonprocessive telomerase activity from mouse cells. *Proc.Natl.Acad.Sci.U.S.A.* **90**, 1493.
- PROWSE,K.R. & GREIDER,C.W. (1995) Developmental and tissue-specific regulation of mouse telomerase and telomere length. *Proc.Natl.Acad.Sci.U.S.A.* **92**, 4818.
- RAMAKRISHNAN,S., EPPENBERGER,U., MUELLER,H., SHINKAI,Y. & NARAYANAN,R. (1998) Expression profile of the putative catalytic subunit of the telomerase gene. *Cancer Res* **58**, 622.
- RICHARDS,E.J. & AUSUBEL,F.M. (1988) Isolation of a higher eukaryotic telomere from *Arabidopsis thaliana*. *Cell* **53**, 127.
- ROHDE,V., SATTLER,H.P., BUND,T., BONKHOFF,H., FIXEMER,T., BACHMANN,C., LENSCHE,R., UNTEREGGER,G., STOECKLE,M. & WULLICH,B. (2000) Expression of the human telomerase reverse transcriptase is not related to telomerase activity in normal and malignant renal tissue. *Clin.Cancer Res* **6**, 4803.
- ROHDE,V., SATTLER,H.P., OEHLENSCHLAGER,B., FORSTER,S., ZWERGEL,T., SEITZ,G. & WULLICH,B. (1998) Genetic changes and telomerase activity in human renal cell carcinoma. *Clin.Cancer Res.* **4**, 197.
- RUFER,N., DRAGOWSKA,W., THORNBURY,G., ROOSNEK,E. & LANSDORP,P.M. (1998) Telomere length dynamics in human lymphocyte subpopulations measured by flow cytometry. *Nat.Biotechnol.* **16**, 743.
- SACHSINGER,J., GONZALEZ-SUAREZ,E., SAMPER,E., HEICAPPELL,R., MÜLLER,M. & BLASCO,M.A. (2001) Telomerase inhibition in RenCa, a murine tumor cell line with short telomeres, by overexpression of a dominant negative mTERT mutant, reveals fundamental differences in telomerase regulation between human and murine cells. *Cancer Res.* **61**, 5580.
- SAJI,M., XYDAS,S., WESTRA,W.H., LIANG,C.K., CLARK,D.P., UDELSMAN,R., UMBRECHT,C.B., SUKUMAR,S. & ZEIGER,M.A. (1999) Human telomerase reverse transcriptase (hTERT) gene expression in thyroid neoplasms. *Clin.Cancer Res.* **5**, 1483.
- SAMPER,E., GOYTISOLO,F.A., SLIJEPCEVIC,P., VAN BUUL,P. & BLASCO,M.A. (2000) Mammalian Ku86 protein prevents telomeric fusions independently of the length of TTAGGG repeats and the G-strand overhang. *EMBO reports* **1**, 244.
- SANDELL,L.L. & ZAKIAN,V.A. (1993) Loss of a yeast telomere: arrest, recovery, and chromosome loss. *Cell* **75**, 729.
- SCHLINGENSIEPEN,R., BRYSCHE,W. & SCHLINGENSIEPEN,K.-H. (1997) *Antisense-From Technology to Therapy-Lab Manual and Textbook*. Blackwell Science, Berlin-Wien.
- SHAMAH,S.M. & STILES,C.D. (1995) Transdominant negative mutations. *Methods Enzymol.* **254**, 565.
- SHAMPAY,J., SZOSTAK,J.W. & BLACKBURN,E.H. (1984) DNA sequences of telomeres maintained in yeast. *Nature* **310**, 154.
- SHAY,J.W. & BACCHETTI,S. (1997) A survey of telomerase activity in human cancer. *Eur.J.Cancer* **33**, 787.
- SHAY,J.W., VAN DER HAEGEN,B.A., YING,Y. & WRIGHT,W.E. (1993) The frequency of immortalization of human fibroblasts and mammary epithelial cells transfected with SV40 large T-antigen. *Exp.Cell Res* **209**, 45.
- SHAY,J.W. & WRIGHT,W.E. (1996) Telomerase activity in human cancer. *Curr.Opin.Oncol.* **8**, 66.
- SMITH,S., GIRIAT,I., SCHMITT,A. & DE LANGE,T. (1998) Tankyrase, a poly(ADP-ribose) polymerase at human telomeres. *Science* **282**, 1484.

- SODER,A.I., HOARE,S.F., MUIR,S., GOING,J.J., PARKINSON,E.K. & KEITH,W.N. (1997a) Amplification, increased dosage and *in situ* expression of the telomerase RNA gene in human cancer. *Oncogene* **14**, 1013.
- SODER,A.I., HOARE,S.F., MUIRE,S., BALMAIN,A., PARKINSON,E.K. & KEITH,W.N. (1997b) Mapping of the gene for the mouse telomerase RNA component, Terc, to chromosome 3 by fluorescence *in situ* hybridization and mouse chromosome painting. *Genomics* **41**, 293.
- STANTA,G., BONIN,S., NICCOLINI,B., RACCANELLI,A. & BARALLE,F. (1999) Catalytic subunit of telomerase expression is related to RNA component expression. *FEBS Lett.* **460**, 285.
- STEENBERGEN,R.D., WALBOOMERS,J.M., MEIJER,C.J., VAN-DER-RAAIJ,H.E., PARKER,J.N., CHOW,L.T., BROKER,T.R. & SNIJDERS,P.J. (1996) Transition of human papillomavirus type 16 and 18 transfected human foreskin keratinocytes towards immortality: activation of telomerase and allele losses at 3p, 10p, 11q and/or 18q. *Oncogene* **13**, 1249.
- STORKEL,S. (1999) [Epithelial tumors of the kidney. Pathological subtyping and cytogenetic correlation]. *Urologe A* **38**, 425.
- SUGIMURA,K., YOSHIDA,N., HISATOMI,H., NAKATANI,T. & IKEMOTO,S. (1999) Telomerase activity in human renal cell carcinoma. *BJU Int.* **83**, 693.
- TAHARA,H., NAKANISHI,T., KITAMOTO,M., NAKASHIO,R., SHAY,J.W., TAHARA,E., KAJIYAMA,G. & IDE,T. (1995) Telomerase activity in human liver tissues: comparison between chronic liver disease and hepatocellular carcinomas. *Cancer Res* **55**, 2734.
- TANAKA,H., SHIMIZU,M., HORIKAWA,I., KUGOH,H., YOKOTA,J., BARRETT,J.C. & OSHIMURA,M. (1998a) Evidence for a putative telomerase repressor gene in the 3p14.2-p21.1 region. *Genes Chromosomes Cancer* **23**, 123.
- TANAKA,M., KYO,S., TAKAKURA,M., KANAYA,T., SAGAWA,T., YAMASHITA,K., OKADA,Y., HIYAMA,E. & INOUE,M. (1998b) Expression of telomerase activity in human endometrium is localized to epithelial glandular cells and regulated in a menstrual phase-dependent manner correlated with cell proliferation. *Am.J.Pathol.* **153**, 1985.
- THOENES,W., STORKEL,S. & RUMPELT,H.J. (1986) Histopathology and classification of renal cell tumors (adenomas, oncocytomas and carcinomas). The basic cytological and histological elements and their use for diagnostics. *Pathol Res Pract* **181**, 125.
- TOLLEFSBOL,T.O. & ANDREWS,L.G. (2001) Mechanisms for telomerase gene control in aging cells and tumorigenesis. *Med.Hypotheses* **56**, 630.
- ULANER,G.A., HU,J.F., VU,T.H., GIUDICE,L.C. & HOFFMAN,A.R. (1998) Telomerase activity in human development is regulated by human telomerase reverse transcriptase (hTERT) transcription and by alternate splicing of hTERT transcripts. *Cancer Res* **58**, 4168.
- ULANER,G.A., HU,J.F., VU,T.H., ORUGANTI,H., GIUDICE,L.C. & HOFFMAN,A.R. (2000) Regulation of telomerase by alternate splicing of human telomerase reverse transcriptase (hTERT) in normal and neoplastic ovary, endometrium and myometrium. *Int.J.Cancer* **85**, 330.
- VAN STEENSEL,B. & DE LANGE,T. (1997) Control of telomere length by the human telomeric protein TRF1. *Nature* **385**, 740.
- VAN STEENSEL,B., SMOGORZEWSKA,A. & DE LANGE,T. (1998) TRF2 protects human telomeres from end-to-end fusions. *Cell* **92**, 401.
- VOGELZANG,N.J. & STADLER,W.M. (1998) Kidney cancer. *Lancet* **352**, 1691.
- VONDERHEIDE,R.H., HAHN,W.C., SCHULTZE,J.L. & NADLER,L.M. (1999) The telomerase catalytic subunit is a widely expressed tumor-associated antigen recognized by cytotoxic T lymphocytes. *Immunity* **10**, 673.

- WATSON,J.D. (1972) Origin of concatameric T4 DNA. *Nat.New.Biol.* **239**, 197.
- WEIDNER,U., PETER,S., STROHMEYER,T., HUSSNATTER,R., ACKERMANN,R. & SIES,H. (1990) Inverse relationship of epidermal growth factor receptor and HER2/neu gene expression in human renal cell carcinoma. *Cancer Res* **50**, 4504.
- WEINBERG,R.A. (1983) Oncogenes and the molecular biology of cancer. *J.Cell Biol.* **97**, 1661.
- WEINTRAUB,H.M. (1990) Antisense RNA and DNA. *Sci.Am.* **262**, 40.
- WEIßBACH,L. & MILLER,K. (1998) Diagnostische und therapeutische Standards in der Urologischen Onkologie. Kapitel Nierenparenchymkarzinom. *Zuckerschwerdt, München Bern Wien New York*
- WENZ,C., ENENKEL,B., AMACKER,M., KELLEHER,C., DAMM,K. & LINGNER,J. (2001) Human telomerase contains two cooperating telomerase RNA molecules. *EMBO J.* **20**, 3526.
- WISMAN,G.B., KNOL,A.J., HELDER,M.N., KRANS,M., DE VRIES,E.G., HOLLEMA,H., DE JONG,S. & DER ZEE,A.G. (2001) Telomerase in relation to clinicopathologic prognostic factors and survival in cervical cancer. *Int.J.Cancer* **91**, 658.
- WU,K.J., GRANDORI,C., AMACKER,M., SIMON-VERMOT,N., POLACK,A., LINGNER,J. & DALLA-FAVERA,R. (1999) Direct activation of TERT transcription by c-MYC. *Nat.Genet.* **21**, 220.
- YAMAGUCHI,F., MORRISON,R.S., TAKAHASHI,H. & TERAMOTO,A. (1999) Anti-telomerase therapy suppressed glioma proliferation. *Oncol.Rep.* **6**, 773.
- YASUMOTO,S., KUNIMURA,C., KIKUCHI,K., TAHARA,H., OHJI,H., YAMAMOTO,H., IDE,T. & UTAKOJI,T. (1996) Telomerase activity in normal human epithelial cells. *Oncogene* **13**, 433.
- YEAGER,T.R., NEUMANN,A.A., ENGLEZOU,A., HUSCHTSCHA,L.I., NOBLE,J.R. & REDDEL,R.R. (1999) Telomerase-negative immortalized human cells contain a novel type of promyelocytic leukemia (PML) body. *Cancer Res.* **59**, 4175.
- YI,X., TESMER,V.M., SAVRE-TRAIN,I., SHAY,J.W. & WRIGHT,W.E. (1999) Both transcriptional and posttranscriptional mechanisms regulate human telomerase template RNA levels. *Mol.Cell Biol.* **19**, 3989.
- YOSHIDA,K., SAKAMOTO,S., SUMI,S., HIGASHI,Y. & KITAHARA,S. (1998) Telomerase activity in renal cell carcinoma. *Cancer* **83**, 760.
- YU,G.L., BRADLEY,J.D., ATTARDI,L.D. & BLACKBURN,E.H. (1990) In vivo alteration of telomere sequences and senescence caused by mutated Tetrahymena telomerase RNAs. *Nature* **344**, 126.
- ZAHLER,A.M., WILLIAMSON,J.R., CECH,T.R. & PRESCOTT,D.M. (1991) Inhibition of telomerase by G-quartet DNA structures. *Nature* **350**, 718.
- ZHANG,A., ZHENG,C., LINDVALL,C., HOU,M., EKEDAHL,J., LEWENSOHN,R., YAN,Z., YANG,X., HENRIKSSON,M., BLENNOW,E., NORDENSKJOLD,M., ZETTERBERG,A., BJORKHOLM,M., GRUBER,A. & XU,D. (2000) Frequent amplification of the telomerase reverse transcriptase gene in human tumors. *Cancer Res* **60**, 6230.
- ZHANG,X., MAR,V., ZHOU,W., HARRINGTON,L. & ROBINSON,M.O. (1999) Telomere shortening and apoptosis in telomerase-inhibited human tumor cells. *Genes Dev.* **13**, 2388.
- ZHAO,J.Q., GLASSPOOL,R.M., HOARE,S.F., BILSLAND,A., SZATMARI,I., I & KEITH,W.N. (2000) Activation of Telomerase RNA Gene Promoter Activity by NF-Y, Sp1, and the Retinoblastoma Protein and Repression by Sp3. *Neoplasia* **2**, 531.