

VIII. LITERATUR

- ALLSOPP, B.A., M.T.E.P. ALLSOPP (1988): Theileria parva genomic DNA studies reveal intra-specific sequence diversity. *Mol. Biochem. Parasitol.*, 28, 77-84.
- ALLSOPP, B.A., H.A. BAYLIS, M.T.E.P. ALLSOPP, T. CAVALIER-SMITH, R.P. BISHOP, D.M. CARRINGTON, B. SOHANPAL, P. SPOONER (1993): Discrimination between six species of Theileria using oligonucleotide probes which detect small subunit ribosomal RNA sequences. *Parasitology*, 107, 157-165.
- ANON (1990): Report of the FAO Expert Consultation on Revision of Strategies for the Control of Ticks and Tick-Borne Diseases, Rome, 25-29 September 1989. *Parasitologia*, 32, 3-12.
- BAUMANN, M.P.O., P. von den BENKEN, K.H. ZESSIN, G. HARTMANN (1995): Erste Untersuchungen zum Einfluss von Betriebs- und Managementfaktoren auf die Kälbersterblichkeit in Milchviehbetrieben Ugandas und ihre epidemiologische Bewertung. 21. Kongreß der Deutschen Veterinär-medizinischen Gesellschaft (DVG). Bad Nauheim, Tagungsberichte, Teil 2: Poster; 194.
- BAUMANN, M.P.O. (1996): Untersuchung zu Zeckenkontrollstrategien und deren Durchführung. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Institut für Parasitologie und Tropenveterinärmedizin. Bericht (unveröffentlicht).
- BAUMANN, M.P.O., B. KANYIMA, J.D. KABASA, G. HARTMANN, P. AY, K.H. ZESSIN (1998): Key informant group interviews as a tool of the rapid rural appraisal approach to identify dairy health and production constraints in South-West-Uganda. *Uganda Veterinary J.*, Vol. 4, No. 6, 47.
- Von den BENKEN, P. (1998): Longitudinale Untersuchung zum Einfluß distinktiver Kälbermerkmale und verschiedener Umwelt- und Managementparameter auf die Morbidität und Mortalität von Kälbern im Rukungiri Distrikt, Uganda. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Dissertation.
- BETTENCOURT, A., C. FRANCA, L. BORGES (1907): Zitiert nach PERRY, B.D., A.S. YOUNG (1993).
- BISHOP, R.P., B.K. SOHANPAL, D.P. KARIUKI, A.S. YOUNG, V.A. NENE, H.A. BAYLIS, B.A. ALLSOPP, P.R. SPOONER, T.T. DOLAN, S.P. MORZARIA (1992): Detection of a carrier state in Theileria parva infected cattle using the PCR. *Parasitology*, 104, 215-232.
- BÖSE, R., W.K. JORGENSEN, R.J. DALGLIESH, K.T. FRIEDHOFF, A.J. DE VOS (1995): Current and future trends in the diagnosis of babesiosis. *Vet. Parasitol.*, 57, 61-74.

- BROCKLESBY, D.W., S.F. BARNETT (1966): The literature concerning Theileridae of the African buffalo (*Syncerus caffer*). Br. Vet. J., 122, 371-395.
- BROWN, C.G.D., A.G. HUNTER, A.G. LUCKINS (1990): Diseases caused by protozoa. In: Sewell, M.M.H., D.W. Brocklesby (eds.): Handbock on Animal Diseases in the Tropics. 4th ed. London: Baillière Tindall. pp.161 - 226.
- BROWN, W.C., S. ZHAO, K.S. LOGAN, D.J. GRAB, A.C. RICE-FICHT (1995): Identification of candidate vaccine antigens of bovine hemoparasites *Theileria parva* and *Babesia bovis* by use of helper T cell clones. Vet. Parasitol., 57, 189 - 203.
- BRUCE et al. (1910): Zitiert nach PERRY, B.D., A.S. YOUNG (1993).
- BURRIDGE, M.J., S.P. MORZARIA, M.P. CUNNINGHAM, C.G.D. BROWN (1972): Duration of immunity to ECF (*Theileria parva* infection to cattle). Parasitology, 64, 511-515.
- BURRIDGE, M.J., C.D. KIMBER (1973): Duration of serological response to the IFAT of cattle recovered from *Theileria parva* infection. Res. Vet. Sci. 14, 270 - 271.
- CHEMA, S., R.S. CHUMO, T.T. DOLAN, J.M. GATHUMA, A.D. IRVIN, A.D. JAMES, A.S. YOUNG (1987): Clinical trial of halofuginone lactate for the treatment of ECF in Kenya. Vet. Rec., 120, 575-577.
- CONRAD, P.A., O.K. OLE-MOIYOI, C.L. BALDWIN, T.T. DOLAN, C.J. O'CALLAGHAN, R.E.G. NJAMUNGGEH, J.G. GROOTENHUIS, D.A. STAGG, B.L. LEITCH, A.S. YOUNG (1989): Characterization of buffalo-derived theilerial parasites with monoclonal antibodies and DNA probes. Parasitology, 98, 179-188.
- CUNNINGHAM, M.P., C.G.D. BROWN, M.J. BURRIDGE, S.P. MORZARIA (1989): *Theileria parva*: the immune status of calves born of dams immunized against ECF. Res. Vet. Sci., 46, 90-94.
- DEEM, S.L., B.S. PERRY, J.M. KATENDE, J.J. MC DERMOTT, S.M. MAHAN, S.H. MALOO, S.P. MORZARIA, A.J. MUSOKE, G.I. ROWLANDS (1993): Variations in prevalence rates of tick-borne disease in Zebu cattle by agroecological zone: implications for East Coast fever immunization. Prev. Vet. Med., 16, 171-187.
- de VOS, A.J., R. BESSINGER, L.F. BANTING (1981): *Theileria ? taurotragi*: A probable agent of bovine cerebral theileriosis. Onderstepoort J. Vet. Res., 48, 177-178.
- de VOS , A.J. (1992): Distribution, economic importance and control measures for Babesia and Anaplasma. In: T.T. Dolan (Editor): Recent Developments in the Control of Anaplasmosis, Babesiosis and Cowdriosis. International Laboratory for Research on Animal Diseases, Nairobi, pp. 3-12.

- de VOS, A.J., F.T. POTGIETER, D.T. DE WAAL, J. VAN HEERDEN (1995): Babesiosis. In: In: Coetzer, J.A.W., Thomson, G.R., Tustin, R.C. (eds.): Infectious Diseases of Livestock with special reference to Southern Africa. Oxford: University Press. pp. 277 - 294.
- Di GIULIO, G., L. LYNEN, E. ULLICKY, J. KATENDE, S. MORZARIA (1999): Use of two different dose rates of oxytetracycline in East Coast fever immunization in Tanzania. Proceedings of the 3rd International Conference for ticks and tick-borne pathogens: into the 21st century. 30 August-3 September 1999, High Tatra Mountains, Slovakia (submitted).
- DOBBELAERE, D.A.E., P.R. SPOONER, W.C. BARRY, A.D. IRVIN (1984): Monoclonal antibody neutralises the sporozoite stage of different *Theileria parva* stocks. Parasite Immunol., 6, 361-370.
- DOLAN, T.T., A.S. YOUNG, G.I. LOSOS, I. McMILIAN, C.E. MINDER, K. SOULSBY (1984a): Dose dependent responses of cattle to *Theileria parva* stabilate. Int. J. Parasitol., 14, 89-95.
- DOLAN, T.T., A.S. YOUNG, B.I. LEITCH, D.A. STAGG (1984b): Chemotherapy of ECF: Parvaquone treatment of clinical disease induced by isolates of *Theileria parva*. Vet. Parasitol., 15, 103-116.
- DOLAN, T.T., A. LINYONYI, N. McHARDY, A.L. BOND, R.P. CLAMPITT (1988): Chemotherapy of East Coast Fever: parvaquone treatment of *Theileria parva* at intervals after infection. Res. Vet. Sci., 44, 15-20.
- DOLAN, T.T., R. INJAIRU, F. GISEMBA, J.N. MAINA, G. MBADI, G.H.M. MBWIRIA, D.A.O. OTHIENO (1992): A clinical trial of buparvaquone in the treatment of East Coast fever. Vet. Rec., 130, 536-538.
- EMERY, D.L. (1981): Kinetics of infection with *Theileria parva* (ECF) in the central lymph of cattle. Vet. Parasitol., 9, 1-16.
- FAO (1992): A detailed evaluation of strategic tick control in Burundi. Report prepared for the Government of Burundi by the Food and Agriculture Organization (FAO). Rome: 1992, Draft: unapproved, unofficial. Food and Agriculture Organization of the United Nations, Rome.
- FISCHER, M., P. von den BENKEN, T. TURYATUNGA, H.J. KURIKAYO, G. HARTMANN, M.P.O. BAUMANN (1997): First results from a baseline survey on dairy production in Rukungiri district, Uganda. Proceedings of the 4th Joint Workshop on Veterinary Epidemiology: Test Methods and Test Evaluation. Fachrichtung Tropenveterinärmedizin und -epidemiologie, Freie Universität Berlin.
- FIVAZ, B.H., R.A.I. NORVAL, J.A. LAWRENCE (1989): Transmission of *Theileria parva bovis* (Boleni strain) to cattle resistant to the brown ear tick *Rhipicephalus appendiculatus*. Trop. Anim. Health Prod., 21, 129-134.

- GETTINBY, G., W. BYROM (1991): Weather-based computer experiments on parasites. *Prev. Vet. Med.*, 11, 293-308.
- GITAU, G.K., J.J. McDERMOTT, D. WALTNER-TOEWS, K.D. LISSEMORE, J.M. OSUMO, D. MURIUKI (1994): Factors influencing calf morbidity and mortality in smallholder dairy farms in Kiambu District of Kenya. *Prev. Vet. Med.*, 21, 167-177.
- GITAU, G.K., B.D. PERRY, J.M. KATENDE, J.J. McDERMOTT, S.P. MORZARIA, A.S. YOUNG (1997a): The prevalence of serum antibodies to tick-borne infections in cattle in smallholder dairy farms in Muranga District, Kenya; a cross-sectional study. *Prev. Vet. Med.*, 30, 95-107.
- GITAU, G.K., B.D. PERRY, J.J. McDERMOTT, J.M. KATENDE, I.J.M. MARIBE (1997b): Risk factors associated with *Theileria parva* infection in cattle in smallholder dairy farms in Muranga District, Kenya; a longitudinal study. *Epidemiol. Sante anim.*, No. 31-32, 02.05.1-02.05.3.
- GITAU, G.K., B.D. PERRY, J.J. McDERMOTT (1999): The incidence, calf morbidity and mortality due to *Theileria parva* infections in smallholder dairy farms in Muranga District, Kenya. *Prev. Vet. Med.*, 39, 65-79.
- GODDEERIS, B.M., W.I. MORRISON, A.J. TEALE (1986): Generation of bovine cytotoxic cell lines, specific for cells infected with the protozoan parasite *Theileria parva* and restricted by products of the major histocompatibility complex. *Eur. J. Immunol.*, 16, 1243-1249.
- GROOTENHUIS, J.G., A.S. YOUNG, T.T. DOLAN, D.A. STAGG (1979): Characteristics of *Theileria* species (eland) infections in eland and cattle. *Res. Vet. Sci.*, 27, 59-68.
- GROOTENHUIS, J.G. (1979): Theileriosis of wild bovidae in Kenya with special reference to the eland. Ph.D. Thesis, Utrecht.
- GTZ (1998): Internal report for the GTZ Integrated Pastoral Development Project Sanga. Deutsche Gesellschaft für technische Zusammenarbeit (GTZ), Eschborn (nicht veröffentlichter Bericht).
- HAMEL, H.D., L.M. DUNCAN (1996): Kontrolle von Rinderzecken mit Flumethrin 1% pour on in Zimbabwe. *Vet.-Med. Nachr.*, 2, 115-122.
- HOFMANN, W. (1992): Rinderkrankheiten: Innere und chirurgische Erkrankungen, (Bd.1). Stuttgart: UTB für Wissenschaft, Verlag Eugen Ulmer.
- HOOGSTRAAL, H. (1956): African Ixodoidea, Vol. I, Ticks of the Sudan. U.S. Naval Medical Research Unit No. 3, Cairo.

- IFPRI (1999): Livestock to 2020 -The next food revolution. In: Delgado, C., M. Rosegrant, H. Steinfeld, S. Ehui,C. Courbois (eds.) In: Food, Agriculture and the Environment. Discussion Paper 28. May 1999. International Food Policy Research Institute, Washington, D.C., USA.
- ILCA (1987): ILCA 1986: Annual Report. International Livestock Center for Africa, Addis Ababa, Ethiopia.
- ILCA (1993): ILCA 1992: Annual Report and Programme Highlights. International Livestock Center for Africa, Addis Ababa, Ethiopia.
- ILRAD (1991a): Tick-borne diseases of livestock (ILRAD Reports, July 1991). The International Laboratory for Research on Animal Diseases, Nairobi, Kenya.
- ILRAD (1991b): Theileriosis (ILRAD Annual Report 1991). The International Laboratory for Research on Animal Diseases, Nairobi, Kenya.
- IRVIN, A.D., M.P. CUNNINGHAM (1981): East Coast fever. In: M. Ristic and I. McIntyre (eds.): Disease of cattle in the Tropics. pp. 393-410, Martinus Nijhoff Publishers, The Hague.
- JONGEJAN, F., B.D. PERRY, P.D.S. MOORHOUSE, F.L. MUSISI, R.G. PEGRAM, M. SNACKEN (1988): Epidemiology of bovine babesiosis and anaplasmosis in Zambia. *Trop. Anim. Health Prod.*, 20, 234 - 242.
- JONES, E.W., L.O. KIEWER, B.B. NORMAN, W.E. BROCK (1968): Anaplasma marginale infection in young and aged cattle. *American Journal of Veterinary Research*, 29, 535-544.
- KAGARUKI, L.K., F.M. KIVARIA, J. MOLLEY, M. TARIMO (1999): Bovine Babesiosis in Tanzania. Proceedings of the 3rd International Conference for ticks and tick-borne pathogens: into the 21st century. 30 August-3 September 1999, High Tatra Mountains, Slovakia (submitted).
- KAISER, M.N., R.W. SUTHERST, A.S. BOURNE (1982): Relationship between ticks and Zebu cattle in southern Uganda. *Trop. Anim. Health Prod.*, 14, 63-74.
- KARIUKI, D.P., A.S. YOUNG, S.P. MORZARIA, A.C. LESAN, S.K. MINING, P. OMWOYO, J.L.M. WAFULA, D.H. MOLYNEUX (1995): *Theileria parva* carrier state in naturally infected and artificial immunized cattle. *Trop. Anim. Health Prod.*, 27, 15-25.
- KATENDE, J.M., S.P. MORZARIA, P. TOYE, R.A. SKILTON, V. VISH, C. NKONGE, A.I. MUSOKE (1998): An enzyme-linked immunosorbent assay for detection of *Theileria parva* antibodies in cattle using a recombinant polymorphic immunodominant molecule. *Parasitol. Res.*, 84, 408-416.
- KIMBER, C.D., A.S. YOUNG (1977): Serological studies on strains of *Theileria mutans* isolated in East Africa using the indirect fluorescent antibody technique. *Ann. Trop. Med. Parasitol.*, 71, 1-10.

- KINABO, L.D.B., J.A. BOGAN (1988): Parvaquone and Buparvaquone: HPLC analysis and comparative pharmacokinetics in cattle. *Acta Tropica*, 45, 87.
- KOCH, H.T., R.A.I. NORVAL, J.G.R. OCAMA, F.C. MUNATSWA (1992): A study on *Theileria parva* bovis carrier state. *Prev. Vet. Med.*, 12, 197-203.
- LATIF, A.A., R.G. PEGRAM (1993): Naturally acquired host-resistance in tick control in Africa. *Insect Sci. Applc.*, 13, 505-513.
- LATIF, A.A., G.J. ROWLANDS, D.K. PUNYUA, S.M. HASSAN, P.B. CAPSTICK (1995): An epidemiological study of tick-borne diseases and their effects on productivity of zebu cattle under traditional management on Rusinga Island, Western Kenya. *Prev. Vet. Med.*, 22, 169-181.
- LAWRENCE, J.A. (1979): The differential diagnosis of the bovine theilerias of southern Africa. *J. S. Afric. Vet. Ass.*, 50, 311-313.
- LAWRENCE, J.A., R.A.I. NORVAL, G. UILENBERG (1983): *Rhipicephalus zambeziensis* as a vector of bovine Theileriosis. *Trop. Anim. Health Prod.*, 15, 39-42.
- LAWRENCE, J.A. (1991): Retrospective observations on the geographical relationship between *Rhipicephalus appendiculatus* and East Coast fever in southern Africa. *Vet. Rec.*, 128, 180-183.
- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995a): East Coast fever. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): *Infectious Diseases of Livestock with special reference to Southern Africa*. Oxford: University Press. pp.309 - 325.
- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995b): Turning sickness. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): *Infectious Diseases of Livestock with special reference to Southern Africa*. Oxford: University Press. pp.331- 333.
- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995c): Zimbabwe theileriosis. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): *Infectious Diseases of Livestock with special reference to Southern Africa*. Oxford: University Press. pp.329- 330.
- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995d): Corridor disease. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): *Infectious Diseases of Livestock with special reference to Southern Africa*. Oxford: University Press. pp.326- 328.
- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995e): Theileria mutans infection. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): *Infectious Diseases of Livestock with special reference to Southern Africa*. Oxford: University Press. pp.336- 337.

- LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (1995f): Theileria taurotragi infection. In: LAWRENCE, J.A., A.J. de VOS, A.D. IRVIN (eds.): Infectious Diseases of Livestock with special reference to Southern Africa. Oxford: University Press. pp.334- 335.
- LESSARD, P., R. L'EPLATTENIER, R.A.I. NORVAL (1990): Geographical information system for studying the epidemiology of diseases caused by *Theileria parva*. Vet. Rec., 126, 255-262.
- LORENZ, K. (1997): Untersuchungen zur strategischen Bekämpfung von „tick-borne diseases“ bei autochthonen Zebu-Rindern (*B. indicus*) in Malawi unter besonderer Berücksichtigung der Kälber. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Dissertation.
- LOSOS, G.J. (1986a): Anaplasmosis. In: G.J. Losos (ed.): Infectious tropical Diseases of Domestic Animals. Longman Scientific & Technical, Harlow, UK, pp. 742-795.
- LOSOS, G.J. (1986b): Babesiosis. In: G.J. Losos (ed.): Infectious tropical Diseases of Domestic Animals. Longman Scientific & Technical, Harlow, UK, pp. 4-97.
- LYNEN, G., J. MALEWAS, K. MAJALIWA, C.BAKUNMAME, G. GUILIO (1998): The use of a 30% Formulation of OTC Long-acting in ECF Immunization in Tanzania. Proceedings of the 9th International Conference of Association of Institutions of Tropical Veterinary Medicine (AITVM). 14-18 September 1998, Harare, Zimbabwe.
- MAKUMYAVIRY, A.V., M. HABIMANA (1993): Prévalence de la theileriose bovine a *Theileria parva* surles plateaux D'Itombwe, Centre-Est Zaire. Revue Méd. Vét., 144, 5, 415-418.
- MARTIN, H., D.W. BROCKLESBY (1960): A new parasite of the eland. Vet. Rec., 72, 331-332.
- MATSON, B.A. (1967): Theileriosis in Rhodesia: 1. A study of diagnostic specimens over two seasons. J. S. Afr. Vet. Med. Ass., 38, 93-101.
- MATTHYSSE, J.G. (1954): Report on tick-borne-diseases. Lusaka, Government Printer, pp. 28.
- MBASSA, G.K. (1994): Driving and state variables of immunity to theileriosis in Ankole Zebu calves in Lake Victoria Basin. The Kenya Veterinarian, 18(2), 376.
- McKEEVER, D.J., W.I. MORRISON (1998): Novel vaccines against *Theileria parva*: prospects for sustainability. Int. J. Parasitol., 28, 693-706.
- MEDLEY, G.F., B.D. PERRY, A.S. YOUNG (1993): Preliminary analysis of the transmission dynamics of *Theileria parva* in eastern Africa. Parasitology, 106, 251-264.

- MEDLEY, G.F. (1994): The transmission dynamics of *Theileria parva*. In: B.D: Perry J.W. Hansen (eds.): Modelling Vector-Borne and other parasitic Diseases. The International Laboratory for Research on Animal Diseases, Nairobi, pp. 105-117.
- MEHLHORN, H., E. SCHEIN (1976): Elektronenmikroskopische Untersuchungen an Entwicklungsstadien von *Theileria parva* im Darm der Überträgerzecke *Hyalomma anatomicum excavatum*. Z. Tropenmed. Parasitol., 27, 182-191.
- MEHLITZ, B. (1996): Zur Bedeutung der milcherzeugenden Rinderhaltung in kleinbäuerlichen Produktionssystemen in Afrika südlich der Sahara mit einer Bewertung der Milchleistung im Rukungiri Distrikt, Südwest Uganda. Berlin: Humboldt Universität, Landwirtschaftlich-Gärtnerische Fakultät, Diplomarbeit.
- MEHTA, C.R., N.R. PATEL, R. GREY (1985): Computing an exact confidence interval for the common odds ratio in several 2x2 contingency tables. J. Am. Stat. Assoc., 80, No. 392, 969-973.
- MERCK (1991): Parasitic diseases of the blood and the cardiovascular system. In: The Merck Veterinary Manual. 7 th. ed. New Jersey: Merck and Co.USA. pp. 68- 69.
- MINJAUW, B., M.J. OTTE, A.D. JAMES (1997): Incidence of clinical and sub-clinical *Theileria parva* infection in Sanga cattle kept under different ECF control strategies in Zambia. Epidemiol. Sante anim., No. 31-32, 02.18.1-02.18.3.
- MINJAUW, B., M.J. OTTE, A.D. JAMES, J.J. De CASTRO, P. SYNYANGWE (1998a): Effect of different East Coast fever control strategies on disease incidence in traditionally managed Sanga cattle in Central Province of Zambia. Prev. Vet. Med., 35, 101-113.
- MINJAUW, B., M.J. OTTE, A.D. JAMES, J.J. DE CASTRO, A. PERMIN, G. DI-GIULO (1998b): An outbreak of East Coast fever in a herd of Sanga cattle in Lutale, Central Province of Zambia. Prev. Vet. Med., 35, 143-147.
- MOLL, G., A. LOHDING, A.S. YOUNG (1984): Epidemiology of theilerioses in the Trans-Mara Division, Kenya: husbandry and disease background and preliminary investigation on theilerioses in calves. Prev. Vet. Med., 2, 801-831.
- MOLL, G., A. LOHDING, A.S. YOUNG, B.I. LEITCH (1986): Epidemiology of theileriosis in calves in an endemic area of Kenya. Vet. Parasitol., 19, 255-273.
- MOLL, G. (1990): Intensive tick control on local Zebu calves in an East Coast Fever endemic area. Kenya Agriculture Research Institute (KARI), Transmara Livestock Research Station, Lolgorian. Report (unpublished).
- MORRISON, W.I., G. BUSCHER, M. MURRAY, D.L. EMERY, R.A. MASAKE, R.H. COOK, P.W. WELLS (1981): *Theileria parva*: Kinetics of infection in the lymphoid system of cattle. Exp. Parasitol., 52, 248-260.

- MORRISON, I.W., E.L.N. TARACHA, D.J. MCKEEVER (1995): Theileriosis: progress towards vaccine development through understanding immune responses to the parasite. *Vet. Parasitol.*, 57, 177 - 187.
- MORZARIA, S.P., R. BISHOP, V. NENE, P. SPOONER (1993): Polymorphis DNA markers for discrimination of *Theileria parva parva*. In: ILRAD (1992), Annual scientific record. ILRAD, Nairobi, p. 4.
- MUHAMMED, S.I., L.H. LAUERMENN, L.W. JOHNSON (1975): Effect of humoral antibodies on the course of *Theileria parva* infection (East Coast fever) of cattle. *Am. J. Vet. Med.*, 36, 399-402.
- MUKHEBI, A.W, B.D. PERRY, R. KRUSKA (1992): Estimated economics of theileriosis control in Africa. *Prev. Vet. Med.*, 12, 73 - 85.
- MUKHEBI, A.W., B.D. PERRY, C.D. LAKER, D.G. ONCHOKE, T. MUNYOMBWE, Z.S. HASSAN (1994): Comparative regional assessment of the economic impact of theileriosis and its control in Africa. *The Kenya Veterinarian*, 18 (2), 239 - 241.
- MUSISI, F.L., J.C. QUIROGA, G.K. KANHAI, S.P. KAMWENDO, F.J. MZOMA, L.M. NJUGAMA (1996): *Theileria parva* (Kasoba): isolation and challenge of cattle recovered from infection with other *Theileria parva* stocks. *Revue Elev. Vét. Pays trop.*, 49, 42-45.
- MUSOKE, A.J., V.M. NANTULYA, G. BÜSCHER, R.A. MASAKE, B. OTIM (1982): Bovine immune response to *Theileria parva*: neutralising antibodies to sporozoites. *Immunology*, 45, 663-668.
- MUSOKE, A.J., V.M. NANTULYA, F.R. RURANGIRWA, G. BÜSCHER (1984) Evidence for a common protective antigenic determinant on sporozoities of several *Theileria parva* strains. *Immunology*, 52, 231-238.
- MUSOKE, A.J., S.P. MORZARIA, C.G. NKONGE, E. JONES, V. NENE (1992): A recombinant sporozoite surface antigen of *Theileria parva* induces protection in cattle. *Proceedings of the Natural Academy of Science (USA)*, 89, 514-518.
- MUSOKE, A.J., V. NENE, S.P. MORZARIA (1993): A sporozoid based vaccine for *Theileria parva*. *Parasitology Today*, 9 (10), 385-388.
- MUSOKE, A.J., G.H. PALMER, T.F. McELWAIN, V. NENE, D. MCKEEVER (1996): Prospects for subunit vaccines against Tick-borne diseases. *Br. Vet. J.*, 152, 621-639.
- NAKATUDDE, P. (1994): A Longitudinal Study on Survival, Health and Performance of Cohorts in Selected "Progressive" Dairy Farms in Masaka District, Uganda. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Master thesis.

- NANTEZA, A., L. SIEFERT (1995): Status of Anaplasmosis in Uganda. In: "Towards healthy livestock in the Uganda of the 21st century", Paper presented at a workshop held in Kampala, Uganda, 25th November, 1995. Faculty of Veterinary Medicine, Makerere University, Kampala.
- NEITZ, W.O. (1953): Aureomycin in *Theileria parva* infection. Nature, London, 171, 663-668.
- NEITZ, W.O. (1957): Theileriosis, gonderiosis and cytauxzoonoses: A review. Onderstepoort J. Vet. Res., 27, 275-430.
- NORVAL, R.A.I. (1977): Tick problems in relation to land utilization in Rhodesia. Rhodesian Vet. J., 8, 33-38.
- NORVAL, R.A.I., J.B. WALKER, J. COLBORNE (1982): The ecology of *Rhipicephalus zambeziensis* and *Rhipicephalus appendiculatus* (Acarina: Ixodidae) with particular reference to Zimbabwe. Onderstepoort J. Vet. Res., 49, 181-190.
- NORVAL, R.A.I., J.A. LAWRENCE, A.S. YOUNG, B.D. PERRY, T.T. DOLAN, J. SCOTT (1991): *Theileria parva*: Influence of vector/parasite/host relationship on the epidemiology of theileriosis in southern Africa. Parasitology, 102, 347-356.
- NORVAL, R.A.I., B.D. PERRY, C.E. YUNKER (1992): The Epidemiology of Theileriosis in Africa. London: Academic Press, pp. 481ff.
- NYANGITO, H.O. (1994): The economic impacts of immunizing cattle against East Coast fever on farms in Kenya. The Kenya Veterinarian, 18 (2), 251.
- O'CALLAGHAN, C.J. (1992): An epidemiologic study of the prevalence, risk factors and epidemiologic state of TBDs on smallholder dairy farms in Kiambu District, Kenya. MSc Thesis, University of Guelph, Canada.
- O'CALLAGHAN, C.J., J.J. McDERMOTT, J.M. KATANDE, J.E. ADAMS, B..D. PERRY, A.S. YOUNG (1994): Analysis of longitudinal serological data for *Theileria parva*. The Kenya Veterinarian, 18 (2), 146-148.
- OCHANDA, H., A.S. YOUNG, J.J. MUTUGI, J.M. MUMO, P.L. OMWOYO (1988): The effect of temperature on the rate of transmission of *Theileria parva* infection to cattle by its tick vector *Rhipicephalus appendiculatus*. Parasitology, 97, 239-245.
- OKELLO-ONEN, J., E.M. TUKAHIRWA, G.S.Z. SSENYONGA, B.D. PERRY, J.M. KATENDE, G. MUSISI, W.T. MWAYI (1994): Epidemiology of *Theileria parva* under ranching condition in Uganda. The Kenya Veterinarian, 18 (2), 362-365.

- OKELLO-ONEN, J., A.W. MUKHEBI, E.W. TUKARHIRWA, G. MUSISI, E. BODE, R. HEINONEN, B.D. PERRY, J. OPUDA-ASIBO (1998a): Financial analysis of dipping strategies for indigenous cattle under ranch conditions in Uganda. *Prev. Vet. Med.*, 33, 241-250.
- OKELLO-ONEN, J., T. RUTAGWENDA, C. MUSINGUZI, W. MWAYI, S. ERIMA, MUSISI (1998b): Tick and tick-borne disease control practice under the pastoral farming system at Ankole Ranching Scheme, Mbarara District. *Uganda Veterinary Journal*, Vol.4, No.6, 79-83.
- OYAT, M. (1996): A longitudinal study of calfhood morbidity in selected dairy farms in Masaka District in Uganda. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Master thesis.
- PALING, R.W., C. MPANGALA, B. LUTTIKHUIZEN, G. SIBOMANA (1991): Exposure of Ankole and crossbred cattle to Theileriosis in Rwanda. *Trop. Anim. Health Prod.*, 23, 203-214.
- PAUL, N.I., R.I. PARKER, A.J. WILSON, R.S.F. CAMBELL (1980): Epidemiology of bovine Anaplasmosis in beef calves in northern Queensland. *Australian Veterinary Journal*, 56, 267-271.
- PEGRAM, R.G., A.D. JAMES, G.P.M. OOSTERWIJK, K.L. KILORN, J. LEMCHE, M. GHIROTTI, Z. TEKLE, H.B.G. CHIZYUKA, E.T. MWASE, F. CHIZYUKA (1991): Studies on the economics of ticks in Zambia. *Exp. Appl. Acarol.*, 12, 9-26.
- PEGRAM, R.G., R.J. TATCHELL, J.J. DE CASTRO, H.G.B. CHIZYUKA, M.J. CREEK, P.J. MCCOSCER, M.C. MORAN, G. NIGARURA (1993): Tick control: new concepts. *World Anim. Rev.*, 74-75, 2-11.
- PEGRAM, R.G., S.K. HARGREAVES, D.L. BERKVENS (1995): Tick control: a standardized terminology. *Medical and Veterinary Entomology*, 9, 337 - 338.
- PEREZ, E., J.P.M. NOODHUIZEN, A. BRAND (1993): Calfhood morbidity and mortality in Costa-Rican dairy, dual purpose and beef breed. In: 4th Symposium on Tropical Animal Health and Production: Recent Developments in Veterinary Epidemiology. Utrecht: Faculty of Veterinary Medicine.
- PERRY, B.D., S.L. DEEM, G.F. MEDLEY, S.P. MORZARIA, A.S. YOUNG (1992): The ecology of *Theileria parva* infections of cattle and the development of endemic stability. In: U.G. Munderloh and T.J. Kurti (eds.): Proceedings of the First Conference on Tick-borne Pathogens at the Host-Vector Interface, University of Minnesota, St. Paul, pp. 290-296.
- PERRY, B.D., A.S. YOUNG (1993): The naming game: the changing fortunes of ECF and *Theileria parva*. *Vet. Rec.*, 133, 613-616.

- PERRY, B.D. (1994): Modelling vector-borne disease epidemiology and the impact of control programs. In: Perry, B.D., J.W. Hansen (eds.): Modelling Vector-Borne and other Parasitic Diseases. Proceedings of a workshop organized by ILRAD in collaboration with FAO, ILRAD, Nairobi, Kenya, 23 - 27 November 1992. Nairobi: International Laboratory for Research on Animal Diseases.
- PERRY, B.D., A.S. YOUNG (1995): The past and future roles of epidemiology and economics in the control of tick-borne diseases of livestock in Africa: the case of theileriosis. *Prev. Vet. Med.*, 25, 107-120.
- PERRY, B.D. (1996): Epidemiology indicators and their application to the control of TBDs. In: R.J. Tatchel (ed.): Manual on Tick and TBD Control. Food and Agriculture Organisation of the United Nation, Rome.
- PINDER, M., S. KAR, K.S. WHITNEY, L.B. LUNDIN, G.E. ROELANDS (1981): Proliferation and lymphocyte stimulatory capacity of the *Theileria*-infected lymphoblastoid cell lines before and after the elimination of intracellular parasites. *Immunology*, 1981, 44, 51-60.
- POTGIETER, F.T. (1979): Epizootiology and control of anaplasmosis in South Africa. *J. S. Afr. Vet. Assoc.*, 50, 367 - 372.
- POTGIETER, F.T., W.H. STOLTSZ (1995): Anaplasmoses. In: Coetzer, J.A.W., G.R. Thomson, R.C. Tustin (eds.): Infectious Diseases of Livestock with special reference to Southern Africa. Oxford: University Press, pp. 407 - 430.
- RADLEY, D.E., C.G.D. BROWN, M.J. BURRIDGE, M.P. CUNNINGHAM, M.A. PIERCE, R.E. PURNELL (1974): East Coast Fever: quantitative studies of *Theileria parva* in cattle. *Exp. Parasitol.*, 36, 278-287.
- RADLEY, D.E., A.S. YOUNG, J.G. GROOTENHUIS, M.P. CUNNINGHAM, T.T. DOLAN, S.P. MORZARIA (1979): Further studies on immunization of cattle against *Theileria lawrencei* by infection and chemoprophylaxis. *Vet. Parasitol.*, 5, 117-128.
- RADLEY, D.E. (1981): Infection and treatment method of immunization against Theileriosis. In: A.D. Irvin, M.P. Cunningham, A.S. Young (eds.): Advances in the control of Theileriosis. The Hague: Martinus Nijhoff, pp. 235-250.
- ROBSON, J., V. PEDERSEN, G. UILENBERG., O.M. ODEKE (1981): Theileriosis in Uganda: Parasitological and serological responses in cattle continually exposed to natural infection. *Trop. Anim. Health Prod.*, 13, 1 - 11.
- ROSENBERGER, G. (1990): Untersuchung des neugeborenen Kalbes. In: G. Dirksen, H.D. Gründer, M. Stöber (Hrsg.): Die klinische Untersuchung des Rindes. Berlin: Parey, pp. 521-525.
- ROSENBERGER, G. (1994): In: Krankheiten des Rindes. 3. Auflage. Berlin-Hamburg: Parey, pp. 897-898.

- RUBAIRE-AKIIKI, C.M., R.Z. OMWERO-WAFULA, I. KAKOMA, G.S.Z. SSENYONGA, G.I. NANTEZA, G.L. MCLOUGHIN, R.D. HANSEN (1995): Bovine Babesiosis in Uganda. In: "Towards healthy livestock in the Uganda of the 21st century", Paper presented at a workshop held in Kampala, Uganda, 25th November, 1995. Kampala: Faculty of Veterinary Medicine, Department of Veterinary Parasitology and Microbiology, Makerere University.
- SEIFERT, H.S.H. (1992): Tropenhygiene. Jena, Gustav Fischer Verlag. pp.207-218.
- SEWELL, M.M.H., D.W. BROCKLESBY (1990): Animal Diseases in the Tropics. 4th edition. London: Baillière Tindall.
- SHARMA, S.P. (1989): ELISA for detection of *Anaplasma* antibodies in cattle. *Vet. Parasitol.*, 3 (1), 45-47.
- SMITH, P.G., R.H. MORROW (1993): Methods for field trials of interventions against tropical diseases: a toolbox. Oxford: Oxford University Press, pp. 291ff.
- SONENSHINE, D.E. (1991): zitiert nach: Kocan, K.M. (1995).
- SPOONER, R.I, W.I. PENHALE, M.J. BURRIDGE, C.G.D. BROWN (1973): Some serum globulin changes in East Coast fever. *Res. Vet. Sci.*, 15, 368-374.
- STAGG, D.A., R.P. BISHOP, S.P. MORZARIA, M.K. SHAW, D. WESONGA, G.O. ORINDA, J.G. GROOTENHUIS, D.H. MOLYNEUX, A.S. YOUNG (1994): Characterization of *Theileria parva* which infects waterbuck (*Kobus defossa*). *Parasitology*, 108, 543-554.
- TARACHA, E.L.N., W.I. MORRISON, B.M. GODDEERIS (1992): The cytotoxic T-cell: MHC restriction, strain specificity and role in immunity to *T. parva* infection. *Vet. Res.*, 23, 3, 311-318.
- THEILER, A. (1904): East coast fever. *Transvaal Agric. J.*, 2, 421-438.
- THEILER, A. (1906): *Piroplasma mutans* (n.spec.) of South African cattle. *J. Comp. Pathol. Ther.*, 19, 292-438 (300).
- THRUSFIELD, M. (1995): Veterinary Epidemiology. 2nd edition. Cambridge: University Press.
- UILENBERG, G. (1964): Haematoxenus veliferus genus novo, species novo, parasite incertae sedis du sang de bovin a Madagascar. *Rev. Elev. Med. Vet. Pays Trop.*, 17, 655-662.
- UILENBERG, G. (1976): Tick-borne diseases and their vectors. 2. Epizootiology of Tick-borne diseases. *World Animal Review*, 17, 8-15.

- UILENBERG, G. (1981): Theilerial species of domestic livestocks. In: A.D. Irvin, M.P. Cunningham, A. Young (eds.): Advances in the control of Theileriosis. Proceedings of an international conference, 9-13 February 1981, ILRAD, Nairobi, Martinus Nijhoff Publishers, The Hague, pp. 4-37.
- UILENBERG, G., D.A.E. DOBBELAERE, A.L.W. DE GEE, H.T. KOCH (1993): Progress in research on tick-borne diseases: theileriosis and heartwater. *Vet. Quarterly*, Vol. 15, No. 2, 48-54
- UILENBERG, G. (1995): International collaborative research: significance of tick-borne hemoparasitic diseases to world animal health. *Vet. Parasitol.*, 57, 19 - 41.
- UNGER, F. (1996): Determination of the serological status for tick borne diseases in calves and adult cattle in Rukungiri District and the associations with different tick control strategies. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Weiterbildendes Studium Tropenveterinärmedizin, Diploma thesis.
- WAGNER, G.G., D.M. JESSITT, C.G.D. BROWN, D.E. RAFLEY (1975): Diminished antibody response to rinderpest vaccination in cattle undergoing experimental East Coast fever. *Res. Vet. Sci.*, 19, 209-211.
- WALKER, J.B. (1959a): Notes on the common tick species of East Africa. Part I. Introduction. *The Genus Rhipicephalus*. *East African Veld*, 5, 111-116.
- WALKER, J.B. (1959b): Notes on the common tick species of East Africa. Part II. More species belonging to the Genus *Rhipicephalus*. *East African Veld*, 5, 131-135.
- WALKER, J.B., D. MEHLITZ, G.E. JONES (1978): Notes on the ticks of Botswana. Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ), Eschborn.
- WINROCK INTERNATIONAL (1992): zitiert nach: Uilenberg, G., D.A.E. Dobbelaere, A.L.W. De Gee, H.T. Koch (1993).
- YEOMAN, A.S. (1966): Field vector studies of epizootic ECF. I. A quantitative relationship between *Rhipicephalus appendiculatus* and the epizooticity of East Coast Fever. *Bull. of Epizoot. Dis. Afr.*, 14, 5-27.
- YOUNG, A.S., R.E. PURNELL (1973): Transmission of *Theileria lawrencei* (Serengeti) by the ixodid tick, *Rhipicephalus appendiculatus*. *Trop. Anim. Health Prod.*, 5, 146-152.
- YOUNG, A.S., R.E. PURNELL, R.C. PAYNE, C.G.D. BROWN, G.K. KANHAI (1978): Studies on the transmission and course of infection of a Kenyan strain of *Theileria mutans*. *Parasitology*, 67, 99-115.
- YOUNG, A.S., B.I. LEITCH (1982): Epidemiology of ECF: some effects of temperature on the development of *Theileria parva* in the tick vector *Rhipicephalus appendiculatus*. *Parasitology*, 83, 199-211.

- YOUNG, A.S., B.I. LEITCH, R.M. NEWSON, M.P. CUNNINGHAM (1986): Maintenance of *Theileria parva* infection in an endemic area of Kenya. Parasitology, 93, 9-16.
- YOUNG, A.S., J.J. MUTUGI, D.P. KARIUKI, D. LAMPARD, A.C. MARITIM, P.N. NGUMI, A. LINYONYI, B.I. LEITCH, S.G. NDUNGU, A.C. LESAN, S.K. MINING, J.G. GROOTENHUIS, G.O. ORINDA, D. WESONGA (1992): Immunization of cattle against theileriosis in Nakuru District of Kenya by infection and treatment and introduction of unconventional tick control. Vet. Parasitol., 42, 225-240.
- YOUNG, A.S., H. OCHANDA, B.D. PERRY, S.P. MORZARIA, T.T. DOLAN, G.F. GETTINBY, G. MEDLEY (1994): The biology of the transmission dynamics of *Theileria parva*. The Kenya Veterinarian, 18 (2), 470 - 472.