

7 Literaturverzeichnis

1. **Agre P, Nielsen S.** The aquaporin family of water channels in kidney. *Nephrologie*. 1996;17(7):409-15.
2. **Bachmann S, Koeppen-Hagemann I, and Kriz W.** Ultrastructural localization of Tamm-Horsfall glycoprotein (THP) in rat kidney as revealed by protein A-gold immunocytochemistry. *Histochemistry* 83(6): 531-538, 1985.
3. **Bachmann S, Metzger R, and Bunnemann B.** Tamm-Horsfall protein-mRNA synthesis is localized to the thick ascending limb of Henle's loop in rat kidney. *Histochemistry* 94: 517-523, 1990.
4. **Bachmann S, Dawnay AB, Bouby N, and Bankir L.** Tamm-Horsfall protein excretion during chronic alterations in urinary concentration and protein intake in the rat. *Ren Physiol Biochem* 14(6): 236-245, 1991.
5. **Bachmann S, Bostanjoglo M, Schmitt R, and Ellison DH.** Sodium transport-related proteins in the mammalian distal nephron - distribution, ontogeny and functional aspects. *Anat Embryol* 200: 447-468, 1999.
6. **Bailly C.** Transducing pathways involved in the control of NaCl reabsorption in the thick ascending limb of Henle's loop. *Kidney Int Suppl*. 1998 Apr;65:S29-35.
7. **Bates JM, Raffi HM, Prasad K, Mascarenhas R, Laszik Z, Maeda N, Hultgren SJ, and Kumar S.** Tamm-Horsfall protein knockout mice are more prone to urinary tract infection. *Kidney Int* 65(3): 791-797, 2004.
8. **Benninghoff A.** Anatomie, Bd. 1 und 2 / 16. Auflage, München: Urban & Fischer 2003 – 2004.
9. **Bernard AM, Ouled AA, Lauwerys RR, Lambert A, Vandeleene B.** Pronounced decrease of Tamm-Horsfall proteinuria in diabetics. *Clin Chem*. 1987 Jul;33(7):1264.
10. **Bosse HM, Böhm R, Resch S, and Bachmann S.** Parallel regulation of constitutive NO synthase and renin at the juxtaglomerular apparatus of rat kidney under various stimuli. *Am J Physiol* 269: F793-F805, 1995.
11. **Brunner FP, Rector FC Jr, Seldin DW. Mechanism of glomerulotubular balance. II.** Regulation of proximal tubular reabsorption by tubular volume, as studied by stopped-flow microperfusion. *J Clin Invest*. 1966 Apr;45(4):603-11.
12. **Burg MB, Green N.** Function of the thick ascending limb of Henle's loop. *Am J Physiol*. 1973 Mar;224(3):659-68.
13. **Câmpean V, Kricke J, Ellison DH, Luft F, and Bachmann S.** Localization of thiazide-sensitive Na⁺-Cl⁻ cotransport and associated gene products in mouse DCT. *Am J Physiol* 281: F1028-F1035, 2001.
14. **Castrop H, Klar J, Wagner C, Höcherl K, and Kurtz A.** General inhibition of renocortical cyclooxygenase-2 expression by the renin-angiotensin system. *Am J Physiol* 284: F518-F524, 2003.
15. **Cavallone D, Malagolini N, Serafini-Cessi F.** Mechanism of release of urinary Tamm-Horsfall glycoprotein from the kidney GPI-anchored counterpart. *Biochem Biophys Res Commun*. 2001 Jan 12;280(1):110-4.

16. **Chambers R, Groufsky A, Hunt JS, Lynn KL, McGiven AR.** Relationship of abnormal Tamm-Horsfall glycoprotein localization to renal morphology and function. *Clin Nephrol* 26:21-26, 1986.
17. **Christensen BM, Zelenina M, Aperia A, Nielsen S.** Localization and regulation of PKA-phosphorylated AQP2 in response to V(2)-receptor agonist/antagonist treatment. *Am J Physiol Renal Physiol.* 2000 Jan;278(1):F29-42.
18. **Dahan K, Fuchshuber A, Adamis S, Smaers M, Kroiss S, Loute G, Cosyns JP, Hildebrandt F, Verellen-Dumoulin C, Pirson Y.** Familial juvenile hyperuricemic nephropathy and autosomal dominant medullary cystic kidney disease type 2: two facets of the same disease? *J Am Soc Nephrol.* 2001 Nov;12(11):2348-57.
19. **Dahan K, Devuyst O, Smaers M, Vertommen D, Loute G, Poux JM, Viron B, Jacquot C, Gagnadoux MF, Chauveau D, Büchler M, Cochat P, Cosyns JP, Mougenot B, Rider MH, Antignac C, Verellen-Dumoulin C, and Pirson Y.** A cluster of mutations in the UMOD gene causes familial juvenile hyperuricemic nephropathy with abnormal expression of uromodulin. *J Am Soc Nephrol* 14: 2883-2893, 2003.
20. **Dantzler WH.** Comparative physiology of the vertebrate kidney. In: D.S. Farner, Editor, *Zoophysiology* 22, Springer-Verlag, Academic, Berlin (1989), 1–198.
21. **Ellison DH.** Divalent cation transport by the distal nephron: insights from Bartter's and Gitelman's syndromes. *Am J Physiol* 279(4): F616-F625, 2000.
22. **Ellison DH, Velázquez H, and Wright FS.** Adaptation of distal convoluted tubule of the rat. *J Clin Invest* 83: 113-126, 1989.
23. **Estevez R, Boettger T, Stein V, Birkenhager R, Otto E, Hildebrandt F, and Jentsch TJ.** Barttin is a Cl⁻ channel beta-subunit crucial for renal Cl⁻ reabsorption and inner ear K⁺ secretion. *Nature* 414(6863): 558-561, 2001.
24. **Fellstrom B, Danielson BG, Ljunghall S, Wikstrom B.** Crystall inhibition: The effect of polyanions on calcium oxalate crystall growth. *Clin Chim Acta* 208:1-8, 1992.
25. **Frühauf JH, Welker P, Mutig K, Jentsch TJ, Kinne-Safran E, and Bachmann S.** Lipid raft association of essential proteins of the thick ascending limb. *J Am Soc Nephrol* 14: 561A, 2003.
26. **Fukuoka S, Freedman SD, Yu H, Sukhatme VP, Scheele GA.** GP-2/THP gene family encodes self-binding glycosylphosphatidylinositol-anchored proteins in apical secretory compartments of pancreas and kidney. *Proc Natl Acad Sci U S A.* 1992 Feb 15;89(4):1189-93.
27. **Fukuoka S, Kobayashi K.** Analysis of the C-terminal structure of urinary Tamm-Horsfall protein reveals that the release of the glycosyl phosphatidylinositol-anchored counterpart from the kidney occurs by phenylalanine-specific proteolysis. *Biochem Biophys Res Commun.* 2001 Dec 21;289(5):1044-8.
28. **Gersch MS, Quyang X, Mutig K, Bachmann S, Kumar S, Johnson RJ.** Tamm-Horsfall Protein is involved in the Modulation of Uric Acid and Sodium Excretion in the Tamm-Horsfall Protein Knockout Mouse. *J Am Soc Nephrol* 16: TH-PO127, 2005.
29. **Gimenez I, Forbush B.** Short-term stimulation of the renal Na-K-Cl cotransporter (NKCC2) by vasopressin involves phosphorylation and membrane translocation of the protein. *J Biol Chem* 278(29): 26946-26951, 2003.
30. **Greger R.** How does the macula densa sense tubule function? *Nephrol Dial Transplant.* 1997

Nov;12(11):2215-7.

31. **Greger R.** Physiology of renal sodium transport. *Am J Med Sci.* 2000 Jan;319(1):51-62.
32. **Grant AM, Baker LR, Neuberger A.** Urinary Tamm-Horsfall glycoprotein in certain kidney diseases and its content in renal and bladder calculi. *Clin Sci* 44:377-384, 1973.
33. **Grover PK, Moritz PL, Simpson RJ, Ryal RL.** Inhibition of growth and aggregation of calcium oxalate crystals in vitro: A comparison of four human proteins. *Eur J Biochem* 253:637-644, 1998.
34. **Haas M, Forbush B 3rd.** The Na-K-Cl cotransporters. *J Bioenerg Biomembr.* 1998 Apr;30(2):161-72.
35. **Hallson PC, Choong SK, Kasidas GP, Samuell CT.** Effects of Tamm-Horsfall protein with normal and reduced sialic acid content upon the crystallization of calcium phosphate and calcium oxalate in human urine. *Br J Urol* 80:533-538, 1997.
36. **Harris RC.** Cyclooxygenase-2 inhibition and renal physiology. *Am J Cardiol* 89(6A): 10D-17D, 2002.
37. **Harris RC.** Interactions between COX-2 and the renin-angiotensin systems in the kidney. *Am Physiol Scand* 177, 423-427: 2003.
38. **Harris RC.** Cyclooxygenase-2 and the renal renin-angiotensin system. *Acta Physiol Scand* 181, 543-547, 2004.
39. **Hart TC, Gorry MC, Hart PS, Woodard AS, Shihabi Z, Sandhu J, Shirts B, Hy L, Zhu H, Barmada MM, and Bleyer AJ.** Mutations in UMOD gene are responsible for medullary cystic kidney disease 2 and familial juvenile hyperuricaemic nephropathy. *J Med Genet* 39(12): 882-892, 2002.
40. **Hebert SC.** Bartter syndrome. *Curr Opin Nephrol Hypertens* 12(5): 527-532, 2003.
41. **Hess B, Nakagawa Y, Coe FL.** Inhibition of calcium oxalate monohydrate crystal aggregation by urine proteins. *Am J Physiol* 257 (Ren Fluid Electrolyte Physiol) 26:99-106, 1989.
42. **Hession C, Decker JM, Sherblom AP, Kumar S, Yue CC, Mattaliano RJ, Tizard R, Kawashima E, Schmeissner U, Heletky S, et al.** Uromodulin (Tamm-Horsfall glycoprotein): a renal ligand for lymphokines. *Science.* 1987 Sep 18;237(4821):1479-84.
43. **Hoyer SR, Seiler MW.** Pathophysiology of Tamm-Horsfall protein. *Kidney Int* 1979;16:279-289.
44. **Huang ZQ, Sanders PW.** Localization of a single binding site for immunoglobulin light chains on human Tamm-Horsfall glycoprotein. *J Clin Invest* 99:732-736, 1997.
45. **Igarashi P, Vanden Heuvel GB, Payne JA, Forbush B 3rd.** Cloning, embryonic expression, and alternative splicing of a murine kidney-specific Na-K-Cl cotransporter. *Am J Physiol.* 1995 Sep;269(3 Pt 2):F405-18.
46. **Inoue H, Miyaji M, Kosugi A, Nagafuku M, Okazaki T, Mimori T, Amakawa R, Fukuhara S, Domae N, Bloom ET, Umehara H.** Lipid rafts as the signaling scaffold for NK cell activation: tyrosine phosphorylation and association of LAT with phosphatidylinositol 3-kinase and phospholipase C-gamma following CD2 stimulation. *Eur J Immunol.* 2002 Aug;32(8):2188-98.

47. **Jamison RL, Bennett CM, Berliner RW.** Countercurrent multiplication by the thin loops of Henle. *Am J Physiol* 212:357-366, 1967.
48. **Jentsch TJ, Hubner CA, Fuhrmann JC.** Ion channels: function unravelled by dysfunction. *Nat Cell Biol.* 2004 Nov;6(11):1039-47.
49. **Jovine L, Qi H, Williams Z, Litscher E, Wassarman PM.** The ZP domain is a conserved module for polymerization of extracellular proteins. *Nat Cell Biol.* 2002 Jun;4(6):457-61.
50. **Kaissling B, Kriz W.** Variability of intercellular spaces between macula densa cells: a transmission electron microscopic study in rabbits and rats. *Kidney Int Suppl.* 1982 Aug;12:S9-17.
51. **Kelly SJ, Delnomdedieu M, Oliverio MI, Williams LD, Saifer MGP, Sherman MR, Coffman TM, Johnson GA, and Hershfield MS.** Diabetes insipidus in uricase-deficient mice: A model for evaluating therapy with poly(ethylene glycol)-modified uricase. *J Am Soc Nephrol* 12: 1001-1009, 2001.
52. **Keutel HJ.** Localization of uromucoid in human kidney and in sections of human kidney stone with the fluorescent antibody technique. *J Histochem Cytochem* 13:155-160, 1965
53. **Kim GH, Ecelbarger CA, Mitchell C, Packer RK, Wade JB, and Knepper MA.** Vasopressin increases Na-K-2Cl cotransporter expression in thick ascending limb of Henle's loop. *Am J Physiol* 276(1 Pt 2): F96-F103, 1999.
54. **King LS, Kozono D, Agre P.** From structure to disease: the evolving tale of aquaporin biology. *Nat Rev Mol Cell Biol.* 2004 Sep;5(9):687-98.
55. **Klingler C, Preisser L, Barrault MB, Lluell P, Horgen L, Teillet L, Ancellin N, Corman B.** Vasopressin V2 receptor mRNA expression and cAMP accumulation in aging rat kidney. *Am J Physiol.* 1997 Jun;272(6 Pt 2):R1775-82.
56. **Knepper MA, Wade JB, Terris J, Ecelbarger CA, Marples D, Mandon B, Chou CL, Kishore BK, Nielsen S.** Renal aquaporins. *Kidney Int.* 1996 Jun;49(6):1712-7.
57. **Knepper MA and Masilamani S.** Targeted proteomics in the kidney using ensembles of antibodies. *Acta Physiol Scand* 173(1): 11-21, 2001.
58. **Knepper MA, Brooks HL.** Regulation of the sodium transporters NHE3, NKCC2 and NCC in the kidney. *Curr Opin Nephrol Hypertens.* 2001 Sep;10(5):655-9.
59. **Kobayashi K, Uchida S, Okamura HO, Marumo F, and Sasaki S.** Human CLC-KB gene promoter drives the EGFP expression in the specific distal nephron segments and inner ear. *J Am Soc Nephrol* 13: 1992-1998, 2002.
60. **Kokko JP, Rector FC.** Countercurrent multiplication system without active transport in inner medulla. *Kidney Int* 2:214-223, 1972.
61. **Komlosi P, Fintha A, Bell PD.** Current mechanisms of macula densa cell signalling. *Acta Physiol Scand.* 2004 Aug;181(4):463-9.
62. **Kriz W, Bankir L.** A standard nomenclature for structures of the kidney: the Renal Commission of the International Union of Physiological Sciences (IUPS). *Kidney Int* 1988; 33: 1.
63. **Kuhn W, Ryffel K.** Herstellung konzentrierter Lösungen aus verdünnten durch blosse Membrannwirkung: Ein Modellversuch zur Funktion der Niere. *Hoppe-Seylers Z Physiol Chem* 276:145-148, 1942.

64. **Loffing J, Kaissling B.** Sodium and calcium transport pathways along the mammalian distal nephron: from rabbit to human. *Am J Physiol Renal Physiol.* 2003 Apr;284(4):F628-43.
65. **Lynn KL and Marshall RD.** Excretion of Tamm-Horsfall glycoprotein in renal disease. *Clin Nephrol* 22(5): 253-257, 1984.
66. **Madsen KM and Tisher CC.** Structural-functional relationships along the distal nephron. *Am J Physiol.* 1986 Jun;250(6 Pt 3):F1-15.
67. **Malagolini N, Cavallone D, and Serafini-Cessi F.** Intracellular transport, cell-surface exposure and release of recombinant Tamm-Horsfall glycoprotein. *Kidney Int* 52: 1340-1350, 1997.
68. **Marsh DJ.** Solute and water flows in thin limbs of Henle's loop in the hamster kidney. *Am J Physiol* 218:824-831, 1970.
69. **Masilamani S, Kim GH, Mitchell C, Wade JB, and Knepper MA.** Aldosterone-mediated regulation of ENaC alpha, beta, and gamma subunit proteins in rat kidney. *J Clin Invest* 104(7). R19-R23, 1999.
70. **Machida K, Nonoguchi H, Wakamatsu S, Inoue H, Yosifovska T, Inoue T, Tomita K.** Acute regulation of the epithelial sodium channel gene by vasopressin and hyperosmolality. *Hypertens Res.* 2003 Aug;26(8):629-34.
71. **Matsubara M.** Renal sodium handling for body fluid maintenance and blood pressure regulation. *Yakugaku Zasshi.* 2004 Jun;124(6):301-9.
72. **McQueen EG.** The nature of the urinary casts. *J Clin Pathol* 15:367-373, 1962.
73. **Meneton P, Loffing J, Warnock DG.** Sodium and potassium handling by the aldosterone-sensitive distal nephron: the pivotal role of the distal and connecting tubule. *Am J Physiol Renal Physiol.* 2004 Oct;287(4):F593-601.
74. **Michimata M, Mizukami K, Suzuki M, Kazama I, Nakamura Y, Suzuki K, Yanagisawa T, Imai Y, Sasaki S, Matsubara M.** Vasopressin-independent renal urinary concentration: increased rBSC1 and enhanced countercurrent multiplication. *Kidney Int* 64(3). 933-938, 2003.
75. **Mo L, Zhu XH, Huang HY, Shapiro E, Hasty DL, Wu XR.** Ablation of the Tamm Horsfall protein gene increases susceptibility of mice to bladder colonization by type 1-fimbriated *Escherichia coli*. *Am J Physiol* 286: F795-F786, 2004
76. **Mo L, Huang HY, Zhu XH, Shapiro E, Hasty DL, Wu XR.** Tamm-Horsfall protein is a critical renal defense factor protecting against calcium oxalate crystal formation. *Kidney Int.* 2004 Sep;66(3):1159-66.
77. **Molony DA, Reeves WB, Hebert SC, Andreoli TE.** ADH increases apical Na⁺, K⁺, 2Cl⁻ entry in mouse medullary thick ascending limbs of Henle. *Am J Physiol.* 1987 Jan;252(1 Pt 2):F177-87.
78. **Morgan T, Berliner RW.** Permeability of the loop of Henle, vasa recta, and collecting duct to water, urea, and sodium. *Am J Physiol.* 1968 Jul;215(1):108-15.
79. **Muchmore AV, Decker JM.** Uromodulin: a unique 85-kilodalton immunosuppressive glycoprotein isolated from urine of pregnant women. *Science.* 1985 Aug 2;229(4712):479-81.

80. **Muchmore AV, Decker JM. Uromodulin.** An immunosuppressive 85-kilodalton glycoprotein isolated from human pregnancy urine is a high affinity ligand for recombinant interleukin 1 alpha. *J Biol Chem.* 1986 Oct 15;261(29):13404-7.
81. **Nielsen S, Kwon TH, Christensen BM, Promeneur D, Frokiaer J, Marples D.** Physiology and pathophysiology of renal aquaporins. *J Am Soc Nephrol.* 1999 Mar;10(3):647-63.
82. **Nielsen J, Kwon TH, Masilamani S, Beutler K, Hager H, Nielsen S, and Knepper MA.** Sodium transporter abundance profiling in kidney: effect of spironolactone. *Am J Physiol Renal Physiol* 283: F923-F933, 2002.
83. **Nielsen S, Maunsbach AB, Ecelbarger CA, and Knepper MA.** Ultrastructural localization of Na-K-2Cl cotransporter in thick ascending limb and macula densa of rat kidney. *Am J Physiol* 275: F885-F893, 1998.
84. **Nishimura H, Fan Z.** Regulation of water movement across vertebrate renal tubules. *Comparative Biochemistry and Physiology Part A* 136, 479-498, 2003.
85. **Obermüller N, Moser D, Kunchaparty S, Bernstein PL, Velázquez H, Ellison DH, and Bachmann S.** Expression of the thiazide sensitive Na/Cl cotransporter in rat and human kidney. *Am J Physiol* 269: F900-F910, 1995.
86. **Nusing RM, Treude A, Weissenberger C, Jensen B, Bek M, Wagner C, Narumiya S, Seyberth HW.** Dominant role of prostaglandin E2 EP4 receptor in furosemide-induced salt-losing tubulopathy: a model for hyperprostaglandin E syndrome/antenatal Bartter syndrome. *J Am Soc Nephrol.* 2005 Aug;16(8):2354-62. Epub 2005 Jun 23.
87. **Obermüller N, Kunchaparty S, Ellison DH, and Bachmann S.** Expression of the Na-K-2Cl-cotransporter by macula densa and thick ascending limb cells of rat and rabbit nephron. Rapid publication, *J Clin Invest* 98: 635-640, 1996.
88. **Pak J, Pu Y, Zhang ZT, Hasty DL, and Wu XR.** Tamm-Horsfall protein binds to type 1 fimbriated Escherichia coli and prevents E. coli from binding to uroplakin Ia and Ib receptors. *J Biol Chem* 276(13): 9924-9930, 2001.
89. **Payne JA and Forbush B, 3rd.** Alternatively spliced isoforms of the putative renal Na-K-Cl cotransporter are differentially distributed within the rabbit kidney. *Proc Natl Acad Sci U S A.* 1994 May 10; 91(10): 4544-4548.
90. **Pedersen PL, Carafoli E.** Ion motive ATPases. I. Ubiquity, properties and significance to cell function. *Trends Biol Sci* 12: 146-150, 1987
91. **Persson AE, Salomonsson M, Westerlund P, Greger R, Schlatter E, Gonzalez E.** Macula densa cell function. *Kidney Int Suppl.* 1991 Jun;32:S39-44.
92. **Peters M, Ermert S, Jeck N, Derst C, Pechmann U, Weber S, Schlingmann KP, Seyberth HW, Waldegger S, and Konrad M.** Classification and rescue of ROMK mutations underlying hyperprostaglandin E syndrome/antenatal Bartter syndrome. *Kidney Int* 64: 923-932, 2003.
93. **Pook MA, Jeremiah S, Scheinman SJ, Povey S, Thakker RV.** Localization of the Tamm-Horsfall glycoprotein (uromodulin) gene to chromosome 16p12.3-16p13.11. *Ann Hum Genet.* 1993 Oct;57 (Pt 4):285-90.
94. **Preston GM, Agre P.** Isolation of the cDNA for erythrocyte integral membrane protein of 28 kilodaltons: member of an ancient channel family. *Proc Natl Acad Sci U S A.* 1991 Dec 15;88(24):11110-4.
95. **Preston GM, Carroll TP, Guggino WB, Agre P.** Appearance of water channels in Xenopus oocytes expressing red cell CHIP28 protein. *Science.* 1992 Apr 17;256(5055):385-7.

96. **Quaggin SE, Payne JA, Forbush B 3rd, Igarashi P.** Localization of the renal Na-K-Cl cotransporter gene (Slc12a1) on mouse chromosome 2. *Mamm Genome*. 1995 Aug;6(8):557-8.
97. **Rampoldi L, Caridi G, Santon D, Boaretto F, Bernascone I, Lamorte G, Tardanico R, Dagnino M, Colussi G, Scolari F, Ghiggeri GM, Amoroso A, and Casari G.** Allelism of MCKD, FJHN and GCKD caused by impairment of uromodulin export dynamics. *Hum Mol Genet* 15 (24): 3369-3384, 2003.
98. **Rasch R, Torffvit O, Bachmann S, Jensen PK, and Jacobsen NO.** Tamm-Horsfall glycoprotein in streptozotocin diabetic rats: a study of kidney in situ hybridization, immunohistochemistry, and urinary excretion. *Diabetologia* 38(5): 525-535, 1995.
99. **Reinalter SC, Jeck N, Brochhausen C, Watzer B, Nüsing RM, Seyberth HW, Kömhoff M.** Role of cyclooxygenase-2 in hyperprostaglandin E syndrome/antenatal Bartter syndrome. *Kidney International* 62 (2002), pp 253-260.
100. **Rocha AS, Kokko JP.** Sodium chloride and water transport in the medullary thick ascending limb of Henle. Evidence for active chloride transport. *J Clin Invest*. 1973 Mar;52(3):612-23.
101. **Rotin D, Kanelis V, and Schild L.** Trafficking and cell surface stability of ENaC. *Am J Physiol* 281(3): F391-F399, 2001.
102. **Saemann MD, Weichhart T, Zeyda M, Staffler G, Schunn M, Stuhlmeier KM, Sobanov Y, Stulnig TM, Akira S, von Gabain A, von Ahnen U, Horl WH, Zlabinger GJ.** Tamm-Horsfall glycoprotein links innate immune cell activation with adaptive immunity via a Toll-like receptor-4-dependent mechanism. *J Clin Invest*. 2005 Feb;115(2):468-75.
103. **Sanders PW, Booker BB, Bishop JB, Cheung HC.** Mechanisms of intranephronal proteinaceous cast formation by low molecular weight proteins. *J Clin Invest* 85(2): 570-576, 1990.
104. **Sanders PW, Booker BB.** Pathobiology of cast nephropathy from human Bence Jones proteins. *J Clin Invest* 89:630-639, 1992.
105. **Sands JM, Kokko JP.** Current concepts of the countercurrent multiplication system. *Kidney Int Suppl*. 1996 Dec;57:S93-9.
106. **Satlin LM, Sheng S, Woda CB, and Kleyman TR.** Epithelial Na⁺ channels are regulated by flow. *Am J Physiol Renal Physiol* 280: F1010-F1018, 2001.
107. **Sato K, Oguchi H, Yoshie T, and Toshihiko K.** Tubulointerstitial nephritis induced by Tamm-Horsfall protein sensitization in guinea pigs. *Virchows Archiv B Cell Pathol* 58: 357-363, 1990.
108. **Schmitt R, Ellison DH, Klussmann E, and Bachmann S.** Renal expression of sodium transporters and aquaporin-2 in hypothyroid rats. *Am J Physiol* 284: F1097-F1104, 2003.
109. **Schmitt R, Kahl T, Mutig K, and Bachmann S.** Selectively reduced expression of thick ascending limb Tamm-Horsfall protein in hypothyroid kidneys. *Histochemistry and Cell Biology*, in press
110. **Schnermann J, Traynor T, Yang T, Arend L, Huang YG, Smart A, Briggs JP.** Tubuloglomerular feedback: new concepts and developments. *Kidney Int Suppl*. 1998 Sep;67:S40-5.
111. **Schnermann J.** Juxtaglomerular cell complex in the regulation of renal salt excretion. *Am J Physiol*. 1998 Feb;274(2 Pt 2):R263-79.

112. **Schnermann J.** The juxtaglomerular apparatus: from anatomical peculiarity to physiological relevance. *J Am Soc Nephrol* 14(6): 1681-1694, 2003.
113. **Schröter J, Timmermans G, Seyberth HJ, Greven J, and Bachmann S.** Marked reduction of Tamm-Horsfall protein expression and urinary excretion in hyperprostaglandin E-syndrome. *Kidney Int* 44: 401-410, 1993.
114. **Serafini-Cessi F, Malagolini N, and Cavallone D.** Tamm-Horsfall glycoprotein: biology and clinical relevance. *Am J Kidney Dis* 42(4): 658-676, 2003.
115. **Shlyonsky VG, Mies F, Sariban-Sohraby S.** Epithelial sodium channel activity in detergent-resistant membrane microdomains. *Am J Physiol* 284(1): F182-F188, 2003.
116. **Sikri KL, Foster CL, MacHugh N, Marshall RD.** Localization of Tamm-Horsfall glycoprotein in the human kidney using immuno-fluorescence and immuno-electron microscopical techniques. *J Anat.* 1981 Jun;132(Pt 4):597-605.
117. **Simon DB, Karet FE, Hamdan JM, Di Pietro A, Sanjad SA, Lifton RP.** Bartter's syndrome, hypokalemic alkalosis with hypercalciuria, is caused by mutations in the Na-K-2Cl cotransporter NKCC2. *Nature Genet.* 13: 183-188, 1996.
118. **Simon DB, Lu Y, Choate KA, Velázquez H, Al-Sabban E, Praga M, Casari G, Bettinelli A, Colussi G, Rodriguez-Soriano J, McCredie D, Milford D, Sanjad S, Lifton RP.** Paracellin-1, a renal tight junction protein required for paracellular Mg²⁺ resorption. *Science* 285: 103-106, 1999.
119. **Simons K, Toomre D.** Lipid rafts and signal transduction. *Nature Reviews Molecular Cell Biology* 1: 31–39, 2000.
120. **Simons M, Schwarz K, Kriz W, Miettinen A, Reiser J, Mundel P, Holthöfer, H.** Involvement of lipid rafts in nephrin phosphorylation and organization of the glomerular slit diaphragm. *Am J Pathol* 159: 1069-1077, 2001
121. **Stephenson JL.** Concentration of urine in a central core model of the renal counterflow system. *Kidney Int* 2:85-94,1972.
122. **Takahashi N, Chernavvsky DR, Gomez RA, Igarashi P, Gitelman HJ, and Smithies O.** Uncompensated polyuria in a mouse model of Bartter's syndrome. *Proc Nat Acad Sci USA* 97: 5434-5439, 2000.
123. **Torffvit O, Kamper AL, Strandgaard S.** Tamm-Horsfall protein in urine after uninephrectomy/transplantation in kidney donors and their recipients. *Scand J Urol Nephrol.* 1997 Dec;31(6):555-9.
124. **Traynor TR, Smart A, Briggs JP, and Schnermann J.** Inhibition of macula densa-stimulated renin secretion by pharmacological blockade of cyclooxygenase-2. *Am J Physiol* 277: F706–F710, 1999.
125. **Tsai CY, Wu TH, Yu CL, Lu JY, and Tsai YY.** Increased excretions of beta2-microglobulin, IL-6, and IL-8 and decreased excretion of Tamm-Horsfall glycoprotein in urine of patients with active lupus nephritis. *Nephron* 85(3): 207-214, 2000.
126. **Vorum H, Kwon TH, Fulton C, Simonsen B, Choi I, Boron W, Maunsbach AB, Nielsen S, Aalkjær C.** Immunolocalization of electroneutral Na-HCO₃ cotransporter in rat kidney. *Am J Physiol* 279: F901-F909, 2000.

127. **Wolf K, Castrop H, Riegger GA, Kurtz A, Kramer BK.** Differential gene regulation of renal salt entry pathways by salt load in the distal nephron of the rat. *Pflugers Arch.* 2001 Jul;442(4):498-504.
128. **Wolf TF, Mucha BE, Attanasio M, Zalewski I, Karle SM, Neumann HPH, Rahman N, Bader B, Baldamus CA, Otto E, Witzgall R, Fuchshuber A, and Hildebrandt F.** Mutations of the *Uromodulin* gene in MCKD type 2 patients cluster in exon 4, which encodes three EGF-like domains. *Kidney Int* 64: 1580-1587, 2003.
129. **Wu X, Wakamiya M, Vaishnav S, Geske R, Montgomery C Jr, Jones P, Bradley A, Caskey CT.** Hyperuricemia and urate nephropathy in urate oxidase-deficient mice. *Proc Natl Acad Sci U S A.* 1994 Jan 18;91(2):742-6.
130. **Yang T, Singh I, Pham H, Sun D, Smart A, Schnermann JB, and Briggs JP.** Regulation of cyclooxygenase expression in the kidney by dietary salt intake. *Am J Physiol* 274: F481-F489, 1998.
131. **Ying WZ and Sanders PW.** Dietary salt regulates expression of Tamm-Horsfall glycoprotein in rats. *Kidney Int* 54(4): 1150-1156, 1998.
132. **Ying WZ and Sanders PW.** Mapping the binding domain of immunoglobulin light chains for Tamm-Horsfall protein. *Am J Pathol* 158: 1859-1866, 2001.
133. **Yu H, Papa F, Sukhatme VP.** Bovine and rodent tamm-horsfall protein (THP) genes: cloning, structural analysis, and promoter identification. *Gene Expr.* 1994;4(1-2):63-75.
134. **Zager RA, Cotran RS, Hoyer JR.** Pathologic localization of Tamm Horsfall protein in interstitial deposits in renal disease. *Lab Invest* 38:52-57, 1978.
135. **Zimmerhackl LB.** Evaluation of nephrotoxicity with renal antigens in children: role of Tamm-Horsfall protein. *Eur J Clin Pharmacol* 44 (Suppl 1):S39-S42, 1993.