

## 9 LITERATURVERZEICHNIS

- Baatz G, Göbel P, Heidrich J, Krause A, Priem S, Schein E, Schönberg A, Steuber S:** Die kanine Borreliose – das klinische Bild. Tierärztl Prax 28 (K): 156-163, 2000
- Barbour AG, Hayes SF:** Biology of *Borrelia* species. Microbiological reviews 50 (4): 381-400, 1986
- Burgdorfer W, Barbour AG, Hayes SF, Benach JL, Grunwaldt E, Davis JP:** Lyme disease: A tick-born spirochetosis? Science 216 (6): 1317-1319, 1982
- Burgdorfer W, Schwan T.G:** *Borrelia*. Manual of clinical microbiology: 560-566, 1991
- Burgess EC, Gendron-Fitzpatrick A, Wright WO:** Arthritis and systemic disease caused by *Borrelia burgdorferi* infection in a cow. J Am Vet Med Assoc 191: 1468-1470, 1987
- Burgess EC, Gillette D, Pickett JP:** Arthritis and panuveitis as manifestations of *Borrelia burgdorferi* infection in a Wisconsin pony. J Am Vet Med Assoc 189: 1340-1342, 1986
- Burgess EC, Mattison M:** Encephalitis associated with *Borrelia burgdorferi* in a horse. J Am Vet Med Assoc 191: 1457-1458, 1987
- Burmester GR, Krause A:** Lyme Borreliose. Thieme 2000
- Burmester GR, Ullrichs T:** Rheumatologie aus erster Hand, Novartis 2000
- Coleman JL, Roemer EJ, Benach JL:** Plasmin-coated *Borrelia burgdorferi* degrades soluble and insoluble components of the mammalian extracellular matrix. Infect. Immun. 68: 3929-36, 1999
- Curran S, Murray GI:** Matrix metalloproteinases: molecular aspects of their roles in tumour invasion and metastasis. Eur. J. Cancer 36: 1621-1630, 2000
- Dayer JM:** Interleukin-18, rheumatoid arthritis, and tissue destruction, J Clin Invest 104 (10): 1337-39, 1999
- Defosse DL, Johnson RC:** In vitro and in vivo induction of tumor necrosis factor alpha by *Borrelia burgdorferi*. Infect Immun 60 (3): 1109-13, 1992
- Dinarello CA:** Biological basis for IL-1 in disease. Blood 87: 2095, 1996
- Dinarello CA:** Interleukin-18. Methods 19: 121-132, 1999

**Franz JK, Fritze O, Rittig M, Keysser G, Priem S, Zacher J, Burmester GR, Krause A:** Insights from a novel three-dimensional *in vitro* model of Lyme arthritis: standardized analysis of cellular and molecular interactions between *Borrelia burgdorferi* and synovial explants and fibroblasts. Arthr Rheum 44 (1): 151-62, 2001

**Fraser CM, Casjens S Huang WM, Sutton GG, Clayton R, Lathigra R, White O, Ketchum KA, Dodson R, Hickey EK, Gwinn M, Dougherty B, Tomb JF, Fleischmann RD, Richardson D, Peterson J, Kerlavage AR, Quackenbush J, Salzberg S, Hanson M, van Vugt R, Palmer N, Adams MD, Gocayne J, Venter JC:** Genomic sequence of a Lyme disease spirochaete, *Borrelia burgdorferi*. Nature. 390 (6660): 580-586, 1997

**Fritze O:** Entwicklung eines *in vitro* Modells der Lyme Arthritis; Etablierung dreidimensionaler Gewebekulturen zur Untersuchung der Interaktion von *Borrelia burgdorferi* und humanen Synoviozyten. Diplomarbeit TU Berlin, 1999

**Fuchs HW, Wallich R, Simon MM, Kramer MD:** The outer surface protein A of the spirochete *Borrelia burgdorferi* is a plasmin(ogen) receptor. Proc Natl Acad Sci USA 91: 12594-12598, 1994

**Gebbia JA, Coleman JL, Benach JL:** *Borrelia* spirochetes upregulate release and activation of matrix metalloproteinase Gelatinase B (MMP-9) and Collagenase 1 (MMP-1) in human cells. Inf Immun (69): 456-62, 2001

**Gibson MD, Young CR, Omran MT, Edwards J, Palma K, Russel L, Rawlings J:** *Borrelia burgdorferi* infections in cats. J Am Vet Med Assoc 202: 1786, 1993

**Girschick HJ, Huppertz HI, Russmann H, Krenn V, Karch H:** Intracellular persistence of *Borrelia burgdorferi* in human synovial cells. Rheumatol Int. 16 (3): 125-32, 1996

**Grab DJ, Kennedy R, Philipp MT:** *Borrelia burgdorferi* possesses a collagenolytic activity. FEMS Microbiology letters 144: 39-45, 1996

**Gracie JA, Forsey RJ, Chan WL, Gilmour A, Leung B, Greer MR, Kennedy K, Carter R, Wie XQ, Xu D, Field M, Foulis A, Liew FY, McInnes IB:** A proinflammatory role for IL-18 in rheumatoid arthritis. Journal of clinical investigation 104 (10): 1393-1401, 1999

**Gross DM, Forsthuber T, Tary-Lehmann M, Etling C, Ito K, Nagy ZA, Field JA, Steere AC, Hubert BT:** Identification of LFA-1 as a candidate autoantigen in treatment resistant Lyme arthritis. Science 281: 703-706, 1998

**Hu LT, Eskildsen MA, Masgala C, Steere AC, Arner EC, Pratta MA, Grodzinsky AJ, Loening A, Perides G:** Host metalloproteinases in Lyme Arthritis, Arthr Rheum 44(6): 1401-10, 2001

**Kamradt T, Krause A, Priem S, Burmester GR:** Die Lyme-Arthritis. Deutsches Ärzteblatt 95 (5): C-178-185, 1998

**Kelly R:** Cultivation of *Borrelia hermsi*. Science 173: 443-44, 1971

**Keyszer G, Lambiri I, Keysser M, Keysser C, Nagel R, Burmester GR, Jung K:** Matrix metalloproteinases, but not cathepsins B, H, and L or their inhibitors in peripheral blood of patients with rheumatoid arthritis are potentially useful markers of disease activity. Z Rheumatol 57 (6): 392-398, 1998

**Keyszer G, Lambiri I, Nagel R, Keysser C, Keysser M, Gromnica-Ihle E, Franz J, Burmester GR, Jung K:** Circulating levels of matrix metalloproteinases MMP-3 and MMP-1, tissue inhibitor of metalloproteinases 1 (TIMP-1), and MMP-1/TIMP-1 complex in rheumatic disease. Correlation with clinical activity of rheumatoid arthritis versus other surrogate markers. J Rheumatol 26 (2): 251-258, 1999

**Kirchner A, Koedel U, Fingerle V, Paul R, Wilske B, Pfister HW:** Upregulation of matrix-metalloproteinase-9 in the cerebrospinal fluid of patients with acute Lyme neuroborreliosis. J Neurol Neurosurg Psychiatry 68: 368-371, 2000

**Lengl-Janßen B, Strauss AF, Steere AC, Kamradt T:** The T helper cell response in Lyme arthritis: Differential recognition of *Borrelia burgdorferi* outer surface protein A (OspA) in patients with treatment-resistant or treatment-responsive Lyme arthritis. J Exp Med 180: 2069-2078, 1994

**Liebisch G, Assmann G, Liebisch A:** Infection with *Borrelia burgdorferi sensu lato* causes disease in horses in Germany. Prakt Tierarzt 80 (6): 498, 1999

**Lin B, Kidder JM, Noring R, Steere AC, Klempner MS, Hu LT:** Differences in synovial fluid levels of Matrix Metalloproteinases suggest separate mechanisms of pathogenesis in Lyme Arthritis before and after antibiotic treatment. J Infect Dis 184: 174-180, 2001

**Lissmann BA, Bosler EM, Camay H, Ormiston BG, Benach JL:** Spirochaete associated arthritis (Lyme disease) in a dog. J Am Vet Med Assoc 3: 138-144, 1984

**Lottenberg R, Minnig-Wenz D, Boyle MDP:** Capturing host plasmin(ogen): a common mechanism for invasive pathogens? Trends in Microbiol 22 (2): 20-24, 1994

**Madigan J:** Lyme disease in horses. Large Animal Veterinarian 4: 22-25, 1993

**Magnarelli LA; Anderson JF; Schreier AB, Ficke CM:** Clinical and serological studies of canine borrellosis. J Am Vet Med Assoc 191: 1089-1094, 1987

**McInnes IB, Liew FY:** Nitric oxide and immune response. Nitric oxide and bone disease 8-20, 1998

**McInnes IB, Gracie JA, Leung BP, Wei XQ, Liew FY:** Interleukin-18: a pleiotropic participant in chronic inflammation. Trends Immunology today, 2000

**Nagase H:** Zink metalloproteinases in Health and Disease. 153-204, Taylor & Francis, London, 1996

**Norris SJ, Howell JK, Garza SA, Ferdows MS, Barbour AG:** High- and low-infectivity phenotypes of clonal populations of in vitro-cultured *Borrelia burgdorferi*. Infect Immun 63 (6): 2206-12, 1995

**Ohtsuki T, Kicallef M:** Anticancer Res. 17: 3253-3258, 1997

**Okamura H, Tsutsi H, Komatsu T, Yutsudo M, Hakura A, Tanimoto T, Torigoe K, Okura T, Nukada Y, Hattori K:** Cloning a new cytokine that induces IFN- $\gamma$  production by T-Cells. Nature 378: 88-91, 1995

**Olee T, Hashimoto S, Quach J, Lotz M:** IL-18 is produced by articular chondrocytes and induces proinflammatory and catabolic responses. J Imm.: 1096-1100, 1999

**O'Neill LA, Greene C:** Signal transduction pathways activated by the IL-1 receptor family: ancient signaling machinery in mammals, insects and plants. J Leukoc Biol 63 (6): 650-657, 1998

**Perides G, Charness ME, Tanner LM, Péter O, Satz N, Steere AC, Klempner MS:** Matrix metalloproteinases in the cerebrospinal fluid of patients with Lyme Neuroborreliosis. J Inf Dis 177: 401-408, 1998

**Perides G, Tanner-Brown LM, Eskildsen MA, Klempner MS:** Borrelia burgdorferi induces matrix metalloproteinases by neural cultures. J Neurosci Res 58 (6): 779-790, 1999

**Piesmann J, Mather TN, Sinsky RJ, Spielmann A:** Duration of tick attachment and *Borrelia burgdorferi* transmission. J Clin Microbiol: 557-558, 1987

**Piesmann J, Maupin GO, Campos GE, Happ CM:** Duration of adult female *Ixodes dammini* attachment and transmission of *Borrelia burgdorferi*, with description of a needle aspiration isolation method. J Infect Dis. 163 (4): 895-897, 1991

**Priem S, Burmester GR, Kamradt T, Wolbart K, Rittig MG, Krause A:** Detection of *Borrelia burgdorferi* by polymerase chain reaction in synovial membrane, but not in synovial fluid from patients with persisting Lyme arthritis after antibiotic treatment. Ann Rheum Dis 57: 118-121, 1998

**Priem S, Franz J, Krause A:** Ätiologie und Pathogenese bakteriell bedingter Arthritiden. Internist 40: 936-944, 1999

**Priem S, Rittig MG, Kamradt T, Burmester GR, Krause A:** An optimized PCR leads to rapid and highly sensitive detection of *Borrelia burgdorferi* in patients with Lyme borreliosis. J Clin Microbiol 35 (3): 685-690, 1997

**Puren AJ, Fantuzzi G, Gu Y, Su M, Dinarello CA:** J Clin. Invest 101: 711-724, 1998

**Rauber A, Kopsch F:** Anatomie des Menschen. Bd.1: Bewegungsapparat: 104-108, Thieme, 1998

**Rittig MG, Krause A, Haupl T, Schaible UE, Modolell M, Kramer MD, Lutjen Drecoll E, Simon MM, Burmester GR:** Coiling phagocytosis is the preferential phagocytic mechanism for *Borrelia burgdorferi*. Infect Immun 60 (10): 4205-4212, 1992

**Rittig MG, Kuhn KH, Dechant CA, Gauckler A, Modolell M, Ricciardi-Castagnoli P, Krause A, Burmester GR:** Phagocytes from both vertebrate and invertebrate species use „coiling“ phagocytosis. Developm and Comparative Immunology 20 (6): 393-406, 1996

**Rosa PA, Schwan TG:** A specific and sensitive assay for the Lyme disease spirochete *Borrelia burgdorferi* using the polymerase chain reaction. J Inf Dis. 160 (6): 1018-29, 1989

**Sigal LH:** Lyme disease: A review of aspects of its immunology and immunopathogenesis. Annu Rev Immunol 15: 63-92, 1997

**Sprenger H, Krause A, Kaufmann A, Priem S, Fabian D, Burmester GR, Gemsa D, Rittig MG:** *Borrelia burgdorferi* induces chemokines in human monocytes. Infect Immun 65 (11): 4384-4388, 1997

**Steere AC:** Medical progress: Lyme Disease. N Engl J Med 321 (9): 586-596, 1989

**Stoenner HG:** Biology of *Borrelia hermsi* in Kelly medium. Appl Microbiol 28: 540-543, 1974

**Straubinger RK, Straubinger AF, Summers BA, Erb HN, Härter L, Appel MJ:** *Borrelia burgdorferi* induces the production and release of proinflammatory cytokines in canine synovial explant cultures. Infect Immun. 66 (1):247-258,1998

**Takeda K, Tsutsui H, Yoshimoto T, Adachi O, Yoshida N, Kishimoto T, Okamura H, Nakanishi K, Akira S:** Immunity 8: 383-390, 1998

**van Dam AP, Kuiper H, Vos K, Widjojokusumo A, de Jongh BM, Spanjaard L, Ramselaar AC, Kramer MD, Dankert J:** Different genospecies of *Borrelia burgdorferi* are associated with distinct clinical manifestations of Lyme borreliosis. Clin Infect Dis 17 (4): 708-717, 1993

**Yin Z, Braun J, Neure L, Wu P, Eggens U, Krause A, Kamradt T, Sieper J:** T cell cytokine pattern in the joints of patients with Lyme arthritis and its regulation by cytokines and anticytokines. Arthr Rheum 40 (1): 69-79, 1997

**Yoshihara Y, Nakamura H, Obata K, Yamada H, Hayakawa T, Fujikawa K, Okada Y:** MMPs and TIMPs in synovial fluids from patients with rheumatoid arthritis or osteoarthritis. Ann Rheum Dis 59: 455-461, 2000