

6. Literatur

- Abraham, G. und Colonno, R. J. (1988). "Characterization of human rhinoviruses displaced by an anti-receptor monoclonal antibody." *J Virol* 62(7): 2300-6.
- Akiyama, H., Kawamata, T., Yamada, T., Tooyama, I., Ishii, T. und McGeer, P. L. (1993). "Expression of intercellular adhesion molecule (ICAM)-1 by a subset of astrocytes in Alzheimer disease and some other degenerative neurological disorders." *Acta Neuropathol (Berl)* 85(6): 628-34.
- Aloisi, F., Borsellino, G., Samoggia, P., Testa, U., Chelucci, C., Russo, G., Peschle, C. und Levi, G. (1992). "Astrocyte cultures from human embryonic brain: characterization and modulation of surface molecules by inflammatory cytokines." *J Neurosci Res* 32(4): 494-506.
- Altieri, D. C., Duperray, A., Plescia, J., Thornton, G. B. und Languino, L. R. (1995). "Structural recognition of a novel fibrinogen gamma chain sequence (117-133) by intercellular adhesion molecule-1 mediates leukocyte-endothelium interaction." *J Biol Chem* 270(2): 696-9.
- Arii, S. und Imamura, M. (1995). "Liver transplantation and hepatic sinusoidal cells." *J Gastroenterol Hepatol* 10 Suppl 1: S92-6.
- Arnold, E. und Rossmann, M. G. (1990). "Analysis of the structure of a common cold virus, human rhinovirus 14, refined at a resolution of 3.0 Å." *J Mol Biol* 211(4): 763-801.
- Bachert, C. und Ganzer, U. (1993). "[The role of pro-inflammatory cytokines in recruiting inflammatory cells in the nose]." *Laryngorhinootologie* 72(12): 585-9.
- Bagnasco, M., Pesce, G., Prozato, C. und Canonica, G. W. (1990). "Functional involvement of the LFA-1/ICAM-1 adhesion system in the autologous mixed lymphocyte reaction." *Cell Immunol* 128(2): 362-9.
- Baltimore, D., Eggers, H. J., Franklin, R. M. und Tamm, I. (1963). "Poliovirus-induced RNA polymerase and the effects of virus-specific inhibitors on its production." *Proc. Natl. Acad. Sci. USA* 49: 362-9.
- Banner, B. F., Savas, L. und Woda, B. A. (1995). "Expression of adhesion molecules in the host response to colon carcinoma." *Ultrastruct Pathol* 19(2): 113-8.
- Barbeau, B., Fortin, J. F., Genois, N. und Tremblay, M. J. (1998). "Modulation of human immunodeficiency virus type 1-induced syncytium formation by the conformational state of LFA-1 determined by a new luciferase-based syncytium quantitative assay." *J Virol* 72(9): 7125-36.

- Barker, J. N., Allen, M. H. und MacDonald, D. M. (1989). "The effect of in vivo interferon-gamma on the distribution of LFA-1 and ICAM-1 in normal human skin." *J Invest Dermatol* 93(4): 439-42.
- Barnert, R. H., Zeichhardt, H. und Habermehl, K. O. (1991). "A rapid and sensitive micro scale assay for quantitative detection of cell protective effects: application for the isolation of a monoclonal antibody against HeLa cell proteins involved in poliovirus attachment." *J Virol Methods* 35(1): 1-14.
- Barnert, R. H., Zeichhardt, H. und Habermehl, K. O. (1992). "Identification of 50- and 23-/25-kDa HeLa cell membrane glycoproteins involved in poliovirus infection: occurrence of poliovirus specific binding sites on susceptible and nonsusceptible cells." *Virology* 186(2): 533-42.
- Barton, R. W., Rothlein, R., Ksiazek, J. und Kennedy, C. (1989). "The effect of anti-intercellular adhesion molecule-1 on phorbol-ester-induced rabbit lung inflammation." *J Immunol* 143(4): 1278-82.
- Bayer, N., Prchla, E., Schwab, M., Blaas, D. und Fuchs, R. (1999). "Human rhinovirus HRV14 uncoats from early endosomes in the presence of bafilomycin." *FEBS Lett* 463(1-2): 175-8.
- Bella, J., Kolatkar, P. R., Marlor, C. W., Greve, J. M. und Rossmann, M. G. (1999). "The structure of the two amino-terminal domains of human intercellular adhesion molecule-1 suggests how it functions as a rhinovirus receptor." *Virus Res* 62(2): 107-17.
- Belsham, G. J. und Sonenberg, N. (1996). "RNA-protein interactions in regulation of picornavirus RNA translation." *Microbiol Rev* 60(3): 499-511.
- Bendall, L. J., Kortlepel, K. und Gottlieb, D. J. (1995). "GM-CSF enhances IL-2-activated natural killer cell lysis of clonogenic AML cells by upregulating target cell expression of ICAM-1." *Leukemia* 9(4): 677-84.
- Berendt, A. R., McDowall, A., Craig, A. G., Bates, P. A., Sternberg, M. J., Marsh, K., Newbold, C. I. und Hogg, N. (1992). "The binding site on ICAM-1 for Plasmodium falciparum-infected erythrocytes overlaps, but is distinct from, the LFA-1-binding site." *Cell* 68(1): 71-81.
- Bergelson, J. M., Chan, M., Solomon, K. R., St John, N. F., Lin, H. und Finberg, R. W. (1994). "Decay-accelerating factor (CD55), a glycosylphosphatidylinositol-anchored complement regulatory protein, is a receptor for several echoviruses." *Proc Natl Acad Sci U S A* 91(13): 6245-9.
- Bergelson, J. M., Modlin, J. F., Wieland-Alter, W., Cunningham, J. A., Crowell, R. L. und Finberg, R. W. (1997). "Clinical coxsackievirus B isolates differ from laboratory strains in their interaction with two cell surface receptors." *J Infect Dis* 175(3): 697-700.

- Bergelson, J. M., Shepley, M. P., Chan, B. M., Hemler, M. E. und Finberg, R. W. (1992). "Identification of the integrin VLA-2 as a receptor for echovirus 1." *Science* 255(5052): 1718-20.
- Bienz, K., Egger, D., Rasser, Y. und Bossart, W. (1983). "Intracellular distribution of poliovirus proteins and the induction of virus-specific cytoplasmic structures." *Virology* 131(1): 39-48.
- Bjorck, P., Paulie, S. und Axelsson, B. (1992). "Interleukin-4-mediated aggregation of anti-IgM-stimulated human B cells: inhibition of aggregation but enhancement of proliferation by antibodies to LFA-1." *Immunology* 75(1): 122-8.
- Borman, A. und Jackson, R. J. (1992). "Initiation of translation of human rhinovirus RNA: mapping the internal ribosome entry site." *Virology* 188(2): 685-96.
- Borman, A. M., Bailly, J. L., Girard, M. und Kean, K. M. (1995). "Picornavirus internal ribosome entry segments: comparison of translation efficiency and the requirements for optimal internal initiation of translation in vitro." *Nucleic Acids Res* 23(18): 3656-63.
- Borman, A. M., Le Mercier, P., Girard, M. und Kean, K. M. (1997). "Comparison of picornaviral IRES-driven internal initiation of translation in cultured cells of different origins." *Nucleic Acids Res* 25(5): 925-32.
- Bumgardner, G. L., Li, J., Heininger, M. und Orosz, C. G. (1998). "Efficacy of anti-intercellular adhesion molecule-1 immunotherapy on immune responses to allogeneic hepatocytes in mice." *Hepatology* 28(4): 1005-12.
- Callahan, P. L., Mizutani, S. und Colonno, R. J. (1985). "Molecular cloning and complete sequence determination of RNA genome of human rhinovirus type 14." *Proc Natl Acad Sci U S A* 82(3): 732-6.
- Cannella, B. und Raine, C. S. (1995). "The adhesion molecule and cytokine profile of multiple sclerosis lesions." *Ann Neurol* 37(4): 424-35.
- Carrillo, E. C., Giachetti, C. und Campos, R. H. (1984). "Effect of lysosomotropic agents on the foot-and-mouth disease virus replication." *Virology* 135(2): 542-5.
- Carson, M. (1987). "Ribbon models of macromolecules." *J Mol Graphics* 5: 103-106.
- Casasnovas, J. M. und Springer, T. A. (1994). "Pathway of rhinovirus disruption by soluble intercellular adhesion molecule 1 (ICAM-1): an intermediate in which ICAM-1 is bound and RNA is released." *J Virol* 68(9): 5882-9.
- Chong, A. S., Boussy, I. A., Graf, L. H. und Scuderi, P. (1992). "Stimulation of IFN-gamma, TNF-alpha, and TNF-beta secretion in IL-2-activated T cells: costimulatory roles for LFA-1, LFA-2, CD44, and CD45 molecules." *Cell Immunol* 144(1): 69-79.

- Colonno, R. J., Callahan, P. L. und Long, W. J. (1986). "Isolation of a monoclonal antibody that blocks attachment of the major group of human rhinoviruses." *J Virol* 57(1): 7-12.
- Couch, R. B. (1996). Rhinoviruses. in "Virology". (Fields, B. N., Knipe, D. M., Chanock, R. M., Hirsch, M. S., Melnick, J. L., Monath, T. P. und Roizman, B., Raven Press, 709-29.
- Curry, S., Chow, M. und Hogle, J. M. (1996). "The poliovirus 135S particle is infectious." *J Virol* 70(10): 7125-31.
- Dalakas, M. C. (1995). "Basic aspects of neuroimmunology as they relate to immunotherapeutic targets: present and future prospects." *Ann Neurol* 37 Suppl 1: S2-13.
- Dales, S., Eggers, H. J., Tamm, I. und Palade, G. E. (1965). "Electron microscopic study of the formation of poliovirus." *Virology* 26: 379-89.
- Dennis, R. F., Siemasko, K. F., Tang, Q., Hendricks, R. L. und Finnegan, A. (1995). "Involvement of LFA-1 and ICAM-1 in the herpetic disease resulting from HSV-1 corneal infection." *Curr Eye Res* 14(1): 55-62.
- Diamond, M. S., Garcia-Aguilar, J., Bickford, J. K., Corbi, A. L. und Springer, T. A. (1993). "The I domain is a major recognition site on the leukocyte integrin Mac-1 (CD11b/CD18) for four distinct adhesion ligands." *J Cell Biol* 120(4): 1031-43.
- Dietrich, J., Hou, X., Wegener, A. M. und Geisler, C. (1994). "CD3 gamma contains a phosphoserine-dependent di-leucine motif involved in down-regulation of the T cell receptor." *Embo J* 13(9): 2156-66.
- Dohlsten, M., Hedlund, G., Lando, P. A., Trowsdale, J., Altmann, D., Patarroyo, M., Fischer, H. und Kalland, T. (1991). "Role of the adhesion molecule ICAM-1 (CD54) in staphylococcal enterotoxin-mediated cytotoxicity." *Eur J Immunol* 21(1): 131-5.
- Dulbecco, R. (1952). "Production of plaques in monolayer tissue cultures by single particles of animal virus." *Proc. Natl. Acad. Sci. USA* 38: 747-52.
- Dustin, M. L., Rothlein, R., Bhan, A. K., Dinarello, C. A. und Springer, T. A. (1986). "Induction by IL 1 and interferon-gamma: tissue distribution, biochemistry, and function of a natural adherence molecule (ICAM-1)." *J Immunol* 137(1): 245-54.
- Evans, D. M., Dunn, G., Minor, P. D., Schild, G. C., Cann, A. J., Stanway, G., Almond, J. W., Currey, K. und Maizel, J. V., Jr. (1985). "Increased neurovirulence associated with a single nucleotide change in a noncoding region of the Sabin type 3 poliovaccine genome." *Nature* 314(6011): 548-50.
- Flore, O., Fricks, C. E., Filman, D. J. und Hogle, J. (1990). "Conformational changes in poliovirus assembly and cell entry." *Semin. Virol.*(1): 429-33.

- Fotiadis, C., Kilpatrick, D. R. und Lipton, H. L. (1991). "Comparison of the binding characteristics to BHK-21 cells of viruses representing the two Theiler's virus neurovirulence groups." *Virology* 182(1): 365-70.
- Fricks, C. E. und Hogle, J. M. (1990). "Cell-induced conformational change in poliovirus: externalization of the amino terminus of VP1 is responsible for liposome binding." *J Virol* 64(5): 1934-45.
- Galy, A. H. und Spits, H. (1991). "IL-1, IL-4, and IFN-gamma differentially regulate cytokine production and cell surface molecule expression in cultured human thymic epithelial cells." *J Immunol* 147(11): 3823-30.
- Gern, J. E., Dick, E. C., Lee, W. M., Murray, S., Meyer, K., Handzel, Z. T. und Busse, W. W. (1996). "Rhinovirus enters but does not replicate inside monocytes and airway macrophages." *J Immunol* 156(2): 621-7.
- Ghazi, F., Hughes, P. J., Hyypia, T. und Stanway, G. (1998). "Molecular analysis of human parechovirus type 2 (formerly echovirus 23)." *J Gen Virol* 79 (Pt 11): 2641-50.
- Gorczyński, R. M. und Wojcik, D. (1994). "A role for nonspecific (cyclosporin A) or specific (monoclonal antibodies to ICAM-1, LFA-1, and IL-10) immunomodulation in the prolongation of skin allografts after antigen-specific pretransplant immunization or transfusion." *J Immunol* 152(4): 2011-9.
- Greenwood, J., Wang, Y. und Calder, V. L. (1995). "Lymphocyte adhesion and transendothelial migration in the central nervous system: the role of LFA-1, ICAM-1, VLA-4 and VCAM-1. off." *Immunology* 86(3): 408-15.
- Greicius, G., Tamosiunas, V. und Severinson, E. (1998). "Assessment of the role of leucocyte function-associated antigen-1 in homotypic adhesion of activated B lymphocytes." *Scand J Immunol* 48(6): 642-50.
- Greve, J. M., Davis, G., Meyer, A. M., Forte, C. P., Yost, S. C., Marlor, C. W., Kamarck, M. E. und McClelland, A. (1989). "The major human rhinovirus receptor is ICAM-1." *Cell* 56(5): 839-47.
- Greve, J. M., Forte, C. P., Marlor, C. W., Meyer, A. M., Hoover-Litty, H., Wunderlich, D. und McClelland, A. (1991). "Mechanisms of receptor-mediated rhinovirus neutralization defined by two soluble forms of ICAM-1." *J Virol* 65(11): 6015-23.
- Grewe, C., Beck, A. und Gelderblom, H. R. (1990). "HIV: early virus-cell interactions." *J Acquir Immune Defic Syndr* 3(10): 965-74.
- Grigg, J., Kukielka, G. L., Berens, K. L., Dreyer, W. J., Entman, M. L. und Smith, C. W. (1994). "Induction of intercellular adhesion molecule-1 by lipopolysaccharide in canine alveolar macrophages." *Am J Respir Cell Mol Biol* 11(3): 304-11.

- Gromeier, M., Bossert, B., Arita, M., Nomoto, A. und Wimmer, E. (1999). "Dual stem loops within the poliovirus internal ribosomal entry site control neurovirulence." *J Virol* 73(2): 958-64.
- Gromeier, M. und Wetz, K. (1990). "Kinetics of poliovirus uncoating in HeLa cells in a nonacidic environment." *J Virol* 64(8): 3590-7.
- Grunert, H. P., Wolf, K. U., Langner, K. D., Sawitzky, D., Habermehl, K. O. und Zeichhardt, H. (1997). "Internalization of human rhinovirus 14 into HeLa and ICAM-1-transfected BHK cells." *Med Microbiol Immunol (Berl)* 186(1): 1-9.
- Guerette, B., Moisset, P. A., Huard, C., Tardif, F., Gravel, C. und Tremblay, J. P. (1997). "Inflammatory damage following first-generation replication-defective adenovirus controlled by anti-LFA-1." *J Leukoc Biol* 61(4): 533-8.
- Hamparian, V. V., Colonno, R. J., Cooney, M. K., Dick, E. C., Gwaltney, J. M., Jr., Hughes, J. H., Jordan, W. S., Jr., Kapikian, A. Z., Mogabgab, W. J., Monto, A. und et al. (1987). "A collaborative report: rhinoviruses--extension of the numbering system from 89 to 100." *Virology* 159(1): 191-2.
- Hansen, A. B. und Andersen, C. B. (1994). "Role of intercellular adhesion molecule-1 (ICAM-1) and lymphocyte function-associated antigen-1 (LFA-1) in peripheral blood mononuclear cell activation by human renal carcinoma cells." *Urol Res* 22(5): 309-15.
- Heemann, U. W., Tullius, S. G., Azuma, H., Kupiec-Weglinsky, J. und Tilney, N. L. (1994). "Adhesion molecules and transplantation." *Ann Surg* 219(1): 4-12.
- Heicappell, R., Podlinski, J., Buszello, H. und Ackermann, R. (1994). "Cell surface expression and serum levels of intercellular adhesion molecule-1 in renal cell carcinoma." *Urol Res* 22(1): 9-15.
- Helenius, A., Kartenbeck, J., Simons, K. und Fries, E. (1980). "On the entry of Semliki forest virus into BHK-21 cells." *J Cell Biol* 84(2): 404-20.
- Hmama, Z., Knutson, K. L., Herrera-Velitz, P., Nandan, D. und Reiner, N. E. (1999). "Monocyte adherence induced by lipopolysaccharide involves CD14, LFA-1, and cytohesin-1. Regulation by Rho and phosphatidylinositol 3-kinase." *J Biol Chem* 274(2): 1050-7.
- Hofer, F., Gruenberger, M., Kowalski, H., Machat, H., Huettinger, M., Kuechler, E. und Blass, D. (1994). "Members of the low density lipoprotein receptor family mediate cell entry of a minor-group common cold virus." *Proc Natl Acad Sci U S A* 91(5): 1839-42.
- Hoover-Litty, H. und Greve, J. M. (1993). "Formation of rhinovirus-soluble ICAM-1 complexes and conformational changes in the virion." *J Virol* 67(1): 390-7.

- Horimoto, H., Nozawa, M., Kokudo, N., Nakao, M., Takahashi, S., Miyasaka, M., Seino, K., Yagita, H. und Okumura, K. (1997). "Immunoregulation via adhesion molecules in allogenic and xenogenic hepatocyte transplantation to Nagase's analbuminemic rats." *Cell Transplant* 6(5): 535-6.
- Huang, C. und Springer, T. A. (1995). "A binding interface on the I domain of lymphocyte function-associated antigen-1 (LFA-1) required for specific interaction with intercellular adhesion molecule 1 (ICAM-1)." *J Biol Chem* 270(32): 19008-16.
- Huber, S. A. (1994). "VCAM-1 is a receptor for encephalomyocarditis virus on murine vascular endothelial cells." *J Virol* 68(6): 3453-8.
- Huguenel, E. D., Cohn, D., Dockum, D. P., Greve, J. M., Fournel, M. A., Hammond, L., Irwin, R., Mahoney, J., McClelland, A., Muchmore, E., Ohlin, A. C. und Scuderi, P. (1997). "Prevention of rhinovirus infection in chimpanzees by soluble intercellular adhesion molecule-1." *Am J Respir Crit Care Med* 155(4): 1206-10.
- Hunt, S. L., Skern, T., Liebig, H. D., Kuechler, E. und Jackson, R. J. (1999). "Rhinovirus 2A proteinase mediated stimulation of rhinovirus RNA translation is additive to the stimulation effected by cellular RNA binding proteins." *Virus Res* 62(2): 119-28.
- Hviid, L., Felsing, A. und Theander, T. G. (1993). "Kinetics of human T-cell expression of LFA-1, IL-2 receptor, and ICAM-1 following antigenic stimulation in vitro." *J Clin Lab Immunol* 40(4): 163-71.
- Issekutz, A. C., Rowter, D. und Springer, T. A. (1999). "Role of ICAM-1 and ICAM-2 and alternate CD11/CD18 ligands in neutrophil transendothelial migration." *J Leukoc Biol* 65(1): 117-26.
- Jackson, R. J., Howell, M. T. und Kaminski, A. (1990). "The novel mechanism of initiation of picornavirus RNA translation." *Trends Biochem Sci* 15(12): 477-83.
- Jang, S. K., Pestova, T. V., Hellen, C. U., Witherell, G. W. und Wimmer, E. (1990). "Cap-independent translation of picornavirus RNAs: structure and function of the internal ribosomal entry site." *Enzyme* 44(1-4): 292-309.
- Jelachich, M. L. und Lipton, H. L. (1996). "Theiler's murine encephalomyelitis virus kills restrictive but not permissive cells by apoptosis." *J Virol* 70(10): 6856-61.
- Jiang, Z., Woda, B. A., Savas, L. und Fraire, A. E. (1998). "Expression of ICAM-1, VCAM-1, and LFA-1 in adenocarcinoma of the lung with observations on the expression of these adhesion molecules in non-neoplastic lung tissue." *Mod Pathol* 11(12): 1189-92.
- Joklik, W. K. und Darnell, J. E. J. (1961). "The adsorption and early fate of purified poliovirus in HeLa cells." *Virology* 13: 439-47.

- Jutila, M. A. (1992). "Leukocyte traffic to sites of inflammation." *Apmis* 100(3): 191-201.
- Kanagawa, K., Ishikura, H., Takahashi, C., Tamatani, T., Miyasaka, M., Togashi, M., Koyanagi, T. und Yoshiki, T. (1991). "Identification of ICAM-1-positive cells in the nongrafted and transplanted rat kidney--an immunohistochemical and ultrastructural study." *Transplantation* 52(6): 1057-62.
- Karnauchow, T. M., Tolson, D. L., Harrison, B. A., Altman, E., Lublin, D. M. und Dimock, K. (1996). "The HeLa cell receptor for enterovirus 70 is decay-accelerating factor (CD55)." *J Virol* 70(8): 5143-52.
- King, A. M. Q., Brown, F., Christian, P., Hovi, T., Hyypiä, T., Knowles, N. J., Lemon, S. M., Minor, P. D., Palmenberg, A. C., Skern, T. und Stanway, G. (1999). Picornavirus taxonomy: a modified species definition and proposals for three new genera. Paper & poster presented at the XIth International Congress of Virology, Sydney, 9-13 August, 1999.
- King, A. M. Q., Brown, F., Christian, P., Hovi, T., Hyypiä, T., Knowles, N. J., Lemon, S. M., Minor, P. D., Palmenberg, A. C., Skern, T. und Stanway, G. (2000). Picornaviridae. in "Virus Taxonomy. Seventh Report of the International Committee for the Taxonomy of Viruses". (Van Regenmortel, M. H. V., Fauquet, C. M., Bishop, D. H. L., Calisher, C. H., Carsten, E. B., Estes, M. K., Lemon, S. M., Maniloff, J., Mayo, M. A., McGeoch, D. J., Pringle, C. R. und Wickner, R. B., eds.). New-York, San Diego, Academic Press, 657-673.
- King, A. M. Q., Brown, F., Christian, P., Hovi, T., Hyypiä, T., Knowles, N. J., Lemon, S. M., Minor, P. D., Palmenberg, A. C., Skern, T. und Stanway, G., 5 July 2000. The Classification of the Picornaviridae von <http://www.iah.bbsrc.ac.uk/virus/Picornaviridae/picornastudygroup/ICTV-7a.htm>
Online
- Koike, S., Horie, H., Ise, I., Okitsu, A., Yoshida, M., Iizuka, N., Takeuchi, K., Takegami, T. und Nomoto, A. (1990). "The poliovirus receptor protein is produced both as membrane-bound and secreted forms." *Embo J* 9(10): 3217-24.
- Koike, S., Taya, C., Kurata, T., Abe, S., Ise, I., Yonekawa, H. und Nomoto, A. (1991). "Transgenic mice susceptible to poliovirus." *Proc Natl Acad Sci U S A* 88(3): 951-5.
- Korant, B. D., Lonberg-Holm, K., Noble, J. und Stasny, J. T. (1972). "Naturally occurring and artificially produced components of three rhinoviruses." *Virology* 48(1): 71-86.
- Kronenberger, P., Vrijnsen, R. und Boeye, A. (1992). "Compartmentalization of subviral particles during poliovirus eclipse in HeLa cells." *J Gen Virol* 73 (Pt 7): 1739-44.

- Kukielka, G. L., Hawkins, H. K., Michael, L., Manning, A. M., Youker, K., Lane, C., Entman, M. L., Smith, C. W. und Anderson, D. C. (1993). "Regulation of intercellular adhesion molecule-1 (ICAM-1) in ischemic and reperfused canine myocardium." *J Clin Invest* 92(3): 1504-16.
- Kvale, D., Krajci, P. und Brandtzaeg, P. (1992). "Expression and regulation of adhesion molecules ICAM-1 (CD54) and LFA-3 (CD58) in human intestinal epithelial cell lines." *Scand J Immunol* 35(6): 669-76.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4." *Nature* 227(259): 680-5.
- Le, S. Y. und Zuker, M. (1990). "Common structures of the 5' non-coding RNA in enteroviruses and rhinoviruses. Thermodynamical stability and statistical significance." *J Mol Biol* 216(3): 729-41.
- Leckband, D. E., Israelachvili, J. N., Schmitt, F. J. und Knoll, W. (1992). "Long-range attraction and molecular rearrangements in receptor-ligand interactions." *Science* 255(5050): 1419-21.
- Lee, W. M., Monroe, S. S. und Rueckert, R. R. (1993). "Role of maturation cleavage in infectivity of picornaviruses: activation of an infectosome." *J Virol* 67(4): 2110-22.
- Lo, S. K., Ryan, T. J., Gilboa, N., Lai, L. und Malik, A. B. (1989). "Role of catalytic and lysine-binding sites in plasmin-induced neutrophil adherence to endothelium." *J Clin Invest* 84(3): 793-801.
- Lonberg-Holm, K., Gosser, L. B. und Shimshick, E. J. (1976). "Interaction of liposomes with subviral particles of poliovirus type 2 and rhinovirus type 2." *J Virol* 19(2): 746-9.
- Lonberg-Holm, K. und Philipson, L. (1974). "Early interaction between animal viruses and cells." *Monogr Virol* 9: 1-148.
- Macadam, A. J., Ferguson, G., Fleming, T., Stone, D. M., Almond, J. W. und Minor, P. D. (1994). "Role for poliovirus protease 2A in cap independent translation." *Embo J* 13(4): 924-7.
- Madshus, I. H., Olsnes, S. und Sandvig, K. (1984). "Different pH requirements for entry of the two picornaviruses, human rhinovirus 2 and murine encephalomyocarditis virus." *Virology* 139(2): 346-57.
- Makgoba, M. W., Sanders, M. E., Ginther Luce, G. E., Dustin, M. L., Springer, T. A., Clark, E. A., Mannoni, P. und Shaw, S. (1988). "ICAM-1 a ligand for LFA-1-dependent adhesion of B, T and myeloid cells." *Nature* 331(6151): 86-8.
- Makino, M., Yoshimatsu, K., Azuma, M., Okada, Y., Hitoshi, Y., Yagita, H., Takatsu, K. und Komuro, K. (1995). "Rapid development of murine AIDS is dependent of signals provided by CD54 and CD11a." *J Immunol* 155(2): 974-81.

- Male, D., Pryce, G., Linke, A. und Rahman, J. (1992). "Lymphocyte migration into the CNS modelled in vitro." *J Neuroimmunol* 40(2-3): 167-71.
- Manjunath, N., Correa, M., Ardman, M. und Ardman, B. (1995). "Negative regulation of T-cell adhesion and activation by CD43." *Nature* 377(6549): 535-8.
- Marlin, S. D. und Springer, T. A. (1987). "Purified intercellular adhesion molecule-1 (ICAM-1) is a ligand for lymphocyte function-associated antigen 1 (LFA-1)." *Cell* 51(5): 813-9.
- Marsh, M. und Helenius, A. (1989). "Virus entry into animal cells." *Adv Virus Res* 36: 107-51.
- Marsh, M. und Pelchen-Matthews, A. (1992). "On the role of endocytosis in animal viruses." *NATO ASI Ser. H Cell Biol.* 62: 399-410.
- Martin, A., Wychowski, C., Couderc, T., Crainic, R., Hogle, J. und Girard, M. (1988). "Engineering a poliovirus type 2 antigenic site on a type 1 capsid results in a chimaeric virus which is neurovirulent for mice." *Embo J* 7(9): 2839-47.
- Martin, S., Casanovas, J. M., Staunton, D. E. und Springer, T. A. (1993). "[Successful prevention of rhinovirus infections with chimeric ICAM-1 immunoglobulin in vitro]." *Med Klin* 88(4): 193-7.
- Mason, P. W., Baxt, B., Brown, F., Harber, J., Murdin, A. und Wimmer, E. (1993). "Antibody-complexed foot-and-mouth disease virus, but not poliovirus, can infect normally insusceptible cells via the Fc receptor." *Virology* 192(2): 568-77.
- Matsushita, K., Sugiyama, A., Uchiyama, T., Igarashi, H., Ohkuni, H., Nagaoka, S., Kotani, S. und Takada, H. (1996). "Induction of lymphocytes cytotoxic to oral epithelial cells by Streptococcus mitis superantigen." *J Dent Res* 75(3): 927-34.
- Mbida, A. D., Pozzetto, B., Grattard, F. und Gaudin, O. G. (1992). "Protective effect of a monoclonal antibody specific for an echovirus cellular receptor in human fibroblast and simian kidney cell lines." *Res Virol* 143(6): 397-400.
- McClelland, A., deBear, J., Yost, S. C., Meyer, A. M., Marlor, C. W. und Greve, J. M. (1991). "Identification of monoclonal antibody epitopes and critical residues for rhinovirus binding in domain 1 of intercellular adhesion molecule 1." *Proc Natl Acad Sci U S A* 88(18): 7993-7.
- Melnick, J. L. (1996). Enteroviruses: polioviruses, coxsackieviruses, echoviruses and newer enteroviruses. in "Virology". (Fields, B. N., Knipe, D. M., Chanock, R. M., Hirsch, M. S., Melnick, J. L., Monath, T. P. und Roizman, B., Raven Press, 655-712.
- Mendelsohn, C., Johnson, B., Lionetti, K. A., Nobis, P., Wimmer, E. und Racaniello, V. R. (1986). "Transformation of a human poliovirus receptor gene into mouse cells." *Proc Natl Acad Sci U S A* 83(20): 7845-9.

- Mendelsohn, C. L., Wimmer, E. und Racaniello, V. R. (1989). "Cellular receptor for poliovirus: molecular cloning, nucleotide sequence, and expression of a new member of the immunoglobulin superfamily." *Cell* 56(5): 855-65.
- Mischak, H., Neubauer, C., Berger, B., Kuechler, E. und Blaas, D. (1988). "Detection of the human rhinovirus minor group receptor on renaturing Western blots." *J Gen Virol* 69 (Pt 10): 2653-6.
- Mizoi, T., Ohtani, H., Suzuki, Y., Shiiba, K., Matsuno, S. und Nagura, H. (1995). "Intercellular adhesion molecule-1 expression by macrophages in human gastrointestinal carcinoma: possible roles as host immune/inflammatory reaction." *Pathol Int* 45(8): 565-72.
- Mohanty, J. G. und Crowell, R. L. (1993). "Attempts to purify a second cellular receptor for a coxsackievirus B3 variant, CB3-RD from HeLa cells." *Virus Res* 29(3): 305-20.
- Moingeon, P. E., Lucich, J. L., Stebbins, C. C., Recny, M. A., Wallner, B. P., Koyasu, S. und Reinherz, E. L. (1991). "Complementary roles for CD2 and LFA-1 adhesion pathways during T cell activation." *Eur J Immunol* 21(3): 605-10.
- Morelli, A. E., Belardi, G., DiPaola, G., Paredes, A. und Fainboim, L. (1994). "Cellular subsets and epithelial ICAM-1 and HLA-DR expression in human papillomavirus infection of the vulva." *Acta Derm Venereol* 74(1): 45-50.
- Moscufo, N., Yafal, A. G., Rogove, A., Hogle, J. und Chow, M. (1993). "A mutation in VP4 defines a new step in the late stages of cell entry by poliovirus." *J Virol* 67(8): 5075-8.
- Moses, R. D., Winn, H. J. und Auchincloss, H., Jr. (1992). "Evidence that multiple defects in cell-surface molecule interactions across species differences are responsible for diminished xenogeneic T cell responses." *Transplantation* 53(1): 203-9.
- Most, J., Schwaeble, W., Drach, J., Sommerauer, A. und Dierich, M. P. (1992). "Regulation of the expression of ICAM-1 on human monocytes and monocytic tumor cell lines." *J Immunol* 148(6): 1635-42.
- Muller, S., Kammerbauer, C., Simons, U., Shibagaki, N., Li, L. J., Caughman, S. W. und Degitz, K. (1995). "Transcriptional regulation of intercellular adhesion molecule-1: PMA-induction is mediated by NF kappa B." *J Invest Dermatol* 104(6): 970-5.
- Murayama, M., Yasuda, H., Nishimura, Y. und Asahi, M. (1997). "Suppression of mouse contact hypersensitivity after treatment with antibodies to leukocyte function-associated antigen-1 and intracellular adhesion molecules-1." *Arch Dermatol Res* 289(2): 98-103.

- Murray, M. G., Bradley, J., Yang, X. F., Wimmer, E., Moss, E. G. und Racaniello, V. R. (1988). "Poliovirus host range is determined by a short amino acid sequence in neutralization antigenic site I." *Science* 241(4862): 213-5.
- Nakano, Y. (1998). "Antigen-presenting cell function of epidermal cells activated by hapten application." *Br J Dermatol* 138(5): 786-94.
- Nedellec, P., Vicart, P., Laurent-Winter, C., Martinat, C., Prevost, M. C. und Brahic, M. (1998). "Interaction of Theiler's virus with intermediate filaments of infected cells." *J Virol* 72(12): 9553-60.
- Norton, J., Sloane, J. P., al-Saffar, N. und Haskard, D. O. (1992). "Expression of adhesion molecules in human intestinal graft-versus-host disease." *Clin Exp Immunol* 87(2): 231-6.
- Ohlin, A., Hoover-Litty, H., Sanderson, G., Paessens, A., Johnston, S. L., Holgate, S. T., Huguenel, E. und Greve, J. M. (1994). "Spectrum of activity of soluble intercellular adhesion molecule-1 against rhinovirus reference strains and field isolates." *Antimicrob Agents Chemother* 38(6): 1413-5.
- Otto, M. J., Fox, M. P., Fancher, M. J., Kuhrt, M. F., Diana, G. D. und McKinlay, M. A. (1985). "In vitro activity of WIN 51711, a new broad-spectrum antipicornavirus drug." *Antimicrob Agents Chemother* 27(6): 883-6.
- Paglini, S. und Crowell, R. L. (1992). "Receptor presente en eritrocitos humanos para la variante RD del virus coxsackie B3." *Acta Bioquim. Clin. Lationam.* 26: 85.
- Pallansch, M. A., Kew, O. M., Semler, B. L., Omilianowski, D. R., Anderson, C. W., Wimmer, E. und Rueckert, R. R. (1984). "Protein processing map of poliovirus." *J Virol* 49(3): 873-80.
- Palmenberg, A. C. und Sgro, J. (1997). "Topological organization of picornaviral genomes: Statistical prediction of RNA structural signals." *Seminars in Virology* 8: 231-241.
- Pelchen-Matthews, A., Armes, J. E., Griffiths, G. und Marsh, M. (1991). "Differential endocytosis of CD4 in lymphocytic and nonlymphocytic cells." *J Exp Med* 173(3): 575-87.
- Pelchen-Matthews, A., Parsons, I. J. und Marsh, M. (1993). "Phorbol ester-induced downregulation of CD4 is a multistep process involving dissociation from p56lck, increased association with clathrin-coated pits, and altered endosomal sorting." *J Exp Med* 178(4): 1209-22.
- Perez, L. und Carrasco, L. (1993). "Entry of poliovirus into cells does not require a low-pH step." *J Virol* 67(8): 4543-8.

- Pestova, T. V., Kolupaeva, V. G., Lomakin, I. B., Pilipenko, E. V., Shatsky, I. N., Agol, V. I. und Hellen, C. U. (2001). "Molecular mechanisms of translation initiation in eukaryotes." *Proc Natl Acad Sci U S A* 98(13): 7029-36.
- Pevear, D. C., Fancher, M. J., Felock, P. J., Rossmann, M. G., Miller, M. S., Diana, G., Treasurywala, A. M., McKinlay, M. A. und Dutko, F. J. (1989). "Conformational change in the floor of the human rhinovirus canyon blocks adsorption to HeLa cell receptors." *J Virol* 63(5): 2002-7.
- Piela-Smith, T. H., Aneiro, L. und Korn, J. H. (1991). "Binding of human rhinovirus and T cells to intercellular adhesion molecule-1 on human fibroblasts. Discordance between effects of IL-1 and IFN-gamma." *J Immunol* 147(6): 1831-6.
- Pinto, L. H., Holsinger, L. J. und Lamb, R. A. (1992). "Influenza virus M2 protein has ion channel activity." *Cell* 69(3): 517-28.
- Pober, J. S., Gimbrone, M. A., Jr., Lapierre, L. A., Mendrick, D. L., Fiers, W., Rothlein, R. und Springer, T. A. (1986). "Overlapping patterns of activation of human endothelial cells by interleukin 1, tumor necrosis factor, and immune interferon." *J Immunol* 137(6): 1893-6.
- Prchla, E., Plank, C., Wagner, E., Blaas, D. und Fuchs, R. (1995). "Virus-mediated release of endosomal content in vitro: different behavior of adenovirus and rhinovirus serotype 2." *J Cell Biol* 131(1): 111-23.
- Pringle, C. R. (1999). "Virus taxonomy at the XIth International Congress of Virology, Sydney, Australia, 1999." *Arch Virol* 144(10): 2065-70.
- Pulli, T., Koivunen, E. und Hyypia, T. (1997). "Cell-surface interactions of echovirus 22." *J Biol Chem* 272(34): 21176-80.
- Reed, L. J. und Muench, H. (1938). "A simple method of estimating fifty per cent endpoints." *Am J Hyg* 27: 493-97.
- Regezi, J. A., Macphail, L. A., Richards, D. W. und Greenspan, J. S. (1993). "A study of macrophages, macrophage-related cells, and endothelial adhesion molecules in recurrent aphthous ulcers in HIV-positive patients." *J Dent Res* 72(12): 1549-53.
- Reischl, A., Reithmayer, M., Winsauer, G., Moser, R., Gosler, I. und Blaas, D. (2001). "Viral evolution toward change in receptor usage: adaptation of a major group human rhinovirus to grow in ICAM-1-negative cells." *J Virol* 75(19): 9312-9.
- Ren, R. B., Costantini, F., Gorgacz, E. J., Lee, J. J. und Racaniello, V. R. (1990). "Transgenic mice expressing a human poliovirus receptor: a new model for poliomyelitis." *Cell* 63(2): 353-62.

- Roberts, L. O. und Belsham, G. J. (1997). "Complementation of defective picornavirus internal ribosome entry site (IRES) elements by the coexpression of fragments of the IRES." *Virology* 227(1): 53-62.
- Robinson, M. S. und Kreis, T. E. (1992). "Recruitment of coat proteins onto Golgi membranes in intact and permeabilized cells: effects of brefeldin A and G protein activators." *Cell* 69(1): 129-38.
- Rochford, R., Hobbs, M. V., Garnier, J. L., Cooper, N. R. und Cannon, M. J. (1993). "Plasmacytoid differentiation of Epstein-Barr virus-transformed B cells in vivo is associated with reduced expression of viral latent genes." *Proc Natl Acad Sci U S A* 90(1): 352-6.
- Roivainen, M., Piirainen, L. und Hovi, T. (1996). "Efficient RGD-independent entry process of coxsackievirus A9." *Arch Virol* 141(10): 1909-19.
- Roivainen, M., Piirainen, L., Hovi, T., Virtanen, I., Riikonen, T., Heino, J. und Hyypia, T. (1994). "Entry of coxsackievirus A9 into host cells: specific interactions with alpha v beta 3 integrin, the vitronectin receptor." *Virology* 203(2): 357-65.
- Rojas-Eisenring, I. A., Cajero-Juarez, M. und del Angel, R. M. (1995). "Cell proteins bind to a linear polypyrimidine-rich sequence within the 5'-untranslated region of rhinovirus 14 RNA." *J Virol* 69(11): 6819-24.
- Roncarolo, M. G., Bigler, M., Ciuti, E., Martino, S. und Tovo, P. A. (1994). "Immune responses by cord blood cells." *Blood Cells* 20(2-3): 573-85; discussion 585-6.
- Rosenstein, Y., Park, J. K., Hahn, W. C., Rosen, F. S., Bierer, B. E. und Burakoff, S. J. (1991). "CD43, a molecule defective in Wiskott-Aldrich syndrome, binds ICAM-1." *Nature* 354(6350): 233-5.
- Rossmann, M. G. (1994). "Viral cell recognition and entry." *Protein Sci* 3(10): 1712-25.
- Rossmann, M. G., Arnold, E., Erickson, J. W., Frankenberger, E. A., Griffith, J. P., Hecht, H. J., Johnson, J. E., Kamer, G., Luo, M., Mosser, A. G. und et al. (1985). "Structure of a human common cold virus and functional relationship to other picornaviruses." *Nature* 317(6033): 145-53.
- Rossmann, M. G. und Rueckert, R. R. (1987). "What does the molecular structure of viruses tell us about viral functions?" *Microbiol Sci* 4(7): 206-14.
- Rueckert, R. R. (1996). Picornaviridae and their replication. in "Virology, 3rd edn". (Fields, B. N., Knipe, D. M. und Howley, P., eds.). Philadelphia, Lippincott-Raven, 609-654.
- Ruedl, C., Rieser, C., Bock, G., Wick, G. und Wolf, H. (1996). "Phenotypic and functional characterization of CD11c+ dendritic cell population in mouse Peyer's patches." *Eur J Immunol* 26(8): 1801-6.

- Saban, M. R., Saban, R., Bjorling, D. und Haak-Frendscho, M. (1997). "Involvement of leukotrienes, TNF-alpha, and the LFA-1/ICAM-1 interaction in substance P-induced granulocyte infiltration." *J Leukoc Biol* 61(4): 445-51.
- Sakaguchi, T., Tu, Q., Pinto, L. H. und Lamb, R. A. (1997). "The active oligomeric state of the minimalistic influenza virus M2 ion channel is a tetramer." *Proc Natl Acad Sci U S A* 94(10): 5000-5.
- Sawitzky, D., Hampl, H. und Habermehl, K. O. (1990). "Entry of pseudorabies virus into CHO cells is blocked at the level of penetration." *Arch Virol* 115(3-4): 309-16.
- Schober, D., Kronenberger, P., Prchla, E., Blaas, D. und Fuchs, R. (1998). "Major and minor receptor group human rhinoviruses penetrate from endosomes by different mechanisms." *J Virol* 72(2): 1354-64.
- Seed, B. und Aruffo, A. (1987). "Molecular cloning of the CD2 antigen, the T-cell erythrocyte receptor, by a rapid immunoselection procedure." *Proc Natl Acad Sci U S A* 84(10): 3365-9.
- Seekamp, A., Mulligan, M. S., Till, G. O., Smith, C. W., Miyasaka, M., Tamatani, T., Todd, R. F., 3rd und Ward, P. A. (1993). "Role of beta 2 integrins and ICAM-1 in lung injury following ischemia-reperfusion of rat hind limbs." *Am J Pathol* 143(2): 464-72.
- Shafren, D. R., Bates, R. C., Agrez, M. V., Herd, R. L., Burns, G. F. und Barry, R. D. (1995). "Coxsackieviruses B1, B3, and B5 use decay accelerating factor as a receptor for cell attachment." *J Virol* 69(6): 3873-7.
- Shafren, D. R., Dorahy, D. J., Greive, S. J., Burns, G. F. und Barry, R. D. (1997a). "Mouse cells expressing human intercellular adhesion molecule-1 are susceptible to infection by coxsackievirus A21." *J Virol* 71(1): 785-9.
- Shafren, D. R., Dorahy, D. J., Ingham, R. A., Burns, G. F. und Barry, R. D. (1997b). "Coxsackievirus A21 binds to decay-accelerating factor but requires intercellular adhesion molecule 1 for cell entry." *J Virol* 71(6): 4736-43.
- Shepley, M. P. und Racaniello, V. R. (1994). "A monoclonal antibody that blocks poliovirus attachment recognizes the lymphocyte homing receptor CD44." *J Virol* 68(3): 1301-8.
- Shepley, M. P., Sherry, B. und Weiner, H. L. (1988). "Monoclonal antibody identification of a 100-kDa membrane protein in HeLa cells and human spinal cord involved in poliovirus attachment." *Proc Natl Acad Sci U S A* 85(20): 7743-7.
- Simmons, D., Makgoba, M. W. und Seed, B. (1988). "ICAM, an adhesion ligand of LFA-1, is homologous to the neural cell adhesion molecule NCAM." *Nature* 331(6157): 624-7.

- Smith, T. J., Kremer, M. J., Luo, M., Vriend, G., Arnold, E., Kamer, G., Rossmann, M. G., McKinlay, M. A., Diana, G. D. und Otto, M. J. (1986). "The site of attachment in human rhinovirus 14 for antiviral agents that inhibit uncoating." *Science* 233(4770): 1286-93.
- Sonenberg, N. und Meerovitch, K. (1990). "Translation of poliovirus mRNA." *Enzyme* 44(1-4): 278-91.
- Stanciu, L. A. und Djukanovic, R. (1998). "The role of ICAM-1 on T-cells in the pathogenesis of asthma." *Eur Respir J* 11(4): 949-57.
- Stanway, G., Hughes, P. J., Mountford, R. C., Minor, P. D. und Almond, J. W. (1984). "The complete nucleotide sequence of a common cold virus: human rhinovirus 14." *Nucleic Acids Res* 12(20): 7859-75.
- Stanway, G., Joki-Korpela, P. und Hyypia, T. (2000). "Human parechoviruses--biology and clinical significance." *Rev Med Virol* 10(1): 57-69.
- Staunton, D. E., Dustin, M. L., Erickson, H. P. und Springer, T. A. (1990). "The arrangement of the immunoglobulin-like domains of ICAM-1 and the binding sites for LFA-1 and rhinovirus." *Cell* 61(2): 243-54.
- Staunton, D. E., Gaur, A., Chan, P. Y. und Springer, T. A. (1992). "Internalization of a major group human rhinovirus does not require cytoplasmic or transmembrane domains of ICAM-1." *J Immunol* 148(10): 3271-4.
- Staunton, D. E., Marlin, S. D., Stratowa, C., Dustin, M. L. und Springer, T. A. (1988). "Primary structure of ICAM-1 demonstrates interaction between members of the immunoglobulin and integrin supergene families." *Cell* 52(6): 925-33.
- Staunton, D. E., Merluzzi, V. J., Rothlein, R., Barton, R., Marlin, S. D. und Springer, T. A. (1989). "A cell adhesion molecule, ICAM-1, is the major surface receptor for rhinoviruses." *Cell* 56(5): 849-53.
- Stratowa, C. und Audette, M. (1995). "Transcriptional regulation of the human intercellular adhesion molecule-1 gene: a short overview." *Immunobiology* 193(2-4): 293-304.
- Stuart, D. C. J. und Fogh, J. (1961). "Micromorphology of FL cells infected with polio and coxsackie viruses." *Virology* 13: 177-190.
- Suzuki, J., Isobe, M., Yamazaki, S., Horie, S., Okubo, Y. und Sekiguchi, M. (1997). "Inhibition of accelerated coronary atherosclerosis with short-term blockade of intercellular adhesion molecule-1 and lymphocyte function-associated antigen-1 in a heterotopic murine model of heart transplantation." *J Heart Lung Transplant* 16(11): 1141-8.

- Tacchini-Cottier, F., Lou, J. N., Roberts, D. J., Garcia, A. M. und Grau, G. E. (1995). "Detection of a LFA-1-like epitope on the surface of erythrocytes infected with a strain of *Plasmodium falciparum*." *Immunology* 85(2): 205-13.
- Tartakoff, A. M. (1983). "Perturbation of vesicular traffic with the carboxylic ionophore monensin." *Cell* 32(4): 1026-8.
- Tessier, P., Audette, M., Cattaruzzi, P. und McColl, S. R. (1993). "Up-regulation by tumor necrosis factor alpha of intercellular adhesion molecule 1 expression and function in synovial fibroblasts and its inhibition by glucocorticoids." *Arthritis Rheum* 36(11): 1528-39.
- Tews, D. S. und Goebel, H. H. (1995). "Expression of cell adhesion molecules in inflammatory myopathies." *J Neuroimmunol* 59(1-2): 185-94.
- Tohma, S., Ramberg, J. E. und Lipsky, P. E. (1992). "Expression and distribution of CD11a/CD18 and CD54 during human T cell-B cell interactions." *J Leukoc Biol* 52(1): 97-103.
- Tomassini, J. E. und Colonno, R. J. (1986). "Isolation of a receptor protein involved in attachment of human rhinoviruses." *J Virol* 58(2): 290-5.
- Tomassini, J. E., Graham, D., DeWitt, C. M., Lineberger, D. W., Rodkey, J. A. und Colonno, R. J. (1989). "cDNA cloning reveals that the major group rhinovirus receptor on HeLa cells is intercellular adhesion molecule 1." *Proc Natl Acad Sci U S A* 86(13): 4907-11.
- Tomko, R. P., Xu, R. und Philipson, L. (1997). "HCAR and MCAR: the human and mouse cellular receptors for subgroup C adenoviruses and group B coxsackieviruses." *Proc Natl Acad Sci U S A* 94(7): 3352-6.
- Tosteson, M. T. und Chow, M. (1997). "Characterization of the ion channels formed by poliovirus in planar lipid membranes." *J Virol* 71(1): 507-11.
- Tozawa, K. (1996). "[Activation of nuclear factor-kappa B and control of the expression of cell adhesion molecules in human prostate cancer cells]." *Nippon Hinyokika Gakkai Zasshi* 87(9): 1082-91.
- Trowbridge, I. S., Collawn, J. F. und Hopkins, C. R. (1993). "Signal-dependent membrane protein trafficking in the endocytic pathway." *Annu Rev Cell Biol* 9: 129-61.
- Uncapher, C. R., DeWitt, C. M. und Colonno, R. J. (1991). "The major and minor group receptor families contain all but one human rhinovirus serotype." *Virology* 180(2): 814-7.
- Vainer, B. und Nielsen, O. H. (1997). "[The influence of adhesion molecules in inflammatory bowel diseases]." *Ugeskr Laeger* 159(24): 3767-71.

- Vigano, P., Pardi, R., Magri, B., Busacca, M., Di Blasio, A. M. und Vignali, M. (1994). "Expression of intercellular adhesion molecule-1 (ICAM-1) on cultured human endometrial stromal cells and its role in the interaction with natural killers." *Am J Reprod Immunol* 32(3): 139-45.
- Vyth-Dreese, F. A., DelleMijn, T. A., Frijhoff, A., van Kooyk, Y. und Figdor, C. G. (1993). "Role of LFA-1/ICAM-1 in interleukin-2-stimulated lymphocyte proliferation." *Eur J Immunol* 23(12): 3292-9.
- Wang, J. und Springer, T. A. (1998). "Structural specializations of immunoglobulin superfamily members for adhesion to integrins and viruses." *Immunol Rev* 163: 197-215.
- Watts, C. und Marsh, M. (1992). "Endocytosis: what goes in and how?" *J Cell Sci* 103 (Pt 1): 1-8.
- Westermann, J., Nagahori, Y., Walter, S., Heerwagen, C., Miyasaka, M. und Pabst, R. (1994). "B and T lymphocyte subsets enter peripheral lymph nodes and Peyer's patches without preference in vivo: no correlation occurs between their localization in different types of high endothelial venules and the expression of CD44, VLA-4, LFA-1, ICAM-1, CD2 or L-selectin." *Eur J Immunol* 24(10): 2312-6.
- Williams, P., Lopez, H., Britt, D., Chan, C., Ezrin, A. und Hottendorf, R. (1997). "Characterization of renal ischemia-reperfusion injury in rats." *J Pharmacol Toxicol Methods* 37(1): 1-7.
- Williams, S. E., Ashcom, J. D., Argraves, W. S. und Strickland, D. K. (1992). "A novel mechanism for controlling the activity of alpha 2-macroglobulin receptor/low density lipoprotein receptor-related protein. Multiple regulatory sites for 39-kDa receptor-associated protein." *J Biol Chem* 267(13): 9035-40.
- Willingmann, P., Ed. (1987). Untersuchungen zur Neutralisation von Poliovirus mit polyklonalen Antikörpern unter Berücksichtigung der Stöchiometrie der Virus-Antikörper Reaktion. Inaugural-Dissertation zur Erlangung des Doktorgrades des Fachbereiches Chemie der Freien Universität Berlin.
- Willingmann, P., Barnert, H., Zeichhardt, H. und Habermehl, K. O. (1989). "Recovery of structurally intact and infectious poliovirus type 1 from HeLa cells during receptor-mediated endocytosis." *Virology* 168(2): 417-20.
- Wimmer, E. (1982). "Genome-linked proteins of viruses." *Cell* 28(2): 199-201.
- Wimmer, E., Hellen, C. U. und Cao, X. (1993). "Genetics of poliovirus." *Annu Rev Genet* 27: 353-436.
- Witwer, C., Rauscher, S., Hofacker, I. L. und Stadler, P. F. (2001). "Conserved RNA secondary structures in picornaviridae genomes." *Nucl. Acids Res.* 29: 5079-5089.

- Xu, H., Gonzalo, J. A., St Pierre, Y., Williams, I. R., Kupper, T. S., Cotran, R. S., Springer, T. A. und Gutierrez-Ramos, J. C. (1994). "Leukocytosis and resistance to septic shock in intercellular adhesion molecule 1-deficient mice." *J Exp Med* 180(1): 95-109.
- Yin, F. H. und Lomax, N. B. (1983). "Host range mutants of human rhinovirus in which nonstructural proteins are altered." *J Virol* 48(2): 410-8.
- Yong, K. und Khwaja, A. (1990). "Leucocyte cellular adhesion molecules." *Blood Rev* 4(4): 211-25.
- Zajac, A. J., Amphlett, E. M., Rowlands, D. J. und Sangar, D. V. (1991). "Parameters influencing the attachment of hepatitis A virus to a variety of continuous cell lines." *J Gen Virol* 72 (Pt 7): 1667-75.
- Zeichhardt, H. (1991). "Enteroviruses." *Clinical Virology Manual* 2. Edition.
- Zeichhardt, H. (1992). Enteroviren einschließlich Hepatitis-A-Virus. in "Mikrobiologische Diagnostik". (Burkhardt, F. und Verlag, G. T.
- Zeichhardt, H. und Grunert, H. P. (1999). Enteroviruses: Polioviruses, Coxsackieviruses, Echoviruses and Enteroviruses 68-71. in "Infectious Diseases". (Armstrong, D. und Cohen, J., Harcourt Publishers Ltd. 1999, Section 8, 3.1.-3.12.
- Zeichhardt, H., Habermehl, K. O. und Diefenthal, W. (1981). "Modification and exploitation of a poliovirus-induced membrane complex by superinfecting ME virus." *J Gen Virol* 55(Pt 2): 265-74.
- Zeichhardt, H., Otto, M. J., McKinlay, M. A., Willingmann, P. und Habermehl, K. O. (1987). "Inhibition of poliovirus uncoating by disoxaril (WIN 51711)." *Virology* 160(1): 281-5.
- Zeichhardt, H., Schlehofer, J. R., Wetz, K., Hampl, H. und Habermehl, K. O. (1982). "Mouse Elberfeld (ME) virus determines the cell surface alterations when mixedly infecting poliovirus-infected cells." *J Gen Virol* 58(Pt 2): 417-28.
- Zeichhardt, H., Wetz, K., Willingmann, P. und Habermehl, K. O. (1985). "Entry of poliovirus type 1 and Mouse Elberfeld (ME) virus into HEp-2 cells: receptor-mediated endocytosis and endosomal or lysosomal uncoating." *J Gen Virol* 66 (Pt 3): 483-92.
- Zell, R. und Stelzner, A. (1997). "Application of genome sequence information to the classification of bovine enteroviruses: the importance of 5'- and 3'-nontranslated regions." *Virus Res* 51(2): 213-29.
- Zettlmeissl, G., Gregersen, J. P., Duport, J. M., Mehdi, S., Reiner, G. und Seed, B. (1990). "Expression and characterization of human CD4:immunoglobulin fusion proteins." *DNA Cell Biol* 9(5): 347-53.

Zhou, L., Lin, X., Green, T. J., Lipton, H. L. und Luo, M. (1997). "Role of sialyloligosaccharide binding in Theiler's virus persistence." *J Virol* 71(12): 9701-12.

Ziegler, E., Borman, A. M., Deliat, F. G., Liebig, H. D., Jugovic, D., Kean, K. M., Skern, T. und Kuechler, E. (1995). "Picornavirus 2A proteinase-mediated stimulation of internal initiation of translation is dependent on enzymatic activity and the cleavage products of cellular proteins." *Virology* 213(2): 549-57.