

- Abebe, G. and Eley, R.M. (1992): Trypanosome-induced hypothyroidism in cattle. *Br. Vet. J.* **148**: 63-70.
- Abebe, G. and Jobre, Y. (1996): Trypanosomiasis: A threat to cattle production in Ethiopia. *Rev. Med. Vet.* **147**: 897-902.
- Abebe, G., Eley, R.M. and Ole-MoiYoi, O.K. (1993a): Reduced responsiveness of the hypothalamic-pituitary-adrenal axis in Boran (*Bos indicus*) cattle infected with *Trypanosoma congolense*. *Acta Endocrinologica* **129**: 75-80.
- Abebe, G., Shaw, M.K. and Eley, R.M. (1993b): *Trypanosoma congolense* in the microvasculature of the pituitary gland of experimentally infected Boran cattle (*Bos indicus*). *Vet. Pathol.* **30**: 401-409.
- Afewerk, Y., Clausen, P.-H., Abebe, G., Tilahun, G. and Mehlitz, D. (2000): Multiple-drug resistant *Trypanosoma congolense* populations in village cattle of Mekele district, north-west Ethiopia. *Acta Trop.* **76**: 231-238.
- Agyemang, K., Dwinger, R.H., Grieve, A.S. and Bah, M.L. (1991): Milk production characteristics and productivity of N'Dama cattle kept under village management in The Gambia. *J. Dairy Sci.* **74**: 1599-1608.
- Allsopp, B.A. and Allsopp, M.T.E.P. (1988): *Theileria parva*: Genomic DNA studies reveal intra-specific sequence diversity. *Mol. Biochem. Parasitol.* **28**: 77-83.
- Allsopp, B.A., Baylis, H.A., Allsopp, M.T.E.P., Cavalier-Smith, T., Bishop, R.P., Carrington, D.M., Sohanpal, B. and Spooner, P. (1993): Discrimination between 6 species of *Theileria* using oligonucleotide probes which detect small sub-unit ribosomal RNA sequences. *Parasitol.* **107**: 157-165.
- Allsopp, R. and Phillemon-Motsu, T.K. (2002): Tsetse control in Botswana-a reversal in strategy. *R. Soc. Chem.* 73-75.
- Anene, B.M., Chime, A.B. and Anika, S.M. (1991): The production performance of imported Friesian cattle under heavy *Trypanosoma* challenge in a rain forest zone of Nigeria. *Br. Vet. J.* **147**: 275-282.
- Angus, S.D. (1996): The epidemiology of trypanosomiasis in village livestock in an endemic sleeping sickness area of Western Kenya. Ph.D. Thesis. University of Glasgow, UK, pp. 217.

- Ankers, P., Zinsstag, J. and Pfister, K. (1992): Epidémiologie des strongyloses en Gambie: mise en évidence de la quasi-absence d'une infection naturelle des bovins et ovins en saison sèche. In: Proceedings of the 7th International Conference of Institutions of Tropical Veterinary Medicine, Yamoussoukro, Cote d'Ivoire. **2**: pp. 411-417.
- Authie, E. (1984): Appearance of trypanocide-resistant strains of *Trypanosoma congolense* recently isolated in Burkina. *Rev. elev. Med. Vet. Pays Trop.* **37**: 219-235.
- Bain, R.K. and Urquhart, G.M. (1986): The significance and control of stomach worms in British cattle. *Outlook Agric.* **15**: 10-14.
- Barrett, M.P. (1999): The fall and rise of sleeping sickness. *Lancet* **353**: 1113-1114.
- Basset, T.J. (1993): Land use conflicts in pastoral development in northern Cote d'Ivoire. in T.J. Basset and D.E. Crummey (eds.). Land in African Systems. Madison, WI. University of Wisconsin press, U.S.A.
- Bauer, B., Amsler-Delafosse, S., Clausen, P.-H., Kaboré, I. and J. Petrich-Bauer (1995): Successful application of deltamethrin pour on to cattle in a campaign against tsetse flies (*Glossina* spp.) in the pastoral Zone of Samorogouan, Burkina Faso. *Trop. Med. Parasitol.* **46**: 183-189.
- Bauer, B., Kaboré, I. and Petrich-Bauer, J. (1992): The residual effect of Deltamethrin Spot On when tested against *Glossina palpalis gambiensis* under fly chamber conditions. *Trop. Med. Parasitol.* **43**: 38-40.
- Bauer, B., Amsler-Delafosse, S., Kaboré, I. and Kamuanga, M. (1999): Improvement of cattle productivity through rapid alleviation of African animal trypanosomosis by integrated disease management practices in the agropastoral zone of Yalè, Burkina Faso. *Trop. Anim. Health Prod.* **31**: 89-102.
- Bauer, F. (1962): The development of drug resistance to berenil in *Trypanosoma congolense*. *Vet. Rec.* **74**: 265-266.
- Baylis, M. and Stephenson, P. (1998): Trypanosomiasis and tsetse control with insecticidal pour-ons: Fact or fiction? *Parasitol. Today* **14**: 77-82.
- Berg, S.S., Wragg, W.R., Brown, K.N. and Hill, J. (1961): A new prophylactic trypanocidal drug, 2,7-di-(m-amidinophenyldiazoamino)-10-ethyl-9-phenyl-phenanthridinium chloride dihydrochloride (M&B 4596). *Nature* **192**: 367.
- Bett, B., Orange, C., Irungu, P. and Munga, L.K. (2004): Epidemiological factors that influence time-to-treatment of trypanosomosis in Orma Boran cattle raised at Galana Ranch, Kenya. *Vet. Parasitol.* **120**: 43-53.

- Bishop, R., Sohanpal, B. and Morzaria, S.P. (1993): *Theileria parva* – Detection of genomic polymorphism by polymerase chain reaction amplification of DNA using arbitrary primers. *Exp. Parasitol.* **77**: 53-61.
- Blood, D. C., Radostits, O. M. and Henderson, J. A. (1989): Diseases caused by protozoa. A textbook of the diseases of cattle, pigs, goats and horses. 7th Edition. Oxford ELBS, U.K.
- Böse, R., Jorgensen, W.K., Dalglish, R.J., Friedhoff, K.T. and Devos, A.J. (1995): Current state and future trends in the diagnosis of babesiosis. *Vet. Parasitol.* **57**: 61-74.
- Bowman, D.D. (1999): *Georgis' Parasitology for Veterinarians*. 7th edition. W.B. Saunders Company, The Curtis Centre, Independent Square, West Philadelphia, Pennsylvania 19106, U.S.A.
- Bram, R.A. (1983): Tick-borne livestock diseases and their vectors: The global problem. In: Ticks and Tick-borne diseases, FAO Animal Production and Health Paper No. 36. FAO, Rome, pp. 7-11.
- Brightwell, R., Dransfield, R.D. and Kyorku, C. (1991): Development of a low cost tsetse trap and odour baits for *Glossina pallidipes* and *G. longipennis* in Kenya. *Med. Vet. Entomol.* **5**: 153-164.
- Brown, C.G.D. (1997): Dynamics and impact of tick-borne diseases of cattle. *Trop. Anim. Health Prod.* **29**: 1-3.
- Brown, C.G.D., Hunter, A.G. and Luckins, A.G. (1990): Diseases caused by protozoa. In: Sewell and Brocklesby (ed.): Handbook on animal diseases in the tropics. 4th edition. London, Bailliere Tindall, U.K.
- Browning, C. H., Morgan, G. T., Robb, J. U. M. and Waal, L. P. (1938): The trypanocidal action of certain phenanthridium compounds. *J. Path. Bact.* **46**: 203-204.
- Budd, L. (1999): Tsetse and Trypanosomiasis Research and Development from 1980. An economic analysis. DFID commissioned report. DFID, UK.
- Catley, A., Okoth, S., Osman, J., Fison, T., Njiru, Z., Mwangi, J., Jones, B.A. and Leyland, T.J. (2001): Participatory diagnosis of a chronic wasting disease in cattle in southern Sudan. *Prev. Vet. Med.* **51**: 161-181.
- Chema, S., Waghela, S., James, A.D., Dolan, T.T., Young, A.S., Masiga, W.N., Irvin, A.D., Mulela, G.H.M. and Wekesa, L.S. (1986): Clinical trial of parvaquone for the treatment of East Coast fever in Kenya. *Vet. Rec.* **118**: 588-589.

- Chicoteau, P., Bassinga, A., Sidibè, I., Pobel, T., Richard, X. and Clausen, P. (1990): Influence de l'exposition à un risque trypanosomien élevé sur la reproduction de vaches Baoulé au Burkina Faso. *Rev. Elev. Med. Vet. Pays Trop.* **43**: 473-477.
- Chiejina, S.N. (1986): The epizootiology and control of the parasitic gastroenteritis of domesticated ruminants in Nigeria. *Helminthological Abstracts (series A)*. **55**: 413-429.
- Chiejina, S.N., Fakae, B.B. and Eze, P.I. (1989): Development and survival of free-living stages of gastrointestinal nematodes of sheep and goats on pasture in the Nigerian derived savanna. *Vet. Res. Commun.* **13**: 103-112.
- Clausen, P.-H., Sidibe, I., Kabore, I. and Bauer B. (1992): Development of multiple drug resistance of *Trypanosoma congolense* in zebu cattle under high natural tsetse fly challenge in the pastoral zone of Samoroguoan, Burkina Faso. *Acta Trop.* **51**: 229-236.
- Clausen, P.-H., Adeyemi, I., Bauer, B., Breloeer, M., Salchow, F. and Staak, C. (1998): Host preference of tsetse (Diptera: *Glossinidae*) based on bloodmeal identifications. *Med. Vet. Ent.* **12**: 169-180.
- Clausen, P.-H., Waiswa, C., Katunguka-Rwakishaya, E., Schares, G., Steuber, S. and Mehlitz, D. (1999): Polymerase chain reaction and DNA probe hybridization to assess the efficacy of diminazene treatment in *Trypanosoma brucei*-infected cattle. *Parasitol. Res.* **85**: 206-211.
- Cleves, M. (1999): Analysis of multiple failure-time data with Stata. *Stata: Tech. Bull.* **49**: 30-39.
- Cleves, M.A., Gould, W.W. and Gutierrez, R.G. (2002): An introduction of survival analysis using Stata. College Station, TX: Stata Press, 2002.
- Codjia, V., Mulatu, W., Majiwa, P.A.O., Leak, S.G.A., Rowlands, G.J., Authie, E., d'Ieteren, G.D.M. and Peregrine, A.S. (1993): Epidemiology of cattle trypanosomiasis in the Ghibe Valley, Southwest Ethiopia. 3. Occurance of populations of *Trypanosoma congolense* resistant to diminazene, isometamidium and homidium. *Acta Trop.* **53**: 151-163.
- Coetzer, J.A.W., Thomson, G.R. and Tustin, R.C. (1994): Infectious diseases of livestock. Capetown: Clyson press, Maitland, S.A.
- Coles, G.C., Bauer, C., Borgsteede, F.H.M., Geerts, S., Klei, T.R., Taylor, M.A. and Waller, P.J. (1992): World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P) methods for the detection of antihelmintic resistance in nematodes of veterinary importance. *Vet. Parasitol.* **44**: 35-44.
- Collett, D. (2002): Modeling binary data. 2nd Edition. Chapman and Hall/CRC Boca Raton, Florida, pp. 24.
- Conrad, P.A., Stagg, D.A., Grootenhuis, J.G., Irvin, A.D., Newson, J., Njamunggeh, R.E.G., Rossiter, P.B. and Young, A.S. (1987a): Isolation of *Theileria* parasites from African

- Buffalo (*Syncerus caffer*) and characterization with anti-schizont monoclonal antibodies. *Parasitology*. **94**: 413-423.
- Conrad, P.A., Iams, K., Brown, W.C., Sohanpal, B. and Ole-Moi Yoi, O.K. (1987b): DNA probes detect genomic diversity in *Theileria parva* stocks. *Mol. Biochem. Parasitol.* **25**: 213-226.
- Conrad, P.A., Ole-Moi Yoi, O.K., Baldwin, C.L., Dolan, T.T., O'Callaghan, C.J., Njamunggeh, R.E.G., Grootenhuis, J.G., Stagg, D.A., Leitich, B.L. and Young, A.S. (1989): Characterization of buffalo-derived theilerial parasites with monoclonal antibodies and DNA probes. *Parasitology* **98**: 179-188.
- Daily Nation, (2005): Budalang'i hits back against floods. Daily Magazine, Horizon. 3rd February 2005.
- d'Ieteren, G.D.M., Awuome, K., Bokovi, K., Chema, S., Colardelle, L., Defly, A., Feron, A., Grundler, G., Handlos, M., Heker, P., Kakiese, O., Leak, S.G.A., Malch, J.H.H., Maloo, S.H., Mawuena, K., Mnengu, M., Morkramer, G., Mukendi, F., Mulatu, W., Mulungo, M., Nedga, S.M. and Yangari G. (1988): Genetic and environmental factors affecting trypanosome prevalence and parasitaemia in livestock. Livestock Production in Tsetse Affected Areas of Africa, Nairobi, Kenya. ILCA/ILRAD, 87-99.
- de Castro, J.J. (1997): Sustainable tick and tick-borne disease control in livestock improvement in developing countries. *Vet. Parasitol.* **71**: 77-97.
- Deem, S.L., Perry B.D., Katende J.M., McDermott, J.J., Mahan, S.M., Maloo, S.H., Morzaria, S.P., Musoke, A.J. and Rowlands, G.J. (1993): Variations in prevalence rates of tick-borne diseases in Zebu cattle by agroecological zone: Implications for the East Coast fever immunization. *Prev. Vet. Med.* **16**: 171-187.
- Denise, H., Mathews, K., Lindergard, G., Croft, S. and Barrett, M.P. (1999): Trypanosomiasis and Leishmaniasis: Between the idea and the reality of control. *Parasitol. Today* **15**: 43-45.
- Dohoo, I., Martin, W. and Stryhn, H. (2003): Veterinary Epidemiologic Research. In: S.M. Mcpike (ed.). A comprehensive text for the discipline. AVC Inc. Charlottetown, Prince Edward Island, Canada.
- Dolan, R. B., Okech, G., Alushula, H., Mutugi, M., Stevenson, P., Sayer, P. D. and Njogu, A. R. (1990): Homidium bromide as a chemoprophylactic for cattle trypanosomiasis in Kenya. *Acta Trop.* **47**: 137-144.
- Dolan, R.B. (1997): The Orma Boran: a trypanotolerant East African breed. *World Anim. Rev.* **89**: 54-56.

- Dolan, T.T., Young, A.S., Leitich, B.L. and Stagg, D.A. (1984): Chemotherapy of East Coast fever: Parvaquone treatment of clinical disease induced by isolates of *Theileria parva*. *Vet. Parasitol.* **15**: 103-116.
- Dolan, T.T. (1986a): Chemotherapy of East Coast fever: Treatment of infection induced by isolates of *Theileria parva* with halofuginone. *Acta Trop.* **43**: 165-173.
- Dolan, T.T. (1986b): Chemotherapy of East Coast fever: The long-term weight changes, carrier state and disease manifestations of parvaquone-treated cattle. *J. Comp. Pathol.* **96**: 137-146.
- Dolan, T.T., Injairu, R., Gisemba, F., Maina, J.N., Mbadi, G., Mbwiria, S.K., Mulela, G.H.M. and Otieno, D.A.O. (1992): A clinical trial of buparvaquone in the treatment of East Coast fever. *Vet. Rec.* **130**: 536-538.
- Dransfield, R.D., Brightwell, R., Kyorku, C. and Williams, B. (1990): Control of tsetse fly (Diptera: *Glossinidae*) populations using traps at Nguruman, South-West Kenya. *Bull. Entomol. Res.* **80**: 265-276.
- du Plessis, J.L. and Malan, L. (1987): The non-specific resistance of cattle to heartwater. *Onderstepoort J. Vet. Res.* **54**: 333-336.
- du Plessis, J.L. and Malan, L. (1988): Susceptibility to heartwater of calves born to non-immune cows. *Onderstepoort J. Vet. Res.* **55**: 235-237.
- Dwinger R.H., Agyemang, K., Kaufmann, J., Grieve, A.S. and Bah, M.L. (1994): Effect of trypanosome and helminth infections on health and production parameters of village N'Dama cattle in The Gambia. *Vet. Parasitol.* **54**: 353-365.
- Eisler, M.C., McDermott, J.J., Mdachi, R., Murilla, G.A., Sinyangwe, L., Mubanga, J., Macila, N., Mbody Weightambo, H., Coleman, P.G., Clausen, P.-H., Bauer, B., Sidibe, I., Geerts, S., Holmes, P.H. and Peregrine, A.S. (2000): Rapid method for the assessment of trypanocidal drug resistance in the field. In: Proceedings of the 9th Symposium of the International Society for Veterinary epidemiology and Economics (ISVEE 9), Breckenridge, Colorado, 6-11 August.
- Eisler, M., Torr, S., Machila, N., Coleman, P. and Morton, J. (2002): Integrated control of ticks and tsetse: epidemiological, social and economic implications. Proceedings of the joint ICTTD-2/ICPTV workshop on integrated vector control including synergistic use of drugs and bait technologies for the control of trypanosomosis and tick-borne diseases, held on 10-12th April 2002 at the Institute of Tropical Medicine, Antwerp, Belgium.
- Ellis-Jones, J., Pearson, A., O'Neill, D. and Ndlovu, L. (1997): A farming system approach to increasing the productivity of draught animals in sub-Saharan Africa. UZ, AGRITEX, DRASS, CTVM, SRI, Institute of Agricultural Engineering, Hatcliffe, Harare, Zimbabwe.

- Fabiyi, J.P. (1987): Production losses and control of helminths in ruminants of tropical regions. *Int. J. Parasitol.* **17**: 435-442.
- Fairclough, R. (1963): Observations on the use of Berenil against trypanosomiasis of cattle in Kenya. *Vet. Rec.* **75**: 1107-1113.
- Fall, A., Diack, A., Diaité, A., Seye, M. and d'Ieteren, G.D.M. (1999): Tsetse challenge, trypanosome and helminth infection in relation to productivity of village N'Dama cattle in Senegal. *Vet. Parasitol.* **81**: 235-247.
- FAO (1975): Kenya: Epizootiological Survey of Tick-borne Diseases. Technical report No. 1, AG: DP/KEN/70522. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- FAO (1982): Training Manual for Tsetse control personnel. Vol. 1. Tsetse biology, systematics and distribution techniques (ed. by J.N. Pollock). Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- FAO (1984): Tick and Tick-borne Disease Control: A practical field manual. Volumes I and II. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- FAO (1991): Programme for the control of African Animal Trypanosomiasis and related development. 2nd meeting of the inter-secretariat coordinating group. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- FAO (1992): Training Manual for Tsetse control personnel. Vol. 4. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- FAO/WHO/OIE (1982): Animal Health Year Book. V. Kuoba (ed). Food and Agricultural Organisation, Rome, Italy.
- Farming in Tsetse Controlled Areas (FITCA-K) (2000): First Annual Progress Report and Financial Statement of Project Activities. March 1999-March 2000.
- Farming in Tsetse Controlled Areas (FITCA-K) (2001): Second Annual Progress Report and Financial Statement of Project Activities. March 2000-March 2001.
- Farming in Tsetse Controlled Areas (FITCA-K) (2003): Fourth Annual Progress Report and Financial Statement of Project Activities. January-December 2003.
- Fawcett, D.W., Buscher, G. and Doxey, S. (1985): Salivary gland of the tick vector of East Coast fever. IV. Cell type selectivity and host responsiveness of *Theileria parva*. *Tiss. Cell.* **14**: 379-444.

- Fimmen, H.O., Mehlitz, D., Hörchner, F. and Karbe, E. (1982): Colostral antibodies and *Trypanosoma congolense* infections in calves. *Trypanotolerance Recherche and Applications*. GTZ, No. 116, Germany. pp. 173-187.
- Fox, R.G.R., Mmbando, S.O., Fox, M.S and Wilson, A. (1993): Effect of herd health and productivity of controlling tsetse and trypanosomosis by applying deltamethrin to cattle. *Trop. Anim. Health Prod.* **25**: 203-214.
- Garber, M. (1968): Note sur la resistance au berenil d'une souche tchadienne de *Trypanosoma vivax*. *Revue Elev. Med. Vet. PaysTrop.* **21**: 463-466.
- Geerts, S. and Holmes, P.H. (1998): Drug management and parasite resistance in animal trypanosomiasis in Africa. Programme Against African Trypanosomosis (PAAT) Technical and Scientific Series 1, Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- Georghiou, G.P. and Lagunes-Tejeda, A. (1991): The occurrence of resistance to pesticides in arthropods. AGPP/MISC/91-1, Food and Agriculture Organization of the United Nations (FAO), Rome, Italy.
- Gibson, W.C., Backhouse, T. and Griffiths, A. (2002): The human serum resistance associated gene is ubiquitous and conserved in *Trypanosoma brucei rhodesiense* throughout East Africa. *Infect. Gen. Evol.* **1**: 207-214.
- Gilbert, M., Jenner, C., Pender, J., Rogers, D., Slingenbergh, J. and Wint, W. (2001): The development and use of the Programme Against African Trypanosomosis Information System (PAAT-IS). Newsletter on Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV). No. 3. pp. 10-12.
- Gitatha, S. K. (1979): *T. congolense* (Shimba Hills) resistance to various trypanocidal drugs. In: Proceedings of the 16th meeting of International Scientific Council for Trypanosomiasis Research and Control, Yaounde, Cameroon. OAU/STRC Publication 111. pp. 257-263.
- Gitau, G.K., O'Callaghan, C.J., McDermott, J.J., Omore, A.O., Odima, P.A., Mulei, C.M. and Kilungu, J.K. (1994a): Description of smallholder dairy farms in Kiambu District, Kenya. *Prev. Vet. Med.* **21**: 155-166.
- Gitau, G.K., McDermott, J.J., Adam, J.E., Lissemore, K.D. and Waltner-Toews, D. (1994b): Factors influencing calf growth and daily weight gain on smallholder dairy farms in Kiambu District, Kenya. *Prev. Vet. Med.* **21**: 179-190.
- Gitau, G.K., McDermott, J.J., Waltner-Toews, D., Lissemore, K.D., Osuma, J.M. and Muriuki, D. (1994c): Factors influencing calf morbidity and mortality in smallholder dairy farms in Kiambu District, Kenya. *Prev. Vet. Med.* **21**: 167-177.

- Gitau, G.K. (1998): A study of factors influencing endemic stability and instability to theileriosis and babesiosis on dairy production in Murang'a District, Kenya. Ph.D. Thesis, University of Nairobi, Kenya. pp. 124.
- Gitau, G.K., Perry, B.D. and McDermott, J.J. (1999): The incidence, calf morbidity and mortality due to *Theileria parva* infections in smallholder dairy farms in Murang'a District, Kenya. *Prev. Vet. Med.* **39**: 65-79.
- Government of Kenya. (1994): Annual Report for the Development of Livestock Production, Ministry of Agriculture and Livestock Development. Nairobi, Kenya.
- Government of Kenya. (1997). National Development Plan, 1997-2001, Government Printers, Nairobi, Kenya. Pp. 254.
- Grace, D., Randolph, T. and Clausen, P.-H. (2004). Promoting the rational use of animal health drugs for the prevention of drug resistance. Rural Poverty Reduction through Research for Development and Transformation. Abstract for the Deutscher Tropentag held from 5th-7th October 2004 in Berlin, Germany.
- Griffin, L., Allonby, E.W. and Preston, J.M. (1981): The interaction of *Trypanosoma congolense* and *Haemonchus contortus* infections in 2 breeds of goat. 2. Haematology. *J. Comp. Pathol.* **91**: 97-103
- Griffiths, R.B. and McCosker, P.J. (1990): Proceedings of the FAO Expert Consultation on Revision of Strategies for Control of Ticks and Tick-borne diseases. *Parassitologia.* **32**: 1-29.
- Grootenhuys, J.G., Leitich, B.L., Stagg, D.A., Dolan, T.T. and Young, A.S. (1987): Experimental induction of *Theileria parva lawrencei* carrier state in an African buffalo (*Syncerus caffer*). *Parasitology* **94**: 424-432.
- Harrison, L.J.S. (1996): Pathogenesis and epidemiology of fasciolosis. Centre for Tropical Veterinary Medicine, University of Edinburgh, U.K.
- Hellenport, J. and Pecoul, B. (2000): Availability and affordability of drugs for human African trypanosomiasis. In: 3rd COST-B9 meeting on anti-protozoal chemotherapy. Bruges, Belgium.
- Hide, G., Tait, A., Maudlin, I. and Welburn, S.C. (1996): The origins, dynamics and generation of *Trypanosoma brucei rhodesiense* epidemics in East Africa. *Parasitol. Today* **12**: 50-55.
- Hoare, C.A. (1957): The spread of African trypanosomes beyond their natural range (essay on historical zoogeography of the host-parasite system). *Z. Tropenmed. Parasitol.* **8**: 151-161.

- Holmes, P.H. (1991): New opportunities for the diagnosis and control of animal diseases in the tropics. *Trans. R. Soc. Trop. Med. Hyg.* **85**: 163-167.
- Holmes, P.H. (1997): New approaches to the integrated control of trypanosomosis. *Vet. Parasitol.* **71**: 121-135.
- Hörchner, F. (1993): Neue Erkenntnisse über Pathogenese und Bekämpfung der Trypanosomiasis der Haustiere. *Die Blauen Hefte.* **67**: 329-333.
- Ikede, B.O., Elhassan, E. and Akpavie, S.O. (1988): Reproductive disorders in African trypanosomiasis: a review. *Acta Trop.* **45**: 5-10.
- ILRAD (1984): Annual report for 1984. International Laboratory for Research in Animal Diseases, Nairobi, Kenya.
- ILRAD (1993): (1993): Estimating the costs of animal trypanosomiasis in Africa. International Laboratory for Research in Animal Diseases, Nairobi, Kenya. Report No.2, **11**: 6.
- ILRI (1996): Working draft for the International Livestock Research Institute. Medium term strategy: 1998-2002.
- Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV) (2000): Suggested guidelines for the avoidance of trypanocidal drug resistance. Proceedings of the workshop on Drug Delivery and resistance in the context of integrated disease management, held from 31st May-4th June 1999 in Nairobi, Kenya.
- Irvin, A.D., Ocama, J.G.R. and Spooner, P.R. (1982): Cycle of bovine lymphoblastoid cells parasitized by *Theileria parva*. *Res. Vet. Sci.* **33**: 298-304.
- Irvin, A.D. and Mwamachi, B.M. (1983): Clinical and diagnostic features of East Coast fever (*Theileria parva*) infection in cattle. *Vet. Rec.* **113**: 192-198.
- Irvin, A.D. (1987): Characterisation of species and strains of *Theileria*. *Adv. Parasitol.* **26**: 145-197.
- Itty, P., Zinsstag, J., Ankers, P., Njie, M. and Pfister, K. (1997): Returns from strategic anthelmintic treatments in village cattle in The Gambia. *Prev. Vet. Med.* **32**: 299-310.
- Jackson, C.H.N. (1946) An artificially isolated generation of tsetse flies (Diptera). *Bull. Entomol. Res.* **37**: 291-299.
- Jones-Davies, W.J. (1967): The discovery of berenil resistant strains of trypanosomes in cattle in Northern Nigeria. *Bull. Epizoot. Dis. Afr.* **14**: 65-72.
- Jordan, A.M. (1986): Trypanosomosis control and African rural development. Longman Group Ltd New York, U.S.A.

- Jordan, A.M. (1988): The role of tsetse in African animal trypanosomiasis. In: Proceedings of a meeting held between 23rd-27th Nov. 1987 in Nairobi, Kenya. ILCA/ILRAD. pp. 37-42.
- Julla, I.I. (1985): Theileriosis in Southern Sudan. In: Theileriosis in Africa: Proceedings of joint workshop, Nairobi, 1-5 October 1984. A.D. Irvin (ed), ILRAD, Nairobi, Kenya. pp. 9-21.
- Kamau, S.W., Omukuba, J., Kiragu, J., Masika, P., Ndung'u, J.M., Wachira, P. and Mehlitz, D. (2000): Financial analysis of animal trypanosomosis control using cypermethrin in Kenya. *Prev. Vet. Med.* **44**: 231-246.
- Karanja, S.M. (1999): Epidemiology of bovine trypanosomosis in selected sites of the Southern Rift Valley of Ethiopia. Master of Science Thesis. Addis Ababa University, Ethiopia and Freie Universität Berlin, Germany. pp. 112.
- Karanja, W.M., Mdachi, R.E. and Murilla, G.A. (2002) A competitive enzyme-linked immunosorbent assay for diminazene. *Acta Trop.* **84**: 75-81.
- KARI/DFID (1999): Integrated helminth control. Kenya Agricultural Research Institute/Department of International Development, Muguga, Kenya. KARI Technical Note No. 2
- Kariuki, D.P. (1990): Current status of theileriosis in Kenya. In: A.S. Young, J.J. Mutugi and A.C. Maritim (eds.). Progress towards the control of East Coast fever (theileriosis) in Kenya. Kenya Agricultural Research Institute (KARI), Nairobi, Kenya. pp. 17-26.
- Katende, J.M. (1994): Protocols for the antibody and/or antigen detection ELISA for *Theileria parva*, *Theileria mutans*, *Babesia bigemina* and *Anaplasma marginale*, ILRI, Kenya. pp. 27.
- Katende, J.M., Morzaria, S.P., Toye, P., Skilton, R.A., Nene, V., Nkonge, C. and Musoke, A.J. (1998): An enzyme-linked immunosorbent assay for the detection of *Theileria parva* antibodies in cattle using a recombinant polymorphic immunodominant molecule. *Parasitol. Res.* **84**: 408-416.
- Kaufmann, J., Conta, S.F. and Pfister, K. (1989): Studies on the epidemiology of gastrointestinal helminths in N'Dama cattle in The Gambia. Conference Book of the 6th International Conference of the Institutes for Tropical Veterinary Medicine. Wageningen, The Netherlands pp. 95-99.
- Kaufmann, J. and Pfister, K. (1990): The seasonal epidemiology of gastrointestinal nematodes in N'Dama cattle in The Gambia. *Vet. Parasitol.* **37**: 45-54.
- Kaufmann, J., Dwinger, R.H., Hallebeek, A., van Dijk, B and Pfister, K. (1992): The interaction of *Trypanosoma congolense* and *Haemonchus contortus* infections in trypanotolerant N'Dama cattle. *Vet. Parasitol.* **43**: 157-170.

- Kaufmann, J. (1996): Parasitic infections of domestic animals: A diagnostic manual. Birkhauser Verlag, Postfach 133, CH-4010 Basel, Switzerland.
- KETRI/DFID (1998): Case study of environmental change in Nguruman, south-west Kenya. Kenya Trypanosomiasis Research Institute/ Department of International Development, Muguga, Kenya. 1998 Report. pp. 1-24.
- Kiptoon, J.C., Masha, J.B., Shatry, A.M. and Wolf, F.W.A. (1983): The clinical signs of East Coast fever (bovine *Theileria parva* infection). *Kenya Veterinarian*. **7**: 9-11.
- Kirby, W.W. (1964): Prophylaxis and therapy under continuous exposure to risk of natural infection with trypanosomiasis by tsetse flies. *Bull. Epiz. Dis. Afr.* **12**: 321-327.
- Krampitz, H.E. (1970): Experimental infection of Zebu cattle of East Africa with feral strains of *Trypanosoma congolense*. *Z. Tropenmed. Parasitol.* **21**: 3-20.
- Latif, A. and Jongejan, F. (2002): The wide-use of acaricides for the control of livestock diseases in Africa needs a reappraisal. Proceedings of the joint ICTTD-2/ICPTV workshop on integrated vector control including synergistic use of drugs and bait technologies for the control of trypanosomiasis and tick-borne diseases, held on 10-12th April 2002 at the Institute of Tropical Medicine, Antwerp, Belgium.
- Lawrence, J.A., de Vos, A.J. and Irvin, A.D. (1994): Theileriosis. In: J.A.W. Coetzer, N.P.J., Kriek, G.R., Thompson and R.C. Tustin, (eds.). Infectious Diseases of Livestock with Special Reference to Southern Africa. Oxford University Press, Cape Town, Republic of South Africa. pp. 45-68.
- Leach, T. M. (1961): Observations on the treatment of *Trypanosoma evansi* infections in camels. *J. Comp. Pathol.* **71**: 109-117.
- Leak, S.G.A., Awoume, K., Colardelle, C., Duffera, W., Feron, A., Mahamat, B., Mawuena, K., Minengu, M., Mulungo, M., Nankodaba, G., Ordner, G., Pelo, M., Sheria, M., Tikubet, G., Toure, M. and Yangari, G. (1988): Determination of tsetse challenge and its relationship with trypanosome prevalence in trypanotolerant livestock at sites of the African Trypanotolerant Livestock Network. Livestock production in tsetse affected areas of Africa. Proceedings of a meeting held on 23-27th November 1987, ILRAD/ILCA. Nairobi, Kenya.
- Leak, S.G.A., Mulatu, W. Authie, E., d'Ieteren, G.D.M., Peregrine, A.S., Rowlands, G.J. and Trail, J.C.M. (1993): Epidemiology of bovine trypanosomiasis in the Ghibe Valley, Southwest Ethiopia. 1. Tsetse challenge and its relationship to trypanosome prevalence in cattle. *Acta Trop.* **53**: 121-134.
- Leak, S.G.A., Mulatu, W., Rowlands, J.G. and d'Ieteren, G.D.M. (1995): A trial of cypermethrin pour-on insecticide to control *Glossina pallidipes*, *G. fuscipes fuscipes* and *G. morsitans submorsitans* (Diptera: Glossinidae) in south-west Ethiopia. *Bull. Entomol. Res.* **85**: 241-251.

- Leak, S.G.A. (1999): Tsetse biology and ecology: their role in the epidemiology and control of trypanosomosis. CABI publishing, Wallingford, Oxon, UK.
- Levine, N.D., Corliss, J.O., Cox, F.E., Deroux, G., Grain, J., Honigberg, B.M., Leedale G.F., Loeblich, A.R., Lom, J., Lynn, D.H., Merinfeld, E.G., Page, F.C., Poljansky, G., Sprague, V., Vavra, J. and Wallace, F.G. (1980): A newly revised classification of the protozoa. *J. Protozool.* **27**: 37-38.
- Llewelyn, C.A., Munro, C.D., Luckins, A.G., Jordt, T., Murray, M. and Lorenzini, E. (1988): The effects of *Trypanosoma congolense* infection on the oestrus cycle of the Boran cow. *Br. Vet. J.* **144**: 379-87.
- Lloyd, L. and Johnson, W.B. (1924): The trypanosome infection of tsetse flies in Northern Nigeria and a new method of estimation. *Bull. Entomol. Res.* **14**: 265-288.
- Löhr, K.F., Omukuba, J.H., Njogu, A.R., Maloo, S.H., Gisemba, F., Okedi, T. and Mwangela, S. (1991): Investigation of the efficacy of flumethrin pour-on for the control of high tsetse and trypanosomiasis challenge in Kenya. *Trop. Med. Parasitol.* **42**: 131-134.
- Lorenzini, E., Scott, J.R., Paling, R.W. and Jordt, T. (1988): The effects of *Trypanosoma congolense* infection on the reproductive cycle of N'Dama and Boran heifers. In: Livestock Production in Tsetse Affected Areas of Africa. ILCA/ILRAD. pp. 168-173.
- Losos, G. J. and Crockett, E. (1969): Toxicity of Berenil in the dog. *Vet. Rec.* **85**: 196.
- Luckins A. G. and D. Mehlitz (1976): Observations on serum immunoglobulin levels in cattle infected with *Trypanosoma brucei*, *T. vivax* and *T. congolense*. *Ann. Trop. Med. Parasitol.* **70**: 479-480.
- Luckins, A.G. (1977): Detection of antibodies in trypanosome infected-cattle by means of a microplate enzyme-linked immunosorbent assay. *Trop. Anim. Health Prod.* **9**: 53-62.
- Luckins, A.G., Llewelyn, C., Munro, C.D. and Murray, M. (1986): Effects of pathogenic trypanosomes on the mammalian reproductive system. Proceedings of Joint IAEA/FAO International Symposium on Nuclear and Related Techniques in Animal Production and Health.
- Lumsden, W.H.R., Kimber, C.D. and Strange, M. (1977): *Trypanosoma brucei*: detection of low parasitaemias in mice by a miniature anion-exchange/centrifugation technique. *Trans. R. Soc. Trop. Med. Hyg.* **71**: 421-424.
- Machila, N., Wanyangu, S.W., McDermott, J., Welburn, S.C., Maudlin, I. and Eisler, M.C. (2003): Cattle owners' perception of African bovine trypanosomiasis and its control in Busia and Kwale Districts of Kenya. *Acta Trop.* **86**: 25-34.

- Maingi, N., Otieno, R.O., Weda, E.H. and Gichohi, V.M. (2002): Effects of three anthelmintic treatment regimes against *Fasciola* and nematodes on the performance of ewes and lambs on pasture in the highlands of Kenya. *Vet. Res. Commun.* **26**: 543-552.
- Maloo, S.H. (1993): Vector-borne diseases and preventive medicine practices in smallholder dairy cattle in the coastal Kenya. PhD Thesis, Veterinary School, University of Glasgow, U.K. pp. 180.
- Matete, G.O. (2003): Occurrence, clinical manifestation and the epidemiological implications of naturally occurring canine trypanosomosis in western Kenya. *Onderstepoort J. Vet. Res.* **70**: 317-323.
- Mbugua, P.N., Gachui, C.K., Wahome, R.G., Wanyoike, M.M., Abate, A., Munyua, S.J.M and Kamau, J.M.Z. (1999): The performance of dairy cattle under different feeding systems, as practiced in Kiambu and Nyandarua Districts of central Kenya. In: Development of Feed Supplementation for Improving the Productivity of Dairy Cattle on Smallholder Farms in Africa. Proceedings of a co-ordination meeting held in September 1998, International Atomic Energy Agency, Vienna, Austria.
- McDermott, J. and Coleman, P. (1999): Research into trypanosomosis epidemiology-the essential contributions of theory, models, diagnostics and field studies. Integrated Control of Pathogenic Trypanosomes and their Vectors. (ICPTV), Newsletter, No. 1. pp. 11-15.
- McDermott, J., Woitag, T., Sidibé, I., Bauer, B., Diarra, B., Ouédraogo, D., Kamuanga, M., Peregrine, A., Eisler, M., Zessin, K-H., Mehlitz, D. and Clausen, P-H. (2003): Field studies of drug-resistant cattle trypanosomes in Kéné Dougou Province, Burkina Faso. *Acta Trop.* **86**: 93-103.
- McHardy, N. (1989): Buparvaquone—the new anti-theilerial: A review of its efficacy and safety. In: T.T. Dolan (ed.). Theileriosis in Eastern, Central and Southern Africa: Proceedings of a workshop on East Coast Fever Immunisation held in Lilongwe, Malawi, 20-22 September, 1988. pp. 155-165.
- McHardy, N. and Morgan, D.W.T. (1985): Treatment of *Theileria annulata* infection in calves with paraquone. *Res. Vet. Sci.* **39**: 1-4.
- McHardy, N., Haigh, A.J. and Dolan, T.T. (1976): Chemotherapy of *Theileria parva* infection. *Nature* **261**: 698-699.
- McHardy, N., Wekesa, L.S., Hudson, A.T. and Randall, A.W. (1985): Anti-Theilerial activity of BW720C (buparvaquone): a comparison with paraquone. *Res. Vet. Sci.* **39**: 29-33.
- Mehlhorn, H. and Piekarski, G. (1989): Grundriss der Parasitenkunde, 3. Aufl., Fischer, Verlag, Stuttgart.

- Mehlhorn, H., Schein, E. and Warneke, M. (1978): Electron microscopic studies on the development of kinetes of *Theileria parva* Theiler, 1904 in the gut of the vector ticks *Rhipicephalus appendiculatus* Neumann, 1901. *Acta Trop.* **35**: 123-136.
- Meyer, F. (1990): Simultane Zecken- und Tsetsefliegenbekämpfung bei Rindern in Burkin Faso. Dissertation, Tierärztliche Hochschule Hannover.
- Minami, T., Spooner, P.R., Irvin, A.D., Ocama, J.G., Dobbelaere, D.A. and Fujinaga, T. (1983): Characterisation of stocks of *Theileria parva* by monoclonal antibody profiles. *Res. Vet. Sci.* **35**: 341-346.
- Ministry of Agriculture, Fisheries and Food, (1986): Manual of Veterinary Parasitology Laboratory Techniques. Tech. Bull. No. 18., 3rd edition. Her Majesty's Stationary Office, London.
- Ministry of Finance and Planning (GoK). (1999): The 1999 National population and household census. pp.107.
- Ministry of Finance and Planning (GoK). (2002): Effective management for economic growth and poverty reduction. District Development Plan, 2002-2008. pp. 112.
- Minjauw, B., Rushton, J., James, A.D. and Upton, M. (1999): Financial analysis of East Coast fever control strategies in traditionally managed Sanga cattle in Central Province of Zambia. *Prev. Vet. Med.* **38**: 35-45.
- Mitchell, G.B.B. (2003): Treatment and control of liver flukes in sheep and cattle in Scotland. SAC Technical Note, TN, 557.
- Mohamed, M.M. and Dairri, M.F. (1987): Trypanosome infection rate of *Glossina pallidipes* during the wet and dry seasons in Somalia. *Trop. Anim. Health.* **19**: 11-20.
- Moll, G., Lohding, A. and Young, A.S. (1984): Epidemiology of Theileriosis in the Trans-Mara Division, Kenya: Husbandry and disease background and preliminary investigations on theileriosis in calves. *Prev. Vet. Med.* **2**: 801-831.
- Moll, G., Lohding, A., Young, A.S. and Leitich, B.L. (1986): Epidemiology of theileriosis in calves in an endemic area of Kenya. *Vet. Parasitol.* **19**: 255-273.
- Moloo, S. K., Kutuza, S.B. and Boreham, P.F.L. (1979): Studies on *Glossina pallidipes*, *G. fuscipes fuscipes* and *G. brevipalpis* in terms of the epidemiology and epizootiology of trypanosomiasis in south-eastern Uganda. *Trop. Med. Parasitol.* **74**: 219-237.
- Moloo, S. K., Chema, S., Connor, R., Durkin, J., Kimotho, P., Maehl, Mukendi, F., Murray, M., Rarieya, M. and J. Trail (1987): Efficacy of chemoprophylaxis for East African Zebu cattle exposed to trypanosomiasis in village herds in Kenya. In: Proc. 9th

- Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Lome, Togo, 1987, OAU/STRC, Nairobi, Publ. No. 144. pp. 282-287.
- Moloo, S. K. and Kutuza, S.B. (1990): Expression of resistance to isometamidium and diminazene in *Trypanosoma congolense* in Boran cattle infected by *Glossina morsitans centralis*. *Acta Trop.* **47**: 79-89.
- Molyneux, D.H. and Ashford, R.W. (1983): The biology of *Trypanosoma* and *Leishmania*, parasites of man and domestic animals. Taylor and Francis, London.
- Mugambi, J. (1998): Results of some antihelmintic analysis: Helminthology OVI group. Workshop held between 12th-15th May 1998 on analysis of Antihelmintics for veterinary use that are in the Kenyan Market at the Kenya Agricultural Research Institute (KARI-NVRC), Muguga, Kenya.
- Mukhebi, A.W., Shavulimo, S.R., Ruvuna, F. and Rurangirwa, F. (1985): Economics of parasite control among goats in Western Kenya. In: Proceedings of the Fourth Small Ruminant-Collaborative Research Support Programme in Kenya. 11th-12th March 1985, Kakamega, Kenya. pp. 185-189.
- Mulligan, H.W. (1970): The African Trypanosomiasis.: George Allen and Unwin Ltd, London.
- Mulugeta, W., Wilkes, J., Mulatu, W., Majiwa, P.A., Masake, R. and Peregrine, A.S. (1997): Long-term occurrence of *Trypanosoma congolense* resistance to diminazene, isometamidium and homidium in cattle at Ghibe, Ethiopia. *Acta Trop.* **64**: 205-217.
- Muraguri, G.R. (2000): Epidemiology and financial impact of vector-borne diseases on productivity of smallholder cattle in the coastal lowlands of Kenya. PhD. Thesis. Department of Agriculture, University of Reading, UK. pp. 300.
- Muraguri, G.R., Kiara, H.K. and McHardy, N. (1999): Treatment of East Coast fever: a comparison of parvaquone and buparvaquone. *Vet. Parasitol.* **87**: 25-37.
- Murilla, G.A., Mdachi, R.E., Okech, G.O. and Ndung'u, J.M. (1998): Novel approaches to the epidemiology of resistance to drugs used in the control of bovine trypanosomiasis in East Africa. European Union INCO-DC Project IC18-CT95-0006. Annual Report 1997.
- Muriuki, G. and Ndung'u, J.M. (2001): Environment and land use changes in trypanosomiasis control in Kenya: The Kenya Trypanosomiasis Research Institute (KETRI) experience. Proceedings of the workshop on environmental monitoring approaches and methods in the context of changes in land use associated with tsetse and trypanosomiasis control. Program Advisory Group, PAAT, 26-28th September 2001, Ouagadougou, Burkina Faso. pp. 6-9.
- Muriuki, G.R. (2001): Smallholder dairy production and marketing in Kenya. Smallholder dairy production systems in East and South-East Asia: Expanding importance, environmental

- impacts and opportunities for improvements. Proceedings of a South–South workshop held at National Dairy Development Board (NDDB), from 13–16 March 2001, Anand, India.
- Murray, M., Murray, P.K. and McIntyre, W.I. (1977): An improved technique for the diagnosis of African trypanosomiasis. *Trans. R. Soc. Trop. Med. Hyg.* **71**: 325-326.
- Murray, M., Clifford, D.J., Gettinby, G., Snow, W.F. and McIntyre, W.I. (1981): Susceptibility to African trypanosomiasis of N'Dama and Zebu cattle in an area of *Glossina morsitans submorsitans* challenge. *Vet. Rec.* **109**:503-10.
- Murray, M. and Dexter, T.M. (1988): Anaemia in bovine African Trypanosomiasis. A review. *Acta Trop.* **45**: 389-432.
- Mwangi, E., Stevenson, P., Gettinby, G. And Murray, M. (1993): Variation in susceptibility of tsetse-borne trypanosomiasis among *Bos indicus* cattle breeds in East Africa. Proceedings of the 22nd meeting of the International Scientific Council for Trypanosomiasis Research and Control in Kampala, Uganda. OAU/STRC Pub. No. 117 pp. 125-128.
- Mwangi, E.K., Stevenson, P., Ndung'u, J.M., Stear, M.J., Reid, S.W. J., Gettinby, G. and Murray, M. (1998): Studies on host resistance to tick infestations among trypanotolerant *Bos indicus* cattle breeds in East Africa. *Ann. N.Y. Acad. Sci.* **849**:195-208.
- Mwase, E.T., Pegram, R.G. and Mathers, T.N. (1990): New strategies for controlling ticks. in: C.F. Curtis (ed). *Appropriate Technology in Vector Control*. Boca Ranton, FL, USA. pp. 93-102.
- Mwongela, G.N., Kovatch, R.M. and Frazil, M.A. (1983): Acute *Trypanosoma vivax* infection in dairy cattle in Coast Province, Kenya. *Trop. Anim. Health Prod.* **13**: 63-69.
- Nantulya, V.M., Lindqvist, K.J., Stevenson, P. and Mwangi, E.K. (1992): Application of a monoclonal antibody-based antigen detection enzyme-linked immunosorbent assay (antigen ELISA) for field diagnosis of bovine trypanosomiasis at Nguruman, Kenya. *Ann. Trop. Med. Parasitol.* **86**: 225-230.
- Ndao, M., Pandey, V.S., Zinsstag, J. and Pfister, K. (1995): Effects of a single dry season anthelmintic treatment of N'Dama cattle on communal pasture in The Gambia. *Vet. Res. Commun.* **19**: 205-213.
- Nielsen, K., Smith, P., Gall, D., de Eshaide, S.T., Wagner, G. and Dajer, A. (1996): Development and validation of an indirect enzyme immunoassay for the detection of antibody to *Anaplasma marginale* in bovine sera. *Prev. Vet. Med.* **67**: 133-142.
- Njogu, A.R., Dolan, R.B., Wilson, A.J. and Sayer, P.D. (1985): Trypanotolerance in East African Orma Boran cattle. *Vet. Rec.* **177**: 632-636.

- Norval, R.A.I., Sutherst, R.W., Jorgensen, O.G., Gibson, J.D. and Kerr, J.D. (1989): The effect of the bont tick (*Amblyomma hebraeum*) on the weight gain of Africander steers. *Vet. Parasitol.* **33**: 329-341.
- Norval, R.A.I., Perry, B.D. and Young, A.S. (1992): The epidemiology of Theileriosis in Africa. Academic Press, London.
- Nyeko, J.H.P., Ole-Moi yoi, O.K., Majiwa, P.A.O., Otieno, L.H. and Ociba, P.M. (1990): Characterization of trypanosome isolates from cattle in Uganda using species-specific DNA probes reveals predominance of mixed infections. *Insect Sci. Applic.* **11**: 271-280.
- O'Callaghan, C.J. (1998): A study of the epidemiology of theileriosis on smallholder dairy farms in Kiambu District, Kenya. PhD. Thesis, University of Guelph, Canada. pp. 145.
- Ogwu, D., Njoku, C.O., Osori, D.I. Ezeokoli, C.D. and Kumi-Diaka, J. (1984): Effects of experimental *Trypanosoma vivax* infection on fertility of heifers. *Theriogenol.* **22**: 625-633.
- Ogwu, D., Njoku, C.O. and Osori, D.I.K. (1986): Effects of experimental *Trypanosoma vivax* infection on 1st-trimester, 2nd-trimester and 3rd-trimester pregnancy in heifers. *Theriogenol.* **25**: 383-398.
- Okech, G., Dolan, R.B., Stevenson, P., Alushula, H., Watson, E.D., Luckins, A.G. and Omuse, J.K. (1996). The effect of trypanosomosis on pregnancy in trypanotolerant Orma Boran cattle. *Theriogenol.* **46**: 441-447.
- Ole-Moi Yoi, O. (1989): *Theileria parva*: An intracellular protozoan parasite that induces reversible lymphocyte transformation. *Exp. Parasitol.* **69**: 204-210.
- Omure, A.O., (1997): Epidemiology and economics of mastitis in the smallholder dairy sector in Kiambu District, Kenya. PhD. Thesis, University of Nairobi, Nairobi, Kenya. pp. 139.
- Onyango, R.J., Van Hove, K. and De Raadt, P. (1966): The epidemiology of *Trypanosoma rhodesiense* sleeping sickness in Alego location, Central Nyanza, Kenya. I. Evidence that cattle act as reservoir hosts of trypanosomes infective to man. *Trans. R. Soc. Trop. Med. Hyg.* **60**: 175-182.
- Paling, R.W., Moloo, S.K., Scott, J.R., Gettinby, G., McOdimba, F.A. and Murray, M. (1991): Susceptibility of N'Dama and Boran cattle to sequential challenges with tsetse-transmitted clones of *Trypanosoma congolense*. *Parasite Immunol.* **13**: 427-445.
- Paris, J., Murray, M. and McOdimba, F. (1982): A comparative evaluation of the parasitological techniques currently available for the diagnosis of African trypanosomiasis in cattle. *Acta Trop.* **39**: 307-316.

- Pegram, R.G., James, A.D., Bamhare, C., Dolan, T.T., Hove, T., Kanhai, G.K. and Latif, A.A. (1996): Effects of immunisation against *Theileria parva* on beef cattle productivity and economics of control options. *Trop. Anim. Health Prod.* **28**: 99-111.
- Pegram, R.G., James, A.D., Oosterwijk, G.P., Killorn, K.J., Lemche, J., Ghirotti, M., Tekle, Z., Chizyuka, H.G., Mwase, E.T. and Chizyuka, F. (1991): Studies on the economics of ticks in Zambia. *Exp. Appl. Acarol.* **12**: 9-26.
- Peregrine, A. S., Ogunyemi, O., Whitelaw, D. D., Holmes, P. H., Moloo, S. K., Hirumi, H., Urquhart, G. M. and Murray M. (1988): Factors influencing the duration of isometamidium chloride (Samorin) prophylaxis against experimental challenge with metacyclic forms of *Trypanosoma congolense*. *Vet. Parasitol.* **28**: 53-64.
- Peregrine, A.S., Moloo, S.K. and Whitelaw, D.D. (1991): Differences in sensitivity of Kenyan *Trypanosoma vivax* populations to the prophylactic and therapeutic actions of isometamidium chloride in Boran cattle. *Trop. Anim. Health Prod.* **23**: 29-38.
- Peregrine, A.S. (1994): Chemotherapy and delivery systems: haemoparasites. *Vet. Parasitol.* **54**: 223-248.
- Perry, B.D. and Young, A.S (1995): The past and future roles of epidemiology and economics in the control of tick-borne diseases of livestock in Africa: The case of theileriosis. *Prev. Vet. Med.* **25**: 107-120.
- Perry, B.D., Deem, S.L., Medley, G.F., Morzaria, S.P. and Young, A.S. (1992): The ecology of *Theileria parva* infections of cattle and the development of endemic stability. In: U.G. Munderloh and T.J. Kurtti (eds.): The Host-Vector Interface: An Agenda For Research. Proceedings of the First International Conference on Tick-borne Pathogens. University of Minnesota, College of Agriculture, Department of Entomology and Minnesota Extension Services, Saint Paul, Minnesota, USA.
- Pinder, M. and Authie, E. (1984): The appearance of isometamidium resistant *Trypanosoma congolense* in West Africa. *Acta Trop.* **41**: 247-252.
- Ristic, M. (1968): Anaplasmosis. in: Infectious Diseases of Man and Animals. S. Weinman and M. Ristic (eds.) pp. 473-542.
- Roderick, S. (1995): Pastoralist cattle productivity in a tsetse infested area of south west Kenya. PhD. Thesis, University of Reading, UK. pp. 262.
- Rommel, M., Eckert, J., Kutzer, E., Körting, W. und Schnieder, T. (2000): Veterinärmedizinische Parasitologie. 5. Auflage. Parey Buchverlag Berlin, Germany.
- Rowlands, G.J., Mulatu, W., Authie, E., d'Ieteren, G.D., Leak, S.G., Nagda, S.M. and Peregrine A.S. (1993): Epidemiology of bovine trypanosomiasis in the Ghibe Valley, Southwest

- Ethiopia. 2. Factors associated with variation in trypanosome prevalence, incidence of new infections and prevalence of recurrent infections. *Acta Trop.* **53**: 135-150.
- Rowlands, G.J., Mulatu, W., Nagda, S.M. and d'Ieteren, G.D.M. (1995): Variations in packed cell volume and trypanosome prevalence and the relationship with reproductive traits in East African Zebu cows exposed to drug-resistant trypanosomes. *Acta Trop.* **59**: 105-116.
- Rowlands, G.J., Leak, S.G.A., Peregrine A.S., Nagda, S.M., Mulatu, W., and d'Ieteren, G.D. (2001): The incidence of new and the prevalence and persistence of recurrent trypanosome infections in cattle in southwest Ethiopia exposed to a high challenge with drug-resistant parasites. *Acta Trop.* **79**: 149-163.
- Russo, S., Hart, R., Otieno, K., Owino, J. and Onim, J. (1983): Feed production research for smallholder agriculturalists in western Kenya. Paper presented at CIMMYT workshop on Draft Power and Livestock Feeding in Eastern and Southern Africa, 4-6 October, Nairobi, Kenya.
- Schönefeld, A., Röttcher, D. and S. K. Molloo (1987): The sensitivity to trypanocidal drugs of *Trypanosoma vivax* isolated in Kenya and Somalia. *Trop. Med. Parasitol.* **38**: 177-80.
- Schwabe, C.W. and Koujok, I.M. (1981): Practices and beliefs of the traditional Dinka healer in relation to provision of modern medical and veterinary services for the southern Sudan. *Hum. Organ.* **40**: 231-238.
- Scott, J. M., Pegram, R. G. (1974): A high incidence of *Trypanosoma congolense* strains resistant to homidium bromide in Ethiopia. *Trop. Anim. Health Prod.* **6**: 215-221.
- Seed, J. (2000): Current status of African trypanosomiasis. *American Society for Microbiology News* **66**: 7.
- Seifert, H.S.H. (1996): Tropical animal health. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Sekoni, V.O., Njoku, C.O., Kumi-Diaka, J. and Saror, D.I. (1990): Pathological changes in male genitalia of cattle infected with *Trypanosoma vivax* and *Trypanosoma congolense*. *Br. Vet. J.* **146**: 175-180.
- Semenye, P. P., Mbabu, A. N., Mwandoto, B., Nyaribo, F. B., Onim, J. M. and Rurangirwa, F. (1992): Research highlights from the Small Ruminant Collaborative Research Support Program: The dual purpose goat (DPG). In: Small ruminant research and development in Africa. Proceedings of the first biannual conference of the African small ruminant research network. B. Rey, S. H. B. Lebbie and L. Reynolds (eds.): International Livestock Centre for Africa (ILCA), Nairobi, Kenya, ILRAD, Nairobi, Kenya, 10th-14th December 1990. pp. 533-543.

- Sharma, D.K., Chauhan, P.P. and Agrawal, R.D. (2000): Interaction between *Trypanosoma evansi* and *Haemonchus contortus* infection in goats. *Vet. Parasitol.* **92**: 261-267.
- Shayan, P., Bierman, R., Schein, E., Gerdes, J. and Ahmed, J.S. (1998): Detection and differentiation of *Theileria annulata* and *Theileria parva* using macroschizont-derived DNA probes. *Ann. NY. Academ. Sci.* **849**: 88-95.
- Shereni, W. (1990): Strategic and tactical development in tsetse control in Zimbabwe (1981-1989) *Insect. Sci. Applic.* **11**: 399-409.
- Shute, P.G. and Maryon, M.E. (1966): Laboratory technique for the study of malaria. 2nd edition. London, J. and A. Churchill.
- Skerman, K.D. and Hillard, J.J. (1966): A handbook for the studies of Helminth Parasites of Ruminants. Near East Animal Health Institutes. Handbook No. 2, Food and Agriculture Organisation (FAO) of the United Nations, Rome, pp. 192.
- Sones, K. R., Njogu, A.R. and Holmes P. H. (1988): Assessment of sensitivity of *Trypanosoma congolense* to isometamidium chloride: a comparison of tests using cattle and mice. *Acta Trop.* **45**:153-164.
- Staak, C. (1981): Summary of a discussion on tick-borne disease. In: J.E. Huhn (ed.). Impact of Animal Disease Research and Control of Livestock Production in Africa. German Foundation for International Development, Berlin, Germany. pp. 195.
- StataCorp. (2001): Stata reference manual release 7, volume 3 Q-St. Stata Corporation, College Station, Texas, 77845, USA.
- StataCorp. (2004): Stata Statistical Software. Stata/SE 8.2. Stata Corporation, College Station, Texas, 77845, USA.
- Stendel, W. and Hamel, H.D. (1990): Flumethrin pour-on and cyfluthrin pour-on for ectoparasite control in cattle and sheep. Medicamentum, Germed, Dresden, 10-13.
- Steuber, S. and Kroker, R. (1997): Chemotherapie der Hamoprotozoen. In: Pharmakotherapie bei Haus- und Nutztieren. 3rd edition. Parey Buchverlag, Berlin, Germany. pp. 355-357.
- Steuber, S., El-Rady, A.A. and Clausen, P.-H. (2004): African trypanosomiasis: Identification of vertebrate hosts of tsetse (Diptera, *Glossinidae*) by PCR-RFLP analysis. Abstract for the Japanese-German Cooperation Symposium on Protozoan Diseases held from 20th-24th September, 2004 in Düsseldorf, Germany.
- Stevenson, P. and Okech, G. (1997): Haemorrhagic *Trypanosoma vivax* on Galana Ranch in Kenya. Proceedings of the 24th meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) held in Maputo, Mozambique, 29th September-4th October 1997. OAU/STRC. pp. 296-297.

- Stevenson, P., Munga, L., Makumi, J., Baylis, M. and Alushula, H. (1991): The control of tsetse and trypanosomiasis by deltamethrin treatment of ranch cattle. Proceedings of the 22nd meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) held in Yamoussoukro, Côte d'Ivoire. OAU/STRC.
- Stotz, D. (1979): Smallholder dairy development in past, present and future in Kenya. PhD. Thesis. Hohenhein University, Germany. pp. 128.
- Stotz, D. (1983): Production techniques and economics of smallholder livestock production systems in Kenya. Farm Management Handbook of Kenya, Vol. 4. Ministry of Agriculture, Livestock and Marketing, Kilimo House, Nairobi, Kenya. pp. 140.
- Swallow, B.M., Mulatu, W. and Leak, S.G.A. (1993): Evaluation of pour-on by Ethiopian farmers. Proceedings of the 24th meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) held in Kampala, Uganda. OAU/STRC. Abstract 6.27.
- Swallow, B.M. (1997): Impact of trypanosomosis on African agriculture. Review paper for the PAAT presentation. Proceedings of the 24th meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) held in Maputo, Mozambique, 29th September-4th October 1997. OAU/STRC. pp. 515-533.
- Tatchell, R.J. (1987): Tick control in the context of ECF immunisation. *Parasitol. Today* **3**: 7-10.
- Taylor, K.A. (1998): Immune responses of cattle to African trypanosomes: Protective or pathogenic? *Int. J. Parasitol.* **28**: 219-240.
- Thaiya, A.G., Chege, J.N., Muriuki, S.K. and Wekesa L.S. (1993): Efficacy of buparvaquone in the treatment of ECF cases in Kabete area of Kiambu District of Kenya. Preliminary results. *Bull. Anim. Health Prod. Afr.* **41**: 333-335.
- Thienpont D., Rochette, F. and Vanparijs, O.F.J. (1990): Diagnosis of helminthosis through coproscopic examination. 2nd edition. Janssen Research Foundation, Beerse, Belgium. pp. 34-36.
- Tilley, A., Welburn, S.C., Fevre, E.M., Feil, E.J. and Hide, G. (2003): *Trypanosoma brucei*: Trypanosome strain typing using PCR analysis of mobile genetic elements (MGE-PCR). *Exp. Parasitol.* **104**: 26-32.
- Torr, S.J., Kindness, H.M., Gibson, G., Costantini, C. and Habtewold, T. (2000): The integrated control of malaria and livestock diseases in Ethiopia: past, present and future. Report for DFID ASSC Programme-2002.
- Toye, P.G., Nyanjui, J., Goddeeris, B.M. and Musoke, A.M. (1996): Identification of neutralization and diagnostic epitopes on PIM, the polymorphic immunodominant molecule of *Theileria parva*. *Infect. Immun.* **64**: 1832-1838.

- Trail, J.M.C., Murray, M., Sones, K., Jibbo, J.M.C., Durkins, J. and Light, D. (1985): Boran cattle maintained by chemoprophylaxis under trypanosomiasis risk. *J. Agric. Sci. Camb.* **105**: 147-166.
- Trail, J.C., d'Ieteren, G.D., Maille, J.C., Yangari, G. and Nantulya, V.M. (1991): Use of antigen-detection enzyme immunoassays in assessment of trypanotolerance in N'Dama cattle. *Acta Trop.* **50**: 11-18.
- Trail, J.M.C., Wissocq, N.M., d'Ieteren, G.D.M., Kakiese, O., Mulungo, M. and Murray, M. (1994): Patterns of *Trypanosoma vivax* and *Trypanosoma congolense* infection differ in young N'Dama cattle and their dams. *Vet. Parasitol.* **55**: 175-183.
- Urquhart, G.M., Armour, J., Duncan, J.L., Dunn, A.M. and Jennings, F.W. (1996): *Veterinary Parasitology*. 2nd edition. Blackwell Science Ltd., Osney Mead, London, U.K.
- Vale, G.A., Lovemore, D.F., Flint, S., Cockbill, G.F. (1988): Odour-baited targets to control tsetse flies *Glossina* species (Diptera :*Glossinidae*) in Zimbabwe. *Bull. Entomol. Res.* **78**: 31-49.
- Vale, G.A. (1993): Development of baits for tsetse flies (Diptera: *Glossinidae*) in Zimbabwe. *J. Med. Entomol.* **30**: 831-842.
- Van Hoeve, K. and Cunningham, M.P. (1964): Prophylactic activity of berenil against trypanosomes in treated cattle. *Vet. Rec.* **76**: 260.
- Van Nieuwenhove, S. (1998): Current sleeping sickness situation and control strategies. Sleeping sickness rediscovered. International colloquium, 14th-18th December 1998. Antwerp, Belgium.
- Vassiliades, G. (1978): Parasitic helminth diseases in Senegal cattle. *Rev. Elev. Med. Vet. Pays Trop.* **31**:157-163.
- Voller, A., Bidwell, D.E., Bartlett, A. And Edwards. R. (1977): A comparison of isotopic and enzyme-immunoassays for tropical parasitic diseases. *Trans. R. Soc. Trop. Med. Hyg.* **71**: 431-437.
- Wacher, T.J., Milligan, P.M., Rawlings, P. and Snow, W.F. (1994): "Spatial factors in the assessment of trypanosomiasis challenge". In: B.D. Perry and J.W. Hansen (eds.). *Modeling Vector-Borne and Other Parasitic Diseases: Proceedings of a workshop organized jointly by the International Laboratory for Research on Animal Diseases and the Food and Agriculture Organization of the United Nations*. Nairobi, Kenya. pp. 119-130.
- Wamwiri, F. (2005): ELISA for identification of host-blood source in tsetse flies. Master of Science (MSc.), University of Dar es Salaam, Tanzania (submitted).

- Wanjohi, J.M., Muraguri, G.R., Rumberia, R.M., Kariuki, D.P. and McHardy, N. (1995): Chemotherapy of East Coast fever: Buparvaquone treatment of field cases occurring in Kikuyu and Limuru Divisions of Kiambu District, Kenya. *East Afr. Agr. Forest J.* **60**: 131-135.
- Wei, L.J., Lin, D.Y. and Weissfeld, L. (1989): Regression analysis of multivariate incomplete failure time data by modeling marginal distributions. *J. American Stat. Assc.* **84**: 1065-1073.
- Welburn, S.C., Picozzi, K., Fevre, E.M., Coleman, P.G., Odiit, M., Carrington, M. and Maudlin, I. (2001): Identification of human-infective trypanosomes in animal reservoirs of sleeping sickness in Uganda by means of serum-resistance-associated (SRA) gene. *Lancet* **358**: 2017-2019.
- Wellde, B.T., Chumo, D.A., Adoyo, M., Kovatch, R.M., Mwangela G.N. and Opiyo, E.A. (1983): Haemorrhagic syndrome in cattle associated with *Trypanosoma vivax* infection. *Trop. Anim. Health Prod.* **15**: 95-102.
- Whiteside, E.F. (1960): Recent work in Kenya on the control of drug-resistant cattle trypanosomiasis. International Scientific Council for Trypanosomiasis Research and Control. Pub. No. 62, 141-154.
- Willadsen, P., Cobon, G., Hungerford, J. and Smith, D. (1995): The role of vaccination in current and future strategies for tick control. In: Rodriguez Camarillo and H. Fragoso Sanchez (eds.). Tercer Seminario Internacional de Parasitologia Animal. Acapulco, Mexico, 11-13 October 1995. pp. 88-100.
- Winrock International (1992): Assessment of Animal Agriculture in Sub-Saharan Africa. Winrock International Institute for Agricultural Development. Morrilton, Arkansas, U.S.A. pp. 1-27.
- Woo, P. T. K. (1970): The haematocrit centrifugation technique for the diagnosis of African trypanosomosis. *Acta Trop.* **27**: 384-386.
- World Bank (1991): Annual sector review: Agriculture and rural development. World Bank, Washington, D.C., U.S.A.
- World Bank (2001): World Development Report 2000/2001-Attacking poverty. World Bank, Washington, D.C., U.S.A.
- Young, A.S., Grootenhuis, J.G., Smith, K., Flowers, M.J., Dolan, T.T. and Brocklesby, D.W. (1978): Structures associated with *Theileria* parasite of eland erythrocytes. *Ann. Trop. Med. Parasitol.* **72**: 443-454.
- Young, A.S. (1981): Advances in the control of theileriosis. Proceedings of an International Conference held on 9-13 February 1981, Nairobi, Kenya. Martinus Nijhoff Publishers, The Hague, Netherlands, pp. 38-55.

- Young, A.S., Leitich, B.L., Dolan, T.T., Newson, R.M., Ngumi, P.N. and Omwoyo, P.L. (1983): Transmission of *Theileria parva* by a population of *Rhipicephalus appendiculatus* under simulated natural conditions. *Parasitology* **86**: 255-267.
- Young, A.S., Grocock, C.M. and Kariuki, D.P. (1988): Integrated control of ticks and tick-borne diseases of cattle in Africa. *Parasitology* **96**: 403-432.
- Zinsstag, J., Kaufmann, J. and Pfister, K. (1992): Improved productivity of Gambian N'Dama cattle through strategic control of helminthosis. Conference Book, 7th International Conference of Institutions of Tropical Veterinary Medicine, Yamoussoukro, Cote d'Ivoire. Abstr. A5.32.
- Zinsstag, J., Njie, M., Kaufmann, J. and Pfister, K. (1994): Prolonged suppression of trichostrongyle egg output of N'Dama cattle by a single larvicidal treatment. *Acta Trop.* **58**: 99-103.
- Zinsstag, J., Ankers, P., Dempfle, L., Njie, M., Kaufmann, J., Itty, P., Pfister, K. and Pandey, V.S. (1997a): Effect of strategic gastrointestinal nematode control on growth of N'Dama cattle in The Gambia. *Vet. Parasitol.* **68**: 143-153.
- Zinsstag, J., Ankers, P., Itty, P., Njie, M., Kaufmann, J., Pandey, V.S. and Pfister, K. (1997b): Effect of strategic gastrointestinal nematode control on fertility and mortality of N'Dama cattle in The Gambia. *Vet. Parasitol.* **73**: 105-117.