

**RADIOIMMUNOASSAY AND RADIOCHEMICAL  
PROCEDURE FOR DETERMINATION OF  
CUTANEOUS UPTAKE AND METABOLISM  
OF SEX STEROID HORMONES**

**Dissertation zur Erlangung des akademischen  
Grades des Doktors der Naturwissenschaften  
(Dr. rer. nat.)**

**eingereicht im Fachbereich  
Biologie, Chemie, Pharmazie  
der Freie Universität, Berlin**

**vorgelegt von**

**ASHRAF M. M. MAHMOUD  
Aus Assiut, Ägypten**

**Berlin, May 2005**

**1. Gutachter:** Prof. Monika Schäfer-Korting

**2. Gutachter:** Prof. Heinz Pertz

**Datum der Disputation:** 13.05.2005

Die vorliegende Arbeit wurde auf Anregung und unter Anleitung von  
Frau Prof. Dr. Monika Schäfer-Korting  
in der Abteilung für Pharmakologie und Toxicologie  
des Instituts für Pharmazie  
der Freien Universität Berlin angefertigt.

## **Original Works**

Mahmoud A, Haberland A, Dürrfeld M, Heydeck D, Wagner S, Schäfer-Korting M: Cutaneous estradiol permeation, penetration and metabolism in pig and man. *Skin Pharmacology and Physiology*, 2005, 18 (1), 27-35

Schreiber S, Mahmoud A, Vuia A, Rübhelke M K, Schmidt E, Schaller M, Kandárová H, Haberland A, Schäfer UF, Bock U, Korting H C, Liebsch M, Schäfer-Korting M: Reconstructed epidermis versus human and animal skin in skin absorption studies. *Toxicology in Vitro*, in Revision.

## Posters

Mahmoud A, Haberland A, Dürrfeld M, Christ B, Heydeck D, Wagner S, Schäfer-Korting M: Cutaneous estradiol permeation, penetration and metabolism in pig and man. *DPhG Tagung*, Berlin, 2002.

Schreiber S, Mahmoud A, Santos Maia C, Rübhelke M K, Schaller M, Korting H C, Schäfer-Korting M: Validierungsstudie zur Prüfung auf kutane Penetration mittels Hautmodellen: Erste Ergebnisse. *DPhG Tagung*, Würzburg, 2003.

Schreiber S, Mahmoud A, Rübhelke M K, Schaller M, Korting H C, Schmidt E, Liebsch M, Schäfer-Korting M: Validation study on percutaneous absorption via human skin models: protocol transfer. *DFG Symposium*, Berlin, 2004

Schreiber S, Mahmoud A, Vuia A, Rübhelke M K, Schaller M, Korting H C, Schmidt E, Liebsch M, Schäfer-Korting M: Validation study on percutaneous absorption via human skin models: protocol transfer. *DGPT*, Mainz, 2004

## CONTENTS

<b>1. INTRODUCTION</b>	
1.1. SKIN	
1.1.1. Structure and function	1
1.1.2. Barrier function of the skin.	4
1.1.3. Percutaneous absorption...	5
1.1.4. Cutaneous metabolism....	8
1.2. SEX STEROID HORMONES	
1.2.1. Biosynthesis and chemistry of testosterone and estrogens	10
1.2.2. Receptor binding and mechanism of action	12
1.2.3. Pharmacokinetics of testosterone	13
1.2.4. Pharmacokinetics of estrogens	14
1.2.5. Clinical uses	15
1.2.6. Estrogen hormone replacement therapy: Benefits and risks	16
1.2.7. Transdermal application of testosterone and estrogens	17
1.3. IN-VITRO AND EX-VIVO SKIN MODELS	
1.3.1. Excised human and animal skin	17
1.3.2. Perfusion model (isolated perfused porcine forelimb)	18
1.3.3. Fibroblast and keratinocyte mono-layer culture	18
1.3.4. Three-dimensional skin models...	19
1.4. METHODS OF ANALYSIS OF TESTOSTERONE AND ESTROGENS	
1.4.1. Colourimetric and fluorimetric methods	21
1.4.2. Chromatographic methods...	21
1.4.3. Immunoassays	22
1.5. AIM OF THE WORK.	25
<b>2. MATERIALS AND METHODS</b>	
2.1. MATERIALS AND REAGENTS	26
2.2. INSTRUMENTS	27
2.3. METHODS	
2.3.1. Test formulations	27
2.3.2. Preparation of skin models	29
2.3.3. General procedure of Franz cell experiment	29
2.3.4. Permeation of testosterone	30
2.3.5. Cutaneous uptake and metabolism of estrogens	32
2.3.5.1. Franz cell experiments	32
2.3.5.2. Isolated perfused porcine forelimb	32
2.3.6. Cutaneous versus alveolar uptake, formulation effects	33
2.3.7. Tissue integrity and viability tests	33
2.4. STEROID ANALYSIS	
2.4.1. Determination of the testosterone and hydrocortisone concentrations	35
2.4.2. Determination of the estrogen concentrations	36
2.5. STATISTICS AND DATA ANALYSIS	38

<b>3.</b>	<b>RESULTS</b>	
3.1.	TESTOSTERONE	
3.1.1.	Validation of liquid scintillation counting	40
3.1.2.	Influence of BSA on testosterone permeation	41
3.1.3.	Experimental set up: Static versus dynamic approach	43
3.1.4.	Pig skin: the influence of cryopreservation and regional effects	44
3.1.5.	Human skin: split skin versus epidermis sheet	45
3.1.6.	Reconstructed epidermis: the influence of donor and acceptor Vehicles	46
3.1.7.	Inter-individual and batch-to-batch variation.	50
3.1.8.	Pharmacokinetic parameters of the evaluated skin models	51
3.1.9.	Evaluation of the test protocol: testosterone versus hydrocortisone formulations.	51
3.2.	ESTROGENS	
3.2.1.	Optimisation of the RIA procedure for the determination of estrogens in different matrices.	55
3.2.2.	Determination of E2 conjugates	58
3.2.3.	The influence of BSA on E2 permeation	60
3.2.4.	Estrogen permeation / penetration and metabolism	61
3.2.4.1.	Reconstructed human epidermis	61
3.2.4.2.	Excised pig skin.	62
3.2.4.3.	Perfusion model	66
<b>4.</b>	<b>DISCUSSION</b>	<b>68</b>
4.1.	TESTOSTERONE	
4.1.1.	Static versus dynamic set up	69
4.1.2.	Donor vehicle and solubility restrictions of highly lipophilic drugs	69
4.1.3.	Effect of the presence of BSA in acceptor fluid	70
4.1.4.	Viability of skin models	71
4.1.5.	Effect of the cryopreservation of skin	71
4.1.6.	Permeation of heat separated epidermis.	72
4.1.7.	Infinite dose approach for studying formulation effects	72
4.1.8.	Use of occlusion method	74
4.1.9.	Lag time of testosterone.	75
4.1.10.	Pg skin: Regional effects	76
4.1.11.	Inter-individual variations	76
4.1.12.	Comparison of epidermis and alveolar model	76
4.2.	ESTROGENS...	77
4.2.1.	Cutaneous E2 metabolism and E2/E1 ratio	77
4.2.2.	Effect of ethanol on uptake and metabolism of E2	78
4.2.3.	Effect of the presence of BSA in acceptor fluid on E2 permeation	78
4.2.4.	Mathematical prediction of in vivo estrogen concentration.	79
<b>5.</b>	<b>SUMMARY</b>	<b>80</b>
<b>6.</b>	<b>ZUSAMMENFASSUNG</b>	<b>84</b>
<b>6.</b>	<b>REFERENCES</b>	<b>89</b>