

9 Literaturverzeichnis

1. Adell R, Eriksson B, Lekholm U, Branemark PI, Jemt T: Long-term follow-up study of osseointegrated implants in the treatment of totally edentulous jaws. *Int J Oral Maxillofac Implants*, 1990; 5: 347-359.
2. Adell R, Lekholm U, Rockler B, Branemark PI: A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg*, 1981; 10: 387-416.
3. Ahlqvist J, Borg K, Gunne J, Nilson H, Olsson M, Astrand P: Osseointegrated implants in edentulous jaws: a 2-year longitudinal study. *Int J Oral Maxillofac Implants*, 1990; 5: 155-163.
4. Albrektsson T, Branemark PI, Hansson HA, Lindstrom J: Osseointegrated titanium implants. Requirements for ensuring a long-lasting, direct bone-to-implant anchorage in man. *Acta Orthop Scand*, 1981; 52: 155-170.
5. Albrektsson T, Jansson T, Lekholm U: Osseointegrated dental implants. *Dent Clin North Am*, 1986; 30: 151-174.
6. Albrektsson TO, Johansson CB, Sennerby L: Biological aspects of implant dentistry: osseointegration. *Periodontol*, 2000; 4: 58-73.
7. Andersson M, Carlsson L, Persson M, Bergman B: Accuracy of machine milling and spark erosion with a CAD/CAM system. *J Prosthet Dent*, 1996; 76: 187-193.
8. Apse P, Ellen RP, Overall CM, Zarb GA: Microbiota and crevicular fluid collagenase activity in the osseointegrated dental implant sulcus: a comparison of sites in edentulous and partially edentulous patients. *J Periodontal Res*, 1989; 24: 96-105.
9. Apse P, Zarb GA, Schmitt A, Lewis DW: The longitudinal effectiveness of osseointegrated dental implants. The Toronto Study: peri-implant mucosal response. *Int J Periodontics Restorative Dent*, 1991; 11: 94-111.
10. Batenburg RH, Meijer HJ, Raghoobar GM, Vissink A: Treatment concept for mandibular overdentures supported by endosseous implants: a literature review. *Int J Oral Maxillofac Implants*, 1998; 13: 539-545.
11. Batenburg RH, Stellingsma K, Raghoobar GM, Vissink A: Bone height measurements on panoramic radiographs: the effect of shape and position of

- edentulous mandibles. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 1997; 84: 430-435.
12. Batenburg RH, van Oort RP, Reintsema H, Brouwer TJ, Raghoobar GM, Boering G: Overdentures supported by two IMZ implants in the lower jaw. A retrospective study of peri-implant tissues. *Clin Oral Implants Res*, 1994; 5: 207-212.
 13. Bauman GR, Mills M, Rapley JW, Hallmon WW: Plaque-induced inflammation around implants. *Int J Oral Maxillofac Implants*, 1992; 7: 330-337.
 14. Becker W, Becker BE: Replacement of maxillary and mandibular molars with single endosseous implant restorations: A retrospective study. *J Prosthet Dent*, 1995; 74: 51-55.
 15. Behneke A, Behneke N: Korrelation und Prädiktion klinischer und radiologischer Parameter enossaler Implantate. *Z Zahnärztl Implantol* 1999; 15: 209-223.
 16. Behneke A, Behneke N, d'Hoedt B: A 5-year longitudinal study of the clinical effectiveness of ITI solid-screw implants in the treatment of mandibular edentulism. *Int J Oral Maxillofac Implants*, 2002; 17: 799-810.
 17. Behneke A, Behneke N, d'Hoedt B, Wagner W: Hard and soft tissue reactions to ITI screw implants: 3-year longitudinal results of a prospective study. *Int J Oral Maxillofac Implants*, 1997; 12: 749-757.
 18. Bengazi F, Wennstrom JL, Lekholm U: Recession of the soft tissue margin at oral implants. A 2-year longitudinal prospective study. *Clin Oral Implants Res*, 1996; 7: 303-310.
 19. Bergendal T, Engquist B: Implant-supported overdentures: a longitudinal prospective study. *Int J Oral Maxillofac Implants*, 1998; 13: 253-262.
 20. Berglundh T, Lindhe J, Ericsson I, Marinello CP, Liljenberg B, Thomsen P: The soft tissue barrier at implants and teeth. *Clin Oral Implants Res*, 1991; 2: 81-90.
 21. Berglundh T, Lindhe J, Marinello C, Ericsson I, Liljenberg B: Soft tissue reaction to de novo plaque formation on implants and teeth. An experimental study in the dog. *Clin Oral Implants Res*, 1992; 3: 1-8.
 22. Berglundh T, Persson L, Klinge B: A systematic review of the incidence of biological and technical complications in implant dentistry reported in prospective longitudinal studies of at least 5 years. *J Clin Periodontol*, 2002; 29 Suppl 3: 197-212; discussion 232-193.

23. Binon PP: The paramount role of transitional prostheses within implant prosthodontics-Part I. *Dent Implantol Update*, 1995; 6: 49-53.
24. Binon PP: The effect of implant/abutment hexagonal misfit on screw joint stability. *Int J Prosthodont*, 1996; 9: 149-160.
25. Boerrigter EM, Geertman ME, Van Oort RP, Bouma J, Raghoobar GM, van Waas MA, van't Hof MA, Boering G, Kalk W: Patient satisfaction with implant-retained mandibular overdentures. A comparison with new complete dentures not retained by implants-a multicentre randomized clinical trial. *Br J Oral Maxillofac Surg*, 1995; 33: 282-288.
26. Brägger U, Hämmerle CHF, Lang NP: Associations between clinical parameters assessed around implants and teeth. *Clin Oral Implants Res*, 1997; 8: 412-421.
27. Brägger U, Aeschlimann S, Burgin W, Hämmerle CH, Lang NP: Biological and technical complications and failures with fixed partial dentures (FPD) on implants and teeth after four to five years of function. *Clin Oral Implants Res*, 2001; 12: 26-34.
28. Brånemark PI: Osseointegration and its experimental background. *J Prosthet Dent*, 1983; 50: 399-410.
29. Buchmann R, Muller RF, Heinecke A, Lange DE: *Actinobacillus actinomycetemcomitans* in destructive periodontal disease. Three-year follow-up results. *J Periodontol*, 2000; 71: 444-453.
30. Buchmann R, Nunn ME, Van Dyke TE, Lange DE: Aggressive periodontitis: 5-year follow-up of treatment. *J Periodontol*, 2002; 73: 675-683.
31. Byrne D, Houston F, Cleary R, Claffey N: The fit of cast and premachined implant abutments. *J Prosthet Dent*, 1998; 80: 184-192.
32. Cantwell A, Hobkirk JA: Preload loss in gold prosthesis-retaining screws as a function of time. *Int J Oral Maxillofac Implants*, 2004; 19: 124-132.
33. Carlsson L: Built-in strain and untoward forces are the inevitable companions of prosthetic misfit. *Nobelpharma News*, 1994; 8.
34. Carr AB: Comparison of impression techniques for a five-implant mandibular model. *Int J Oral Maxillofac Implants*, 1991; 6(4): 448-455.
35. Carr AB, Gerard DA, Larsen PE: The response of bone in primates around unloaded dental implants supporting prostheses with different levels of fit. *J Prosthet Dent*, 1996; 76: 500-509.

36. Cawood JI, Howell RA: A classification of the edentulous jaws. *Int J Oral Maxillofac Surg*, 1988; 17: 232-236.
37. Cooper LF, Scurria MS, Lang LA, Guckes AD, Moriarty JD, Felton DA: Treatment of edentulism using Astra Tech implants and ball abutments to retain mandibular overdentures. *Int J Oral Maxillofac Implants*, 1999; 14: 646-653.
38. Cune M, de Putter C, Hoogstraten J: Treatment outcome with implant-retained overdentures : Part I – Clinical findings and predictability of clinical treatment outcome. *J Prosthet Dent.*, 1994; 72(2): 144-151.
39. Cune M, van Kampen F, van der Bilt A, Bosman F: Patient satisfaction and preference with magnet, bar-clip, and ball-socket retained mandibular implant overdentures: a cross-over clinical trial. *Int J Prosthodont*, 2005; 18: 99-105.
40. Cune MS, Verhoeven JW, Meijer GJ: A prospective evaluation of Frialoc implants with ball-abutments in the edentulous mandible: 1-year results. *Clin Oral Implants Res*, 2004; 15: 167-73.
41. De Smet: The accuracy and reliability of radiographic methods for the assessment of marginal bone level around oral implants. *Dentmaxillofac Radiol*, 2002; 31: 176-181.
42. den Dunnen AC, Slagter AP, de Baat C, Kalk W: Adjustments and complications of mandibular overdentures retained by four implants. A comparison between superstructures with and without cantilever extensions. *Int J Prosthodont*, 1998; 11: 307-311.
43. Döring K: Hart- und Weichgewebssituation an Einzelzahnimplantaten- 1-Jahresergebnisse einer klinischen prospektiven Studie. Dissertation, 2003; FU-Berlin.
44. Dolder E: Die Steg-Gelenk-Prothese im Unterkiefer. *Schweiz Mschr Zahnheik* 63, 1953; 63: 339-379.
45. Dolder E: Steg-Prothetik: Die Steg-Gelenk-Prothese und Die Steg-Geschiebe-Prothese. Ein Lehrbuch für die Praxis: Hüthig-Verlag; 4.Aufl., Heidelberg 1974.
46. Dolder E, Wirz J: Die Steg-Gelenk-Prothese. Ein Leitfaden für Zahnarzt und Zahntechniker: Quintessenz-Verlag; Berlin 1982.
47. Duyck J, Ronold HJ, Van Oosterwyck H, Naert I, Vander Sloten J, Ellingsen JE: The influence of static and dynamic loading on marginal bone reactions around osseointegrated implants: an animal experimental study. *Clin Oral Implants Res*, 2001; 12: 207-218.

48. Eckert SE, Meraw SJ, Cal E, Ow RK: Analysis of incidence and associated factors with fractured implants: a retrospective study. *Int J Oral Maxillofac Implants*, 2000; 15: 662-667.
49. Eichner K, Kappert HF: *Zahnärztliche Werkstoffe und ihre Verarbeitung*. Heidelberg: Hüthig-Verlag; 6. Auflage, 1996.
50. Eisenmann E, Mokabberi A, Walter MH, Freesmeyer WB: Improving the fit of implant-supported superstructures using the spark erosion technique. *Int J Oral Maxillofac Implants*, 2004; 19: 810-818.
51. Engquist B, Bergendal T, Kallus T, Linden U: A retrospective multicenter evaluation of osseointegrated implants supporting overdentures. *Int J Oral Maxillofac Implants*, 1988; 3: 129-134.
52. Esposito M, Hirsch JM, Lekholm U, Thomsen P: Biological factors contributing to failures of osseointegrated oral implants. (I). Success criteria and epidemiology. *Eur J Oral Sci*, 1998; 106: 527-551.
53. Esposito M, Hirsch JM, Lekholm U, Thomsen P: Biological factors contributing to failures of osseointegrated oral implants. (II). Etiopathogenesis. *Eur J Oral Sci*, 1998; 106: 721-764.
54. Falk H, Laurell L, Lundgren D: Occlusal force pattern in dentitions with mandibular implant-supported fixed cantilever prostheses occluded with complete dentures. *Int J Oral Maxillofac Implants*, 1989; 4: 55-62.
55. Fröhlich E: Grenzen und Täuschungen bei der röntgenologischen Darstellung marginaler Zahnbetterkrankungen. *Dtsch Zahnärztl Z*, 1956; 1: 225-237.
56. Frost HM: A determinant of bone architecture. The minimum effective strain. *Clin Orthop Relat Res*, 1983; 175: 286-292.
57. Geertman ME, Boerrigter EM, Van Waas MA, van Oort RP: Clinical aspects of a multicenter clinical trial of implant-retained mandibular overdentures in patients with severely resorbed mandibles. *J Prosthet Dent*, 1996; 75: 194-204.
58. Gomez-Roman GAD, d'Hoedt B, Schulte W: Eine Methode zur quantitativen Erfassung und statistischen Auswertung des periimplantären Knochenabbaus. *Stomatologie*, 1995; 92: 463-471.
59. Goodacre CJ, Bernal G, Rungcharassaeng K, Kan JY: Clinical complications with implants and implant prostheses. *J Prosthet Dent*, 2003; 90: 121-132.
60. Graber G: Partielle Prothetik. In: Rateitschak KH (Hrsg.): *Farbatlant der Zahnmedizin*, Bd.3, 2. Auflage. Stuttgart: Thieme-Verlag 1992.

61. Grondahl K, Sunden S, Grondahl HG: Inter- and intraobserver variability in radiographic bone level assessment at Brånemark fixtures. *Clin Oral Implants Res*, 1998; 9: 243-250.
62. Haack JE, Sakaguchi RL, Sun T, Coffey JP: Elongation and preload stress in dental implant abutment screws. *Int J Oral Maxillofac Implants*, 1995; 10: 529-536.
63. Haase G: [What does the ideal prosthesis support for total tooth replacement look like?]. *Dtsch Zahnarztl Z*, 1982; 37: 94-101.
64. Haase K: Individuelle Prothetik auf Brånemark-Implantaten 1. Teil: Vorteile der Funkenerosion in der Implanattechnik bei Schalllücken mittels Funkenerosion. *Quintessenz Zahntechnik*, 2000; 26.
65. Haase K: Individuelle Prothetik auf Brånemark-Implantaten mittels Funkenerosion 2. Teil: Versorgung einzelner Implantate mit Hilfe der Funkenerosion. *Quintessence Zahntechnik*, 2000; 26.
66. Hall WB: The current status of mucogingival problems and their therapy. *J Periodontol*, 1981; 52: 569-575.
67. Hellden LB, Derand T: Description and evaluation of a simplified method to achieve passive fit between cast titanium frameworks and implants. *Int J Oral Maxillofac Implants*, 1998; 13: 190-196.
68. Hellden LB, Derand T, Johansson S, Lindberg A: The CrescoTi Precision method: description of a simplified method to fabricate titanium superstructures with passive fit to osseointegrated implants. *J Prosthet Dent*, 1999; 82: 487-491.
69. Hemmings KW, Schmitt A, Zarb GA: Complications and maintenance requirements for fixed prostheses and overdentures in the edentulous mandible: a 5-year report. *Int J Oral Maxillofac Implants*, 1994; 9: 191-196.
70. Herbst D, Nel JC, Driessen CH, Becker PJ: Evaluation of impression accuracy for osseointegrated implant supported superstructures. *J Prosthet Dent*, 2000; 83 (5): 555-561.
71. Hobo S, Ichida E, Garcia L: *Osseointegration and occlusal rehabilitation*. Berlin : Quintessenz-Verlag 1989.
72. Hopp M, Klar A: Riegelverankerte Brücke aus Titan. *Quintessence Zahntechnik*, 2002; 28: 1384-1410.

73. Hürzeler MB, Quinones CR, Kohal RJ, Rohde M, Strub JR, Teuscher U, et al.: Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. *J Periodontol*, 1998; 69(3): 396-404.
74. Hutton JE, Heath MR, Chai JY, Harnett J, Jemt T, Johns RB, McKenna S, McNamara DC, van Steenberghe D, Taylor R, et al.: Factors related to success and failure rates at 3-year follow-up in a multicenter study of overdentures supported by Branemark implants. *Int J Oral Maxillofac Implants*, 1995; 10: 33-42.
75. Isidor F: Loss of osseointegration caused by occlusal load of oral implants. A clinical and radiographic study in monkeys. *Clin Oral Implants Res*, 1996; 7: 143-152.
76. Jahn M, D'Hoedt B: Zur Definition des Erfolges bei dentalen Implantaten. Ein Vergleich verschiedener Kriterien. *Zahnärztl Implantol*, 1992; 8: 221.
77. James RA, Schultz RL: [Hemidesmosomes and attachment of epithelial cells to the metal implant. Preliminary report]. *Odontostomatol Implantoprosesi*, 1975; 3: 10-11.
78. Jansen VK MA, Richter EJ, Spiekermann H: Zur Genauigkeit des Orthopantomogramms bei der Bestimmung des Knochenabbaus an IMZ-Implantaten. *Zahnärztl Implantol*, 1993; 9: 200-204.
79. Jemt T, Book K: Prosthesis misfit and marginal bone loss in edentulous implant patients. *Int J Oral Maxillofac Implants*, 1996; 11: 620-625.
80. Jemt T, Chai J, Harnett J, Heath MR, Hutton JE, Johns RB, McKenna S, McNamara DC, van Steenberghe D, Taylor R, Watson RM, Herrmann I: A 5-year prospective multicenter follow-up report on overdentures supported by osseointegrated implants. *Int J Oral Maxillofac Implants*, 1996; 11: 291-298.
81. Jemt T, Lekholm U: Measurements of bone and frame-work deformations induced by misfit of implant superstructures. A pilot study in rabbits. *Clin Oral Implants Res*, 1998; 9: 272-280.
82. Jemt T, Lie A: Accuracy of implant-supported prostheses in the edentulous jaw: analysis of precision of fit between cast gold-alloy frameworks and master casts by means of a three-dimensional photogrammetric technique. *Clin Oral Implants Res*, 1995; 6: 172-180.
83. Jemt T, Pettersson P: A 3-year follow-up study on single implant treatment. *J Dent.*, 1993; 21(4): 203-208.

84. Johns RB, Jemt T, Heath MR, Hutton JE, McKenna S, McNamara DC, van Steenberghe D, Taylor R, Watson RM, Herrmann I: A multicenter study of overdentures supported by Brånemark implants. *Int J Oral Maxillofac Implants*, 1992; 7: 513-522.
85. Jungo M: Renaissance der Stegprothetik mit neuen Werkstoffen und Technologien Teil 1: Die Steg- Gelenk- Prothese. *Quintessenz*, 1999; 50: 611-617.
86. Kao WJ, McNally AK, Hiltner A, Anderson JM: Role for interleukin-4 in foreign-body giant cell formation on a poly(etherurethane urea) in vivo. *J Biomed Mater Res*, 1995; 29: 1267-1275.
87. Keller U: Die Darstellung des periimplantären Knochenabbaus im Röntgenbild. *Zahnärztl Implantol*, 1995; 11: 88-91.
88. Kerschbaum TH: Zur Bedeutung von Nachuntersuchungen in der zahnärztlichen Praxis. *Dtsch Zahnärztl Z* 38, 1983; 990-997.
89. Kiener P, Oetterli M, Mericske E, Mericske-Stern R: Effectiveness of maxillary overdentures supported by implants: maintenance and prosthetic complications. *Int J Prosthodont*, 2001; 14: 133-140.
90. Kirsch A, Ackermann KL: Das IMZ-Implantat-System. Methode – Klinik – Ergebnisse. *ZWR*, 1986; 5: 1134-1144.
91. Klineberg IJ, Murray GM: Design of superstructures for osseointegrated fixtures. *Swed Dent J Suppl*, 1985; 28: 63-69.
92. Kohavi D, Klinger A, Steinberg D, Sela MN: Adsorption of salivary proteins onto prosthetic titanium components. *J Prosthet Dent*, 1995; 74: 531-534.
93. Krekeler G: [Periodontal problems with the implant abutment]. *Schweiz Monatsschr Zahnmed*, 1985; 95 Spec No: 847-852.
94. Lang NP, Loe H: The relationship between the width of keratinized gingiva and gingival health. *J Periodontol*, 1972; 43: 623-627.
95. Leonhardt A, Berglundh T, Ericsson I, Dahlen G: Putative periodontal pathogens on titanium implants and teeth in experimental gingivitis and periodontitis in beagle dogs. *Clin Oral Implants Res*, 1992; 3: 112-119.
96. Levine RA, Clem DS, 3rd, Wilson TG, Jr., Higginbottom F, Solnit G: Multicenter retrospective analysis of the ITI implant system used for single-tooth replacements: results of loading for 2 or more years. *Int J Oral Maxillofac Implants*, 1999; 14: 516-520.

97. Lindquist LW, Carlsson GE, Jemt T: A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Implants Res*, 1996; 7: 329-336.
98. Løe H, Silness J: Periodontal disease in pregnancy 1. *Acta Odont Scand* 1963; 21: 533.
99. MacEntee MI, Walton JN, Glick N: A clinical trial of patient satisfaction and prosthodontic needs with ball and bar attachments for implant-retained complete overdentures: three-year results. *J Prosthet Dent*, 2005; 93: 28-37.
100. Masri R, Driscoll CF: Mechanical failure of an implant-retained bar: a clinical report. *J Prosthodont*, 2004; 13: 184-186.
101. Mericske-Stern R: Clinical evaluation of overdenture restorations supported by osseointegrated titanium implants: a retrospective study. *Int J Oral Maxillofac Implants*, 1990; 5: 375-383.
102. Mericske-Stern R: Force distribution on implants supporting overdentures: the effect of distal bar extensions. A 3-D in vivo study. *Clin Oral Implants Res*, 1997; 8: 142-151.
103. Mericske-Stern R, Sirtes G, Piotti M, Jaggi C: [Biomechanics and implants. Which is the best denture anchorage on implants in the edentulous mandible? An in-vivo study]. *Schweiz Monatsschr Zahnmed*, 1997; 107: 602-613.
104. Miyasato M, Crigger M, Egelberg J: Gingival condition in areas of minimal and appreciable width of keratinized gingiva. *J Clin Periodontol*, 1977; 4: 200-209.
105. Mokabberi A: Spannungsoptische und rasterelektronenmikroskopische Untersuchungen zum passiven Sitz mit Hilfe der Funkenerosion hergestellten implantatgetragenen Meso- und Suprastrukturen. Dissertation, 1998; FU Berlin.
106. Mombelli A, Lang NP: Antimicrobial treatment of peri-implant infections. *Clin Oral Implants Res*, 1992; 3: 162-168.
107. Moon IS, Berglundh T, Abrahamsson I, Linder E, Lindhe J: The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. *J Clin Periodontol*, 1999; 26: 658-663.
108. Naert I, Alsaadi G, van Steenberghe D, Quirynen M: A 10-year randomized clinical trial on the influence of splinted and unsplinted oral implants retaining mandibular overdentures: peri-implant outcome. *Int J Oral Maxillofac Implants*, 2004; 19: 695-702.

109. Naert I, Gizani S, Vuylsteke M, Van Steenberghe D: A 5-year prospective randomized clinical trial on the influence of splinted and unsplinted oral implants retaining a mandibular overdenture: prosthetic aspects and patient satisfaction. *J Oral Rehabil*, 1999; 26: 195-202.
110. Naert IE, Hooghe M, Quirynen M, van Steenberghe D: The reliability of implant-retained hinging overdentures for the fully edentulous mandible. An up to 9-year longitudinal study. *Clin Oral Investig*, 1997; 1: 119-124.
111. Naert I, Quirynen M, Theuniers G, van Steenberghe D: Prosthetic aspects of osseointegrated fixtures supporting overdentures. A 4-year report. *J Prosthet Dent*, 1991; 65: 671.
112. Naert I, Quirynen M, van Steenberghe D, Darius P: A study of 589 consecutive implants supporting complete fixed prostheses. Part II: Prosthetic aspects. *J Prosthet Dent*, 1992; 68: 949-956.
113. Natali AN, Pavan PG, Ruggero AL: Evaluation of stress induced in peri-implant bone tissue by misfit in multi-implant prosthesis. *Dent Mater*, 2006; 22: 388-395.
114. Neuendorff: Die spannungsfreie Herstellung mehrspanniger Implantatrekonstruktionen. *Dental-Labor*, 1997; 9: 1531-1539.
115. Nyman S, Ericsson I: The capacity of reduced periodontal tissues to support fixed bridgework. *J Clin Periodontol*, 1982; 9: 409-414.
116. Ochsenbein C, Maynard JG: The problem of attached gingiva in children. *ASDC J Dent Child*, 1974; 41: 263-272.
117. Oetterli M, Kiener P, Mericske-Stern R: A longitudinal study on mandibular implants supporting an overdenture: the influence of retention mechanism and anatomic-prosthetic variables on periimplant parameters. *Int J Prosthodont*, 2001; 14: 536-542.
118. Örtorp A, Jemt T: Clinical experience of CNC-milled titanium frameworks supported by implants in the edentulous jaw: a 3-year interim report. *Clin Implant Dent Relat Res*, 2002; 4: 104-109.
119. Örtorp A, Jemt T, Back T, Jalevik T: Comparisons of precision of fit between cast and CNC-milled titanium implant frameworks for the edentulous mandible. *Int J Prosthodont*, 2003; 16: 194-200.
120. Otten B: SAE- Riegeltechnik mit System. *Quintessence Zahntechnik*, 1994; 20: 1293.

121. Otten B, Massau P: Rehabilitation unbezahnter Patienten durch eine kombiniert festsitzend/herausnehmbare SAE- Doppelstegkonstruktion. Quintessence Zahntechnik, 1993; 19: 145.
122. Papaioannou W, Quirynen M, Nys M, van Steenberghe D: The effect of periodontal parameters on the subgingival microbiota around implants. Clin Oral Implants Res, 1995; 6: 197-204.
123. Payne AG, Solomons YF, Tawse-Smith A, Lownie JF: Inter-abutment and peri-abutment mucosal enlargement with mandibular implant overdentures. Clin Oral Implants Res, 2001; 12: 179-187.
124. Peroz I, Leuenberg A, Haustein I, Lange KP: Comparison between balanced occlusion and canine guidance in complete denture wearers--a clinical, randomized trial. Quintessence Int, 2003; 34: 607-612.
125. Quirynen M, Alsaadi G, Pauwels M, Haffajee A, van Steenberghe D, Naert I: Microbiological and clinical outcomes and patient satisfaction for two treatment options in the edentulous lower jaw after 10 years of function. Clin Oral Implants Res, 2005; 16: 277-287.
126. Quirynen M, Naert I, van Steenberghe D, Nys L: A study of 589 consecutive implants supporting complete fixed prostheses. Part I: Periodontal aspects. J Prosthet Dent, 1992; 68: 655-663.
127. Quirynen M, Peeters W, Naert I, Coucke W, van Steenberghe D: Peri-implant health around screw-shaped c.p. titanium machined implants in partially edentulous patients with or without ongoing periodontitis. Clin Oral Implants Res, 2001; 12: 589-594.
128. Quirynen M, De Soete M: Infectious risks for oral implants: a review of the literature. Clin Oral Implants Res, 2002; 13: 1-19.
129. Rangert B, Jemt T, Jorneus L: Forces and moments on Branemark implants. Int J Oral Maxillofac Implants, 1989; 4: 241-247.
130. Rangert B, Krogh PH, Langer B, Van Roekel N: Bending overload and implant fracture: a retrospective clinical analysis. Int J Oral Maxillofac Implants, 1995; 10: 326-334.
131. Riedy SJ, Lang BR, Lang BE: Fit of implant frameworks fabricated by different techniques. J Prosthet Dent, 1997; 78: 596-604.

132. Roos-Jansaker AM, Lindahl C, Renvert H, Renvert S: Nine- to fourteen-year follow-up of implant treatment. Part I: implant loss and associations to various factors. *J Clin Periodontol*, 2006; 33: 283-289.
133. Rübelling G: Verfahren und Vorrichtung zur Ausbildung von an Implantaten zu befestigenden zahnprothetischen Gerüsten. Patentschrift DE 4402511 C1, 1995.
134. Rübelling G: Titanverarbeitung mittels Funkenerosion. *Quintessenz Zahntechnik*, 1997; 231.
135. Rübelling G: Metallkeramisch verblendeter Brückenzahnersatz aus Titan mit passivem Sitz nach funkenerosiver Behandlung. *Implantologie*, 1999; 7: 279.
136. Sahin S, Cehreli MC: The significance of passive framework fit in implant prosthodontics: current status. *Implant Dent*, 2001; 10: 85-92.
137. Salcetti JM, Moriarty JD, Cooper LF, Smith FW, Collins JG, Socransky SS, Offenbacher S: The clinical, microbial, and host response characteristics of the failing implant. *Int J Oral Maxillofac Implants*, 1997; 12: 32-42.
138. Sanz M, Alandez J, Lazaro P, Calvo JL, Quirynen M, van Steenberghe D : Histo-pathologic characteristics of peri-implant soft tissues in Brånemark implants with 2 distinct clinical and radiological patterns. *Clin Oral Implants Res*, 1991; 2: 128-134.
139. Schröder A: [Dental implantation]. *Dtsch Med Wochenschr*, 1986; 111: 1427-1430.
140. Schröder A, van der Zypen E, Stich H, Sutter F: The reactions of bone, connective tissue, and epithelium to endosteal implants with titanium-sprayed surfaces. *J Maxillofac Surg*, 1981; 9: 15-25.
141. Schwarz MS: Mechanical complications of dental implants. *Clin Oral Implants Res*, 2000 ; 11 Suppl 1: 156-8.
142. Shackleton JL, Carr L: Brånemark fixed implant-supported prostheses: a review of prosthetic problems. *J Dent Assoc S Afr*, 1994; 49: 293-298.
143. Shulman LB, Rogoff GS, Savitt ED, Kent RL, Jr.: Evaluation in reconstructive implantology. *Dent Clin North Am*, 1986; 30: 327-349.
144. Siamos G, Winkler S, Boberick KG: Relationship between implant preload and screw loosening on implant-supported prostheses. *J Oral Implantol*, 2002; 28: 67-73.

145. Skalak R: Biomechanical considerations in osseointegrated prostheses. *J Prosthet Dent*, 1983; 49: 843-848.
146. Smith DE, Zarb GA: Criteria for success of osseointegrated endosseous implants. *J Prosthet Dent*, 1989; 62: 567-572.
147. Spiekermann H: *Farbatlant der Zahnmedizin 10*. Stuttgart: Thieme Verlag; 1994.
148. Strub JR, Gaberthuel TW, Grunder U: The role of attached gingiva in the health of peri-implant tissue in dogs. 1. Clinical findings. *Int J Periodontics Restorative Dent*, 1991; 11: 317-333.
149. Strub JR, Türp JC, Witkowski S, Hürzeler MB, Kern M: *Curriculum Prothetik, Bd.1*, Berlin: Quintessenz- Verlag; 2. Auflage, 2005.
150. Sullivan D RG: Der passive Sitz von implantatgetragenen Meso- und Suprastrukturen. *Dental-Labor*, 1997; 2: 237-242.
151. Taylor TD, Agar JR, Vogiatzi T: Implant prosthodontics: current perspective and future directions. *Int J Oral Maxillofac Implants*, 2000; 15: 66-75.
152. Taylor TD, Wiens J, Carr A: Evidence-based considerations for removable prosthodontic and dental implant occlusion: a literature review. *J Prosthet Dent*, 2005; 94: 555-560.
153. Teixeira ER, Sato Y, Akagawa Y, Kimoto T: Correlation between mucosal inflammation and marginal bone loss around hydroxyapatite-coated implants: a 3-year cross-sectional study. *Int J Oral Maxillofac Implants*, 1997; 12: 74-81.
154. Terry BC, Zarb GA: Report on the 4th International Congress on Preprosthetic Surgery, Palm Springs, USA, 18-20 April, 1991. *Int J Oral Maxillofac Surg*, 1991; 20: 314-316.
155. Trakas T, Michalakis K, Kang K, Hirayama H: Attachment systems for implant retained overdentures: a literature review. *Implant Dent*, 2006; 15: 24-34.
156. Visser A, Raghoobar GM, Meijer HJ, Batenburg RH, Vissink A: Mandibular overdentures supported by two or four endosseous implants. A 5-year prospective study. *Clin Oral Implants Res*, 2005; 16: 19-25.
157. Warrer K, Buser D, Lang NP, Karring T: Plaque-induced peri-implantitis in the presence or absence of keratinized mucosa. An experimental study in monkeys. *Clin Oral Implants Res*, 1995; 6: 131-138.
158. Watzek G, Mailath-Pokorny G in Schwenzer N, Ehrenfeld M: *Zahnärztliche Chirurgie*. Stuttgart: Thieme Verlag; 3. Auflage, 2000, S. 127-168.

159. Weber HP, Buser D, Fiorellini JP, Williams RC: Radiographic evaluation of crestal bone levels adjacent to nonsubmerged titanium implants. *Clin Oral Implants Res*, 1992; 3(4): 181-188.
160. Wennerberg A, Jemt T: Complications in partially edentulous implant patients: a 5-year retrospective follow-up study of 133 patients supplied with unilateral maxillary prostheses. *Clin Implant Dent Relat Res*, 1999;1: 49-56 .
161. Wennstrom J, Lindhe J: Plaque-induced gingival inflammation in the absence of attached gingiva in dogs. *J Clin Periodontol*, 1983; 10: 266-276.
162. Wennstrom J, Lindhe J, Nyman S: Role of keratinized gingiva for gingival health. Clinical and histologic study of normal and regenerated gingival tissue in dogs. *J Clin Periodontol*, 1981; 8: 311-328.
163. Wennstrom J, Lindhe J, Nyman S: The role of keratinized gingiva in plaque-associated gingivitis in dogs. *J Clin Periodontol*, 1982; 9: 75-85.
164. White G: *Implantat-Zahntechnik*. Berlin: Quintessenz-Verlag 1993.
165. Windhagen H, Thorey F: Die funktionelle Reaktion des Knochens auf mechanische Reize. *Z Zahnärztl Implantol*, 2000; 16: 139-145.
166. Wismeijer D, van Waas MA, Mulder J, Vermeeren JI, Kalk W: Clinical and radiological results of patients treated with three treatment modalities for overdentures on implants of the ITI Dental Implant System. A randomized controlled clinical trial. *Clin Oral Implants Res*, 1999; 10: 297-306.
167. Wismeijer D, Van Waas MA, Vermeeren JI, Mulder J, Kalk W: Patient satisfaction with implant-supported mandibular overdentures. A comparison of three treatment strategies with ITI-dental implants. *Int J Oral Maxillofac Surg*, 1997; 26: 263-267.
168. Zarb GA, Schmitt A: The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto study. Part III: Problems and complications encountered. *J Prosthet Dent*, 1990; 64: 185-194.
169. Zarb GA, Schmitt A: Osseointegration and the edentulous predicament. The 10-year-old Toronto study. *Br Dent J*, 1991; 170: 439-444.
170. Zarb GA, Schmitt A: The edentulous predicament. II: The longitudinal effectiveness of implant supported overdentures. *J Am Dent Assoc*, 1996; 127(1): 66-72.
171. Zarb GA, Zarb FL: Tissue integrated dental prostheses. *Quintessence Int*, 1985; 16: 39-42.