

## 7 Literatur

- (1) Kieback D (1989) Die Wirkung elektromagnetischer Felder auf den Menschen. Institut zur Erforschung elektrischer Unfälle. Information 2/89
- (2) Silny J (1990) Biologische Wirkungen elektromagnetischer Felder. Deutsches Ärztebl 87 (37): B-1929-1935
- (3) Leitgeb N (1991) Strahlen, Wellen, Felder. Ursachen und Auswirkungen auf Umwelt und Gesundheit. 2. Aufl. Georg Thieme Verlag, Stuttgart
- (4) Bernhardt JH (1999) Gesundheitliche Aspekte des Mobilfunks. Deutsches Ärztebl 96 (13): B-648-653
- (5) Wertheimer N, Leeper E (1979) Electrical wiring configurations and childhood cancer. Am J Epidemiol 109 (3): 273-284
- (6) Savitz DA, Wachtel H, Barnes FA, John EM, Tvrisk JG (1988) Case-control study of childhood cancer and exposure to 60-Hz magnetic fields. Am J Epidemiol 128 (1): 21-38
- (7) London SJ, Thomas DC, Bowman JD, Sobel E, Cheng TC, Peters JM (1991) Exposure to residential electric and magnetic fields and risk of childhood leukemia. Am J Epidemiol 134 (9): 923-937
- (8) Dockerty JD, Elwood JM, Skegg DC, Herbison GP (1998) Electromagnetic field exposures and childhood cancers in New Zealand. Cancer Causes Control 9 (3): 299-309
- (9) McBride ML, Gallagher RP, Theriault G, Armstrong BG, Tamaro S, Spinelli JJ, Deadman JE, Fincham S, Robson D, Choi W (1999) Power-frequency electric and magnetic fields and risk of childhood leukemia in Canada. Am J Epidemiol 149 (9): 831-842
- (10) Armstrong BG, Deadman J, McBride ML (2001) The determinants of Canadian children's personal exposures to magnetic fields. Bioelectromagnetics 22 (3): 161-9
- (11) Meinert R, Michaelis J (1996) Meta-analyses of studies on the association between electromagnetic fields and childhood cancer. Radiat Environ Biophys 35 (1): 11-18
- (12) Michaelis J, Schuz J, Meinert R, Menger M, Grigat JP, Kaatsch P, Kaletsch U, Miesner A, Stamm A, Brinkmann K, Kärner H (1997) Childhood leukemia and electromagnetic fields: results of a population-based case-control study in Germany. Cancer Causes Control 8 (2): 167-174

- (13) Michaelis J, Schuz J, Meinert R, Zemann E, Grigat JP, Kaatsch P, Kaletsch U, Miesner A, Brinkmann K, Kalkner W, Kärner H. (1998) Combined risk estimates for two German population-based case-control studies on residential magnetic fields and childhood acute leukemia. *Epidemiology* 9 (1): 92-94
- (14) Rosenthal M, Obe G (1989) Effects of 50-hertz electromagnetic fields on proliferation and on chromosomal alterations in human peripheral lymphocytes untreated or pretreated with chemical mutagens. *Mutat Res* 210 (2): 329-335
- (15) Antonopoulos A, Yang B, Stamm A, Heller W.D, Obe G (1995) Cytological effects of 50 Hz electromagnetic fields on human lymphocytes in vitro. *Mutat Res* 346 (3): 151-157
- (16) Löscher W, Mevissen M, Lehmacher W, Stamm A (1993) Tumor promotion in a breast cancer model by exposure to a weak alternating magnetic field. *Cancer Lett* 71 (1-3): 75-81
- (17) Löscher W, Mevissen M (1995) Linear relationship between flux density and tumor co-promoting effect of prolonged magnetic field exposure in a breast cancer model. *Cancer Lett* 96 (2): 175-180
- (18) Mevissen M, Stamm A, Buntenkötter S, Zwingelberg R, Wahnschaffe U, Löscher W (1993) Effects of magnetic fields on mammary tumor development induced by 7,12- dimethylbenz(a)anthracene in rats. *Bioelectromagnetics* 14 (2): 131-143
- (19) Mevissen M, Haussler M, Lerchl A, Löscher W (1998) Acceleration of mammary tumorigenesis by exposure of 7,12- dimethylbenz[a]anthracene-treated female rats in a 50-Hz, 100-microT magnetic field: replication study. *J Toxicol Environ Health* 53 (5): 401-418
- (20) Simko M, Kriehuber R, Weiss DG, Luben RA (1998) Effects of 50 Hz EMF exposure on micronucleus formation and apoptosis in transformed and nontransformed human cell lines. *Bioelectromagnetics* 19 (2): 85-91
- (21) Robert E (1996) Teratogen update: electromagnetic fields. *Teratology* 54 (6): 305-313
- (22) Blaasaas KG, Tynes T, Lie RT (2004) Risk of selected birth defects by maternal residence close to power lines during pregnancy. *Occup Environ Med* 61 (2): 174-176
- (23) Lin H, Han L, Blank M, Head M, Goodman R (1998) Magnetic field activation of protein-DNA binding. *J Cell Biochem* 70 (3): 297-303

- (24) Cairo P, Greenebaum B, Goodman E (1998) Magnetic field exposure enhances mRNA expression of sigma 32 in *E. coli*. *J Cell Biochem* 68 (1): 1-7
- (25) Bonhomme-Faivre L, Mace A, Bezie Y, Marion S, Bindoula G, Szekely AM, Frenois N, Auclair H, Orbach-Arbouys S, Bizi E (1998) Alterations of biological parameters in mice chronically exposed to low- frequency (50 Hz) electromagnetic fields. *Life Sci* 62 (14): 1271-1280
- (26) Holian O, Astumian RD, Lee RC, Reyes HM, Attar BM, Walter RJ (1996) Protein kinase C activity is altered in HL60 cells exposed to 60 Hz AC electric fields. *Bioelectromagnetics* 17 (6): 504-509
- (27) Katsir G, Baram SC, Parola AH (1998) Effect of sinusoidally varying magnetic fields on cell proliferation and adenosine deaminase specific activity. *Bioelectromagnetics* 19 (1): 46-52
- (28) Schimmelpfeng J, Dertinger H (1997) Action of a 50 Hz magnetic field on proliferation of cells in culture. *Bioelectromagnetics* 18 (2): 177-183
- (29) Loberg LI, Engdahl WR, Gauger JR, McCormick DL (2000) Cell viability and growth in a battery of human breast cancer cell lines exposed to 60 Hz magnetic fields. *Radiat Res* 153 (5 Pt 2): 725-728
- (30) Simko M, Richard D, Kriehuber R, Weiss DG (2001) Micronucleus induction in Syrian hamster embryo cells following exposure to 50 Hz magnetic fields, benzo(a)pyrene and TPA in vitro. *Mutat Res* 495(1-2): 43-50
- (31) Ivancsits S, Diem E, Pilger A, Rudiger HW, Jahn O (2002) Induction of DNA strand brakes by intermittent exposure to extremely-low-frequency electromagnetic fields in human diploid fibroblasts. *Mutat Res* 519(1-2): 1-13
- (32) Ivancsits S, Diem E, Jahn O, Rudiger HW (2003) Intermittent exposure to extremely-low-frequency electromagnetic fields cause DNA damage in a dose-dependent way. *Int Arch Occup Environ Health* 76(6): 431-436
- (33) Blank M, Goodman R (1997) Do electromagnetic fields interact directly with DNA? *Bioelectromagnetics* 18 (2): 111-115

- (34) Liss E (1991) Wirkung magnetischer Gleichfelder auf das Wachstum von Tumorzellen. In: Brinkmann K, Schaefer H (Hrsg) Elektromagnetische Verträglichkeit biologischer Systeme. Band 1 Gesundheitsrisiken durch magnetische Gleichfelder. VDE-Verlag GmbH Berlin, Offenbach
- (35) Tuinstra R, Goodman E, Greenebaum B (1998) Protein kinase C activity following exposure to magnetic field and phorbol ester. Bioelectromagnetics 19 (8): 469- 476
- (36) Campbell-Beachler M, Ishida-Jones T, Haggren W, Phillips J.L. (1998) Effect of 60 Hz magnetic field exposure on c-fos expression in stimulated PC12 cells. Mol Cell Biochem 189 (1-2): 107-111
- (37) Fanelli C, Coppola S, Barone R, Colussi C, Gualandi G, Volpe P, Ghibelli L. (1999) Magnetic fields increase cell survival by inhibiting apoptosis via modulation of Ca<sup>2+</sup> influx. FASEB J 13 (1): 95-102
- (38) Blumenthal N.C, Ricci J, Breger L, Zychlinsky A, Solomon H, Chen G.G, Kuznetsov D, Dorfman R. (1997) Effects of low-intensity AC and/or DC electromagnetic fields on cell attachment and induction of apoptosis. Bioelectromagnetics 18 (3): 264-272
- (39) Behari J. (1999) Issues in electromagnetic field-biointeractions. Indian J Biochem Biophys 36 (5): 352-360
- (40) Goldstein LS, Dewhirst MW, Repacholi M, Kheifets L (2003) Summary, conclusions and recommandations: adverse temperature levels in the human body. Int J Hyperthermia 19 (3): 373-384
- (41) Foster K R, Finch E D (1974) Microwave hearing: evidence for thermoacoustic auditory stimulation by pulsed microwaves. Science 185 (147): 256-258
- (42) Ivaschuk OI, Jones RA, Ishida-Jones T, Haggren W, Adey WR, Phillips JL (1997) Exposure of nerve growth factor-treated PC12 rat pheochromocytoma cells to a modulated radiofrequency field at 836.55 MHz: effects on c-jun and c-fos expression. Bioelectromagnetics 18 (3): 223-229
- (43) Repacholi MH, Basten A, Gebski V, Noonan D, Finnie J, Harris AW (1997) Lymphomas in E mu-Pim1 transgenic mice exposed to pulsed 900 MHZ electromagnetic fields. Radiat Res 147 (5): 631-640
- (44) Antonopoulos A, Eisenbrandt H, Obe G (1997) Effects of high-frequency electromagnetic fields on human lymphocytes in vitro. Mutat.Res 395 (2-3): 209-214

- (45) Moulder JE, Erdreich LS, Malyapa RS, Merritt J, Pickard WF, Vijayalaxmi (1999) Cell phones and cancer: what is the evidence for a connection? *Radiat Res* 151 (5): 513-531
- (46) Blettner M, Berg G (2000) Are mobile phones harmful? *Acta oncol* 39 (8): 927-930
- (47) Vijayalaxmi, Leal BZ, Szilagyi M, Prihoda TJ, Meltz ML (2000) Primary DNA-damage in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation. *Radiat Res* 153 (4): 479-486
- (48) Zook BC, Simmens SJ (2001) The effects of 860 MHz radiofrequency radiation on the induction or promotion of brain tumors and other neoplasms in rats. *Radiat Res* 155 (4): 572-583
- (49) Bartsch H, Bartsch C, Seebald E, Deerberg F, Dietz K, Vollrath L, Mecke D (2002) Chronic exposure to a GSM-like signal (mobile phone) does not stimulate the development of DMBA-induced mammary tumors in rats: results of three consecutive studies. *Radiat Res* 157 (2): 183-190
- (50) Utteridge TD, Gebski V, Finnie JW, Vernon-Roberts B, Kuchel TR (2002) Long-term exposure of E mu-Pim1 transgenic mice to 898,4 MHz microwaves does not increase lymphoma incidence. *Radiat Res* 158 (3): 357-364
- (51) Heynick LN, Johnston SA, Mason PA (2003) Radio frequency electromagnetic fields: cancer, mutagenesis and genotoxicity. *Bioelectromagnetics Suppl* 6: 74-100
- (52) BImSchV (1996) Sechsundzwanzigste Verordnung zur Durchführung des Bundes-Immissionsschutzgesetzes: Verordnung über elektromagnetische Felder-26 BImSchV
- (53) IRPA/INIRC (1988) Guidelines on limits of exposure to radiofrequency electromagnetic fields in the frequency range 100 kHz to 300 GHz. International Radiation Protection Association / International Non-Ionizing Radiation Committee. *Health Phys* 54: 975-984
- (54) Bernhardt JH (1992) Non-Ionizing radiation safety: radiofrequency radiation, electric and magnetic fields. *Phys Med Biol* 37 (4): 807-844
- (55) Trosko JE, Ruch RJ (1998) Cell-cell communication in carcinogenesis. *Front Biosci* 3: D208-36
- (56) Schmandt R, Mills GB (1993) Genomic components of carcinogenesis. *Clin Chem* 39 (11 Pt 2): 2375-2385
- (57) Hijiya N, Gewirtz AM (1995) Oncogenes, protooncogenes, and tumor suppressor genes in acute myelogenous leukemia. *J Pediatr Hematol Oncol* 17 (2): 101-112

- (58) Klint P, Claesson-Welsh L (1999) Signal transduction by fibroblast growth factor receptors. *Front Biosci* 4:D165-77
- (59) Garte SJ (1993) The c-myc oncogene in tumor progression. *Crit Rev Oncog* 4 (4): 435-449
- (60) Rollins BJ Stiles CD (1988) Regulation of c-myc and c-fos proto-oncogene expression by animal cell growth factors. *In Vitro Cell Dev Biol* 24 (2): 81-84
- (61) Kelley MJ, Johnson BE (1994) Genetic mechanisms of solid tumor oncogenesis. *Adv Intern Med* 39: 93-122
- (62) Pilon C, Pistorello M, Moscon A, Altavilla G, Pagotto U, Boscaro M, Fallo F (1999) Inactivation of the p16 tumor suppressor gene in adrenocortical tumors. *J Clin Endocrinol Metab* 84 (8): 2776-2779
- (63) Johnson DG, Walker CL (1999) Cyclins and cell cycle checkpoints *Annu Rev Pharmacol Toxicol* 39:295-312
- (64) Rodriguez-Puebla ML, Robles AI Conti CJ (1999) Ras activity and cyclin D1 expression: an essential mechanism of mouse skin tumor development. *Mol Carcinog* 24 (1): 1-6
- (65) Oren M, Rotter V (1999) Introduction: p53--the first twenty years. *Cell Mol Life Sci* 55 (1): 9-11
- (66) Hannigan BM, Barnett YA, Armstrong DB, McKelvey-Martin VJ, McKenna PG (1993) Thymidine kinases: The Enzymes and their clinical usefulness. *Cancer Biotherapy* 8: 189-196
- (67) Gronowitz JS, Hagberg H, Källander CFR, Simonsson B (1983) The use of serum deoxythymidine kinase as a prognostic marker and in the monitoring of patients with non-Hodgkin's lymphoma. *Br J Cancer* 47: 487-495
- (68) Gronowitz JS, Källander CFR, Diderholm H, Hagberg H, Petersson U (1984) Application of an in vitro assay for serum thymidine kinase: Results on viral disease and malignancies in humans. *Int J Cancer* 33: 5-12
- (69) He Q, Skog S, Tribukait B (1991) Cell cycle related studies on thymidine kinase and its isoenzymes in Ehrlich ascites tumours. *Cell Prolif* 24 (1): 3-14
- (70) Berg JM, Tymoczko JL, Stryer L (2003) Biochemie. 5. Auflage. Spektrum Akademischer Verlag GmbH Heidelberg, Berlin
- (71) Knippers R (2006) Molekulare Genetik. 9. Aufl. Georg Thieme Verlag, Stuttgart

- (72) Lu Z, Liu D, Hornia A, Devonish W, Pagano M, Foster DA (1998) Activation of protein kinase C triggers its ubiquitination and degradation. *Mol Cell Biol* 18 (2): 839-845
- (73) Arita Y, Buffolino P, Coppock DL (1998) Regulation of the cell cycle at the G2/M boundary in metastatic melanoma cells by 12-O-tetradecanoyl phorbol-13-acetate (TPA) by blocking p34cdc2 kinase activity. *Exp Cell Res* 242 (2): 381-390
- (74) Trayner I D, Bustorff T, Etches A E, Mufti G J, Foss Y, Farzaneh F (1998) Changes in antigen expression on differentiating HL60 cells treated with dimethylsulphoxide, all-trans retinoic acid, alpha1,25- dihydroxyvitamin D3 or 12-O-tetradecanoyl phorbol-13-acetate. *Leuk Res* 22 (6): 537-547
- (75) Fitzner R (1995) Untersuchungen über Krebspromotion. In: Brinkmann K, Kärner HC, Schaefer K (Hrsg.) *Elektromagnetische Verträglichkeit biologischer Systeme*. VDE-Verlag Berlin Offenbach Band 4: 111-127
- (76) Lindl T (2002) *Zell- und Gewebekultur. Einführung in die Grundlagen sowie ausgewählte Methoden und Anwendungen*. 5. Auflage. Spektrum Akademischer Verlag.
- (77) Gebrauchsinformation Prolifigen TK-REA (1996) Sangtec Medical, Bromma Schweden
- (78) Beschuß des Vorstandes der Bundesärztekammer vom 24. August 2001. Richtlinie der Bundesärztekammer zur Qualitätssicherung quantitativer laboratoriumsmedizinischer Untersuchungen. Veröffentlicht im Deutschen Ärzteblatt 98, Heft 42, 19. Oktober 2001.
- (79) Sachs L (2003) *Angewandte Statistik: Anwendung statistischer Methoden*. 11. Auflage. Springer Verlag Berlin
- (80) Neibig U (1996) Expositionseinrichtungen. Newsletter Edition Wissenschaft Nr. 3 der FGF e.V. Bonn
- (81) Neibig U (1995) Expositionsanlagen des 1. Forschungsvorhabens. In: Brinkmann K, Kärner HC, Schaefer K (Hrsg.) *Elektromagnetische Verträglichkeit biologischer Systeme*. VDE-Verlag Berlin Offenbach Band 4: 42-73
- (82) Fitzner R, Langer E, Bülow von J, Zemann E, Brinkmann K (1996) Long-term influence of high frequency electromagnetic fields on growth behaviour of HL60 cells to investigate cancer promoting effects. Poster session. BEMS 18th annual meeting 9. - 14. 6. 1996. Victoria, Kanada. Abstracts 160-163
- (83) Pelka-Fleischer R, Fleischer W, Wilmanns W, Sauer HJ, Schalhorn A (1989) Relation between cell cycle stage and the activity of DNA-synthesizing enzymes in cultured human

- lymphoblasts: investigations on cells separated according to DNA content by way of a cell sorter. Leukemia 3: 380-385
- (84) Ng SB, Guy GR (1992) Two protein kinase C activators, Bryostatin 1 and Phorbol-12-myristate-13-acetate, have different effects on haemopoietic cell proliferation and differentiation. Cell Signal 4: 405-416
- (85) Uchimaru K, Taniguchi T, Yoshikawa M, Fujinuma H, Fujita T, Motokura T (1998) Growth arrest associated with 12-o-tetradecanoyl-phorbol-13-acetate- induced hematopoietic differentiation with a defective retinoblastoma tumor suppressor-mediated pathway. Leuk Res 22 (5): 413-420
- (86) Lai H, Singh NP (1995) Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells. Bioelectromagnetics 16 (3): 207-210
- (87) Balcer-Kubiczek EK, Harrison GH (1989) Induction of neoplastic transformation in C3H/10T1/2 cells by 2.45-GHz microwaves and phorbol ester. Radiat Res 117 (3): 531-537
- (88) Meltz ML, Walker KA, Erwin DN (1987) Radiofrequency (microwave) radiation exposure of mammalian cells during UV-induced DNA repair synthesis. Radiat Res 110 (2): 255-266
- (89) McRee DI, MacNichols G (1981) Incidence of sister chromatid exchange in bone marrow cells of the mouse following microwave exposure. Radiat Res 85 (2): 340-348
- (90) Jiang H, Lin J, Su ZZ, Collart FR, Huberman E, Fisher PB (1994) Induction of differentiation in human promyelocytic HL-60 leukemia cells activates p21, WAF1/CIP1, expression in the absence of p53. Oncogene 9 (11): 3397-3406