

## 6. Literaturverzeichnis

1. Becker N, Wahrendorf J In: Becker N, Wahrendorf J. (Hrsg.) Krebsatlas der Bundesrepublik Deutschland; Atlas of cancer mortality in the Federal Republic of Germany. Springer, Berlin; 1998
2. Fong Y, Kemeny N, Paty P, Blumgart LH, Cohen AM. Treatment of colorectal cancer: hepatic metastasis. *Semin Surg Oncol* 1996;12:219-252
3. Jatzko GR, Lisborg PH, Stettner HM, Klimpfinger MH. Hepatic resection for metastases from colorectal carcinoma - a survival analysis. *Eur J Cancer* 1995;31:41-46
4. Taylor I. Liver metastases from colorectal cancer: lessons from past and present clinical Studies; *Br J Surg* 1996;83:456-460
5. Eder M, Weiss M. Hämatogene Lebermetastasen - humanpathologische Grundlagen; *Chirurg* 1991;62:705-709
6. Pickren JW, Tsukuda Y, Lane WW. Liver metastasis: analysis of autopsy data; In: Weiss L (Hrsg.); *Liver metastasis*. Hall, Boston; 1984:1-18
7. Walther HE. In: Walther HE (Hrsg.) *Krebsmetastasen*; Schwabe, Basel; 1948
8. Viadana E, Bross IDJ, Pickren JW. Cascade spread of blood-borne metastases in solid and nonsolid cancer of humans; In: Weiss L; Gilbert HA (Hrsg.) *Pulmonary metastasis*. Hall, Boston; 1978:143
9. Nanko M, Shimada H, Yamaoka H, Tanaka K, Masui H, Matsuo K, Ike H, Oki S, Hara M. Micrometastatic colorectal cancer lesions in the liver; *Jpn J Surg* 1998;28:707-713

10. Akimoto S. Ultrasonic diagnosis of hepatic diseases; *Surg Gastroenterol* 1992;15:1981-1990
11. Doci R, Gennari L, Bignami P, Montalto F, Morabito A, Bozzetti F. One hundred patients with hepatic metastases from colorectal cancer treated by resection: analysis of prognostic determinants; *Br J Surg* 1991;78:797-801
12. Fortner JG, Silva JS, Golbey RB, Cox EB, MacLean BJ. Multivariate analysis of a personal series of 274 consecutive patients with liver metastases from colorectal cancer. I. Treatment by hepatic resection. *Ann Surg* 1984;199:306-316
13. Stangl R, Altendorf-Hofmann A, Charnley RM, Scheele J. Factors influencing the natural history of colorectal liver metastases; *Lancet* 1994;343:1405-1410
14. Wagner JS, Adson MA, van Heerden JA, Adson MH, Ilstrup DM. The natural history of hepatic metastases from colorectal cancer; *Ann Surg* 1984;199:502-508
15. Hughes K, Simon R, Songhorabodi S, Adson MA, Ilstrup DM, Fortner JG. Resection of the liver for colorectal carcinoma metastases: a multi-institutional study of indications for resection; *Surgery* 1988;103:278-288
16. Kemeny N. Review of regional therapy of liver metastases in colorectal cancer; *Semin Oncol* 1992;19:155-162
17. Sugarbaker PH, Kemeny N. Metastatic cancer to the liver; *Adv Surg* 1989;22:1-56
18. Borner M, Castiglione M, Triller J, Baer HU, Soucek M, Blumgart L, Brunner K. Considerable side effect of chemoembolization for colorectal carcinoma metastatic to the liver; *Ann Oncol* 1992;3:113-115

19. Gray BN, Anderson JE, Burton MA, van Hazel G, Codde J, Morgan C, Klemp P. Regression of liver metastases following treatment with Yttrium-90 microspheres; *N Z J Surg* 1992;62:105-110
20. Dritschilo A, Harter KW, Thomas D, Nauta R, Holt R, Lee TC, Rustgi S, Rodgers J. Intraoperative radiation therapy of hepatic metastases: technical aspects and report of a pilot study; *Int J Radiat Oncol Biol Phys* 1988;14:1007-1011
21. Sherman DM, Wechselbaum RE, Order SE, Cloud L, Trey C, Piro AJ. Palliation of hepatic metastasis; *Cancer* 1978; 41:2013-2017
22. Bengmark S. Palliativ treatment of hepatic tumours; *Br J Surg* 1989;76:771-773
23. Charnley RM, Doran J, Morris DL. Cryotherapy for liver metastases: a new approach; *Br J Surg* 1989;76:1040-1041
24. Amin Z, Bown SG, Lees WR. Local treatment of colorectal liver metastases: a comparison of interstitial laser photocoagulation (ILP) and percutaneous alcohol injection (PAI); *Clin Radiol* 1993;48:166-171
25. Livraghi T, Lazzaroni S, Meloni F, Torzillig G, Vettori C. Intralesional ethanol in the treatment of unresectable liver cancer; *World J Surg* 1995;19:801-806
26. Braasch D, Zoedler T, Röher HD. A method to perfuse liver metastases with heated blood (45°C, 45 min); *Cancer Res Clin Oncol* 1996;122:67-69
27. Cole DJ, Ferguson CM. Complications of hepatic resection for colorectal carcinoma metastasis; *Am Surg* 1992;58:88-91

28. Fong Y, Cohen AM, Fortner JG, Enker WE, Turnbull AD, Coit DG, Marrero AM, Prasad M, Blumgart LH, Brennan MF. Liver resection for colorectal metastases; *J Clin Oncol* 1997;15:938-946
29. Miyagawa S, Makuuchi M, Kawasaki S, Kakazu T. Criteria for safe hepatic resection; *Am J Surg* 1995;169:589-594
30. Nordlinger B, Jaeck D, Guiguet M, Vaillant JC, Balladur P, Schaal JC. Surgical resection of hepatic metastases. Multicentric retrospective study by the French Association of Surgery; In: Nordlinger B, Jaeck D (Eds.) *Treatment of hepatic metastases of colorectal cancer*; Springer, Paris, Berlin u.a.; 1992;129-146
31. Taylor M, Forster J, Langer B, Taylor BR, Greig PD, Mahut C. A study of prognostic factors for hepatic resection for colorectal metastases; *Am J Surg* 1997;173:467-471
32. Scheele J. Anatomical and atypical liver resection; 2001 Feb;113-124
33. Scheele J, Stang R, Altendorf-Hofmann A, Paul M. Resection of colorectal liver metastases; *World J Surg* 1995;19:59-71
34. Adson MA, van Heerden JA, Adson MH, Wagner JS, Ilstrup DM. Resection of hepatic metastases from colorectal cancer; *Arch Surg* 1984;119:647-651
35. Foster JH. Survival after liver resection for secondary tumors; *Am J Surg* 1978;135:389-394
36. van Ooijen B, Wiggers T, Meijer S, van der Heijde MN, Slooff MJH, van de Velde CJH, Obertop H, Gouma DJ, Bruggink EDM, Lange JF, Munting JDK. Hepatic resections for colorectal metastases in the Netherlands. A multi-institutional 10-year study; *Cancer* 1992;70:28-34

37. Scheele J, Altendorf-Hofmann A, Grube T, Hohenberger W, Stangl R, Schmidt K. Resection of colorectal liver metastases. What prognostic factors determine patient selection?; *Chirurg*. 2001;May;72(5):547-60.
38. Butler J, Attiyeh FF, Daly JM. Hepatic resection for metastases of the colon and rectum; *Surg Gynecol Obstet* 1986;162:109-113
39. Cady B, McDermott WV. Major hepatic resection for metachronous metastases from colon cancer; *Ann Surg* 1984;201:204-209
40. Ekberg H, Tranberg KG, Andersson R, Lundstedt C, Hägerstrand I, Ranstam J, Bengmark S. Pattern of recurrence in liver resection for colorectal secondaries *World J Surg* 1987;11:541-547
41. Funovics J. Leberresektion bei primären Tumoren und Metastasen; In: Häring R (Hrsg.) *Chirurgie der Leber*. Edition Medizin, Weinheim, Deerfield Beach, Florida, Basel; 1998:237-242
42. Jaeck D, Bachellier P, Guiguet M, Boudjema K, Vaillant JC, Ballardur P, Nordlinger B. Long-term survival following resection of colorectal hepatic metastases; *Br J Surg* 1997;84:977-980
43. Ringe B, Bechstein WO, Raab R, Meyer HJ, Pichlmayr R. Leberresektion bei 157 Patienten mit colorectalen Metastasen; *Chirurg* 1990;61:272-279
44. Häring R, Bauknecht KJ, Boese-Landgraf J. Chirurgie der Lebermetastasen; In: Schumpelick V, Pichlmayr R (Hrsg.) *Chirurgie der Leber*. Springer, Heidelberg; 1995:165-173
45. Elias D, Lasser P, Hoang JM, Leclere J, Debaene B, Bognel C, Spencer A, Rougier P. Repeat hepatectomy for cancer; *Br J Surg* 1993;80:1557-1562

46. Rew DA, Wilson GD, Taylor I, Weaver PC. Proliferation characteristics of human colorectal carcinomas measured in vivo; *Br J Surg* 1991;78:60-66
47. De Jong KP, Lont HE, Bijma AM, Brouwers MAM, De Vries EGE, van Veen ML, Marquet RL, Slooff MJH, Terpstra OT. The effect of partial hepatectomy on tumor growth in rats: in vivo and in vitro studies; *Hepatology* 1995;22:1263-1272
48. Nishizaki T, Matsumata T, Kanematsu T, Yasunaga C, Sugimachi K. Surgical manipulation of VX2 carcinoma in the rabbit liver evokes enhancement of metastasis; *J Surg Res* 1990;49:92-97
49. Morimoto H, Nio Y, Imai S, Shiraishi T, Tsubono M, Tseng CC, Tobe T. Hepatectomy accelerates the growth of transplanted liver tumor in mice; *Cancer Detect Prev* 1992;16:137-147
50. Panis Y, Ribeiro J, Chrétien Y, Nordlinger B. Dormant liver metastases: an experimental study; *Br J Surg* 1992;79:221-223
51. Jiang WG, Hallett MB, Puntis MCA. Hepatocyte growth factor/scatter factor, liver regeneration and cancer metastasis; *Br J Surg* 1993;80:1368-1373
52. Loizidou MC, Lawrance RJ, Holt S, Carty NJ, Cooper AJ, Alexander P, Taylor I. Facilitation by partial hepatectomy of tumor growth within the rat liver following intraportal injection of syngeneic tumor cells; *Clin Expl Metastasis* 1991;9:335-349
53. Mizutani J, Hiraoka T, Yamashita R, Miyauchi Y. Promotion of hepatic metastases by liver resection in the rat; *Br J Cancer* 1992;65:794-797
54. Bown SG. Phototherapy of tumors; *World J Surg* 1983;7:700-709

55. Germer CT, Albrecht D, Boese-Landgraf J, Ernst M. Lokale Behandlung von Lebermetastasen durch Kryo- oder Lasertherapie; Langenbecks Arch Chir Suppl 1994;111. Kongreß:1071-1081
56. Nolsøe CP, Torp-Pedersen S, Burcharth F, Horn T, Pedersen S, Christensen NE, Olldag ES, Andersen PH, Karstrup S, Lorentzen T, Holm HH. Interstitial hyperthermia of colorectal liver metastases with a US-guided Nd-YAG laser with a diffuser tip: a pilot clinical study; Radiology 1993;187:333-337
57. van Hillegersberg R, van Staveren HJ, Kort WJ, Zondervan PE, Terpstra OT. Interstitial Nd:YAG laser coagulation with a cylindrical diffusing fiber tip in experimental liver metastases; Lasers Surg Med 1994;14:124-138
58. Vogl TJ, Müller PK, Hammerstingl R, Weinhold N, Mack MG, Philipp C, Deimling M, Beuthan J, Pegios W, Riess H, Lemmens HP, Felix R. Malignant liver tumors treated with MR imaging-guided laser-induced thermotherapy: technique and prospective results; Radiology 1995;196:257-265
59. Vogl TJ, Mack MG, Straub R, Roggan A, Felix R. Percutaneous MRI-guided laser-induced thermotherapy for hepatic metastases for colorectal cancer; Lancet 1997;350:29
60. Ravikumar TS. Interstitial therapies for liver tumors; Surg Oncol Clin North Am 1996;2:365-377
61. Schneider PD. Liver resection and laser hyperthermia; Surg Clin N Am 1992;72:623-639
62. Bhuyan BK. Kinetics of cell kill by hyperthermia; Cancer Res 1979;39:2277-2284

63. Muckle DS, Dickson JA. The selective inhibitory effect of hyperthermia on the metabolism and growth of malignant cells; *Br J Cancer* 1971;25:771-778
64. Amin Z, Donald JJ, Masters A, Kant R, Steger AC, Bown SG, Lees WR. Hepatic metastases: interstitial laser photocoagulation with real-time usmonitoring and dynamic CT evaluation of treatment; *Radiology* 1993;187:339-347
65. Möller PH, Ivarsson K, Stenram U, Randnell M, Tranberg KG. Comparison between interstitial laser thermotherapy and excision of an adenocarcinoma transplanted into rat liver; *Br J Cancer* 1998;77:1884-1892
66. Tranberg KG, Möller PH, Hannesson P, Stenram. UInterstitial laser treatment of malignant tumours: initial experience; *Eur J Surg Oncol* 1996;22:47-54
67. Vogl TJ, Müller PK, Mack MG, Straub R, Engelmann K, Neuhaus P. Therapiemöglichkeiten bei nicht resektablen Lebermetastasen. Percutane radiologische Interventionen; *Chirurg* 1999;70:133-140
68. Steele G, Bleday R, Mayer RJ, Lindblad A, Petrelli N, Weaver DA. Prospective evaluation of hepatic resection for colorectal Carcinomametastases to the liver; *Gastrointestinal Tumor Study Group Protocol 6584.J Clin Oncol* 1991;9:1105-1112
69. Dickson JA, Shah SA. Hyperthermia: The immune response and tumor metastasis; *Nat Cancer Inst Monogr* 1982;61:183-192
70. Maher JJ, Friedman SL. Parenchymal and nonparenchymal cell interactions in the liver; *Semin Liver Dis* 1993;Feb;13(1):13-20
71. Mochida S, Ishikawa K, Toshima K, Inao M, Ikeda H, Matsui A, Shibuya M, Fujiwara K. The mechanisms of hepatic sinusoidal endothelial cell regeneration:



- a possible communication system associated with vascular endothelial growth factor in liver cells; *J Gastroenterol Hepatol* 1998;Sep;13 Suppl:S1-5
72. Schuppan D, Cramer T, Bauer M, Strefeld T, Hahn EG, Herbst H. Hepatocytes as a source of collagen type XVIII endostatin; *Lancet* 1998;Sep;12;352(9131):879-80
  73. Schuppan D, Somasundaram R, Dieterich W, Ehnis T, Bauer M. The extracellular matrix in cellular proliferation and differentiation; *Ann N Y Acad Sci* 1994;Sep 15;733:87-102
  74. Dedhar S, Hannigan GE. Integrin cytoplasmic interactions and bidirectional transmembrane signalling, *Curr Opin Cell Biol* 1996;Oct;8(5):657-69
  75. Frisch SM, Francis H. Disruption of epithelial cell-matrix interactions induces apoptosis; *J Cell Biol* 1994;Feb;124(4):619-26
  76. Michalopoulos GK, DeFrances MC. Liver regeneration; *Science* 1997;Apr 4;276(5309):60-6
  77. Higgins GM, Anderson RM. Experimental pathology of the liver I. Restoration of liver of white rat following partial surgical removal; *Arch Pathol Lab Med* 1931;12:186-202
  78. Moolten FL. Regeneration of rat liver: transfer of humoral agents by cross circulation; *Science* 1967;158:272-274
  79. Jrtle RL. Effects of partial hepatectomy on transplanted hepatocytes; *Cancer Res* 1982;42:3000-3004

80. Gohda E, Tsubouchi H, Nakayama H, Hirono S, Takahashi K, Koura M, Hashimoto S, Daikuhara Y. Human hepatocyte growth factor in plasma from patients with fulminant hepatic failure; *Exp Cell Res* 1986;Sep;166(1):139-50
81. Draghi E, Armato U, Andreis PG, Mengato L. The stimulation by epidermal growth factor (urogastrone) of the growth of neonatal rat hepatocytes in primary tissue culture and its modulation by serum and associated pancreatic hormones; *J Cell Physiol* 1980;Apr;103(1):129-47
82. Skouteris GG, McMenamin M. Transforming growth factor-alpha-induced DNA synthesis and c-myc expression in primary rat hepatocyte cultures is modulated by indomethacin; *Biochem J* 1992;Feb 1;281( Pt 3):729-33
83. Kan M, Huang JS, Mansson PE, Yasumitsu H, Carr B, McKeekhan WL. Heparin-binding growth factor type 1 (acidic fibroblast growth factor): a potential biphasic autocrine and paracrine regulator of hepatocyte regeneration; *Proc Natl Acad Sci U S A* 1989;Oct;86(19):7432-6
84. Zarnegar R, Michalopoulos G. Purification and biological characterization of human hepatopoeitin A: a polypeptide growth factor for hepatocytes; *Cancer Res* 1989;49:3314-3320
85. Gohda E, Tsubouchi H, Nakayama H, Hirono S, Sakiyama O, Takahashi K, Miyazaki H, Hashimoto S, Daikuhara Y. Purification and partial characterization of hepatocyte growth factor from plasma of a patient with fulminant hepatic failure; *J Clin Invest* 1988;Feb;81(2):414-9
86. Nakamura T, Nawa K, Ichihara A, Kaise N, Nishino T. Purification and subunit structure of hepatocyte growth factor from rat platelets; *FEBS Lett* 1987;Nov 30;224(2):311-6

87. Miyazawa K, Tsubouchi H, Naka D, Takahashi K, Okigaki M, Arakaki N, Nakayama H, Hirono S, Sakiyama O, Takahashi K. Molecular cloning and sequence analysis of cDNA for human hepatocyte growth factor; *Biochem Biophys Res Commun* 1989;Sep 15;163(2):967-73
88. Nakamura T, Nishizawa T, Hagiya M, Seki T, Shimonishi M, Sugimura A, Tashiro K, Shimizu S. Molecular cloning and expression of human hepatocyte growth factor; *Nature* 1989;Nov 23;342(6248):440-3
89. Gak E, Taylor WG, Chan AM, Rubin JS. Processing of hepatocyte growth factor to the heterodimeric form is required for biological activity; *FEBS Lett* 1992;Oct 12;311(1):17-21
90. Miyazawa K, Shimomura T, Kitamura A, Kondo J, Morimoto Y, Kitamura N. Molecular cloning and sequence analysis of the cDNA for a human serine protease responsible for activation of hepatocyte growth factor. Structural similarity of the protease precursor to blood coagulation factor XII; *J Biol Chem* 1993;May 15;268(14):10024-8
91. Mars WM, Zarnegar R, Michalopoulos GK. Activation of hepatocyte growth factor by the plasminogen activators uPA and tPA; *Am J Pathol* 1993;Sep;143(3):949-58
92. Naldini L, Tamagnone L, Vigna E, Sachs M, Hartmann G, Birchmeier W, Daikuhara Y, Tsubouchi H, Blasi F, Comoglio PM. Extracellular proteolytic cleavage by urokinase is required for activation of hepatocyte growth factor/scatter factor; *EMBO J* 1992;Dec;11(13):4825-33
93. Seki T, Hagiya M, Shimonishi M, Nakamura T, Shimizu S. Organization of the human hepatocyte growth factor-encoding gene; *Gene* 1991;Jun 30;102(2):213-9

94. Michalopoulos GK. Hepatocyte growth factor; *Hepatology* 1992;15(1):149-55
95. Joplin R, Hishida T, Tsubouchi H, Daikuhara Y, Ayres R, Neuberger JM, Strain AJ. Human intrahepatic biliary epithelial cells proliferate in vitro in response to human hepatocyte growth factor; *J Clin Invest* 1992;Oct;90(4):1284-9
96. Igawa T, Kanda S, Kanetake H, Saitoh Y, Ichihara A, Tomita Y, Nakamura T. Hepatocyte growth factor is a potent mitogen for cultured rabbit renal tubular epithelial cells; *Biochem Biophys Res Commun* 1991;Jan 31;174(2):831-8
97. Takahashi M, Ota S, Terano A, Yoshiura K, Matsumura M, Niwa Y, Kawabe T, Nakamura T, Omata M. Hepatocyte growth factor induces mitogenic reaction to the rabbit gastric epithelial cells in primary culture; *Biochem Biophys Res Commun* 1993;Mar 15;191(2):528-34
98. Vila MR, Nakamura T, Real FX. Hepatocyte growth factor is a potent mitogen for normal human pancreas cells in vitro; *Lab Invest* 1995;Sep;73(3):409-18
99. Eccles N, Ivan M, Wynford-Thomas D. Mitogenic stimulation of normal and oncogene-transformed human thyroid epithelial cells by hepatocyte growth factor; *Mol Cell Endocrinol* 1996;Mar 25;117(2):247-51
100. Imokawa G, Yada Y, Morisaki N, Kimura M. Biological characterization of human fibroblast-derived mitogenic factors for human melanocytes; *Biochem J* 1998;Mar 15;330( Pt 3):1235-9
101. Mizuno K, Higuchi O, Ihle JN, Nakamura T. Hepatocyte growth factor stimulates growth of hematopoietic progenitor cells; *Biochem Biophys Res Commun* 1993;Jul 15;194(1):178-86

102. Takebayashi T, Iwamoto M, Jikko A, Matsumura T, Enomoto-Iwamoto M, Myoukai F, Koyama E, Yamaai T, Matsumoto K, Nakamura T. Hepatocyte growth factor/scatter factor modulates cell motility, proliferation, and proteoglycan synthesis of chondrocytes; *J Cell Biol* 1995;Jun;129(5):1411-9
103. Krasnoselsky A, Massay MJ, DeFrances MC, Michalopoulos G, Zarnegar R, Ratner N. Hepatocyte growth factor is a mitogen for Schwann cells and is present in neurofibromas; *J Neurosci* 1994;Dec;14(12):7284-90
104. Naldini L, Weidner KM, Vigna E, Gaudino G, Bardelli A, Ponzetto C, Narsimhan RP, Hartmann G, Zarnegar R, Michalopoulos GK. Scatter factor and hepatocyte growth factor are indistinguishable ligands for the MET receptor; *EMBO J*. 1991;Oct;10(10):2867-78
105. Weidner KM, Arakaki N, Hartmann G, Vandekerckhove J, Weingart S, Rieder H, Fonatsch C, Tsubouchi H, Hishida T, Daikuhara Y. Evidence for the identity of human scatter factor and human hepatocyte growth factor; *Proc Natl Acad Sci U S A*. 1991;Aug 15;88(16):7001-5
106. Montesano R, Matsumoto K, Nakamura T, Orci L. Identification of a fibroblast-derived epithelial morphogen as hepatocyte growth factor; *Cell* 1991;Nov 29;67(5):901-8
107. Montesano R, Soriano JV, Pepper MS, Orci L. Induction of epithelial branching tubulogenesis in vitro; *J Cell Physiol* 1997;Nov;173(2):152-61
108. Folkman J. Tumor angiogenesis: therapeutic implications; *N. Engl. J. Med.* 1971;285:1182-86
109. Folkman J. What is the evidence that tumors are angiogenesis dependent?; *J Natl Cancer Inst* 1990;82:4-6

110. Toi M, Inada K, Suzuki H. Tumor angiogenesis in breast cancer: Its importance as a prognostic indicator and the association with VEGF expression; *Breast Cancer Res Treat* 1995;36:193-204
111. Zetter BR. Angiogenesis and tumor metastasis; *Annu Rev Med. Review.* 1998;49:407-24
112. Plate KH, Breier G, Risau W. Molecular mechanisms of developmental and tumor angiogenesis; *Brain Pathol.* 1994;Jul;4(3):207-18
113. Grant DS, Kleinman HK, Goldberg ID, Bhargava MM, Nickoloff BJ, Kinsella JL, Polverini P, Rosen EM. Scatter factor induces blood vessel formation in vivo; *Proc Natl Acad Sci U S A* 1993;Mar 1;90(5):1937-41
114. Rosen EM, Goldberg ID. Scatter factor and angiogenesis; *Adv Cancer Res. Review*1995;67:257-79.
115. Heusinger- Ribeiro, J. Die Bedeutung der kleinen GTPase RhoA für die Expression des profibrotischen Faktors CTGF; Dissertation, Friedrich-Alexander- Universität Erlangen- Nürnberg, 2001, S. 1-2
116. Grotendorst. Connective Tissue Growth Factor: a Mediator of TGF-  $\beta$  Action on Fibroblasts; *Cytokine and Growth Factor Review* 8, 1997:171-179
117. Frazier K, Williams S, Kothapalli D, Klapper H, Grotendorst GR. Stimulation of fibroblast cell growth, matrix production, and granulation tissue formation by connective tissue growth factor. *J Invest Dermatol.* 1996;107:404-411
118. Grotendorst GR., Okochi H, Hayashi N. A novel transforming growth factor beta response element controls the expression of the connective tissue growth factor gene; 1996;*Cell Growth Differ.*,7:469-480

119. Brigstock DR, Steffen CL., Kim GY, Vegunta RK, Diehl JR, Harding PA. Purification and characterization of novel heparin-binding growth factors in uterine secretory fluids; Identification as heparin-regulated Mr 10,000 forms of connective tissue growth factor. 1997;J Biol Chem., 272:20275-20282
120. Paradis V. Expression of connective tissue growth factor in Experimental Rat and Human Liver; 1999;Fibrosis. Hepatology. 30:968-976
121. Ito Y. Expression of connective tissue growth factor in human renal fibrosis; 1998;Kidney Int., 53:853-861
122. Igarashi A. Regulation of connective tissue growth factor gene expression in human skin fibroblasts and during wound repair; Mol Biol Cell., 4:637-645
123. Hirasaki S, Koide N, Ujike K, Shinji T, Tsuji T. Expression of Nov, CYR61 and CTGF genes in human hepatocellular carcinoma; Hepatol Res 2001;Mar 26;19(3):294-305
124. Isbert C, Boerner A, Ritz JP, Schuppan D, Buhr HJ, Germer CT. In situ ablation of experimental liver metastases delays and reduces residual intrahepatic tumour growth and peritoneal tumour spread compared with hepatic resection; Br J Surg. 2002;Oct;89(10):1252-9.
125. Bärlocher F. Biostatistik; Thieme Verlag. 1999; 104
126. Germer CT, Roggan A, Ritz JP, Isbert C, Albrecht D, Müller G, Buhr HJ. Optical properties of native and coagulated human liver tissue and liver metastases in the near infrared range; Lasers Surg Med 1998;23:194-203
127. Roggan A. Dosimetrie thermischer Laseranwendungen in der Medizin. Untersuchung der optischen Gewebeeigenschaften und physikalisch-

mathematische Modellentwicklung; Dissertation 1997; Fachbereich Physik, Technische Universität Berlin Literaturverzeichnis 92

128. Castaing D, Houssin D, Bismuth H. In: Castaing D, Houssin D (Hrsg.) Hepatic and portal surgery in the rat; Masson, Paris; 1980
129. Eggermont AMM, Steller EP, Sugarbaker PH. Laparotomy enhances intraperitoneal tumor growth and abrogates the antitumor effects of interleukin-2 and lymphokine-activated killer cells; *Surgery* 1987;102:71-78
130. Pollock RE, Lotzová E, Stanford SD. Surgical stress impairs natural killer cell programming of tumor for lysis in patients with sarcomas and other solid tumors; *Cancer* 1992;70:2192-2202
131. Matsumoto K, Nakamura T. Hepatocyte growth factor: molecular structure, roles in liver regeneration and other biological functions; *Crit Rev Oncog* 1992;3:27-54
132. Tomiya T, Ogata I, Fujiwara K. Transforming growth factor  $\alpha$  levels in liver and blood correlate better than hepatic growth factor with hepatocyte proliferation during liver regeneration; *Am J Pathology* 1998;153:955-961
133. Panis Y, Lomri N, Emond JC. Early gene expression associated with regeneration is intact after massive hepatectomy in rats; *J Surg Res* 1998;79:103-108
134. Scotté M, Masson S, Lyoumi S, Hiron M, Ténrière P, Lebreton JP, Daveau M. Cytokine gene expression in liver following minor and major hepatectomy in rat; *Cytokine* 1997;9:859-867



135. Kinoshita T, Hirao S, Matsumoto K, Nakamura T. Possible endocrine control by hepatocyte growth factor of liver regeneration after partial hepatectomy; *Biochem Biophys Res Commun* 1991;177:330-335
136. Lindroos P, Tsai WH, Zarnegar R, Michalopoulos GK. Plasma levels of HGF in rats treated with tumor promoters; *Carcinogenesis* 1992;13:139-141
137. Zarnegar R, DeFrances MC, Kost DP, Lindroos P, Michalopoulos GK. Expression of hepatocyte growth factor mRNA in regenerating rat liver after partial hepatectomy; *Biochem Biophys Res Commun* 1991;177:559-565
138. Kaneko A, Hayashi N, Tanaka Y, Ito T, Kasahara A, Kubo M, Mukuda T, Fusamoto H, Kamada T. Changes in serum human hepatocyte growth factor levels after transcatheter arterial embolization and partial hepatectomy; *Am J Gastroenterol* 1992;87:1014-1017
139. Sakon M, Monden M, Gotoh M, Kanai T, Umeshita K, Mori T, Tsubouchi H, Daikuhara Y. Hepatocyte growth factor concentrations after liver resection; *Lancet* 1992;339:818
140. Selden C, Johnstone R, Darby H, Gupta S, Hodgson HJ. Human serum does contain a high molecular weight hepatocyte growth factor: studies pre- and post-hepatic resection; *Biochem Biophys Res Commun* 1986;139:361-366
141. Fazekas K, Csuka O, Koves I, Raso E, Timar J. Experimental and clinicopathologic studies on the funktion of the HGF- receptor in human coloncancermetastasis; *Clin Exp Metastasis*. 2000;18(8):639-49
142. Herynk MH, Stoeltzing O, Reinmuth N, Parikh NU, Abounader R, Laterra J, Radinsky R, Ellis LM, Gallick GE. Down- regulation of c- Met inhibits growth in the liver of human colorectal carcinoma cells *Cancer; Res*. 2003;Jun 1;63(11):2990-6

143. Weidner KM, Sachs M, Birchmeier W. The Met receptor tyrosine kinase transduces motility, proliferation, and morphogenic signals of scatter factor/hepatocyte growth factor in epithelial cells; *J Cell Biol* 1993;Apr;121(1):145-54
144. Matsuda Y, Matsumoto K, Yamada A, Ichida T, Asakura H, Komoriya Y, Nishiyama E, Nakamura T. Preventive and therapeutic effects in rats of hepatocyte growth factor infusion on liver fibrosis/cirrhosis; *Hepatology*. 1997;Jul;26(1):81-9
145. Ramadori G, Neubauer K, Odenthal M, Nakamura T, Knittel T, Schwogler S, Meyer zum Buschenfelde KH. The gene of hepatocyte growth factor is expressed in fat-storing cells of rat liver and is downregulated during cell growth and by transforming growth factor-beta; *Biochem Biophys Res Commun*. 1992;Mar 16;183(2):739-42
146. Schirmacher P, Geerts A, Pietrangelo A, Dienes HP, Rogler CE. Hepatocyte growth factor/hepatopoietin A is expressed in fat-storing cells from rat liver but not myofibroblast-like cells derived from fat-storing cells; *Hepatology*. 1992;Jan;15(1):5-11
147. Friedman SL. Molecular mechanisms of hepatic fibrosis and principles of therapy; *J Gastroenterol* 1997;Jun;32(3):424-30
148. Namieno T, Tackeichi N, Hata Y, Uchino J, Kobayashi H. Kinetic changes of liver regeneration and hepatocellular carcinoma cells after partial hepatectomy in rats; *Gastroenterol Jpn* 1991;26:29-36
149. Choy A, McCulloch P. Induction of tumor cell shedding into effluent venous blood breast cancer surgery; *Br J Surg* 1996;73:79-82

150. Eschwège P, Dumas F, Blanchet P, Le Maire V, Benoit G, Jardin A, Lacour B, Loric S. Haematogenous dissemination of prostatic epithelial cells during radical prostatectomy; *Lancet* 1995;346:1528-1530
  
151. Hansen E, Wolff N, Knuechel R, Ruschoff J, Hofstaedter F, Taeger K. Tumor cells in blood shed from the surgical field; *Arch Surg* 1995;130:387-393