

VII. Literaturverzeichnis

Abbas AK, Lichtman AH, Pober JS. (1996):
Immunologie.

2. Aufl., Verlag Hans Huber, Bern, Göttingen, Toronto, Seattle

Abe F, Ishibashi N, Shimamura S. (1995):

Effect of administration of bifidobacteria and lactic acid bacteria to newborn calves and piglets.

J Dairy Sci **78** (12), 2838-2846

Allen A, Hutton DA, Pearson JP, Sellers LA. (1990):

The colonic mucus gel barrier: structure, gel formation and degradation.

In: Peters TJ (Ed.): The cell biology of inflammation in the gastrointestinal tract.

Corners Publications, Hull, 113-125

Allen WD und Porter P. (1979):

Localization by immunofluorescence of secretory component and IgA in the mucosa of the young pig.

J Immunol **24**, 365-374

Arbeitsgemeinschaft für Wirkstoffe in der Tierernährung e. V. (AWT) (1999):

Probiotika in der Tierernährung.

Buchedition Agrimedia GmbH, Bergen

Bailey M, Karin Stevens K, Paul W, Bland PW, Stokes CR. (1992):

A monoclonal antibody recognising an epitope associated with pig interleukin-2 receptors.

J Immunol Methods **153**, 85-91

Bailey M, Plunkett FJ, Rothkötter HF, Vega-Lopez MA, Haverson K, Stokes CR. (2001):

Regulation of mucosal immune responses in effector sites.

Proc Nutr Soc **60**, 427-435

Bandeira A, Itohara S, Bonneville M, Burlen-Defranoux O, Mota-Santos T, Coutinho A, Tonegawa S. (1991):

Extrathymic origin of intestinal intraepithelial lymphocytes bearing T-cell antigen receptor gamma delta.

Proc Nat Acad Sci USA **88**, 43-47

Barman NN, Bianchi ATJ, Zwart RJ, Pabst R, Rothkötter HJ. (1997):

Jejunal and ileal peyer's patches in pigs differ in their postnatal development.

Anat Embryol **195**, 41-50

Bauer S, Groh V, Wu J, Steinle A, Phillips JH, Lanier LL, Spies T. (1999):

Activation of NK Cells and T Cells by NKG2D, a Receptor for Stress-Inducible MICA.

Science **285**, 727-730

Befus AD und Bienenstock J. (1982):

Immunity to infectious agents in the gastrointestinal tract.

J Am Med Vet Assoc **181**, 1066-1068

- Biewenga J, Van Rees EP, Sminia T. (1993):
Induction and Regulation of IgA Responses in the Microenvironment of the Gut.
Clinical Immunology and Immunopathology **67**, 1-7
- Binns RM. (1982):
Organisation of the lymphoreticular system and lymphocyte markers in the pig.
Vet Immunol Immunopathol **3**, 95-146
- Binns RM. (1994):
The Null / $\gamma\delta$ TcR + T cell family in the pig.
Vet Immunol Immunopathol **43**, 69-77
- Binns RM, Duncan IA, Powis SJ, Hutchings A, Butcher GW. (1992):
Subsets of null and gamma-delta-T-cell receptor+ lymphocytes, T cells in the blood of young pigs identified by specific monoclonal antibodies.
Immunology **77** (2), 219-227
- Bjerke J und Brandtzaeg P. (1988):
Lack of the relation between expression of HLA-DR and secretory component (SC) in follicle-associated epithelium of human Peyer's patches.
Clin Exp Immunol **71**, 502-507
- Boeker M, Pabst R, Rothkötter HJ. (1999):
Quantification of B, T and Null Lymphocyte Subpopulations in the Blood and lymphoid Organs of the Pig.
Immunobiol **201** (1), 74-87
- Brady LJ, Gallaher DD, Busta FF. (2000):
The role of probiotic cultures in the prevention of colon cancer.
J Nutr **130**, 410-414
- Brandtzaeg P. (1989):
Overview of the Mucosal Immune System.
Current Topics in Microbiology and Immunology **146**, 13-25
- Brandtzaeg P. (1996):
The human intestinal immune system: basic cellular and humoral mechanisms.
Baillieres Clin Rheumatol **10**, 1-24
- Brandtzaeg P, Halstensen TS, Kett K. (1992):
Inflammatory bowel disease.
In: McDermott RP und Stenson WF (Hrsg.):
Current topics in gastroenterology.
Verlag Elsevier, London, 95-136
- Breves G, Hattenhauer O, Schöneberger M, Winckler C. (1997):
Untersuchungen zum Einfluss von Probiotika auf die intestinale Glukose- und Alanin-aufnahme beim Schwein.
Proc Soc Nutr Physiol **6**, 45
- Breves G, Walter C, Burmester M, Schröder B. (2000):
In vitro studies on the effect of *Saccharomyces boulardii* and *Bacillus cereus* var. *toyoi* on nutrient transport in pig jejunum.

J Anim Phys Anim Nutr **84**, 9

Brown PJ und Bourne FJ. (1976):

Development of immunoglobulin-containing cell populations in intestine, spleen, and mesenteric lymph node of the young pig, as demonstrated by peroxidase-conjugated antisera.

Am J Vet Res **37**, 1309-1314

Buts JP, de Kayser N, de Raedemaker L. (1994):

Saccharomyces boulardii enhances rat intestinal enzyme expression by endoluminal release of polyamines.

Pediatr Res **36**, 522-527

Castagliuolo I, Riegler MF, Valenick L, LaMont JT, Pothoulakis C. (1999):

Saccharomyces boulardii protease inhibits the effect of *Clostridium difficile* toxin A and B in human colonic mucosa.

Infect Immun **67**, 302-307

Cebra JJ, Cebra ER, Cebra-Thomas JA., George A, Lebman DA., London SD, Rubin DH, Schweitzer PA. (1988):

Specific and nonspecific perturbations of B- and T-cells-subsets in Peyer's patches.

In: P. Dukor, L.A. Hansen, P. Kallos, F. Shakib, Z. Trnka, B.H. Waksman (Eds.):

Monographs in Allergy **24**, 173-180

Basel, London, New York, Karger

Chu RD, Glock RD, Ross RF, Cox DF. (1979):

Lymphoid Tissue of the small Intestine of Swine from Birth to One Month of Age.

Am J Vet Res **40**, 1713-1719

Crave SE und Williams DD. (1997):

Inhibition of *Salmonella typhimurium* attachment to chicken cecal mucus by intestinal isolates of enterobacteriaceae and lactobacilli.

Avian Dis **41**, 548-558

Croitoru und Bienenstock J. (1994):

Characteristics and Functions of Mucosa-Associated Lymphoid Tissue.

In: P.L. Ogra, J. Mestecky, M.E. Lamm, W. Strober, J.R. Mc Ghee, J. Bienenstock (Eds.):

Handbook of Mucosal Immunology, 141-149

Academic Press San Diego, New York, Boston, London, Sydney, Tokyo, Toronto

Davidson NJ, Fort MM, Müller W, Leach MW, Rennick DM. (2000):

Chronic colitis in IL-10 $-/-$ mice: insufficient counter regulation of a Th1 response.

Int Rev Immunol **19**, 91-121

Denham S, Zwart RJ, Whittall JT, Pampusch M, Corteyn AH, Bianchi AT, Murtaugh MP, Parkhouse RM, Tlaskalova H, Sinkora J, Sinkora M, Rehakova Z. (1998):

Monoclonal antibodies putatively identifying porcine B cells.

Vet Immunol Immunopathol **60** (3-4), 317-328

Derynck R und Choy L. (1998):

Transforming growth factor-beta and its receptors.

In: Thomson AW (Ed): The Cytokine Handbook.

3rd Ed., Academic Press Limited, London, 595-636

De Vrese M, Stegelmann A, Richter B, Fenselau S, Laue C, Schrezenmeir J. (2001):
Probiotics- compensation for lactase insufficiency.
Am J Clin Nutr **73**, 421-429

Elson CO. (1985):
Induction and Control of the Gastrointestinal Immune System.
Scand J Gastroenterol (Suppl) **144**, 1-15

Erickson KL und Hubbard NE. (2000):
Probiotic Immunomodulation in Health and Disease.
J Nutr **130** (Suppl), 403-409

Firestein GS, Roeder WD, Laxer JA, Townsend KS, Weaver CT, Hom JT, J. Linton, B.E.
Torbett, Glasebrook AL. (1989):
A new murine CD4+T cell subset with an unrestricted cytokine profile.
J Immunol **143**, 518-525

Freitag M, Hensche HU, Schulte-Sienbeck H, Reichelt B. (1998):
Kritische Betrachtung des Einsatzes von Leistungsförderern in der Tierernährung.
Forschungsberichte der Universität Paderborn, Nr. 8

Fujihashi K, Dohi T, Kweon M, McGhee JR, Koga T, Cooper MD, Tonegawa S, Kiyono H.
(1999):
 $\gamma\delta$ T cells regulate mucosally induced tolerance in a dose-dependent fashion.
Internat Immunol **11**, 1907-1916

Fuller R. (1992):
Probiotics. The scientific basis.
First edition, Chapman and Hall, London

Gajewski TF, Fitch FW. (1993):
Anti-proliferative effect of IFN-gamma in immune regulation. I. IFN-gamma inhibits the
proliferation of Th2 but not Th1 murine helper T lymphocyte clones.
J Immunol **140**, 4245-4252

Gebert A, Görke M, Rothkötter HJ, Dietrich CF. (2000):
Mechanismen der Antigenaufnahme im Dün- und Dickdarm: die Rolle der M-Zellen für die
Initiierung von Immunantworten.
Z Gastroenterol **38**, 855-872

Gedek B und Amselgruber W. (1990):
Mikrobieller Antagonismus: Zur Eliminierung von enteropathogenen *E. coli*-Keimen und
Salmonellen aus dem Darm durch *Saccharomyces boulardii*.
In: R. Ottenjann, J. Müller u. J. Seifert (Hrsg.): Ökosystem Darm II.
Springer, Berlin, 180-192

Gedek B. (1986):
Probiotika in der Tierernährung. Wirkungen auf Leistung und Tiergesundheit.
Krafftutter **69**, 80-84

Gedek B. (1987):
Wirkmechanismus des Hefepilzes *Saccharomyces cerevisiae* Hansen.

Therapiewoche **37/1**, 7-8

Gibson GR und McCartney AL. (1998):
Modification of the gut flora by dietary means.
Bioche Soc Trans **26**, 222-228

Gibson GR und Roberfroid MR. (1995):
Dietary modulation of the human colonic microbiota: Introducing the concept of prebiotics.
J Nutr **125**, 1401-1412

Gill HS, Rutherford KJ, Prasad J, Gopal PK. (2000):
Enhancement of natural and acquired immunity by *Lactobacillus rhamnosus* (HN001),
Lactobacillus acidophilus (HN017) and *Bifidobacterium lactis* (HN019).
Br J Nutr **83** (2), 167-76

Gilliland SE, Bruce BB, Bush LJ, Stanley TE. (1980):
Comparison of two strains of *Lactobacillus acidophilus* as dietary adjuncts for young calves.
J Dairy Sci **63**, 964-972

Goldin BR, Gorbach SL, Saxelin M, Barakat S, Gualtieri L, Salminen S. (1992):
Survival of *Lactobacillus* species (strain GG) in human gastrointestinal tract.
Dig Dis Sci **37**, 121-128

Goldin BR, Gorbach SL. (1984):
The effect of milk and *Lactobacillus* feeding on human intestinal bacterial enzyme activity.
Am J Clin Nutr **39**, 756-761

Goldin BR. (1998):
Health benefits of probiotics.
Br J Nutr **80** (Suppl. 2), 203-207

Görke B und Liebler-Tenorio E. (2001):
Probiotika: Gibt es wissenschaftliche Grundlagen für ihre Wirkung?
Dtsch Tierärztl Wsch **108**, 249-251

Görke B. (2000):
Untersuchung der Schleimhautmorphologie in Dünn- und Dickdarm nach oraler Applikation
von *Saccharomyces boulardii* und *Bacillus cereus* var. *Toyoi* beim Schwein.
Hannover, Tierärztl. Hochsch., Diss.

Groh V, Rhinehart R, Randolph-Habecker J, Topp MS, Riddell SR, Spies T. (2001):
Costimulation of CD8 $\alpha\beta$ T cells by NKG2D *via* engagement by MIC induced on virus-infected
cells.
Nature Immunology **2** (3), 255-260

Guy-Grand D, Cerf-Bensussan N, Malissen B, Malassis-Seris M, Briottet C, Vasalli P. (1991):
Two Gut Intraepithelial CD8⁺ Lymphocyte Populations with Different T Cell Receptors: A Role
for the Gut Epithelium in T Cell Differentiation.
J Exp Med **173**, 471-481

Haas W, Pereira P, Tonegawa S. (1993):
Gamma/Delta Cells.
Annu Rev Immunol **11**, 637-685

- Harms HK, Bertele-Harms RM, Breuer-Kleis D. (1987):
Enzyme substitution therapy with the yeast *Saccharomyces cerevisiae* in congenital sucrase-isomaltase deficiency.
N Engl J Med **316**, 1306-1309
- Hattori Y und Watanabe N. (1981):
Effect of administration of *Bacillus toyoi* on the intestinal bacterial flora in piglets.
Toyocerin Dossier, Teil I-IV,VII. Lohmann Tierernährung, Cuxhaven
- Havenaar R und Huis In't Veld MJH. (1992):
Probiotics: a general view.
In: Lactic acid bacteria in health and disease.
Vol.1, Elsevier Applied Science Publishers, Amsterdam
- Haverson K, Bailey M, Higgins VR, Bland PW, Stokes CR. (1994):
Characterization of monoclonal-antibodies specific for monocytes, macrophages and granulocytes from porcine peripheral-blood and mucosal tissues.
J Immunol Methods **170** (2), 233-245
- Haverson K, Saalmüller A, Alvarez B, Alonso F, Bailey M, Bianchi AT, Boersma WJ, Chen Z, Davis WC, Dominguez J, Engelhardt H, Ezquerra A, Grosmaire LS, Hamilton MJ, Hollemweguer E, Huang CA, Khanna KV, Kuebart G, Lackovic G, Ledbetter JA, Lee R, Llanes D, Lunney JK, McCullough KC, Molitor T, Nielsen J, Niewold TA, Pescovitz MD, de la Lastra JM, Rehakova Z, Salmon H, Schnitzlein WM, Seebach J, Simon A, Sinkora J, Sinkora M, Stokes CR, Summerfield A, Sver L, Thacker E, Valpotic I, Yang H, Zuckermann FA, Zwart R. (2001):
Overview of the Third International Workshop on Swine Leukocyte Differentiation Antigens.
Vet Immunol Immunopathol **80** (1-2), 5-23
- Hayday AC. (2000):
 $\gamma\delta$ -Cells: A Right Time and a Right Place for a Conserved Third Way of Protection.
Ann Rev Immunology **18**, 975-1026
- Hirata I, Berrei G, Austin LL, Keren DF, Dobbins WO. (1986):
Immunohistological characterization of intraepithelial and lamina propria lymphocytes in control ileum and colon and in inflammatory bowel disease.
Dig Dis Sci **31**, 593-602
- Hoefling D. (1989):
Tracking the culprits behind diarrhea in neonatal pigs.
Vet Med **4**, 427
- Iben CH und Leibetseder J. (1989):
Untersuchungen der leistungsfördernden Wirkung von Toyocerin in der Ferkelaufzucht.
Wien Tierärztl Mschr **76**, 363-366
- Isolauri E, Sutas Y, Kankaanpaa P, Arvilommi H, Salminen S. (2001):
Probiotics: effect on immunity.
Am J Clin Nutr **73** (Suppl. 2), 444-450
- Jadamus A, Vahjen W, Kühn I. (1999):
Zur Wirkung des Probiotikums ToyoCerin in der Geflügelmast.

Lohmann Informationen **2/99**, 1-4

Janeway CA und Travers P. (1995):
Immunologie.

4. Aufl., Spektrum Akademischer Verlag GmbH, Heidelberg, Berlin, Oxford

Jaquette RD, Dennis RJ, Coalson JA, Ware DR, Manfredi ET, Read PL. (1988):
Effect of feeding viable *Lactobacillus acidophilus* (BT 1386) of lactating dairy cows.
J Dairy Sci **71** (Suppl. 1), 219

Jonjic S und Koszinowski UH. (1984):

Monoclonal-antibodies reactive with swine lymphocytes.1. Antibodies to membrane structures that define the cytolytic lymphocyte-T subset in the swine.

J Immunol **133** (2), 647-652

Kagnoff MF. (1993):

Immunology of the Intestinal tract.

Gastroenterology **105**, 1275-1280

Kagnoff MF. (1998):

Current topics in mucosal immunity.

Am J Physiol **274**, 455-458

Kahrs D. (1991):

5 Jahre Erfahrung mit Toyocerin.

Lohmann Information **11/12**, 1-8

Kato I, Yokokura T, Mutai M. (1984):

Augmentation of mouse natural killer cell activity by *Lactobacillus casei* and its surface antigens.

Immunol **27**, 209-217

Kelsall BL, Strober W. (1995):

Host defences at mucosal surfaces.

In: Rich, Fleischer, Schwartz, Shearer, Strober (Hrsg.): Clinical Immunology, Principles and Practice.

Mosby, St. Louis, 299-332

Kelso A. (1995):

Th1 and Th2 subsets: paradigms lost?

Immunol Today **16**, 4-379

Kirchgessner M, Roth FX, Eidelsburger U, Gedek B. (1993):

Zur nutritiven Wirksamkeit von *Bacillus cereus* als Probiotikum in der Ferkelaufzucht.

Arch Anim Nutr **44**, 111-121

Kühn I. (2000):

Neue Untersuchungen zur Wirkung von ToyoCerin.

Lohmann Informationen **2**, 1-6

Kraft W und Dürr U (Hrsg.) (1995):

Klinische Labordiagnostik in der Tiermedizin.

3. Aufl., Schattauer, Stuttgart, New York, 58-62

Kyriakis SC, Tsiloyiannis VK, Vlemmas J, Sarris K, Tsinas AC, Alexopoulos C, Jansegers L. (1999):

The effect of probiotic LSP 122 on the control of post-weaning diarrhoea syndrome of piglets. *Res Vet Sci* **67**, 223-228

Le Bouteiller und Lenfant F. (1996):

Antigen-presenting function(s) of the non-classical HLA-E, -F and -G class I molecules: the beginning of a story.

Res Immunol **147**, 301-313

Lee Y und Salminen S. (1995):

The coming age of probiotics.

Sci Technol **6**, 241-245

Leonhard H. (1990):

Histologie, Zytologie und Mikroanatomie des Menschen.

8. Aufl., Thieme Verlag, Stuttgart, New York

Lilley DM und Stilwell RH. (1965):

Probiotics: Growth-promoting factors produced by microorganisms.

Science **147**, 747-748

Lopez-Varela S, Gonzales-Gross M, Marcos A. (2002):

Functional foods and the immune system: a review.

E J Clin Nutr **56** (Suppl. 3), 29-33

Maier BR, Onderdonk AB, Baskett RC, Hentges DJ. (1972):

Shigella, indigenous flora interaction in mice.

Am J Clin Nutr **25**, 1433-1440

Malin M, Suomalainen H, Saxelin M, Isolauri E. (1996):

Promotion of IgA immune response in patients with Crohn's disease by oral bacteriotherapy with Lactobacillus GG.

Ann Nutr Metab **40**, 137-145

Marin ML, Lee JH, Murtha J, Ustunol Z, Pestka JJ. (1997):

Differential cytokine production in clonal macrophage and T-cell lines cultured with Bifidobacteria.

J Dairy Sci **80**, 2713-2720

Marteau P, Pochart P, Flourie B, Pellier P, Santos L, Desjeux JF, Rambaud JC. (1990):

Effect of chronic ingestion of a fermented dairy product containing Lactobacillus acidophilus and Bifidobacterium bifidum on metabolic activities of the colonic flora in humans.

Am J Clin Nutr **52**, 685-688

Marteau PR, de Vrese M, Cellier CJ, Schrezenmeir J. (2001):

Protection from gastrointestinal diseases with the use of probiotics.

Am J Clin Nutr **73**, 430-436

Mattar AF, Drongowski RA, Coran AG, Harmon CM. (2001):

Effect of probiotics on enterocyte bacterial translocation in vitro.

Pediatr Surg Int **17**, 265-268

Maupas JL, Champemont P, Delforge M. (1983):
Traitement des colopathies fonctionnelles-Essai en double aveugle de l'ultra-levure.
Medicine et Chirurgie Digestives **12**, 77-79

Mc Cracken BA, Spurlock ME, Roos MA, Zuckermann FA, Gaskin HR. (1999):
Weaning anorexia may contribute to local inflammation in the piglet small intestine.
J Nutr **129**, 613-619

Mc Ghee JR, Mestecky J, Dertzbaugh MT, Eldrige JH. (1992):
The mucosal immune system: from fundamental concepts to vaccine development.
Vaccine **10**, 75-88

Mc Ghee JR, Mestecky J, Elson CO, Kiyono H. (1989):
Regulation of IgA synthesis and immune response by T cells and interleukins.
J Clin Immunol **9**, 175-199

Miles RD, Arafa AS, Harms RH. (1981):
Effect of a living non-freeze dried *Lactobacillus acidophilus* culture on performance, egg
quality and gut microflora in commercial layers.
Poultry Sci **60**, 993-1004

Mohan M, Kadirvel R, Bhaskaran M, Natarajan A. (1995):
Effect of probiotic supplementation on serum/ yolk cholesterol and on egg shell thickness in
layers.
Br Poult Sci **36**, 799-803

Molitor D. (1996):
In vitro- und in vivo-Effekte eines Probiotikums (*Enterococcus faecium*) als Futterzusatz bei
Hunden.
Hannover, Tierärztl. Hochsch., Diss.

Montes AJ und Pugh DG. (1993):
The use of probiotics in food-animal practice.
Vet Med **88**, 282-288

Moore KW, De Waal Malefyt R, Coffman RL, O'Garra A. (2001):
Interleukin-10 and the Interleukin-10 Receptor.
Annu Rev Immunol **19**, 683-765

Mosmann TR und Coffmann RL. (1989):
Heterogeneity of cytokine secretion patterns and function of helper T cells.
Adv Immunol **46**, 111-147

Muscettola M, Massai L, Tanganelli C, Grasso G. (1994):
Effects of lactobacilli on interferon production in young and aged mice.
Ann N.Y. Acad Sci **717**, 226-232

Nagura H und Sumi Y. (1988):
Immunological Functions in the Gut – Role of the Mucosal Immune System.
Toxicologic Pathology **16**, 154-164

- Newbold CJ. (1995):
Microbial feed additives for ruminants.
In: R.J. Wallace u. A. Chesson (Hrsg.): *Biotechnology in Animal Feeds and Animal Feeding*.
Verlag Chemie, Weinheim, New York, 260-278
- Noll S und Schaub-Kuhmen S. (2000):
Praxis der Immunhistochemie.
1. Aufl., Urban und Fischer Verlag München, Jena
- Nord CE, Heimdal A, Kager L. (1986):
Antimicrobial induced alterations of the human oropharyngeal and intestinal microflora.
Scand J Infect Dis **49**, 64-72
- Nousiainen J und Suomi K. (1991):
Comparative observations on selected probiotics and olaqindox used as feed additives for piglets around weaning. 1. Effect on the bacterial metabolites along the intestinal tract, blood values and growth. 2. Effect on vilus length and crypt depth in the jejunum, ileum, caecum and colon.
J Anim Physiol Anim Nutr **66**, 212-230
- Owen RL. (1982):
Macrophage function in Peyer patch epithelium.
Adv Exp Med Biol **149**, 507-513
- Ozawa K, Yabu-Uchi K, Yamanaka K. (1983):
Effect of *Streptococcus faecalis* BIO-4R on intestinal flora of weanling piglets and calves.
Appl Environ Microbiol **45**, 1513-1518
- Pabst R und Binns RM. (1989):
Heterogeneity of lymphocyte homing physiology: Several mechanisms operate in the control of migration to lymphoid and non-lymphoid organs in vivo.
Immunol Rev **108**, 83-109
- Pabst R und Rothkötter HJ. (1999):
Postnatal development of lymphocyte subsets in different compartments of the small intestine of piglets.
Vet Immun Immunopathol **72**, 167-173
- Pabst R, Geist M, Rothkötter HJ, Fritz FJ. (1988):
Postnatal development and lymphocyte production of Peyer patches in normal and gnotobiotic pigs.
Immunology **64**, 539-544
- Pabst R. (1987):
The anatomical basis for the immune function of the gut.
Anat Embryol **176**, 135-144
- Parker RB. (1974):
Probiotics, the other half of the antibiotic story.
Anim Nutr Health **29**, 4-8
- Pascher M und Zentek J. (2004):

Effects of supplemented probiotic *Lactobacillus acidophilus* strain on digestive parameters and health status in German Shorthair Pointers.
Proc Soc Nutr Physiol **13**, 129

Pastoret PP und Griebel P. (Hrsg.) (1998):
Immunology of the Pig.
In: Handbook of Vertebrate Immunology.
Academic Press London, 373-419

Pelto L, Isolauri E, Lilius EM, Nuutila J, Salminen S. (1998):
Probiotic bacteria down-regulate the milk-induced inflammatory response in milk-hypersensitive subjects but have an immunostimulatory effect in healthy subjects.
Clin Exp Allergy **28**, 1474-1479

Peltonen KD, Hani SE, Seppo JS, Jorma TA. (2000):
Binding of aflatoxin B1 by probiotic bacteria.
J Sci Food Agric **80**, 1942-1945

Perdigon G und Alvarez S. (1992):
Probiotics and the immune state.
In: Probiotics. The scientific basis.
First edition, Chapman and Hall, London

Perdigon G, Alvarez S, Rachid M, Aguero G, Gobbato N. (1995):
Immune System Stimulation By Probiotics.
J Dairy Sci **78**, 1597-1606

Perdigon G, de Macias ME, Alvarez S, Oliver G, de Ruiz Holgado AP. (1998):
Systemic augmentation of the immune response in mice by feeding fermented milks with *Lactobacillus casei* and *Lactobacillus acidophilus*.
Immunology **63**, 17-23

Perdigon G, de Macias MEN, Alvarez S, Oliver G, de Ruiz Holgado AA. (1986):
Effect of perorally administered lactobacilli on macrophage activation in mice.
Infect Immun **53**, 404-410

Perdigon G, de Macias MEN, Alvarez S, Oliver G, de Ruiz Holgado AA. (1988):
Systemic augmentation of the immune response in mice by feeding fermented *Lactobacillus casei* and *Lactobacillus acidophilus*.
Immunol **63**, 17-23

Perdigon G, Vintin E, Alvarez S, Medina M, Medici M. (1999):
Study of the Possible Mechanisms Involved in the Mucosal Immune System Activation by Lactic Acid Bacteria.
J Dairy Sci **82**, 1108-1114

Pescovitz MD, Book BK, Aasted B, Dominguez J, Ezquerro A, Trebichavsky I, Novikov B, Valpotic I, Nielsen, J, Arn S, Sachs, DH, Lunney JK, Boyd P., Walker J, Lee R, Lackovic G, Kirkham P, Parkhouse RME. (1998):
Analyses of monoclonal antibodies reacting with porcine CD3: results from the Second International Swine CD Workshop.
Vet Immunol Immunopathol **60** (3-4), 261-268

- Pescovitz MD, Hsu MS, Katz SI, Lunney KJ, Shimada S, Sachs DH. (1990):
Characterization of a porcine CD1 specific monoclonal antibody that distinguishes CD4/CD8
double positive thymic from peripheral T-lymphocytes.
Tissue Antigens **35**, 151-156
- Pescovitz MD, Lunney JK, Sachs DH. (1984):
Preparation and characterization of monoclonal-antibodies reactive with porcine PBL.
J Immunol **133** (1), 368-375
- Phalipo A, Cardona A, Kraehenbuhl J P, Edelman L, Sansonetti PJ, Corthésy B. (2002):
Secretory component: a new role in secretory IgA-mediated immune exclusion in vivo.
Immunity **17**, 107-115
- Plein K und Hotz J. (1993):
Therapeutic effects of *Saccharomyces boulardii* on mild residual symptoms in a stable phase
of Crohn's disease with special respect to chronic diarrhea-a pilot study.
Z Gastroenterol **31**, 129-134
- Pohlenz J und Liebler EM. (1987):
Zur Funktion und Morphologie des Darmschleimhautimmunsystems.
Dtsch tierärztl Wschr **94**, 306-311
- Pospischil A. (1989):
Struktur und Funktion von Peyerschen Platten im Darm verschiedener Tierarten.
Schweiz Arch Tierheilk **131**, 595-603
- Prussin C. (1997):
Cytokine flow cytometry: understanding cytokine biology at the single-cell level.
J Clin Immunol **17**, 195-204
- Quan S, Freeman Q, Harsharnjit SG. (2001):
Probiotic treatment using *Bifidobacterium lactis* HNO19 reduces weanling diarrhea
associated with rotavirus and *E. coli* Infection in a piglet model.
J Pediatr Gastroenterol Nutr **33**, 171-177
- Rao CV, Sanders ME, Indranie C, Simi B, Reddy BS. (1999):
Prevention of colonic preneoplastic lesions by the probiotic *Lactobacillus acidophilus*
NCFMTM in F344 rats.
Int J Oncol **14**, 939-944
- Richter G. (1999):
Lohnt sich der Einsatz von Toyocerin?
DGS-Intern, Heft **7**, 4-5
- Robijn RJ, Logtenberg T, Wiegman LJJM, Van Berge Henegouwen GP, Houwen RW,
Koningsberger JC. (1995):
Intestinal T Lymphocytes.
Scand J Gastroenterol **30**, 23-33
- Rolfe RD. (2000):
The role of Probiotic Cultures in the Control of Gastrointestinal Health.
J Nutr **130**, 396-402

- Rolle M und Mayr A. (2002):
Medizinische Mikrobiologie, Infektions- und Seuchenlehre.
7. Aufl., Enke Verlag, Stuttgart
- Romeis B. (1989):
Mikroskopische Technik.
17. Aufl., Urban und Schwarzenberg Verlag, München, Wien, Baltimore
- Rothkötter HJ und Pabst R. (1989):
Lymphocyte subsets in jejunal and ileal Peyer's patches of normal and gnotobiotic minipigs.
Immunol **6**, 103-108
- Rothkötter HJ, Ulbrich H, Pabst R. (1991):
The postnatal development of gut lamina propria lymphocytes:
Number, proliferation, and T and B cell subsets in conventional and germ-free pigs.
Pediatr Res **29**, 237-242
- Rothkötter HJ, Kirchhoff T, Pabst R. (1994):
Lymphoid and non-lymphoid cells in the epithelium and lamina propria of intestinal mucosa of pigs.
Gut **35**, 1582-1589
- Ruseler van Embden JGH, Schouten WR, van Lieshout LMC. (1994):
Pouchitis: result of microbial imbalance?
Gut **35**, 658-664
- Saalmüller A. (1996):
Characterization of swine leukocyte differentiation antigens.
Immunol Today **17**, 352-354
- Saalmüller A, Hirt W, Reddehase MR. (1989):
Phenotypic discrimination between thymic and extrathymic CD4-CD8- and CD4+CD8+ porcine T-lymphocytes.
Eur J Immunol **19**, 2011-2016
- Saalmüller A, Reddehase MR, Bühring HJ, Jonjic S, Koszinowski UH. (1987):
Simultaneous expression of CD4 und CD8 antigens by a substantial proportion of resting porcine T-lymphocytes.
Eur J Immunol **17**, 1297-1301
- Saalmüller A, Werner T, Fachinger V. (2002):
T-helper cells from naive to committed.
Vet Immunol Immunopathol **87**, 137-145
- Saalmüller A, Wirt W, Maurer S, Weiland E. (1994):
Discrimination between two subsets of porcine CD8+ cytolytic T lymphocytes by the expression of CD5 antigen.
Immunology **81** (4), 578-583
- Saito H, Kanamori Y, Takemori T, Nariuchi H, Kubota E, Takahashi-Iwanaga H, Iwanaga T, Ishikawa H. (1998):
Generation of Intestinal T Cells from Progenitors Residing in Gut Cryptopatches.
Science **280**, 275-279

- Scharek L, Guth J, Altherr B, Taras D, Schmidt MFG. (2003):
Influence of an *Enterococcus faecium* probiotic on the immune system of sows and piglets.
55. Tagung der Deutschen Gesellschaft für Hygiene und Mikrobiologie (DGHM), Dresden
Abstr. in: International Journal of Medical Microbiology **293** (Suppl. 36), 307
- Scharek L, Guth J, Reiter K, Weyrauch KD, Taras D, Schwerk P, Schierack P, Schmidt MFG, Wieler LH, Tedin K. (2005):
Influence of a probiotic *Enterococcus faecium* strain on development of the immune system of sows and piglets.
Vet Immunol Immunopathol **105**, 151-161
- Schiffrin EJ, Rochat F, Link-Amster H, Aeschlimann JM, Donnet-Hughes A. (1994):
Immunomodulation of human blood cells following the ingestion of lactic acid bacteria.
J Dairy Sci **78**, 491-497
- Sidman CL, Marshall JD, Shultz LD, Gray PW, Johnson HM. (1984):
Gamma-interferon is one of several direct B cell-maturing lymphokines.
Nature **309**, 801-804
- De Simone C, Salvadori BB, Negri R, Terrazzi M, Baldinelli L, Vesely R. (1986):
The adjuvant effect of yogurt on production of gamma-interferon by ConA-stimulated human peripheral human blood lymphocytes.
Nutr Rep Int **33**, 419-433
- Solano-Aguilar GI, Vengroski KG, Beshah E, Douglas LW, Lunney JK. (2001):
Characterization of lymphocyte subsets from mucosal tissues in neonatal swine.
Developmental and Comparative Immunology **25**, 245-263
- Spies T. (2002):
Induction of T cell alertness by bacterial colonization of intestinal epithelium.
Proc Natl Acad Sci U.S.A **99** (5), 2584-2586
- Staines N, Brostoff J, James K. (1994):
Immunologisches Grundwissen.
2. Aufl., Gustav Fischer Verlag, Stuttgart, Jena
- Straw BE, D'Allaire S, Mengelin WL, Taylor DJ. (1999):
Diseases of swine.
8th Edition, Blackwell Science Ltd., Oxford, London, Edinburgh, Malden, Paris
- Sütas Y, Soppi E, Korhonen H. (1996):
Suppression of lymphocyte proliferation in vitro by bovine caseins hydrolyzed with *Lactobacillus casei* GG-derived enzymes.
J Allergy Clin Immunol **98**, 216-224
- Taniguchi T und Minami Y. (1993):
The IL-2/IL-2 Receptor System: A Current Overview.
Cell **73**, 5-8
- Tejada-Simon MV, Lee JH, Ustunol Z, Pestka JJ. (1998):
Ingestion of yogurt containing *Lactobacillus acidophilus* and *Bifidobacterium* to potentiate immunoglobulin A responses to cholera toxin in mice.

J Dairy Sci **82**, 649-660

Tejada-Simon MV, Ustunol Z, Pestka JJ. (1999):
Effect of lactic acid bacteria ingestion of basal cytokine mRNA and immunoglobulin levels in the mouse.
J Food Prot **62**, 287-291

Thelen U und Pallauf J. (1996):
Effect of *Bac. cereus* on the composition of the gut flora in early weaned piglets.
Proc Soc Nutr Physiol **5**, 144

Thiele HG. (1991):
Lymphocyte Homing: An Overview.
Immunol Res **10**, 261-267

Thielke KH, Hoffmann-Moujahid A, Weisser C, Waldkirch E, Pabst R, Holtmeier W, Rothkotter HJ. (2003):
Proliferating intestinal gamma/delta T cells recirculate rapidly and are a major source of the gamma/delta T cell pool in the peripheral blood.
Eur J Immunol **33**, 1649-56

Uhr G. (1993):
Vergleichende Untersuchungen am Darmtrakt des Wild- und Hausschweins unter besonderer Berücksichtigung des Darmschleimhautimmunsystems.
Hannover, Tierärztl. Hochschule, Habil.-Schr.

Urban JL, Shepard HM, Rothstein JL, Sugarman BJ, Schreiber H. (1986):
Tumor necrosis factor: a potent effector molecule for tumor cell killing by activated macrophages.
Proc Natl Acad Sci U.S.A. **83**, 5233-5237

Van Belle M, Teller E, Focant M. (1990):
Probiotics in animal nutrition: A review
Arch Anim Nutr, Berlin, **40**, 543-567

Van Briel C. (2002):
Veränderungen der Anzahl und Verteilung von Plasmazellen und Lymphozytenpopulationen in der Darmschleimhaut des Schweines nach Applikation von Probiotika.
Hannover, Tierärztl. Hochsch., Diss.

Vega-Lopez MA, Arenas-Contreras G, Bailey M, Gonzalez-Pozos S, Stokes CR, Ortega MG, Mondragon-Flores R. (2001):
Development of Intraepithelial cells in the porcine Small Intestine.
Developmental Immunology **8** (2), 147-158

Vorberg U. (1994):
Einsatz von Probiotika als Futterzusatzstoff bei Hund und Katze.
Wien, Veterinärmed. Universität, Diss.

Wang HC, Zhou Q, Dregoo J, Klein JR. (2002):
Most Murine CD8+ Intestinal Intraepithelial Lymphocytes Are Partially But Not Fully Activated T Cells.
J Immunol **169**, 4717-4722

- Watkins BA, Miller BF, Neil DH. (1982):
In vivo effects of *Lactobacillus acidophilus* against pathogenic *Escherichia coli* in gnotobiotic chicks.
Poultry Sci **62**, 1772-1779
- Williams N. (1998):
T Cells on the Mucosal Frontline.
Science **280**, 198-200
- Winckler C, Schröder B, Breves G. (1998):
Effects of *Saccharomyces boulardii*, *Bacillus cereus* var. *caron* and *Bacillus cereus* var. *toyoi* on epithelial transport functions in pig jejunum.
Z Gastroenterol Suppl **1**, 30-37
- Wollowski I, Rechkemer G, Pool-Zobel BL. (2001):
Protective role of probiotics and prebiotics in cancer prevention.
Am J Clin Nutr **73**, 451-455
- Yang H und Binns RM. (1993):
CD44 is not directly involved in the binding of lymphocytes to cultured high endothelial cells from peripheral lymph nodes.
Immunology **79**, 418-424
- Yang H und Parkhouse ME. (1996):
Phenotyp classification of porcine lymphocyte subpopulations in blood and lymphoid tissues.
Immunology **89**, 76-83
- Zentek J, Molitor D, Kamphues J. (1998):
Prüfung intestinaler Effekte eines Probiotikums (*Enterococcus faecium*) bei Hunden.
Kleintierpraxis **43**, 187-197
- Zuckermann FA und Husmann RJ. (1996):
Functional and phenotypic analysis of porcine peripheral blood CD4/CD8 double-positiv T cells.
Immunology **87**, 500-512
- Zuckermann FA, Schnitzlein WM, Thacker E, Sinkora J, Haverson K. (2001):
Characterization of monoclonal antibodies assigned to the CD45 subgroup of the Third International Swine CD Workshop.
Vet Immunol Immunopathol **80** (1-2), 165-174