
REFERENCES

1. Aafjes, J. H., Vels, J. M., and Schenck, E. (1980). Fertility of rats with artificial oligozoospermia. *J Reprod Fertil.* **58**, 345-351.
2. Abraham, K., Krowke, R. and Neubert, D. (1988). Pharmacokinetics and biological activity of 2,3,7,8-tetrachlorodibenzo-p-dioxin. 1. Dose-dependent tissue distribution and induction of hepatic ethoxyresorufin O-deethylase in rats following a single injection. *Arch. Toxicol.* **62**, 359-368.
3. Akaike, M., Kato, N., Ohno, H., and Kobayashi, T. (1991). Hyperactivity and spatial maze learning impairment of adult rats with temporary neonatal hypothyroidism. *Neurotoxicol.Teratol.* **13**, 317-322.
4. Amann, R. P. (1986). Detection of alterations in testicular and epididymal function in laboratory animals. *Environ Health Perspect.* **70**, 149-158.
5. Ananth, C. V., Misra, D. P., Demissie, K., and Smulian, J. C. (2001). Rates of preterm delivery among Black women and White women in the United States over two decades: an age-period-cohort analysis. *Am J Epidemiol* **154**, 657-665.
6. Andersen, A. G., Jensen, T. K., Carlsen, E., Jorgensen, N., Andersson, A. M., Krarup, T., Keiding, N., and Skakkebaek, N. E. (2000). High frequency of sub-optimal semen quality in an unselected population of young men. *Hum Reprod* **15**, 366-372.
7. Andrade, A. J., Araujo, S., Santana, G. M., Ohi, M., and Dalsenter, P. R. (2002). Reproductive Effects of Deltamethrin on Male Offspring of Rats Exposed during Pregnancy and Lactation. *Regul Toxicol Pharmacol* **36**, 310-317.
8. Berger, D. F., Lombardo, J. P., Jeffers, P. M., Hunt, A. E., Bush, B., Casey, A., and Quimby, F. (2001). Hyperactivity and impulsiveness in rats fed diets supplemented with either Aroclor 1248 or PCB-contaminated St. Lawrence river fish. *Behav.Brain Res* **126**, 1-11.

9. Bergstrom, R., Adami, H. O., Mohner, M., Zatonski, W., Storm, H., Ekblom, A., Tretli, S., Teppo, L., Akre, O., and Hakulinen, T. (1996). Increase in testicular cancer incidence in six European countries: a birth cohort phenomenon. *J Natl Cancer Inst.* **88**, 727-733.
10. Bhutta, A. T., Cleves, M. A., Casey, P. H., Cradock, M. M., and Anand, K. J. (2002). Cognitive and behavioral outcomes of school-aged children who were born preterm: a meta-analysis. *JAMA* **288**, 728-737.
11. Bock, K. W., Burchell, B., Dutton, G. J., Hanninen, O., Mulder, G. J., Owens, I. S., Siest, G., and Tephly, T. R. (1983). UDP-glucuronosyltransferase activities. Guidelines for consistent interim terminology and assay conditions. *Biochem Pharmacol* **32**, 953-955.
12. Bonde, J. P., Ernst, E., Jensen, T. K., Hjollund, N. H., Kolstad, H., Henriksen, T. B., Scheike, T., Giwercman, A., Olsen, J., and Skakkebaek, N. E. (1998). Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. *Lancet* **352**, 1172-1177.
13. Branchi, I., Alleva, E., and Costa, L. G. (2002). Effects of perinatal exposure to a polybrominated diphenyl ether (PBDE 99) on mouse neurobehavioural development. *Neurotoxicology* **23**, 375-384.
14. Branchi, I., Capone, F., Alleva, E., and Costa, L. G. (2003). Polybrominated diphenyl ethers: neurobehavioral effects following developmental exposure. *Neurotoxicology* **24**, 449-462.
15. Branum, A. M., and Schoendorf, K. C. (2002). Changing patterns of low birthweight and preterm birth in the United States, 1981-98. *Paediatr Perinat.Epidemiol* **16**, 8-15.
16. Bromine Science and Environmental Forum. www.bsef.com. 2004.
17. Brouwer, A., Longnecker, M. P., Birnbaum, L. S., Coglianò, J., Kostyniak, P., Moore, J., Schantz, S., and Winneke, G. (1999). Characterization of potential endocrine-related health effects at low- dose levels of exposure to PCBs. *Environ Health Perspect.* **107 Suppl 4**, 639-649.

18. Burke, M. D., Thompson, S., Elcombe, C. R., Halpert, J., Haaparanta, T., and Mayer, R. T. (1985). Ethoxy-, pentoxy- and benzyloxyphenoxazones and homologues: a series of substrates to distinguish between different induced cytochromes P-450. *Biochem Pharmacol* **34**, 3337-3345.
19. Calabrese, E. J. (2004). Hormesis: a revolution in toxicology, risk assessment and medicine. *EMBO Rep.* **5 Suppl 1**, S37-S40.
20. Calabrese, E. J., and Baldwin, L. A. (2003). HORMESIS: The Dose-Response Revolution. *Annu.Rev Pharmacol Toxicol* **43**, 175-197.
21. Carlsen, E., Giwercman, A., Keiding, N., and Skakkebaek, N. E. (1992). Evidence for decreasing quality of semen during past 50 years. *BMJ* **305**, 609-613.
22. Carlson, G. P. (1980a). Induction of xenobiotic metabolism in rats by brominated diphenyl ethers administered for 90 days. *Toxicol Lett* **6**, 207-212.
23. Carlson, G. P. (1980b). Induction of xenobiotic metabolism in rats by short-term administration of brominated diphenyl ethers. *Toxicol Lett* **5**, 19-25.
24. Carson, R. (1962). *Silent Spring*. Boston Universtiy Press, Boston, Massachusetts.
25. Chahoud, I., and Faqi, A. S. (1998). An optimized approach for the assessment of sexual behavior in male rats. *Reprod Toxicol* **12**, 667-671.
26. Chahoud, I., and Kwasigroch, T.E. (1977). Controlled Breeding of Laboratory Animals. *In: NEUBERT, D.; MERKER, H.J. and KAWASIGROCH, T.E. (Editors), *Methodos in Prenatal Toxicology*. Georg Thieme Publishers, Stuttgart, 78-91, 1977.*
27. Chen, G., and Bunce, N. J. (2003). Polybrominated Diphenyl Ethers as Ah Receptor Agonists and Antagonists. *Toxicol Sci* **76**, 310-320.
28. Chen, G., Konstantinov, A. D., Chittim, B. G., Joyce, E. M., Bols, N. C., and Bunce, N. J. (2001). Synthesis of polybrominated diphenyl ethers and their capacity to induce CYP1A by the Ah receptor mediated pathway. *Environ Sci Technol.* **35**, 3749-3756.

29. Chen, Y. C., Guo, Y. L., Hsu, C. C., and Rogan, W. J. (1992). Cognitive development of Yu-Cheng ("oil disease") children prenatally exposed to heat-degraded PCBs. *JAMA* **268**, 3213-3218.
30. Colborn, T. (2004). Neurodevelopment and endocrine disruption. *Environ Health Perspect* **112**, 944-949.
31. Colborn, T., Dumanoski, D., and Myers, J. P. (1996). *Our stolen future*. Dutton., New York.
32. Colborn, T., vom Saal, F. S., and Soto, A. M. (1993). Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ Health Perspect.* **101**, 378-384.
33. Cooke, P. S., Porcelli, J., and Hess, R. A. (1992). Induction of increased testis growth and sperm production in adult rats by neonatal administration of the goitrogen propylthiouracil (PTU): the critical period. *Biol Reprod* **46**, 146-154.
34. Cooke, P. S., Zhao, Y. D., and Bunick, D. (1994). Triiodothyronine inhibits proliferation and stimulates differentiation of cultured neonatal Sertoli cells: possible mechanism for increased adult testis weight and sperm production induced by neonatal goitrogen treatment. *Biol Reprod* **51**, 1000-1005.
35. Cooper, R. L., Stoker, T. E., Goldman, J. M., Parrish, M. B., and Tyrey, L. (1996). Effect of atrazine on ovarian function in the rat. *Reprod Toxicol* **10**, 257-264.
36. Counter, S. A., and Buchanan, L. H. (2004). Mercury exposure in children: a review. *Toxicol Appl Pharmacol* **198**, 209-230.
37. Courchesne, E., Carper, R., and Akshoomoff, N. (2003). Evidence of brain overgrowth in the first year of life in autism. *JAMA* **290**, 337-344.
38. Dallinga, J. W., Moonen, E. J., Dumoulin, J. C., Evers, J. L., Geraedts, J. P., and Kleinjans, J. C. (2002). Decreased human semen quality and organochlorine compounds in blood. *Hum.Reprod* **17**, 1973-1979.
39. Dalsenter, P. R. (1996). Reproduktionstoxikologische und toxikokinetische Untersuchungen an männlichen Ratten, die gegenüber gama-Hexachlororcyclohexan

- (lindan) während der Laktationsperiode exponiert waren. Berlin, 1996. PhD thesis (veterinary medicine). Institut für Klinische Pharmakologie und Toxikologie – Freie Universität Berlin.
40. Dalsenter, P. R., Faqi, A. S., Webb, J., Merker, H. J., and Chahoud, I. (1997). Reproductive toxicity and toxicokinetics of lindane in the male offspring of rats exposed during lactation. *Hum.Exp Toxicol* **16**, 146-153.
 41. Darnerud, P. O., Morse, D., Klasson-Wehler, E., and Brouwer, A. (1996). Binding of a 3,3', 4,4'-tetrachlorobiphenyl (CB-77) metabolite to fetal transthyretin and effects on fetal thyroid hormone levels in mice. *Toxicology* **106**, 105-114.
 42. Darnerud, P. O., and Thuvander, A. (1999). Effects of polybrominated diphenyl ethers (PBDE) and polychlorinated biphenyl (PCB) on some immunological parameters after oral exposure in rats and mice. *Toxicol Environ Chem* **70**, 229-242.
 43. Darnerud, P.O., Eriksen, G.S., Johannesson, T., Larsen, P.B., Viluksela, M. (2001). Polybrominated diphenyl ethers: occurrence, dietary exposure, and toxicology. *Environmental Health Perspectives* **109**, 49-68.
 44. Davenport, J. W., and Hennies, R. S. (1976). Perinatal hypothyroidism in rats: persistent motivational and metabolic effects. *Dev Psychobiol.* **9**, 67-82.
 45. de Wit, C. A. (2002). An overview of brominated flame retardants in the environment. *Chemosphere* **46**, 583-624.
 46. Duty, S. M., Silva, M. J., Barr, D. B., Brock, J. W., Ryan, L., Chen, Z., Herrick, R. F., Christiani, D. C., and Hauser, R. (2003). Phthalate exposure and human semen parameters. *Epidemiology* **14**, 269-277.
 47. Eaton, D. L., and Klaassen, C. D. (1995). Principles of Toxicology. In Casarett and Doull's Toxicology (M. O. Amdur, and C. D. Klaassen, Eds.), pp. 13-33. Pergamon, New York.
 48. Environment California Research and Policy Center. Growing up toxic chemical exposures and increases in developmental disease. 1-60. 2004.

49. Eriksson, P., Jakobsson, E., and Fredriksson, A. (2001). Brominated flame retardants: a novel class of developmental neurotoxicants in our environment? *Environ Health Perspect.* **109**, 903-908.
50. Eriksson, P., Viberg, H., Jakobsson, E., Orn, U., and Fredriksson, A. (2002). A brominated flame retardant, 2,2',4,4',5-pentabromodiphenyl ether: uptake, retention, and induction of neurobehavioral alterations in mice during a critical phase of neonatal brain development. *Toxicol Sci* **67**, 98-103.
51. Faqi, A. S., Dalsenter, P. R., Merker, H. J., and Chahoud, I. (1998). Reproductive toxicity and tissue concentrations of low doses of 2,3,7,8- tetrachlorodibenzo-p-dioxin in male offspring rats exposed throughout pregnancy and lactation. *Toxicol Appl Pharmacol* **150**, 383-392.
52. Faqi, A. S., Klug, A., Merker, H. J., and Chahoud, I. (1997). Ganciclovir induces reproductive hazards in male rats after short-term exposure. *Hum.Exp Toxicol* **16**, 505-511.
53. Faustman, E., Omenn, G.S. (1995). Risk Assessment. In: Casarett and Doull's - Toxicology The basic Science of Poisons. Mc-Graw-Hill.
54. Fernlof, G., Gadhasson, I., Podra, K., Darnerud, P. O., and Thuvander, A. (1997). Lack of effects of some individual polybrominated diphenyl ether (PBDE) and polychlorinated biphenyl (PCB) congeners on human lymphocyte functions in vitro. *Toxicol Lett* **90**, 189-197.
55. Fisher, J. S., Macpherson, S., Marchetti, N., and Sharpe, R. M. (2003). Human 'testicular dysgenesis syndrome': a possible model using in-utero exposure of the rat to dibutyl phthalate. *Hum Reprod* **18**, 1383-1394.
56. Fowles, J. R., Fairbrother, A., Baecher-Steppan, L., and Kerkvliet, N. I. (1994). Immunologic and endocrine effects of the flame-retardant pentabromodiphenyl ether (DE-71) in C57BL/6J mice. *Toxicology* **86**, 49-61.
57. Fox, M. W. (1964). Reflex-ontogeny and behavioural development of the mouse. *Animal Behavior* **13**, 234-248.

58. George, F. W., and Ojeda, S. R. (1982). Changes in aromatase activity in the rat brain during embryonic, neonatal, and infantile development. *Endocrinology* **111**, 522-529.
59. Geyer, H. J, Schramm, K. W., Darnerud, P. O., Aune, M., Feicht, E. A., Fried, K. W., Henkelmann, B., Lenoir, D., Schmid, P., and McDonald, T. A. (2004). Terminal elimination half-lives of the brominated flame retardants TBBPA, HBCD, and lower brominated PBDEs in humans. *Organohalogen Compounds* **66**, 3867-3872.
60. Gibson, G. G., and Skett, P. (1994). *Introduction to drug metabolism*. Blackie Academic & Professional, London, Glasgow and New York.
61. Gidlow, D. A. (2004). Lead toxicity. *Occup.Med (Lond)* **54**, 76-81.
62. Gill, W. B., Schumacher, G. F. B., and Bibbo, M. (1978). Genital and semen abnormalities in adults males two and one-half decades after in utero exposure to diethylstilbestrol. In *Intrauterine Exposure to Diethylstilbestrol in the Human* (A. L. Herbst, Ed.), American College of Obstetricians and Gynecologists, Chicago.
63. Goldey, E. S., Kehn, L. S., Rehnberg, G. L., and Crofton, K. M. (1995). Effects of developmental hypothyroidism on auditory and motor function in the rat. *Toxicol Appl Pharmacol* **135**, 67-76.
64. Goldsmith, J. R., and Kordysh, E. (1993). Why dose-response relationships are often non-linear and some consequences. *J Expo.Anal Environ Epidemiol* **3**, 259-276.
65. Gray, L. E., Jr., Ostby, J., Furr, J., Price, M., Veeramachaneni, D. N., and Parks, L. (2000). Perinatal exposure to the phthalates DEHP, BBP, and DINP, but not DEP, DMP, or DOTP, alters sexual differentiation of the male rat. *Toxicol Sci* **58**, 350-365.
66. Guillette, L. J., Jr., Crain, D. A., Rooney, A. A., and Pickford, D. B. (1995). Organization versus activation: the role of endocrine-disrupting contaminants (EDCs) during embryonic development in wildlife. *Environ Health Perspect.* **103 Suppl 7**, 157-164.
67. Guo, Y. L., Hsu, P. C., Hsu, C. C., and Lambert, G. H. (2000). Semen quality after prenatal exposure to polychlorinated biphenyls and dibenzofurans. *Lancet* **356**, 1240-1241.

68. Harvey, C.B., Williams, G.R. (2002). Mechanism of thyroid action. *Thyroid* **12**(6), 441-446.
69. Haddow, J. E., Palomaki, G. E., Allan, W. C., Williams, J. R., Knight, G. J., Gagnon, J., O'Heir, C. E., Mitchell, M. L., Hermos, R. J., Waisbren, S. E., Faix, J. D., and Klein, R. Z. (1999). Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Engl.J Med* **341**, 549-555.
70. Hale, R. C., La Guardia, M. J., Harvey, E. P., Mainor, T. M., Duff, W. H., and Gaylor, M. O. (2001). Polybrominated diphenyl ether flame retardants in Virginia freshwater fishes (USA). *Environ Sci Technol.* **35**, 4585-4591.
71. Hallgren, S., and Darnerud, P. O. (2002). Polybrominated diphenyl ethers (PBDEs), polychlorinated biphenyls (PCBs) and chlorinated paraffins (CPs) in rats-testing interactions and mechanisms for thyroid hormone effects. *Toxicology* **177**, 227-243.
72. Hallgren, S., Sinjari, T., Hakansson, H., and Darnerud, P. O. (2001). Effects of polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs) on thyroid hormone and vitamin A levels in rats and mice. *Arch Toxicol* **75**, 200-208.
73. Hanberg, A., Stahlberg, M., Georgellis, A., de Wit, C., and Ahlberg, U. G. (1991). Swedish dioxin survey: evaluation of the H-4-II E bioassay for screening environmental samples for dioxin-like enzyme induction. *Pharmacol Toxicol* **69**, 442-449.
74. Hardell, L., Van Bavel, B., Lindstrom, G., Carlberg, M., Dreifaldt, A. C., Wijkstrom, H., Starkhammar, H., Eriksson, M., Hallquist, A., and Kolmert, T. (2003). Increased concentrations of polychlorinated biphenyls, hexachlorobenzene, and chlordanes in mothers of men with testicular cancer. *Environ Health Perspect.* **111**, 930-934.
75. Hardy, M. L. (2002). The toxicology of the three commercial polybrominated diphenyl oxide (ether) flame retardants. *Chemosphere* **46**, 757-777.
76. Hauser, R., Altshul, L., Chen, Z., Ryan, L., Overstreet, J., Schiff, I., and Christiani, D. C. (2002). Environmental organochlorines and semen quality: results of a pilot study. *Environ Health Perspect.* **110**, 229-233.

77. Hayes, T. B., Collins, A., Lee, M., Mendoza, M., Noriega, N., Stuart, A. A., and Vonk, A. (2002). Hermaphroditic, demasculinized frogs after exposure to the herbicide atrazine at low ecologically relevant doses. *Proc Natl Acad Sci U S A* **99**, 5476-5480.
78. Herbst, A. L., Ulfelder, H., and Poskanzer, D. C. (1971). Adenocarcinoma of the vagina. Association of maternal stilbestrol therapy with tumor appearance in young women. *N Engl.J Med* **284**, 878-881.
79. Hess, R. A., Cooke, P. S., Bunick, D., and Kirby, J. D. (1993). Adult testicular enlargement induced by neonatal hypothyroidism is accompanied by increased Sertoli and germ cell numbers. *Endocrinology* **132**, 2607-2613.
80. Hites, R. A. (2004). Polybrominated diphenyl ethers in the environment and in people: a meta-analysis of concentrations. *Environ Sci Technol.* **38**, 945-956.
81. Holene, E., Nafstad, I., Skaare, J. U., and Sagvolden, T. (1998). Behavioural hyperactivity in rats following postnatal exposure to sub-toxic doses of polychlorinated biphenyl congeners 153 and 126. *Behav.Brain Res* **94**, 213-224.
82. Hooper, K., and McDonald, T. A. (2000). The PBDEs: an emerging environmental challenge and another reason for breast-milk monitoring programs. *Environ Health Perspect.* **108**, 387-392.
83. Howdeshell, K. L. (2002). A model of the development of the brain as a construct of the thyroid system. *Environ Health Perspect* **110 Suppl 3**, 337-348.
84. Howdeshell, K. L., Hotchkiss, A. K., Thayer, K. A., Vandenberg, J. G., and vom Saal, F. S. (1999). Exposure to bisphenol A advances puberty. *Nature* **401**, 763-764.
85. Hsu, P. C., Huang, W., Yao, W. J., Wu, M. H., Guo, Y. L., and Lambert, G. H. (2003). Sperm changes in men exposed to polychlorinated biphenyls and dibenzofurans. *JAMA* **289**, 2943-2944.
86. Hsu, S. T., Ma, C. I., Hsu, S. K., Wu, S. S., Hsu, N. H., and Yeh, C. C. (1984). Discovery and epidemiology of PCB poisoning in Taiwan. *Prog.Clin Biol Res* **137**, 71-79.

87. Jacobson, J. L., Jacobson, S. W., and Humphrey, H. E. (1990). Effects of in utero exposure to polychlorinated biphenyls and related contaminants on cognitive functioning in young children. *J Pediatr* **116**, 38-45.
88. Kalantzi, O. I., Martin, F. L., Thomas, G. O., Alcock, R. E., Tang, H. R., Drury, S. C., Carmichael, P. L., Nicholson, J. K., and Jones, K. C. (2004). Different levels of polybrominated diphenyl ethers (PBDEs) and chlorinated compounds in breast milk from two U.K. Regions. *Environ Health Perspect* **112**, 1085-1091.
89. Kalberlah, F., Schneider, K., and Schuhmacher-Wolz, U. (2003). Uncertainty in toxicological risk assessment for non-carcinogenic health effects. *Regul Toxicol Pharmacol* **37**, 92-104.
90. Kelleher, K. J., McNerny, T. K., Gardner, W. P., Childs, G. E., and Wasserman, R. C. (2000). Increasing identification of psychosocial problems: 1979-1996. *Pediatrics* **105**, 1313-1321.
91. Kimbrough, R. D., and Krouskas, C. A. (2003). Human exposure to polychlorinated biphenyls and health effects: a critical synopsis. *Toxicol Rev* **22**, 217-233.
92. Klip, H., Verloop, J., van Gool, J. D., Koster, M. E., Burger, C. W., and van Leeuwen, F. E. (2002). Hypospadias in sons of women exposed to diethylstilbestrol in utero: a cohort study. *Lancet* **359**, 1102-1107.
93. Kodavanti, P. R., and Derr-Yellin, E. C. (2002). Differential effects of polybrominated diphenyl ethers and polychlorinated biphenyls on [³H]arachidonic acid release in rat cerebellar granule neurons. *Toxicol Sci* **68**, 451-457.
94. Krupp, P. P., and Lee, K. P. (1988). The effects of dietary iodine on thyroid ultrastructure. *Tissue Cell* **20**, 79-88.
95. Kuriyama, S., Fidalgo-Neto, A., Mathar, W., Palavinskas, R., Friedrich, K., and Chahoud, I. (2003). Effect of low dose mono-ortho 2,3',4,4',5 pentachlorobiphenyl on thyroid hormone status and EROD activity in rat offspring: consequences for risk assessment. *Toxicology* **186**, 11-20.

96. Kuriyama, S. N., and Chahoud, I. (2004). In utero exposure to low-dose 2,3',4,4',5-pentachlorobiphenyl (PCB 118) impairs male fertility and alters neurobehavior in rat offspring. *Toxicology* **202**, 185-197.
97. Lado-Abeal, J., Molinaro, E., DeValk, E., Pacini, F., and Refetoff, S. (2003). The effect of short-term treatment with recombinant human thyroid-stimulating hormones on leydig cell function in men. *Thyroid* **13**, 649-652.
98. Latini, G., De Felice, C., Presta, G., Del Vecchio, A., Paris, I., Ruggieri, F., and Mazzeo, P. (2003). In utero exposure to di-(2-ethylhexyl)phthalate and duration of human pregnancy. *Environ Health Perspect* **111**, 1783-1785.
99. Lochry, E., Hoberman, A. M., and Christian M.S. (1986). Standardization and application of behavioral teratology screens. In *Safety evaluation and regulation of chemical* 3 pp. 49-61. Basel, Karger.
100. Longnecker, M. P., Klebanoff, M. A., Zhou, H., and Brock, J. W. (2001). Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *Lancet* **358**, 110-114.
101. Markey, C. M., Luque, E. H., Munoz, D. T., Sonnenschein, C., and Soto, A. M. (2001). In utero exposure to bisphenol A alters the development and tissue organization of the mouse mammary gland. *Biol Reprod* **65**, 1215-1223.
102. Marsh, G., Bergman, A., Bladh L.G., Gillner M, and Jakobsson, E. (1998). Synthesis of p-hydroxybromodiphenyl ethers and binding to the thyroid hormone receptor. *Organohalogen Compounds* **37**, 305-307.
103. Martin, S. T., and Black, S. D. (1994). Detergent effects in rabbit liver microsomal UDP- glucuronosyltransferase studied by means of a continuous spectrophotometric assay with p-nitrophenol. *Biochem Biophys Res Commun* **200**, 1093-1098.
104. Mayer, L. P., Dyer, C. A., and Propper, C. R. (2003). Exposure to 4-tert-octylphenol accelerates sexual differentiation and disrupts expression of steroidogenic factor 1 in developing bullfrogs. *Environ Health Perspect.* **111**, 557-561.

105. McKiernan, J. M., Goluboff, E. T., Liberson, G. L., Golden, R., and Fisch, H. (1999). Rising risk of testicular cancer by birth cohort in the United States from 1973 to 1995. *J Urol.* **162**, 361-363.
106. Mead, L. A., Hargreaves, E. L., and Galea, L. A. M. (1996). Sex differences in rodent spontaneous activity levels. In *Motor Activity and Movement Disorders* (P. R. Sanberg, K. P. Ossenkopp, and M. Kavaliers, Eds.), pp. 111-139. Humana Press, Totowa, NJ.
107. Meerts, I. A., Letcher, R. J., Hoving, S., Marsh, G., Bergman, A., Lemmen, J. G., van der, B. B., and Brouwer, A. (2001). In vitro estrogenicity of polybrominated diphenyl ethers, hydroxylated PDBEs, and polybrominated bisphenol A compounds. *Environ Health Perspect.* **109**, 399-407.
108. Meerts, I. A., van Zanden, J. J., Luijks, E. A., Leeuwen-Bol, I., Marsh, G., Jakobsson, E., Bergman, A., and Brouwer, A. (2000). Potent competitive interactions of some brominated flame retardants and related compounds with human transthyretin in vitro. *Toxicol Sci* **56**, 95-104.
109. Meironyte, D., Noren, K., and Bergman, A. (1999). Analysis of polybrominated diphenyl ethers in Swedish human milk. A time-related trend study, 1972-1997. *J Toxicol Environ Health A* **58**, 329-341.
110. Meironyte, G. D., Bergman, A., and Noren, K. (2001). Polybrominated diphenyl ethers in Swedish human liver and adipose tissue. *Arch Environ Contam Toxicol* **40**, 564-570.
111. Melnick, R., Lucier, G., Wolfe, M., Hall, R., Stancel, G., Prins, G., Gallo, M., Reuhl, K., Ho, S. M., Brown, T., Moore, J., Leakey, J., Haseman, J., and Kohn, M. (2002). Summary of the National Toxicology Program's report of the endocrine disruptors low-dose peer review. *Environ Health Perspect.* **110**, 427-431.
112. Nau H (1992). Pharmacokinetics and Drug Metabolism in the Design and Interpretation of Developmental Toxicity Studies. In *Risk Assessment of Prenatally-Induced Adverse Health Effects* (D. Neubert, R. Kavlock, H. J. Merker, and Klein J, Eds.), pp. 293-312. Springer-Verlag, Berlin.
113. Neubert, D., Kavlock, R., Merker, H. J., and Klein J (1992). Risk assessment of prenatally-induced adverse health effects. Springer-Verlag.

114. Neves, E. S., Chiarini-Garcia, H., and Franca, L. R. (2002). Comparative testis morphometry and seminiferous epithelium cycle length in donkeys and mules. *Biol Reprod* **67**, 247-255.
115. NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process*. National Academy Press, Washington.
116. Organisation for Economic Co-operation and Development. OECD Environment, Health and Safety Publications No. 43 - Draft Guidance Document on Reproductive Toxicity Testing and Assessment. 43, 1-68. 2004. France.
117. Parks, L. G., Ostby, J. S., Lambright, C. R., Abbott, B. D., Klinefelter, G. R., Barlow, N. J., and Gray, L. E., Jr. (2000). The plasticizer diethylhexyl phthalate induces malformations by decreasing fetal testosterone synthesis during sexual differentiation in the male rat. *Toxicol Sci* **58**, 339-349.
118. Paulozzi, L. J. (1999). International trends in rates of hypospadias and cryptorchidism. *Environ Health Perspect* **107**, 297-302.
119. Petreas, M., She, J., Brown, F. R., Winkler, J., Windham, G., Rogers, E., Zhao, G., Bhatia, R., and Charles, M. J. (2003). High body burdens of 2,2',4,4'-tetrabromodiphenyl ether (BDE-47) in California women. *Environ Health Perspect* **111**, 1175-1179.
120. Pop, V. J., Kuijpers, J. L., van Baar, A. L., Verkerk, G., van Son, M. M., de Vijlder, J. J., Vulsma, T., Wiersinga, W. M., Drexhage, H. A., and Vader, H. L. (1999). Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. *Clin Endocrinol. (Oxf)* **50**, 149-155.
121. Porterfield, S. P. (1994). Vulnerability of the developing brain to thyroid abnormalities: environmental insults to the thyroid system. *Environ Health Perspect* **102 Suppl 2**, 125-130.
122. Porterfield, S. P. (2000). Thyroidal dysfunction and environmental chemicals--potential impact on brain development. *Environ Health Perspect* **108 Suppl 3**, 433-438.

123. Reistad T, Mariussen E, and Fonnum F (2002). The effects of polybrominated flame retardants on cell death and free radical formation in cerebellar granule cells. *Organohalogen Compounds* **57**, 391-394.
124. Rice, D. C. (1999). Behavioral impairment produced by low-level postnatal PCB exposure in monkeys. *Environ Res* **80**, S113-S121.
125. Rice, D. C. (2000). Parallels between attention deficit hyperactivity disorder and behavioral deficits produced by neurotoxic exposure in monkeys. *Environ Health Perspect.* **108 Suppl 3**, 405-408.
126. Robb,G.W., Amann, R.P., Killian, G.J. (1978). Daily sperm production and epididymal sperm reserves of pubertal and adult rats. *J. Reprod. Fertil.* **54 (1)**: 103-107.
127. Robison, L. M., Skaer, T. L., Sclar, D. A., and Galin, R. S. (2002). Is attention deficit hyperactivity disorder increasing among girls in the US? Trends in diagnosis and the prescribing of stimulants. *CNS.Drugs* **16**, 129-137.
128. Rogan, W. J., Gladen, B. C., Hung, K. L., Koong, S. L., Shih, L. Y., Taylor, J. S., Wu, Y. C., Yang, D., Ragan, N. B., and Hsu, C. C. (1988). Congenital poisoning by polychlorinated biphenyls and their contaminants in Taiwan. *Science* **241**, 334-336.
129. Rozati, R., Reddy, P. P., Reddanna, P., and Mujtaba, R. (2000). Xenoestrogens and male infertility: myth or reality? *Asian J Androl* **2**, 263-269.
130. Rozati, R., Reddy, P. P., Reddanna, P., and Mujtaba, R. (2002). Role of environmental estrogens in the deterioration of male factor fertility. *Fertil.Steril.* **78**, 1187-1194.
131. Russel L.D., Ettlin R.A., Sinha Hikkin A.P., and Clegg, E. D. (1990). Histopathology of the testis. In *Histological and histopathological evaluation of the testis* pp. 210-266. Cache River Press, Clearwater.
132. Salama, J., Chakraborty, T. R., Ng, L., and Gore, A. C. (2003). Effects of polychlorinated biphenyls on estrogen receptor-beta expression in the anteroventral periventricular nucleus. *Environ Health Perspect.* **111**, 1278-1282.
133. Schantz, S. L., Widholm, J. J., and Rice, D. C. (2003). Effects of PCB Exposure on Neuropsychological Function in Children. *Environ Health Perspect.* **111**, 357-576.

134. Schechter, A., Pavuk, M., Papke, O., Ryan, J. J., Birnbaum, L., and Rosen, R. (2003). Polybrominated Diphenyl Ethers (PBDEs) in U.S. Mothers' Milk. *Environ Health Perspect*. **111**, 1723-1729.
135. Schütz, A. Bestimmung polybromierter Diphenylether (PBDE) in Umweltproben unter besonderer Berücksichtigung des DecaBDE. 1-146. 2004. UNIVERSITÄT ULM Abteilung Analytische Chemie und Umweltchemie .
136. She, J., Petreas, M., Winkler, J., Visita, P., McKinney, M., and Kopec, D. (2002). PBDEs in the San Francisco Bay Area: measurements in harbor seal blubber and human breast adipose tissue. *Chemosphere* **46**, 697-707.
137. Silbergeld, E. K. (2003). Facilitative mechanisms of lead as a carcinogen. *Mutat.Res* **533**, 121-133.
138. Silbergeld, E. K., Flaws, J. A., and Brown, K. M. (2002). Organizational and activational effects of estrogenic endocrine disrupting chemicals. *Cad.Saude Publica* **18**, 495-504.
139. Sjodin, A., Hagmar, L., Klasson-Wehler, E., Kronholm-Diab, K., Jakobsson, E., and Bergman, A. (1999). Flame retardant exposure: polybrominated diphenyl ethers in blood from Swedish workers. *Environ Health Perspect* **107**, 643-648.
140. Sjodin, A., Jones, R. S., Focant, J. F., Lapeza, C., Wang, R. Y., McGahee, E. E., III, Zhang, Y., Turner, W. E., Slazyk, B., Needham, L. L., and Patterson, D. G., Jr. (2004). Retrospective time-trend study of polybrominated diphenyl ether and polybrominated and polychlorinated biphenyl levels in human serum from the United States. *Environ Health Perspect* **112**, 654-658.
141. Sjodin, A., Patterson, D. G., Jr., and Bergman, A. (2003). A review on human exposure to brominated flame retardants--particularly polybrominated diphenyl ethers. *Environ Int* **29**, 829-839.
142. Skakkebaek, N. E., Rajpert-De Meyts, E., and Main, K. M. (2001). Testicular dysgenesis syndrome: an increasingly common developmental disorder with environmental aspects. *Hum Reprod* **16**, 972-978.

143. Staskal, D. F., Diliberto, J. J., DeVito, M. J., and Birnbaum, L. S. (2004). Toxicokinetics of BDE 47 in Female Mice: Effect of Dose, Route of Exposure, and Time. *Toxicol Sci.*
144. Steenland, K., Bertazzi, P., Baccarelli, A., and Kogevinas, M. (2004). Dioxin revisited: developments since the 1997 IARC classification of dioxin as a human carcinogen. *Environ Health Perspect* **112**, 1265-1268.
145. Stevens, J. T., Breckenridge, C. B., Wetzel, L. T., Gillis, J. H., Luempert, L. G., III, and Eldridge, J. C. (1994). Hypothesis for mammary tumorigenesis in Sprague-Dawley rats exposed to certain triazine herbicides. *J Toxicol Environ Health* **43**, 139-153.
146. Suter, L., Bobadilla, M., Koch, E., and Bechter, R. (1997). Flow cytometric evaluation of the effects of doxorubicin on rat spermatogenesis. *Reprod Toxicol* **11**, 521-531.
147. Suter, L., Clemann, N., Koch, E., Bobadilla, M., and Bechter, R. (1998a). New and traditional approaches for the assessment of testicular toxicity. *Reprod Toxicol* **12**, 39-47.
148. Suter, L., Meier, G., Bechter, R., and Bobadilla, M. (1998b). Flow cytometry as a sensitive tool to assess testicular damage in rat. *Arch Toxicol* **72**, 791-797.
149. Swan, S. H., Brazil, C., Drobnis, E. Z., Liu, F., Kruse, R. L., Hatch, M., Redmon, J. B., Wang, C., and Overstreet, J. W. (2003a). Geographic differences in semen quality of fertile U.S. males. *Environ Health Perspect* **111**, 414-420.
150. Swan, S. H., Elkin, E. P., and Fenster, L. (1997). Have sperm densities declined? A reanalysis of global trend data. *Environ Health Perspect* **105**, 1228-1232.
151. Swan, S. H., Elkin, E. P., and Fenster, L. (2000). The question of declining sperm density revisited: an analysis of 101 studies published 1934-1996. *Environ Health Perspect* **108**, 961-966.
152. Swan, S. H., Kruse, R. L., Liu, F., Barr, D. B., Drobnis, E. Z., Redmon, J. B., Wang, C., Brazil, C., and Overstreet, J. W. (2003b). Semen quality in relation to biomarkers of pesticide exposure. *Environ Health Perspect* **111**, 1478-1484.

153. Tamasy, V., Meisami, E., Vallerga, A., and Timiras, P. S. (1986). Rehabilitation from neonatal hypothyroidism: spontaneous motor activity, exploratory behavior, avoidance learning and responses of pituitary--thyroid axis to stress in male rats. *Psychoneuroendocrinology* **11**, 91-103.
154. Thiel, R., Chahoud, I., Schwabe, R., and Neubert, D. (1989). Device for monitoring locomotor activity of 120 animals: motility of offspring of dams exposed to haloperidol. *Neurotoxicology* **10**, 621-628.
155. Thomsen, C., Lundanes, E., and Becher, G. (2001). Brominated flame retardants in plasma samples from three different occupational groups in Norway. *J Environ Monit.* **3**, 366-370.
156. Toppari, J., Larsen, J. C., Christiansen, P., Giwercman, A., Grandjean, P., Guillette, L. J., Jr., Jegou, B., Jensen, T. K., Jouannet, P., Keiding, N., Leffers, H., McLachlan, J. A., Meyer, O., Muller, J., Rajpert-De Meyts, E., Scheike, T., Sharpe, R., Sumpter, J., and Skakkebaek, N. E. (1996). Male reproductive health and environmental xenoestrogens. *Environ Health Perspect.* **104 Suppl 4**, 741-803.
157. Trainor, B. C., Bird, I. M., Alday, N. A., Schlinger, B. A., and Marler, C. A. (2003). Variation in aromatase activity in the medial preoptic area and plasma progesterone is associated with the onset of paternal behavior. *Neuroendocrinology* **78**, 36-44.
158. Viberg, H., Fredriksson, A., and Eriksson, P. (2002). Neonatal exposure to the brominated flame retardant 2,2',4,4',5- pentabromodiphenyl ether causes altered susceptibility in the cholinergic transmitter system in the adult mouse. *Toxicol Sci* **67**, 104-107.
159. Viberg, H., Fredriksson, A., and Eriksson, P. (2003a). Neonatal exposure to polybrominated diphenyl ether (PBDE 153) disrupts spontaneous behaviour, impairs learning and memory, and decreases hippocampal cholinergic receptors in adult mice. *Toxicol Appl Pharmacol* **192**, 95-106.
160. Viberg, H., Fredriksson, A., Jakobsson, E., Orn, U., and Eriksson, P. (2003b). Neurobehavioural Derangements in Adult Mice Receiving Decabrominated Diphenyl

- Ether (PBDE 209) During a Defined Period of Neonatal Brain Development. *Toxicol Sci* **76**, 112-120.
161. von Meyerinck, L., Hufnagel, B., Schmoldt, A., and Benthe, H. F. (1990). Induction of rat liver microsomal cytochrome P-450 by the pentabromo diphenyl ether Bromkal 70 and half-lives of its components in the adipose tissue. *Toxicology* **61**, 259-274.
162. Welshons, W. V., Nagel, S. C., Thayer, K. A., Judy, B. M., and vom Saal, F. S. (1999). Low-dose bioactivity of xenoestrogens in animals: fetal exposure to low doses of methoxychlor and other xenoestrogens increases adult prostate size in mice. *Toxicol Ind. Health* **15**, 12-25.
163. Wetzel, L. T., Luempert, L. G., III, Breckenridge, C. B., Tisdell, M. O., Stevens, J. T., Thakur, A. K., Extrom, P. J., and Eldridge, J. C. (1994). Chronic effects of atrazine on estrus and mammary tumor formation in female Sprague-Dawley and Fischer 344 rats. *J Toxicol Environ Health* **43**, 169-182.
164. WHO. Global assessment of the state-of-the-science of endocrine disruptors. 2002. Terri Damstra, Sue Barlow, Aeke Bergman, Robert Kavlock, and Glen Van Der Kraak.
165. Willingham, E. (2001). Embryonic exposure to low-dose pesticides: effects on growth rate in the hatchling red-eared slider turtle. *J Toxicol Environ Health A* **64**, 257-272.
166. Wilson, J. D., George, F. W., and Griffin, J. E. (1981). The hormonal control of sexual development. *Science* **211**, 1278-1284.
167. World Health Organization (1992). WHO Laboratory manual for the examination of human semen and sperm-cervical mucus interaction. Cambridge University Press, Cambridge.
168. World Health Organization (1994). Environmental Health Criteria 162 - Brominated Diphenyl Ethers. WHO.
169. Yoon, C. Y., Hong, C. M., Cho, Y. Y., Song, J. Y., Hong, I. J., Cho, D. H., Lee, B. J., Song, H. J., and Kim, C. K. (2001). Flow cytometric evaluation on the age-dependent changes of testicular DNA contents in rats. *J Vet Sci* **2**, 43-46.

170. Zenick, H., and Clegg, E. D. (1989). Assessment of male reproductive toxicity: A risk assessment approach. In *Principles and Methods of Toxicology* (W.Hayes, Ed.), pp. 275-309. Raven Press, New York.
171. Zennegg, M., Kohler, M., Gerecke, A. C., and Schmid, P. (2003). Polybrominated diphenyl ethers in whitefish from Swiss lakes and farmed rainbow trout. *Chemosphere* **51**, 545-553.
172. Zhou, T., Ross, D. G., DeVito, M. J., and Crofton, K. M. (2001). Effects of short-term in vivo exposure to polybrominated diphenyl ethers on thyroid hormones and hepatic enzyme activities in weanling rats. *Toxicol Sci* **61**, 76-82.
173. Zhou, T., Taylor, M. M., DeVito, M. J., and Crofton, K. M. (2002). Developmental exposure to brominated diphenyl ethers results in thyroid hormone disruption. *Toxicol Sci* **66**, 105-116.