

# Literaturverzeichnis

- J. P. Abrahams, A. G. W. Leslie, R. Lutter und J. E. Walker. Structure at 2.8 Å resolution of F1-ATPase from bovine heart mitochondria. *Nature*, 379(6491); 621–628, 1994.
- P. Ädelroth, K. Lindberg und L. E. Andreasson. Studies of Ca<sup>2+</sup> binding in spinach photosystem II using <sup>45</sup>Ca<sup>2+</sup>. *Biochemistry*, 34(28); 9021–9027, 1995.
- S. I. Allakhverdiev, Y. M. Feyziyev, A. Ahmed, H. Hayashi, J. A. Aliev, V. V. Klimov, N. Murata und R. Carpentier. Stabilization of oxygen evolving and primary electron transport reactions in photosystem II against heat stress with glycine betaine and sucrose. *J. Photochem. Photobiol. B: Biol.*, 34(2-3); 149–157, 1996.
- J. F. Allen. How does protein phosphorylation regulate photosynthesis? *Trends Biochem. Sciences*, 17(1); 12–17, 1992.
- J. F. Allen und J. Forsberg. Molecular recognition in thylakoid structure and function. *Trends Plants Science*, 6(7); 317–326, 2001.
- L. E. Andreasson, I. Vass und S. Styring. Ca<sup>2+</sup> depletion modifies the electron transfer on both donor and acceptor sides in photosystem II from spinach. *Biochim. Biophys. Acta*, 1230(3); 155–164, 1995.
- C. A. Angell. The old problems of glass and the glass transition, and the many new twists. *Proc. Natl. Acad. Sci. USA*, 92(15); 6675–6682, 1995.
- I. Ascone, W. Meyer-Klaucke und L. Murphy. Experimental aspects of biological X-ray absorption spectroscopy. *J. Synchrotron Rad.*, 10(1); 16–22, 2003.
- G. T. Babcock, R. E. Blankenship und K. Sauer. Reaction kinetics for positive charge accumulation on the water side of chloroplast photosystem II. *FEBS Lett.*, 61(2); 286–289, 1976.
- J. Barber. Photosystem II: A multisubunit membrane protein that oxidises water. *Curr. Opin. Struct. Biol.*, 12(4); 523–530, 2002.
- J. Barber, K. Ferreira, K. Maghlaoui und S. Iwata. Structural model of the oxygen-evolving centre of photosystem II with mechanistic implications. *Phys. Chem. Chem. Phys.*, 6(20); 4737–4742, 2004.
- M. Barra, M. Haumann und H. Dau. Specific loss of the extrinsic 18 kDa protein from photosystem II upon heating to 47 °C causes inactivation of oxygen evolution likely due to Ca release from the Mn-complex. *Photosynth. Res.*, 84(1-3); 231–237, 2005.
- A. Ben-Shem, F. Frolow und N. Nelson. Crystal structure of plant photosystem I. *Nature*, 426(6967); 630–635, 2003.
- D. A. Berthold, G. T. Babcock und C. F. Yocum. A highly resolved, oxygen-evolving photosystem II preparation from spinach thylakoid membranes. *FEBS Lett.*, 134(2); 231–234, 1981.
- A. Bianconi, S. Biocca, L. Castellani, P. Fasella, F. Comin und S. Mobilio. Determination of the Ca site structure in the S 100 protein by using synchrotron radiation. *Ital. J. Biochem.*, 29(1); 71–73, 1980.
- J. Biesiadka, B. Loll, J. Kern, K.-D. Irrgang und A. Zouni. Crystal structure of cyanobacterial photosystem II at 3.2 Å resolution: A closer look at the Mn cluster. *Phys. Chem. Chem. Phys.*, 6(20); 4733–4736, 2004.
- P. J. Booth, A. W. Rutherford und A. Boussac. Location of the calcium binding site in photosystem II: A Mn<sup>2+</sup> substitution study. *Biochim. Biophys. Acta*, 1277(1-2); 127–134, 1996.
- A. Boussac, B. Maison-Peteri, A. L. Etienne und C. Vernotte. Reactivation of oxygen evolution of sodium chloride-washed photosystem II particles by calcium and/or the 24 kDa

- protein. *Biochim. Biophys. Acta*, 808(2); 231–234, 1985a.
- A. Boussac, B. Maison-Peteri, C. Vernotte und A. L. Etienne. The charge accumulation mechanism in sodium chloride-washed and in calcium-reactivated photosystem II particles. *Biochim. Biophys. Acta*, 808(2); 225–230, 1985b.
- A. Boussac, F. Rappaport, P. Carrier, J.-M. Verbavatz, R. Gobin, D. Kirilovsky, A. W. Rutherford und M. Sugiura. Biosynthetic  $\text{Ca}^{2+}/\text{Sr}^{2+}$  exchange in the photosystem II oxygen-evolving enzyme of *Thermosynechococcus elongatus*. *J. Biol. Chem.*, 279(22); 22809–22819, 2004.
- A. Boussac und A. W. Rutherford. Calcium binding to the oxygen evolving enzyme varies with the redox state of the manganese cluster. *FEBS Lett.*, 236(2); 432–436, 1988a.
- A. Boussac und A. W. Rutherford. Nature of the inhibition of the oxygen-evolving enzyme of photosystem II induced by NaCl washing and reversed by the addition of  $\text{Ca}^{2+}$  or  $\text{Sr}^{2+}$ . *Biochemistry*, 27(9); 3476–3483, 1988b.
- A. Boussac und A. W. Rutherford. S-state formation after  $\text{Ca}^{2+}$  depletion in the photosystem II oxygen-evolving complex. *Chem. Scrip.*, 28A; 123–126, 1988c.
- A. Boussac und A. W. Rutherford. The involvement of calcium in the  $\text{Ca}^{2+}$ -effect on photosystem II oxygen evolution. *Photosynth. Res.*, 32(3); 207–209, 1992.
- A. Boussac, P. Setif und A. W. Rutherford. Inhibition of tyrosine Z photooxidation after formation of the  $\text{S}_3$  state in  $\text{Ca}^{2+}$ -depleted and  $\text{Cl}^-$ -depleted photosystem II. *Biochemistry*, 31(4); 1224–1234, 1992.
- A. Boussac, J. L. Zimmermann und A. W. Rutherford. EPR signals from modified charge accumulation states of the oxygen evolving enzyme in  $\text{Ca}^{2+}$ -deficient photosystem II. *Biochemistry*, 28(23); 8984–8989, 1989.
- A. Boussac, J. L. Zimmermann und A. W. Rutherford. Factors influencing the formation of modified  $\text{S}_2$  EPR signal and the  $\text{S}_3$  EPR signal in  $\text{Ca}^{2+}$ -depleted photosystem II. *FEBS Lett.*, 277(1-2); 69–74, 1990.
- J. J. Brand, P. Mohanty und D. C. Fork. Reversible inhibition of photochemistry of photosystem II by calcium removal from intact cells of *Anacystis nidulans*. *FEBS Lett.*, 155(1); 120–124, 1983.
- C. Bressler und M. Chergui. Ultrafast X-ray absorption spectroscopy. *Chem. Rev.*, 104(4); 1781–1812, 2004.
- R. D. Britt, K. A. Campbell, J. M. Peloquin, M. L. Gilchrist, C. P. Aznar, M. M. Dicus, J. Robblee und J. Messinger. Recent pulsed EPR studies of the photosystem II oxygen-evolving complex: Implications as to water oxidation mechanisms. *Biochim. Biophys. Acta*, 1655(1-3); 158–171, 2004.
- W. P. Burmeister. Structural changes in a cryo-cooled protein crystal owing to radiation damage. *Acta Crystallogr. D*, 56(3); 328–341, 2000.
- D. J. Butcher und J. Sneddon. *A practical guide to graphite furnace atomic absorption spectrometry*, Bd. 149. John Wiley & Sons, Inc., New York, 1998.
- O. Cador, F. Chabre, A. Dei, C. Sangregorio, J. van Slageren und M. G. Vaz. Temperature-induced solid-state valence tautomeric interconversion in two cobalt-Schiff base diquinone complexes. *Inorg. Chem.*, 42(20); 6432–6440, 2003.
- D. P. Carter und L. A. Staehelin. Proteolysis of chloroplast thylakoid membranes. II. Evidence for the involvement of the light-harvesting chlorophyll a/b-protein complex in thylakoid stacking and for effects of magnesium ions on photosystem II-light-harvesting complex aggregates in the absence of membrane stacking. *Arch. Biochem. Biophys.*, 200(2); 374–386, 1980.
- C. Chen, J. Kazimir und G. M. Cheniae. Calcium modulates the photoassembly of photosystem II  $\text{Mn}_4$ -clusters by preventing ligation of nonfunctional high-valency states of manganese. *Biochemistry*, 34(41); 13511–13526, 1995.
- W. J. Chen und Y. Tao. The EXAFS study on the local structure of lanthanum in spinach PSII. *Biol. Trace Elem. Res.*, 82(1-3); 231–237, 2001.

- G. Christen, F. Reifarth und G. Renger. On the origin of the „35  $\mu$ s kinetics“ of reduction in photosystem II with an intact water oxidising complex. *FEBS Lett.*, 429(1); 49–52, 1998.
- G. Christen und G. Renger. The role of hydrogen bonds for the multiphasic P680<sup>+</sup> reduction by Y<sub>Z</sub> in photosystem II with intact oxygen evolution capacity. Analysis of kinetic H/D isotope exchange effects. *Biochemistry*, 38(7); 2068–2077, 1999.
- H. A. Chu, W. Hillier und R. J. Debus. Evidence that the C-terminus of the D1 polypeptide of photosystem II is ligated to the manganese ion that undergoes oxidation during the S<sub>1</sub> to S<sub>2</sub> transition: An isotope-edited FTIR study. *Biochemistry*, 43(11); 3152–3166, 2004.
- R. M. Cinco, K. L. McFarlane Holman, J. H. Robblee, J. Yano, S. A. Pizarro, E. Bellacchio, K. Sauer und V. K. Yachandra. Calcium EXAFS establishes the Mn-Ca cluster in the oxygen-evolving complex of photosystem II. *Biochemistry*, 41(43); 12928–12933, 2002.
- R. M. Cinco, J. H. Robblee, J. Messinger, C. Fernandez, K. L. Holman, K. Sauer und V. K. Yachandra. Orientation of calcium in the Mn<sub>4</sub>Ca cluster of the oxygen-evolving complex determined using polarized strontium EXAFS of photosystem II membranes. *Biochemistry*, 43(42); 13271–13282, 2004.
- R. M. Cinco, J. H. Robblee, A. Rompel, C. Fernandez, K. Sauer, V. K. Yachandra und M. P. Klein. Proximity of calcium to the manganese cluster of the photosynthetic oxygen-evolving complex determined from strontium XAFS. *J. Synchrotron Rad.*, 6(3); 419–420, 1999.
- R. M. Cinco, J. H. Robblee, A. Rompel, C. Fernandez, V. K. Yachandra, K. Sauer und M. P. Klein. Strontium EXAFS reveals the proximity of calcium to the manganese cluster of oxygen-evolving photosystem II. *J. Phys. Chem. B*, 102(42); 8248–8256, 1998.
- J. Clausen und W. Junge. Detection of an intermediate of photosynthetic water oxidation. *Nature*, 430(6998); 480–483, 2004.
- P. D'Angelo, P.-E. Petit und N. V. Pavel. Double-electron excitation channels at the Ca<sup>2+</sup> K-edge of hydrated calcium ion. *J. Phys. Chem. B*, 108(31); 11857–11865, 2004.
- H. Dau und O. Canaani. Short-term adaptation of higher plants to changing light intensities and evidence for the involvement of phosphorylation of the light harvesting chlorophyll a/b protein complex of photosystem II. *Photochem. Photobiol.*, 55(6); 873–885, 1992.
- H. Dau, J. Dittmer, L. Iuzzolino, H. Schiller, W. Dörner, I. Heinze, V. A. Sole und H.-F. Nolting. X-ray absorption linear dichroism spectroscopy (XALDS) on the photosystem II manganese complex: Radiation damage and S<sub>1</sub>-state K-edge spectra. *J. Phys. IV*, 7 (C2); 607–610, 1997.
- H. Dau und M. Haumann. X-ray absorption spectroscopy to watch catalysis by metalloenzymes: Status and perspectives discussed for the water-splitting manganese complex of photosynthesis. *J. Synchrotron Rad.*, 10(1); 76–85, 2003.
- H. Dau und M. Haumann. Considerations on the mechanism of photosynthetic water oxidation - dual role of oxo-bridges between Mn ions in (i) redox-potential maintenance and (ii) proton abstraction from substrate water. *Photosynth. Res.*, 84(1-3); 325–331, 2005.
- H. Dau, L. Iuzzolino und J. Dittmer. The tetra-manganese complex of photosystem II during its redox cycle: X-ray absorption results and mechanistic implications. *Biochim. Biophys. Acta*, 1503(1-2); 24–39, 2001.
- H. Dau, P. Liebisch und M. Haumann. X-ray absorption spectroscopy to analyze nuclear geometry and electronic structure of biological metal centers: Potential and questions examined with special focus on the tetra-nuclear manganese complex of oxygenic photosynthesis. *Anal. Bioanal. Chem.*, 376(5); 562–583, 2003.
- H. Dau, P. Liebisch und M. Haumann. The structure of the manganese complex of photosystem II in its dark-stable S<sub>1</sub>-state: EXAFS results in relation to recent crystallographic data. *Phys. Chem. Chem. Phys.*, 6(20); 4781–4792, 2004.
- H. Dau, P. Liebisch und M. Haumann. The manganese complex of oxygenic photosynthesis:

- Conversion of five-coordinated Mn(III) to six-coordinated Mn(IV) in the S<sub>2</sub>-S<sub>3</sub> transition is implied by XANES simulations. *Phys. Scripta*, T115; 844–846, 2005.
- D. J. Davis und E. L. Gross. Protein-protein interactions of light-harvesting pigment protein from spinach chloroplasts. I. Ca<sup>2+</sup> binding and its relation to protein association. *Biochim. Biophys. Acta*, 387(3); 557–567, 1975.
- I. Davoli, E. Paris, A. Mottana und A. Marcelli. XANES analysis on pyroxenes with different Ca concentration in M2 site. *Physics and Chemistry of Minerals*, 14(1); 21–25, 1987.
- F. M. de Groot, J. C. Fuggle, B. T. Thole und G. A. Sawatzky. L<sub>2,3</sub> X-ray-absorption edges of d<sup>0</sup> compounds: K<sup>+</sup>, Ca<sup>2+</sup>, Sc<sup>3+</sup>, and Ti<sup>4+</sup> in O<sub>h</sub> (octahedral) symmetry. *Phys. Rev. B*, 41(2); 928–937, 1990.
- R. J. Debus. The manganese and calcium ions of photosynthetic oxygen evolution. *Biochim. Biophys. Acta*, 1102(3); 269–352, 1992.
- R. J. Debus. Amino acid residues that modulate the properties of tyrosine Y<sub>Z</sub> and the manganese cluster in the water oxidizing complex of photosystem II. *Biochim. Biophys. Acta*, 1503(1-2); 164–186, 2001.
- R. J. Debus, K. A. Campbell, W. Gregor, Z. L. Li, R. L. Burnap und R. D. Britt. Does histidine 332 of the D1 polypeptide ligate the manganese cluster in photosystem II? An electron spin echo envelope modulation study. *Biochemistry*, 40(12); 3690–3699, 2001.
- J. P. Dekker und H. J. van Gorkom. Electron transfer in the water-oxidizing complex of photosystem II. *J. Bioenerg. Biomembr.*, 19(2); 125–142, 1987.
- V. J. DeRose, I. Mukerji, M. J. Latimer, V. K. Yachandra, K. Sauer und M. P. Klein. Comparison of the manganese oxygen-evolving complex in photosystem II of spinach and *Synechococcus sp.* with multinuclear manganese model compounds by X-ray absorption spectroscopy. *J. Am. Chem. Soc.*, 116; 5239–5249, 1994.
- B. A. Diner. Amino acid residues involved in the coordination and assembly of the manganese cluster of photosystem II. Proton-coupled electron transport of the redox-active tyrosines and its relationship to water oxidation. *Biochim. Biophys. Acta*, 1503(1-2); 147–163, 2001.
- G. C. Dismukes und Y. Siderer. Intermediates of a polynuclear manganese center involved in photosynthetic oxidation of water. *Proc. Natl. Acad. Sci. USA*, 78(1); 274–278, 1981.
- J. Dittmer. *Linear Dichroismus-Röntgenabsorptionsspektroskopie zum katalytischen Zyklus des wasserspaltenden Mangankomplexes der Photosynthese in Theorie und Experiment*. Dissertation, Christian Albrechts Universität, 1999.
- J. Dittmer und H. Dau. Theory of the linear dichroism in the extended X-ray absorption fine structure (EXAFS) of partially vectorially ordered systems. *J. Phys. Chem. B*, 102(42); 8196–8200, 1998.
- K. Eilola und P. Peramaki. Microwave heated vapor-phase digestion method for biological sample materials. *Fresenius. J. Anal. Chem.*, 369(1); 107–112, 2001.
- R. R. England und E. H. Evans. A requirement for calcium in the extraction of oxygen-evolving photosystem 2 preparations from the cyanobacterium *Anacystis nidulans*. *Biochem. J.*, 210(2); 473–476, 1983.
- S. Eshaghi, B. Andersson und J. Barber. Isolation of a highly active PSII-LHCII supercomplex from thylakoid membranes by a direct method. *FEBS Lett.*, 446(1); 23–26, 1999.
- R. W. Estabrook. Mitochondrial respiratory control and the polarographic measurements of ADP:O<sub>2</sub> ratios. *Methods Enzymol*, 10; 41–47, 1967.
- M. C. Evans, J. H. Nugent, R. J. Ball, I. Muhiuddin und R. J. Pace. Evidence for a direct manganese-oxygen ligand in water binding to the S<sub>2</sub> state of the photosynthetic water oxidation complex. *Biochemistry*, 43(4); 989–994, 2004.
- K. N. Ferreira, T. M. Iverson, K. Maghlaoui, J. Barber und S. Iwata. Architecture of the photosynthetic oxygen-evolving center. *Science*, 303(5665); 1831–1838, 2004.
- J. Freeman, G. Hendry und T. Wydrzynski. Extraction of the functional manganese and calcium from photosystem II. *Methods Mol. Biol.*, 274; 205–215, 2004.

- J. L. Fulton, S. M. Heald, Y. S. Badyal und J. M. Simonson. Understanding the effects of concentration on the solvation structure of  $\text{Ca}^{2+}$  in aqueous solution. I: The perspective on local structure from EXAFS and XANES. *J. Phys. Chem. A*, 107(23); 4688–4696, 2003.
- G. N. George, B. Hedman und K. O. Hodgson. An edge with XAS. *Nat. Struct. Biol.*, 5; 645–647, 1998.
- G. N. George, R. C. Prince und S. P. Cramer. The manganese site of the photosynthetic water-splitting enzyme. *Science*, 243(4892); 789–791, 1989.
- S. Gerken, K. Brettel, E. Schlodder und H. T. Witt. Direct observation of the immediate electron donor to chlorophyll- $a_{II}^+$  (P680<sup>+</sup>) in oxygen-evolving photosystem II complexes. *FEBS Lett.*, 223(2); 376–380, 1987.
- D. F. Ghanotakis, G. T. Babcock und C. F. Yocum. On the role of water-soluble polypeptides (17, 23 kDa), calcium and chloride in photosynthetic oxygen evolution. *FEBS Lett.*, 192(1); 1–3, 1985a.
- D. F. Ghanotakis, G. T. Babcock und C. F. Yocum. Structure of the oxygen-evolving complex of photosystem II: Calcium and lanthanum compete for sites on the oxidizing side of photosystem II which control the binding of water-soluble polypeptides and regulate the activity of the manganese complex. *Biochim. Biophys. Acta*, 809(2); 173–180, 1985b.
- D. F. Ghanotakis, J. N. Topper, G. T. Babcock und C. F. Yocum. Water-soluble 17 and 23 kDa polypeptides restore oxygen evolution by creating a high-affinity binding site for  $\text{Ca}^{2+}$  on the oxidizing side of photosystem II. *FEBS Lett.*, 170(1); 169–173, 1984.
- D. F. Ghanotakis und C. F. Yocum. Photosystem II and the oxygen-evolving complex. *Annu. Rev. Plant Physiol. Plant Mol. Biol.*, 41; 255–276, 1990.
- C. Gibbons, M. G. Montgomery, A. G. Leslie und J. E. Walker. The structure of the central stalk in bovine F(1)-ATPase at 2.4 Å resolution. *Nat. Struct. Biol.*, 7(11); 1055–1061, 2000.
- M. L. Gilchrist, J. A. Ball, D. W. Randall und R. D. Britt. Proximity of the manganese cluster of photosystem II to the redox-active tyrosine  $\text{Y}_Z$ . *Proc. Natl. Acad. Sci. USA*, 92(21); 9545–9549, 1995.
- M. Grabolle. *Die Donorseite des Photosystems II: Rekombinationsfluoreszenz- und Röntgenabsorptionsstudien*. Dissertation, Freie Universität Berlin, 2005.
- M. Grabolle, M. Haumann, C. Müller, P. Liebisch und H. Dau. Rapid loss of structural motifs in the manganese complex of oxygenic photosynthesis by X-ray irradiation at 10–300 K. *J. Biol. Chem.*, 281(8); 4580–4588, 2006.
- E. Haag, K. D. Irrgang, E. J. Boekema und G. Renger. Functional and structural analysis of photosystem II core complexes from spinach with high oxygen evolution capacity. *Eur. J. Biochem.*, 189(1); 47–53, 1990.
- K. S. Hagen, T. D. Westmoreland, M. J. Scott und W. H. Armstrong. Structural and electronic consequences of protonation in  $[\text{Mn}_4\text{O}_6]^{4+}$  cores: pH dependent properties of oxo-bridged manganese complexes. *J. Am. Chem. Soc.*, 111(5); 1907–1909, 1989.
- K. M. Halverson und B. A. Barry. Sucrose and glycerol effects on photosystem II. *Biophys. J.*, 85(2); 1317–1325, 2003.
- K. C. Han und S. Katoh. Different localization of two  $\text{Ca}^{2+}$  in spinach oxygen-evolving photosystem II membranes. Evidence for involvement of only one  $\text{Ca}^{2+}$  in oxygen evolution. *Plant Cell. Physiol.*, 34(4); 585–593, 1993.
- B. Hankamer, J. Nield, D. Zheleva, E. Boekema, S. Jansson und J. Barber. Isolation and biochemical characterisation of monomeric and dimeric photosystem II complexes from spinach and their relevance to the organisation of photosystem II in vivo. *Eur. J. Biochem.*, 243(1–2); 422–429, 1997.
- O. Hansson, R. Aasa und T. Vaenngaard. The origin of the multiline and  $g = 4.1$  electron paramagnetic resonance signals from the oxygen-evolving system of photosystem II. *Biophys. J.*, 51(5); 825–832, 1987.

- A. Hardwick, E. J. W. Whittaker und G. P. Diakun. An extended X-ray absorption fine structure (EXAFS) study of the calcium site in a model basaltic glass,  $\text{Ca}_3\text{Mg}_4\text{Al}_2\text{Si}_7\text{O}_{24}$ . *Mineralogical Magazine*, 49(350); 25–29, 1985.
- S. S. Hasnain. EXAFS of calcium in biological systems. *Springer Series in Chemical Physics*, 27; 330–336, 1993.
- M. Haumann, M. Grabolle, T. Neisius und H. Dau. The first room-temperature X-ray absorption spectra of higher oxidation states of the tetra-manganese complex of photosystem II. *FEBS Lett.*, 512(1-3); 116–120, 2002a.
- M. Haumann, M. Grabolle, M. Werthammer, L. Iuzzolino, J. Dittmer, W. Meyer-Klaucke, T. Neisius und H. Dau. The manganese complex of photosystem II: A structural model for the  $\text{S}_1$ ,  $\text{S}_2$ , and  $\text{S}_3$  oxidation states derived from linear dichroism EXAFS spectroscopy at 20 K and at room temperature. *12th International Congress of Photosynthesis*, Melbourne, S. 1–5, 2001.
- M. Haumann, M. Hundelt, P. Jahns, S. Chroni, O. Bogershausen, D. Ghanotakis und W. Junge. Proton release from water oxidation by photosystem II: Similar stoichiometries are stabilized in thylakoids and PSII core particles by glycerol. *FEBS Lett.*, 410(2-3); 243–248, 1997.
- M. Haumann und W. Junge. Extent and rate of proton release by photosynthetic water oxidation in thylakoids: Electrostatic relaxation versus chemical production. *Biochemistry*, 33(4); 864–872, 1994.
- M. Haumann und W. Junge. Protons and charge indicators in oxygen evolution. In *Oxygenic photosynthesis: The light reaction*. D. R. Ort und C. F. Yocum, Hg., S. 213–247. Kluwer Academic Publishers, Dordrecht, 1996.
- M. Haumann, P. Liebisch, C. Müller, M. Barra, M. Grabolle und H. Dau. Photosynthetic  $\text{O}_2$  formation tracked by time-resolved X-ray experiments. *Science*, 310(5750); 1019–1021, 2005a.
- M. Haumann, C. Müller, P. Liebisch, L. Iuzzolino, J. Dittmer, M. Grabolle, T. Neisius, W. Meyer-Klaucke und H. Dau. Structural and oxidation state changes of the photosystem II manganese complex in four transitions of the water oxidation cycle ( $\text{S}_0 \rightarrow \text{S}_1$ ,  $\text{S}_1 \rightarrow \text{S}_2$ ,  $\text{S}_2 \rightarrow \text{S}_3$ , and  $\text{S}_{3,4} \rightarrow \text{S}_0$ ) characterized by X-ray absorption spectroscopy at 20 K and room temperature. *Biochemistry*, 44(6); 1894–1908, 2005b.
- M. Haumann, C. Müller, P. Liebisch, T. Neisius und H. Dau. A novel BioXAS technique with sub-millisecond time resolution to track oxidation state and structural changes at biological metal centers. *J. Synchrotron Rad.*, 12(1); 35–44, 2005c.
- M. Haumann, A. Porthun, T. Buhrke, P. Liebisch, W. Meyer-Klaucke, B. Friedrich und H. Dau. Hydrogen-induced structural changes at the nickel site of the regulatory [Ni-Fe] hydrogenase from *Ralstonia eutropha* detected by X-ray absorption spectroscopy. *Biochemistry*, 42(37); 11004–11015, 2003.
- M. Haumann, P. Pospisil, M. Grabolle, C. Müller, P. Liebisch, V. A. Sole, T. Neisius, J. Dittmer, L. Iuzzolino und H. Dau. First steps towards time-resolved BioXAS at room temperature: State transitions of the manganese complex of oxygenic photosynthesis. *J. Synchrotron Rad.*, 9(5); 304–308, 2002b.
- G. Hendry und T. Wydrzynski.  $^{18}\text{O}$  isotope exchange measurements reveal that calcium is involved in the binding of one substrate-water molecule to the oxygen-evolving complex in photosystem II. *Biochemistry*, 42(20); 6209–6217, 2003.
- W. Hillier, G. Hendry, R. L. Burnap und T. Wydrzynski. Substrate water exchange in photosystem II depends on the peripheral proteins. *J. Biol. Chem.*, 276(50); 46917–46924, 2001.
- C. W. Hoganson und G. T. Babcock. A metalloradical mechanism for the generation of oxygen from water in photosynthesis. *Science*, 277(5334); 1953–1956, 1997.
- K. Hori, J. N. Kushick und H. Weinstein. Structural and energetic parameters of calcium binding to peptides and proteins. *Biopolymers*, 27(12); 1865–1886, 1988.

- O. Horner, E. Riviere, G. Blondin, S. Un, A. W. Rutherford, J. J. Girerd und A. Boussac. SQUID magnetization study of the infrared-induced spin transition in the S<sub>2</sub> state of photosystem II: Spin value associated with the  $g = 4.1$  EPR signal. *J. Am. Chem. Soc.*, 120(31); 7924, 1998.
- L. Iuzzolino. *Die lichtgetriebene Wasserspaltungsreaktion im Photosystem II: Spektroskopische Untersuchungen zur Struktur und Funktion des Mangankomplexes an orientierten Membranpartikeln*. Dissertation, Philipps-Universität Marburg, 1999.
- L. Iuzzolino, J. Dittmer, W. Dörner und H. Dau. A correlation method for quantification of the magnitude of the S<sub>2</sub>-state multiline EPR signal. In *Photosynthesis: Mechanisms and effects*. G. Garab, Hg., S. 1315–1318. Kluwer Academic Publishers, Budapest, 1998a.
- L. Iuzzolino, J. Dittmer, W. Dörner, W. Meyer-Klaucke und H. Dau. X-ray absorption spectroscopy on layered photosystem II membrane particles suggests manganese-centered oxidation of the oxygen-evolving complex for the S<sub>0</sub>-S<sub>1</sub>, S<sub>1</sub>-S<sub>2</sub>, and S<sub>2</sub>-S<sub>3</sub> transitions of the water oxidation cycle. *Biochemistry*, 37(49); 17112–17119, 1998b.
- F. Jalilehvand, D. Spangberg, P. Lindqvist-Reis, K. Hermansson, I. Persson und M. Sandstrom. Hydration of the calcium ion. An EXAFS, large-angle X-ray scattering, and molecular dynamics simulation study. *J. Am. Chem. Soc.*, 123(3); 431–441, 2001.
- C. Jegerschöld, A. W. Rutherford, T. A. Mattioli, M. Crimi und R. Bassi. Calcium binding to the photosystem II subunit CP29. *J. Biol. Chem.*, 275(17); 12781–12788, 2000.
- P. Joliot, G. Barbieri und R. Chabaud. Model of the system II photochemical centers. *Photochem. Photobiol.*, 10(5); 309–329, 1969.
- P. Jordan, P. Fromme, H. T. Witt, O. Klukas, W. Saenger und N. Krauss. Three-dimensional structure of cyanobacterial photosystem I at 2.5 Å resolution. *Nature*, 411(6840); 909–917, 2001.
- K. Kalosaka, W. F. Beck, G. Brudvig und G. M. Cheniae. Coupling of the PS2 reaction center to the oxygen-evolving center requires a very high affinity calcium site. *8th International Congress of Photosynthesis*, Stockholm, Bd. 1, S. 721–724, 1990.
- N. Kamiya und J. R. Shen. Crystal structure of oxygen-evolving photosystem II from *Thermosynechococcus vulcanus* at 3.7-Å resolution. *Proc. Natl. Acad. Sci. USA*, 100(1); 98–103, 2003.
- Y. Kashino, K. Satoh und S. Katoh. A simple procedure to determine Ca<sup>2+</sup> in oxygen-evolving preparations from *Synechococcus sp.* *FEBS Lett.*, 205(1); 150–154, 1986.
- A. K. Katz, J. P. Glusker, S. A. Beebe und C. W. Bock. Calcium ion coordination: A comparison with that of beryllium, magnesium, and zinc. *J. Am. Chem. Soc.*, 118(24); 5752–5763, 1996.
- J. Kern, B. Loll, C. Lüneberg, D. DiFiore, J. Biesiadka, K.-D. Irrgang und A. Zouni. Purification, characterization and crystallization of photosystem II from *Thermosynechococcus elongatus* cultivated in a new type of photobioreactor. *Biochim. Biophys. Acta*, 1706(1-2); 147–157, 2005.
- S. H. Kim, W. Gregor, J. M. Peloquin, M. Brynda und R. D. Britt. Investigation of the calcium-binding site of the oxygen evolving complex of photosystem II using <sup>87</sup>Sr ESEEM spectroscopy. *J. Am. Chem. Soc.*, 126(23); 7228–7237, 2004.
- Y. Kimura, A. Ishii, T. Yamanari und T. A. Ono. Water-sensitive low-frequency vibrations of reaction intermediates during S-state cycling in photosynthetic water oxidation. *Biochemistry*, 44(21); 7613–7622, 2005.
- J. A. Kirby, D. B. Goodin, T. Wydrzynski, A. S. Robertson und M. P. Klein. State of manganese in the photosynthetic apparatus. 2. X-ray absorption edge studies on manganese in photosynthetic membrane. *J. Am. Chem. Soc.*, 103(18); 5537–5542, 1981.
- O. Kleefeld, A. Frenkel, J. M. Martin und I. Sagi. Active site electronic structure and dynamics during metalloenzyme catalysis. *Nat. Struct. Biol.*, 10(2); 98–103, 2003.
- Y. Kodera, H. Hara, A. V. Astashkin, A. Kawamori und T. A. Ono. EPR study of trapped tyrosine Z<sup>+</sup> in calcium-depleted photosystem II. *Biochim. Biophys. Acta*, 1232(1-2);

- 43–51, 1995.
- B. Kok, B. Forbush und M. McGloin. Cooperation of charges in photosynthetic O<sub>2</sub> evolution. 1. A linear four step mechanism. *Photochem. Photobiol.*, 11(6); 457–475, 1970.
- D. C. Koningsberger, B. I. Mojet, G. E. Van Dorssen und D. E. Ramaker. Xafs spectroscopy: Fundamental principles and data analysis. *Top. Catal.*, 10(3-4); 143–155, 2000.
- R. H. Kretsinger und D. J. Nelson. Calcium in biological systems. *Coord. Chem. Rev.*, 19; 29–124, 1976.
- P. Krüger und C. Natoli. Theory of Ca L<sub>2,3</sub>-edge XAS using a novel multichannel multiple-scattering method. *J. Synchrotron Rad.*, 12(1); 80–84, 2005.
- J. Kruk, K. Burda, M. Jemiola-Rzeminska und K. Strzalka. The 33 kDa protein of photosystem II is a low-affinity calcium- and lanthanide-binding protein. *Biochemistry*, 42(50); 14862–14877, 2003.
- W. Kühlbrandt und D. N. Wang. Three-dimensional structure of plant light-harvesting complex determined by electron crystallography. *Nature*, 350(6314); 130–134, 1991.
- W. Kühlbrandt, D. N. Wang und Y. Fujiyoshi. Atomic model of plant light-harvesting complex by electron crystallography. *Nature*, 367(6464); 614–621, 1994.
- G. Kurisu, H. Zhang, J. L. Smith und W. A. Cramer. Structure of the cytochrome b<sub>6</sub>f complex of oxygenic photosynthesis: Tuning the cavity. *Science*, 302(5647); 1009–1014, 2003.
- D. Kuzek und R. J. Pace. Probing the Mn oxidation states in the OEC. Insights from spectroscopic, computational and kinetic data. *Biochim. Biophys. Acta*, 1503(1-2); 123–137, 2001.
- U. K. Laemmli. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227(5259); 680–685, 1970.
- D. E. Lansky, B. Mandimutsira, B. Ramdhanie, M. Clausen, J. Penner-Hahn, S. A. Zvyagin, J. Telsler, J. Krzystek, R. Zhan, Z. Ou, K. M. Kadish, L. Zakharov, A. L. Rheingold und D. P. Goldberg. Synthesis, characterization, and physicochemical properties of manganese(III) and manganese(V)-oxo corrolazines. *Inorg. Chem.*, 44(13); 4485–4498, 2005.
- M. J. Latimer, V. J. DeRose, I. Mukerji, V. K. Yachandra, K. Sauer und M. P. Klein. Evidence for the proximity of calcium to the manganese cluster of photosystem II: Determination by X-ray absorption spectroscopy. *Biochemistry*, 34(34); 10898–10909, 1995.
- M. J. Latimer, V. J. DeRose, V. K. Yachandra, K. Sauer und M. P. Klein. Structural effects of calcium depletion in the manganese cluster in photosystem II: Determination by X-ray absorption spectroscopy. *J. Phys. Chem. B*, 102(42); 8257–8265, 1998.
- J. Lavergne und W. Junge. Proton release during the redox cycle of the water oxidase. *Photosynth. Res.*, 38(3); 279–296, 1993.
- C. B. Lee, H. Hayashi und B. Y. Moon. Stabilization by glycinebetaine of photosynthetic oxygen evolution by thylakoid membranes from *Synechococcus* PCC7002. *Molecules and Cells*, 7(2); 296–299, 1997.
- Y. Levi-Kalisman, S. Raz, S. Weiner, L. Addadi und I. Sagi. X-ray absorption spectroscopy studies on the structure of a biogenic „amorphous,, calcium carbonate phase. *J. Chem. Soc., Dalton Trans.*, 21; 3977–3982, 2000.
- Y. Levi-Kalisman, S. Raz, S. Weiner, L. Addadi und I. Sagi. Structural differences between biogenic amorphous calcium carbonate phases using X-ray absorption spectroscopy. *Advanced Functional Materials*, 12(1); 43–48, 2002.
- H. K. Lichtenthaler. Chlorophylls and carotenoids: Pigments of photosynthetic biomembranes. *Methods Enzymol*, 148; 350–382, 1987.
- P. Liebisch. *Der Mangankomplex der Photosynthese im katalytischen Zyklus: Neue röntgenspektroskopische Ansätze zur Untersuchung von Struktur und Mechanismus*. Dissertation, Freie Universität Berlin, 2005.
- Z. Liu, H. Yan, K. Wang, T. Kuang, J. Zhang, L. Gui, X. An und W. Chang. Crystal

- structure of spinach major light-harvesting complex at 2.72 Å resolution. *Nature*, 428 (6980); 287–292, 2004.
- C. J. Lockett, C. Demetriou, S. J. Bowden und J. H. A. Nugent. Studies on calcium depletion of PS II by pH 8.3 treatment. *Biochim. Biophys. Acta*, 1016(2); 213–218, 1990.
- C. J. Lockett, C. Demetriou und J. H. A. Nugent. Investigation of the water oxidizing system of PS2. The role of calcium in water oxidation. *NATO ASI Series, Series A*, 168; 255–258, 1989.
- B. Loll, G. Gerold, D. Slowik, W. Voelter, C. Jung, W. Saenger und K. D. Irrgang. Thermostability and Ca<sup>2+</sup> binding properties of wild type and heterologously expressed PsbO protein from cyanobacterial photosystem II. *Biochemistry*, 44(12); 4691–4698, 2005a.
- B. Loll, J. Kern, W. Saenger, A. Zouni und J. Biesiadka. Towards complete cofactor arrangement in the 3.0 Å resolution structure of photosystem II. *Nature*, 438(7070); 1040–1044, 2005b.
- G. H. Luttrell, C. More und C. T. Kenner. Effect of pH and ionic strength on ion exchange and chelating properties of an iminodiacetate ion exchange resin with alkaline earth ions. *Anal. Chem.*, 43(11); 1370–1375, 1971.
- D. J. MacLachlan, J. H. Nugent, P. J. Bratt und M. C. W. Evans. The effects of calcium depletion in the O<sub>2</sub>-evolving complex in spinach PS II: The S<sub>1</sub>, S<sub>2</sub> and S<sub>3</sub> states and the role of the 17 kDa and 23 kDa extrinsic polypeptides. *Biochim. Biophys. Acta*, 1186(3); 186–200, 1994a.
- D. J. MacLachlan, J. H. A. Nugent und M. C. W. Evans. A XANES study of the manganese complex of inhibited PS II membranes indicates manganese redox changes between the modified S<sub>1</sub>, S<sub>2</sub> and S<sub>3</sub> states. *Biochim. Biophys. Acta*, 1185(1); 103–111, 1994b.
- G. Martens, P. Rabe und P. Wenck. Destructive interference and multiple scattering effects observed in calcium k-edge EXAFS spectra. *Physica Status Solidi A: Applied Research*, 88(1); 103–111, 1985.
- J. P. McEvoy und G. W. Brudvig. Structure-based mechanism of photosynthetic water oxidation. *Phys. Chem. Chem. Phys.*, 6(20); 4754–4763, 2004.
- R. Mei und C. F. Yocum. Calcium retards NH<sub>2</sub>OH inhibition of O<sub>2</sub> evolution activity by stabilization of Mn<sup>2+</sup> binding to photosystem II. *Biochemistry*, 30(31); 7836–7842, 1991.
- C. Meinke, V. A. Sole, P. Pospisil und H. Dau. Does the structure of the water-oxidizing photosystem II-manganese complex at room temperature differ from its low-temperature structure? A comparative X-ray absorption study. *Biochemistry*, 39(24); 7033–7040, 2000.
- J. Messinger, J. H. Robblee, U. Bergmann, C. Fernandez, P. Glatzel, H. Visser, R. M. Cinco, K. L. McFarlane, E. Bellacchio, S. A. Pizarro, S. P. Cramer, K. Sauer, M. P. Klein und V. K. Yachandra. Absence of Mn-centered oxidation in the S<sub>2</sub> → S<sub>3</sub> transition: Implications for the mechanism of photosynthetic water oxidation. *J. Am. Chem. Soc.*, 123(32); 7804–7820, 2001.
- J. Messinger, W. P. Schroder und G. Renger. Structure-function relations in photosystem II. Effects of temperature and chaotropic agents on the period four oscillation of flash-induced oxygen evolution. *Biochemistry*, 32(30); 7658–7668, 1993.
- A. F. Miller und G. W. Brudvig. A guide to electron paramagnetic resonance spectroscopy of photosystem II membranes. *Biochim. Biophys. Acta*, 1056(1); 1–18, 1991.
- A. Mishra, W. Wernsdorfer, K. A. Abboud und G. Christou. The first high oxidation state manganese-calcium cluster: Relevance to the water oxidizing complex of photosynthesis. *Chemical Communications*, (1); 54–56, 2005.
- N. Mizusawa, T. Yamanari, Y. Kimura, A. Ishii, S. Nakazawa und T. A. Ono. Changes in the functional and structural properties of the Mn cluster induced by replacing the side group of the c-terminus of the D1 protein of photosystem II. *Biochemistry*, 43(46); 14644–14652, 2004.
- P. Mohanty, H. Hayashi, G. C. Papageorgiou und N. Murata. Stabilization of the Mn-clustern

- of the oxygen-evolving complex by glycinebetain. *Biochim. Biophys. Acta*, 1144(1); 92–96, 1993.
- S. Mukhopadhyay, S. K. Mandal, S. Bhaduri und W. H. Armstrong. Manganese clusters with relevance to photosystem II. *Chem. Rev.*, 104(9); 3981–4026, 2004.
- C. Müller, H. Dau und M. Haumann. Chelex-treatment to obtain highly active PSII membrane particles with minimal  $\text{Ca}^{2+}$  content for X-ray absorption spectroscopy at the Ca K-edge. *13th International Congress of Photosynthesis*, Montreal, Bd. 6, S. 257–259, 2004.
- C. Müller, P. Liebisch, M. Barra, H. Dau und M. Haumann. The location of calcium in the manganese complex of oxygenic photosynthesis studied by X-ray absorption spectroscopy at the Ca K-edge. *Phys. Scripta*, T115; 847–850, 2005.
- N. Murata, P. S. Mohanty, H. Hayashi und G. C. Papageorgiou. Glycinebetaine stabilizes the association of extrinsic proteins with the photosynthetic oxygen-evolving complex. *FEBS Lett.*, 296(2); 187–189, 1992.
- S. J. Naftel, T. K. Sham, Y. M. Yiu und B. W. Yates. Calcium L-edge XANES study of some calcium compounds. *J. Synchrotron Rad.*, 8(2); 255–257, 2001.
- A. Nilsson, D. Stys, T. Drakenberg, M. D. Spangfort, S. Forsen und J. F. Allen. Phosphorylation controls the three-dimensional structure of plant light harvesting complex II. *J. Biol. Chem.*, 272(29); 18350–18357, 1997.
- T. Noguchi, T. Ono und Y. Inoue. Direct detection of a carboxylate bridge between Mn und  $\text{Ca}^{2+}$  in the photosynthetic oxygen-evolving center by means of Fourier transform infrared spectroscopy. *Biochim. Biophys. Acta*, 1228(2-3); 189–200, 1995a.
- T. Noguchi, T. A. Ono und Y. Inoue. A carboxylate ligand interacting with water in the oxygen-evolving center of photosystem II, as revealed by Fourier transform infrared spectroscopy. *Biochim. Biophys. Acta*, 1232(1/2); 59–66, 1995b.
- J. H. Nugent. Oxygenic photosynthesis. Electron transfer in photosystem I and photosystem II. *Eur. J. Biochem.*, 237(3); 519–531, 1996.
- H. Ohtaki und T. Radnai. Structure and dynamics of hydrated ions. *Chemical Reviews*, 93(3); 1157–1204, 1993.
- T. Ono. Effects of lanthanide substitution at  $\text{Ca}^{2+}$ -site on the properties of the oxygen evolving center of photosystem II. *J. Inorg. Biochem.*, 82(1-4); 85–91, 2000.
- T. Ono und Y. Inoue. Effects of removal and reconstitution of the extrinsic 33, 24 and 16 kDa proteins on flash oxygen yield in photosystem II particles. *Biochim. Biophys. Acta*, 850(2); 380–389, 1986.
- T. Ono und Y. Inoue. Discrete extraction of the Ca atom functional for  $\text{O}_2$  evolution in higher plant photosystem II by a simple low pH treatment. *FEBS Lett.*, 227(2); 147–152, 1988.
- T. Ono und Y. Inoue. Removal of Ca by pH 3.0 treatment inhibits  $\text{S}_2$  to  $\text{S}_3$  transition in photosynthetic oxygen evolution system. *Biochim. Biophys. Acta*, 973(3); 443–449, 1989a.
- T. Ono und Y. Inoue. Roles of  $\text{Ca}^{2+}$  in  $\text{O}_2$  evolution in higher plant photosystem II: Effects of replacement of  $\text{Ca}^{2+}$  site by other cations. *Arch. Biochem. Biophys.*, 275(2); 440–448, 1989b.
- T. Ono, T. Noguchi, Y. Inoue, M. Kusunoki, T. Matsushita und H. Oyanagi. X-ray detection of the period-four cycling of the manganese cluster in photosynthetic water oxidizing enzyme. *Science*, 258(5086); 1335–1337, 1992.
- T. Ono, T. Noguchi, Y. Inoue, M. Kusunoki, H. Yamaguchi und H. Oyanagi. Flash induced XANES spectroscopy for the Ca-depleted Mn-cluster in the photosynthetic  $\text{O}_2$ -evolving enzyme. *FEBS Lett.*, 330(1); 28–30, 1993.
- T. Ono, T. Noguchi, Y. Inoue, M. Kusunoki, H. Yamaguchi und H. Oyanagi. Study of the intermediate S-states for water oxidation in the normal and Ca-depleted photosynthetic oxygen-evolving enzyme by means of flash-induced X-ray absorption near edge structure spectroscopy. *Biochem. Soc. Trans.*, 22(2); 331–335, 1994.

- T. Ono, A. Rompel, H. Mino und N. Chiba.  $\text{Ca}^{2+}$  function in photosynthetic oxygen evolution studied by alkali metal cations substitution. *Biophys. J.*, 81(4); 1831–1840, 2001.
- G. C. Papageorgiou und N. Murata. The unusually strong stabilizing effects of glycine betaine on the structure and function of the oxygen-evolving photosystem II complex. *Photosynth. Res.*, 44(3); 243–252, 1995.
- V. L. Pecoraro, M. J. Baldwin, M. T. Caudle, W.-Y. Hsieh und N. A. Law. A proposal for water oxidation in photosystem II. *Pure Appl. Chem.*, 70(4); 925–929, 1998.
- J. M. Peloquin und R. D. Britt. EPR/ENDOR characterization of the physical and electronic structure of the OEC Mn cluster. *Biochim. Biophys. Acta*, 1503(1-2); 96–111, 2001.
- J. E. Penner-Hahn. Structural characterization of the Mn site in the photosynthetic oxygen-evolving complex. In *Structure and bonding: Metal sites in proteins and models: Redox centres*, S. 1–36. Springer Verlag, Heidelberg, 1998.
- J. E. Penner-Hahn. Snapshots of transition states? *Nat. Struct. Biol.*, 10(2); 75–77, 2003.
- J. E. Penner-Hahn und C. F. Yocum. The photosynthesis „oxygen clock“ gets a new number. *Science*, 310(5750); 982–983, 2005.
- R. G. Piccioni und D. C. Mauzerall. Calcium and photosynthetic oxygen evolution in cyanobacteria. *Biochim. Biophys. Acta*, 504(3); 384–397, 1978.
- R. J. Porra. The checkered history of the development and use of simultaneous equations for the accurate determination of chlorophylls a and b. *Photosynth. Res.*, 73(1-3); 149–156, 2002.
- P. Pospisil, M. Haumann, J. Dittmer, V. A. Sole und H. Dau. Stepwise transition of the tetramanganese complex of photosystem II to a binuclear  $\text{Mn}_2(\mu\text{-O})_2$  complex in response to a temperature jump: A time-resolved structural investigation employing X-ray absorption spectroscopy. *Biophys. J.*, 84(2); 1370–1386, 2003.
- L. Powers, P. Eisenberger und J. Stamatoff. Investigation of structural organization of calcium in biological molecules by the extended X-ray absorption fine structure (EXAFS) technique. *Annals of the New York Academy of Sciences*, 307; 113–124, 1978.
- R. R. Rakhimov, T. N. Hawkins, J. S. Hwang, A. I. Prokof'ev und A. I. Aleksandrov. Structure and dynamics of Bis(triphenylphosphine)-3,6-di-tert-butyl-o-semiquinone radical anion complexes of  $\text{Ag}^+$  and  $\text{Cu}^+$ . *J. Phys. Chem. A*, 107(33); 6345–6350, 2003.
- F. Rappaport, M. Blanchard-Desce und J. Lavergne. Kinetics of electron transfer and electrochromic change during the redox transition of the photosynthetic oxygen-evolving complex. *Biochim. Biophys. Acta*, 1184(2-3); 178–192, 1994.
- M. R. Razeghifard und R. J. Pace. Electron paramagnetic resonance kinetic studies of the S-states in spinach PSII membranes. *Biochim. Biophys. Acta*, 1322(2-3); 141–150, 1997.
- J. J. Rehr und R. C. Albers. Theoretical approaches to X-ray absorption fine structure. *Rev. Modern Phys.*, 72(3); 621–654, 2000.
- J. J. Rehr, J. Mustre de Leon, S. I. Zabinsky und R. C. Albers. Theoretical X-ray absorption fine structure standards. *J. Am. Chem. Soc.*, 113(14); 5135–5140, 1991.
- G. Renger. Photosynthetic water oxidation to molecular oxygen: Apparatus and mechanism. *Biochim. Biophys. Acta*, 1503(1-2); 210–228, 2001.
- K. H. Rhee, E. P. Morris, J. Barber und W. Kuhlbrandt. Three-dimensional structure of the plant photosystem II reaction centre at 8 Å resolution. *Nature*, 396(6708); 283–286, 1998.
- P. J. Riggs-Gelasco, R. Mei, D. F. Ghanotakis, C. F. Yocum und J. E. Penner-Hahn. X-ray absorption spectroscopy of calcium-substituted derivatives of the oxygen-evolving complex of photosystem II. *J. Am. Chem. Soc.*, 118(10); 2400–2410, 1996.
- J. H. Robblee, R. M. Cinco und V. K. Yachandra. X-ray spectroscopy-based structure of the Mn cluster and mechanism of photosynthetic oxygen evolution. *Biochim. Biophys. Acta*, 1503(1-2); 7–23, 2001.
- T. A. Roelofs, W. Liang, M. J. Latimer, R. M. Cinco, A. Rompel, J. C. Andrews, K. Sauer, V. K. Yachandra und M. P. Klein. Oxidation states of the manganese cluster during the

- flash-induced S-state cycle of the photosynthetic oxygen-evolving complex. *Proc. Natl. Acad. Sci. USA*, 93(8); 3335–3340, 1996.
- B. T. Rubin, W. S. Chow und J. Barber. Experimental and theoretical considerations of mechanisms controlling cation effects on thylakoid membrane stacking and chlorophyll fluorescence. *Biochim. Biophys. Acta*, 634(1); 174–190, 1981.
- A. W. Rutherford. Photosystem II, the water-splitting enzyme. *Trends Biochem. Sciences*, 14(6); 227–232, 1989.
- A. W. Rutherford und P. Faller. The heart of photosynthesis in glorious 3D. *Trends Biochem. Sciences*, 26(6); 341–344, 2001.
- K. Sauer, V. K. Yachandra, R. D. Britt und M. P. Klein. The photosynthetic water oxidation complex studied by EPR and X-ray absorption spectroscopy. In *Manganese redox enzymes*. V. L. Pecoraro, Hg., S. 141–175. VCH, New York, 1992.
- D. E. Sayers, E. A. Stern und F. W. Lytle. New technique for investigating noncrystalline structures: Fourier analysis of the extended X-ray-absorption fine structure. *Phys. Rev. Lett.*, 27(18); 1204–1207, 1971.
- H. Schiller und H. Dau. Preparation protocols for high-activity photosystem II membrane particles of green algae and higher plants, pH dependence of oxygen evolution and comparison of the S<sub>2</sub>-state multiline signal by x-band EPR spectroscopy. *J. Photochem. Photobiol. B: Biol.*, 55(2-3); 138–144, 2000.
- H. Schiller, J. Dittmer, L. Iuzzolino, W. Dorner, W. Meyer-Klaucke, V. A. Sole, H. Nolting und H. Dau. Structure and orientation of the oxygen-evolving manganese complex of green algae and higher plants investigated by X-ray absorption linear dichroism spectroscopy on oriented photosystem II membrane particles. *Biochemistry*, 37(20); 7340–7350, 1998.
- C. Schulzke, Brinley, L. Powers, P. Eisenberger und J. Stamatoff. Investigation of structural organization of calcium in biological molecules by the extended X-ray absorption fine structure (EXAFS) technique. *Annals of the New York Academy of Sciences*, 307; 113–124, 1978.
- R. A. Scott. X-ray absorption spectroscopy. In *Physical methods in bioinorganic chemistry*. L. Que, Hg., S. 465–503. University Science Books, Sausalito, 2000.
- A. Seidler. The extrinsic polypeptides of photosystem II. *Biochim. Biophys. Acta*, 1277(1-2); 35–60, 1996.
- B. K. Semin, I. I. Ivanov, A. B. Rubin und R. Carpentier. pH-dependent extraction of Ca<sup>2+</sup> from photosystem II membranes and thylakoid membranes: Indication of a Ca<sup>2+</sup>-sensitive site on the acceptor side of photosystem II. *Photochem. Photobiol.*, 68(4); 538–544, 1998.
- J. Shen und Y. Inoue. Low pH-induced dissociation of three extrinsic proteins from oxygen-evolving photosystem II. *Plant Cell. Physiol.*, 32(3); 453–457, 1991.
- J. Shen und S. Katoh. Inactivation and calcium-dependent reactivation of oxygen evolution in photosystem II preparations treated at pH 3.0 or with high concentrations of sodium chloride. *Plant Cell. Physiol.*, 32(3); 439–446, 1991.
- J. Shen, K. Satoh und S. Katoh. Calcium content of oxygen-evolving photosystem II preparations from higher plants. Effects of NaCl treatment. *Biochim. Biophys. Acta*, 933(2); 358–364, 1988a.
- J. Shen, K. Satoh und S. Katoh. Isolation of an oxygen-evolving photosystem II preparation containing only one tightly bound calcium atom from a chlorophyll b-deficient mutant of rice. *Biochim. Biophys. Acta*, 936(3); 386–394, 1988b.
- P. E. Siegbahn. Theoretical models for the oxygen radical mechanism of water oxidation and of the water oxidizing complex of photosystem II. *Inorg. Chem.*, 39(13); 2923–2935, 2000.
- V. A. Sole, C. Gauthier, J. Goulon und F. Natali. Undulator QEXAFS at the ESRF beamline ID26. *J. Synchrotron Rad.*, 6(3); 174–175, 1999.
- D. Spangberg, K. Hermansson, P. Lindqvist-Reis, F. Jalilehvand, M. Sandstrom und I. Pers-

- son. Model extended X-ray fine structure (EXAFS) spectra from molecular dynamics data for  $\text{Ca}^{2+}$  and  $\text{Al}^{3+}$  aqueous solutions. *J. Phys. Chem. B*, 104(45); 10467–10472, 2000.
- D. Stroebel, Y. Choquet, J. L. Popot und D. Picot. An atypical haem in the cytochrome  $b_6f$  complex. *Nature*, 426(6965); 413–418, 2003.
- B. K. Teo. *EXAFS: Basic principles and data analysis*. Springer Verlag, Berlin, 1986.
- C. Tommos und G. T. Babcock. Oxygen production in nature: A light metalloradical enzyme process. *Acc. Chem. Res.*, 31(1); 18–25, 1998.
- K. A. Vander Meulen, A. Hobson und C. F. Yocum. Calcium depletion modifies the structure of the photosystem II  $\text{O}_2$ -evolving complex. *Biochemistry*, 41(3); 958–966, 2002.
- K. A. Vander Meulen, A. Hobson und C. F. Yocum. Reconstitution of the photosystem II  $\text{Ca}^{2+}$  binding site. *Biochim. Biophys. Acta*, 1655(1-3); 179–183, 2004.
- J. S. Vrettos, J. Limburg und G. W. Brudvig. Mechanism of photosynthetic water oxidation: Combining biophysical studies of photosystem II with inorganic model chemistry. *Biochim. Biophys. Acta*, 1503(1-2); 229–245, 2001a.
- J. S. Vrettos, D. A. Stone und G. W. Brudvig. Quantifying the ion selectivity of the  $\text{Ca}^{2+}$  site in photosystem II: Evidence for direct involvement of  $\text{Ca}^{2+}$  in  $\text{O}_2$  formation. *Biochemistry*, 40(26); 7937–7945, 2001b.
- M. Weik. Low-temperature behavior of water confined by biological macromolecules and its relation to protein dynamics. *Eur. Phys. J. E*, 12(1); 153–158, 2003.
- M. Weik, R. B. Ravelli, G. Kryger, S. McSweeney, M. L. Raves, M. Harel, P. Gros, I. Silman, J. Kroon und J. L. Sussman. Specific chemical and structural damage to proteins produced by synchrotron radiation. *Proc. Natl. Acad. Sci. USA*, 97(2); 623–628, 2000.
- B. Welz und M. Sperling. *Atomabsorptionsspektrometrie*. Wiley-VCH, Weinheim, 4. Aufl., 1997.
- T. C. Weng, W. Y. Hsieh, E. S. Uffelman, S. W. Gordon-Wylie, T. J. Collins, V. L. Pecoraro und J. E. Penner-Hahn. XANES evidence against a manganyl species in the  $\text{S}_3$  state of the oxygen-evolving complex. *J. Am. Chem. Soc.*, 126(26); 8070–8071, 2004.
- J. Whitmarsh und Govindjee. Photosystem II. *Encyclopedia of Life Sciences*, S. 1–13, 2002.
- K. Wieghardt. Die aktiven Zentren in manganhaltigen Metallproteinen und anorganische Modellkomplexe. *Angew. Chem.*, 101(9); 1179–1198, 1989.
- E. Wieteska, A. Zioek und A. Drzewinska. Extraction as a method for preparation of vegetable samples for the determination of trace metals by atomic absorption spectrometry. *Analytica Chimica Acta*, 330(2-3); 251–257, 1996.
- V. K. Yachandra. X-ray absorption spectroscopy and applications in structural biology. In *Methods in enzymology - Biochemical spectroscopy*. K. Sauer, Hg., S. 638–678. Academic Press, New York, 1995.
- V. K. Yachandra. Structure of the manganese complex in photosystem II: Insights from X-ray spectroscopy. *Philos. Trans. R. Soc. London, Ser. B*, 357(1426); 1347–1357, 2002.
- V. K. Yachandra, V. J. DeRose, M. J. Latimer, I. Mukerji, K. Sauer und M. P. Klein. Where plants make oxygen: A structural model for the photosynthetic oxygen-evolving manganese cluster. *Science*, 260(5108); 675–679, 1993.
- V. K. Yachandra, K. Sauer und M. P. Klein. Manganese cluster in photosynthesis: Where plants oxidize water to dioxygen. *Chem. Rev.*, 96(7); 2927–2950, 1996.
- J. Yano, J. Kern, K. D. Irrgang, M. J. Latimer, U. Bergmann, P. Glatzel, Y. Pushkar, J. Biesiadka, B. Loll, K. Sauer, J. Messinger, A. Zouni und V. K. Yachandra. X-ray damage to the  $\text{Mn}_4\text{Ca}$  complex in single crystals of photosystem II: A case study for metalloprotein crystallography. *Proc. Natl. Acad. Sci. USA*, 102(34); 12047–12052, 2005.
- J. Yano, K. Sauer, J.-J. Girerd und V. K. Yachandra. Single crystal X- and Q-band EPR spectroscopy of a binuclear  $\text{Mn}_2(\text{III,IV})$  complex relevant to the oxygen-evolving complex of photosystem II. *J. Am. Chem. Soc.*, 126(24); 7486–7495, 2004.
- C. F. Yocum. Calcium activation of photosynthetic water oxidation. *Biochim. Biophys. Acta*,

- 1059(1); 1–15, 1991.
- L.-X. Zhang, H.-G. Liang, J. Wang, W.-R. Li und T.-Z. Yu. Fluorescence and Fourier-transform infrared spectroscopic studies on the role of disulfide bond in the calcium binding in the 33 kDa protein of photosystem II. *Photosynth. Res.*, 48(3); 379–384, 1996.
- J. L. Zimmermann und A. W. Rutherford. Electron paramagnetic resonance properties of the S<sub>2</sub> state of the oxygen-evolving complex of photosystem II. *Biochemistry*, 25(16); 4609–4615, 1986.
- A. Zouni, J. Kern, J. Frank, T. Hellweg, J. Behlke, W. Saenger und K. D. Irrgang. Size determination of cyanobacterial and higher plant photosystem II by gel permeation chromatography, light scattering, and ultracentrifugation. *Biochemistry*, 44(11); 4572–4581, 2005.
- A. Zouni, H. T. Witt, J. Kern, P. Fromme, N. Krauss, W. Saenger und P. Orth. Crystal structure of photosystem II from *Synechococcus elongatus* at 3.8 Å resolution. *Nature*, 409(6821); 739–743, 2001.