

7 LITERATURVERZEICHNIS

- AFEWERK, Y., CLAUSEN, P.-H., ABEBE, G., TILAHUN, G. & MEHLITZ, D. (2000).
Multiple-drug resistant *Trypanosoma congolense* populations in village cattle of Metekel district, north-west Ethiopia.
Acta Trop **76**, 231-8.
- AINANSHE, O. A., JENNINGS, F. W. & HOLMES, P. H. (1992).
Isolation of drug-resistant strains of *Trypanosoma congolense* from the lower Shabelle region of southern Somalia.
Trop Anim Health Prod **24**, 65-73.
- AKOL, G.W.O. & MURRAY, M. (1982).
Early events following challenge of cattle with tsetse infected with *Trypanosoma congolense*: Development of the local skin reaction.
Vet Rec **110**, 295-302.
- AKOL, G.W.O., AUTHIE, E., PINDER, M., MOLOO, S.K., ROELANTS, G.E. & MURRAY, M. (1986).
Susceptibility and immune responses of zebu and taurine cattle of West Africa to infection with *Trypanosoma congolense* transmitted by *Glossina morsitans centralis*.
Vet Immunol Immunopathol **11**, 361-73.
- ANENE, B. M., ONAH, D. N. & NAWA, Y. (2001).
Drug resistance in pathogenic African trypanosomes: what hopes for the future?
Vet Parasitol **96**, 83-100.
- ARTAMA, W. T., AGEY, M. W. & DONELSON, J. E. (1992).
DNA comparisons of *Trypanosoma evansi* (Indonesia) and *Trypanosoma brucei* spp.
Parasitology **104**, 67-74.
- ASSOKU, R. K. & GARDINER, P. R. (1989).
Detection of antibodies to platelets and erythrocytes during infection with haemorrhage-causing *Trypanosoma vivax* in Ayrshire cattle.
Vet Parasitol **31**, 199-216.
- AUTHIE, E. (1984).
Mise en évidence d'une résistance aux trypanocides parmi des souches de *Trypanosoma congolense* récemment isolées au Burkina.
Rev Elev Méd Vét Pays trop **37**, 219-35.
- AUTHIE, E. & POBEL, T. (1990).
Serum haemolytic and C3 levels in bovine trypanosomiasis under natural conditions of challenge – early indication of individual susceptibility to disease.
Vet Parasitol **35**, 43-59.
- BARRETT, M. P., ZHANG, Z. Q., DENISE, H., GIROUD, C. & BALTZ, T. (1995).
A diamidine-resistant *Trypanosoma equiperdum* clone contains a P2 purine transporter with reduced substrate affinity.
Mol Biochem Parasitol **73**, 223-9.

- BARRETT, M. P. & FAIRLAMB, A. H. (1999).
The biochemical basis of arsenical-diamidine crossresistance in African trypanosomes.
Parasitol Today **15**, 136-40.
- BARRETT, K. & OKALI, C. (1998).
Partnerships for Tsetse Control – Community Participation and other options.
PAAT position paper; www.fao.org/paat/html/1pps.htm.
- BAUER, B., KABORE, I., LIEBISCH, A., MEYER, F. & PETRICH-BAUER, J. (1992).
Simultaneous control of ticks and tsetse flies in Satiri, Burkina Faso, by the use of flumethrin pour on for cattle.
Trop Med Parasitol **43**, 41-6.
- BAUER, B., AMSLER-DELAFOSSÉ, S., CLAUSEN, P.-H., KABORE, I. & PETRICH-BAUER, J. (1995).
Successful application of deltamethrin pour on to cattle in a campaign against tsetse flies (*Glossina* spp.) in the pastoral zone of Samorogouan, Burkina Faso.
Trop Med Parasitol **46**, 183-9.
- BAUER, B. & SNOW, W. F. (1998).
Sustainable integrated disease management (IDM) for the control of African animal trypanosomosis: experiences in West Africa.
PAAT position paper; www.fao.org/paat/html/1pps.htm.
- BAUER, B., AMSLER-DELAFOSSÉ, S., KABORE, I. & KAMUANGA, M. (1999).
Improvement of cattle productivity through rapid alleviation of African animal trypanosomosis by integrated disease management practices in the agropastoral zone of Yale, Burkina Faso.
Trop Anim Health Prod **31**, 89-102.
- BENGALY, Z., KANWE, A. B. & DUVALLET, G. (1995).
Evaluation of an antigen detection-ELISA test for the diagnosis of trypanosomiasis in naturally infected cattle.
Trop Med Parasitol **46**, 284-6.
- BENGALY, Z., KASBARI, M., DESQUESNES, M. & SIDIBE, I. (2001).
Validation of a polymerase chain reaction assay for monitoring the therapeutic efficacy of diminazene aceturate in trypanosome-infected sheep.
Vet Parasitol **96**, 101-13.
- BENGALY, Z., SIDIBE, I., BOLY, H., SAWADOGO, L., & DESQUESNES, M. (2002).
Comparative pathogenicity of three genetically distinct *Trypanosoma congolense*-types in inbred Balb/c mice.
Vet Parasitol **105**, 111-18.
- BORST, P., VAN DER PLOEG, M., VAN HOEK, J.F.M., TAS, J. & JAMES, J. (1982).
On the DNA content and ploidy of trypanosomes.
Mol Biochem Parasitol **6**, 13-23.
- BRUN, R. & KUNZ, C. (1989).
In vitro drug sensitivity test for *Trypanosoma brucei* subgroup bloodstream trypomastigotes.
Acta Trop **46**, 361-68.

- BRUN, R. & MOLOO, S.K. (1982).
In vitro cultivation of animal-infective forms of a West African *T. vivax* stock.
Acta Trop **39**, 135-41.
- BUDD, L. T. (1999).
DFID-funded tsetse fly and trypanosomosis research and development since 1980 – an economic analysis.
DFID, Vol.2, London.
- CARTER, N.S. & FAIRLAMB, A.H. (1993).
Arsenical-resistant trypanosomes lack an unusual adenosine transporter.
Nature **361**, 173-75.
- CARTER, N.S., BERGER, B.J. & FAIRLAMB, A.H. (1995).
Uptake of diamidine drugs by the P2 nucleoside transporter in melarsen-sensitive and -resistant *Trypanosoma brucei brucei*.
J Biol Chem **270**, 28153-7.
- CARTER, N. S., BARRETT, M. P. & DE KONING, H. P. (1999).
A drug resistance determinant in *Trypanosoma brucei*.
Trends Microbiol **7**, 469-71.
- CHALLIER, A. (1973b).
La capacité vectorielle des glossines.
Rapport OCCGE/Centre Muraz, No. 5416/Doc. Tech. OCCGE, 22ff.
- CHALLIER, A. & LAVEISSIERE, C. (1973).
Un nouveau piège pour la capture des glossines (*Glossina* : *Diptera*, *Muscidae*) : description et essais sur le terrain.
Cah. ORSTOM. Sér. Ent. Méd. Parasitol., XI, 251-262.
- CLAUSEN, P.-H., SIDIBE, I., KABORE, I. & BAUER, B. (1992).
Development of multiple drug resistance of *Trypanosoma congolense* in Zebu cattle under high natural tsetse fly challenge in the pastoral zone of Samorogouan, Burkina Faso.
Acta Trop **51**, 229-36.
- CLAUSEN, P.-H., GEBRESELASSIE, G., ABDITCHO, S., MEHLITZ, D. & STAAK, C. (1998).
Detection of trypanosome DNA in serologically positive but aparasitaemic horses suspected of dourine in Ethiopia.
Tokai J Exp Clin Med **23**, 303-8.
- CLAUSEN, P.-H., WIEMANN, A., PATZELT, R., KAKAIRE, D., POETZSCH, C., PEREGRINE, A. & MEHLITZ, D. (1998).
Use of a PCR assay for the specific and sensitive detection of *Trypanosoma spp.* in naturally infected dairy cattle in peri-urban Kampala, Uganda.
Ann N Y Acad Sci **849**, 21-31.

- CLAUSEN, P.-H., WAISWA, C., KATUNGUKA-RWAKISHAYA, E., SCHARES, G., STEUBER, S. & MEHLITZ, D. (1999).
Polymerase chain reaction and DNA probe hybridization to assess the efficacy of diminazene treatment in *Trypanosoma brucei*-infected cattle.
Parasitol Res **85**, 206-11.
- CLAUSEN, P.-H., LEENDERTZ, F. H., BLANKENBURG, A., TIETJEN, U., MEHLITZ, D., SIDIBE, I. & BAUER, B. (1999).
A drug incubation Glossina infectivity test (DIGIT) to assess the susceptibility of *Trypanosoma congolense* bloodstream forms to trypanocidal drugs (Xenodiagnosis).
Acta Trop **72**, 111-7.
- CLAUSEN, P.-H., SCHARES, G., PATZELT, R.J., POETSCH, C.J., SCHEER, A., KAKAIRE, D., OLILA, D., PEREGRINE, A.S., MCDERMOTT, J. & MEHLITZ, D. (2001).
PCR and DNA-probe hybridization to assess the efficacy of therapeutic and prophylactic isometamidium treatment in *Trypanosoma* spp.- infected dairy cattle in peri-urban Kampala, Uganda.
In: Proceedings of the 25th Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Mombasa, Kenya; OAU/STRC Publ. No 120, 429-34.
- CODJIA, V., MULATU, W., MAJIWA, P. A., LEAK, S. G., ROWLANDS, G. J., AUTHIE, E., D'ETEREN, G. D. & PEREGRINE, A. S. (1993).
Epidemiology of bovine trypanosomiasis in the Ghibe valley, southwest Ethiopia. 3. Occurrence of populations of *Trypanosoma congolense* resistant to diminazene, isometamidium and homidium.
Acta Trop **53**, 151-63.
- COLLETT, D., STEPNIIEWSKA, K. (1999).
Some practical issues in binary data analysis.
Stat Med **18**, 2209-21.
- CONNOR, R.J. (1994).
African Animal Trypanosomiasis.
In: Coetzer, Thomson, Tustin (Ed.), Infectious diseases of livestock.
Oxford University Press, Capetown 167-205.
- COOK, G.C. (1994).
Sir David Bruce's elucidation of the aetiology of *nagana* – exactly one hundred years ago.
Trans R Soc Trop Med Hyg **88**, 257-8.
- COUNTRYWATCH (2002).
Burkina Faso, Economic overview.
Countrywatch; <http://www.countrywatch.com>.
- CUISANCE, D., POLITZAR, H., MEROT, P., TAMBOURA, I., BAUER, B., KABORE, I. & FILLEDIER, J. (1986).
La campagne de lutte intégrée contre les glossines dans la zone pastorale d'accueil de Sideradougou (Republique de Burkina Faso).
In: Proceedings of the 18th Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Harare, Zimbabwe; OAU/STRC Publ. No 604, 334-343.

- DAMPER, D. & PATTON, C. L. (1976).
Pentamidine transport and sensitivity in *brucei*-group trypanosomes.
J Protozool **23**, 349-56.
- DE LA ROCQUE, S., LEFRANCOIS, T., REIFENBERG, J.M., SOLANO, P., KABORE, I., BENGALY, Z., AUGUSSEAU, X. & CUISANCE, D. (1998).
PCR analysis and spatial repartition of trypanosomes infecting tsetse flies in Sideradougou area of Burkina Faso.
Ann N Y Acad Sci **849**, 32-8.
- DE KONING, H.P. & JARVIS, S.M. (1999).
Purine transporters in bloodstream forms of *Trypanosoma brucei*: substrate recognition motifs and affinity for trypanocidal drugs.
Mol Biochem Parasitol **89**, 245-58.
- DESQUESNES, M., BENGALY, Z., MILLOGO, L., MEME, Y. & SAKANDE, H. (2001).
The analysis of the cross-reactions occurring in antibody-ELISA for the detection of trypanosomes can improve identification of the parasite species involved.
Ann Trop Med Parasitol **95**, 141-55.
- DESQUESNES, M., MCLAUGHLIN, G., ZOUNGRANA, A. & DAVILA, A.M. (2001).
Detection and identification of *Trypanosoma* of African livestock through a single PCR based on internal transcribed spacer 1 of rDNA.
Int J Parasitol **31**, 610-4.
- DIALLO, O., TOURE, O.B., DIARRA, B. & SANOGO, Y. (1992).
Trypanosomose et traitements trypanocides chez les veau N'Dama en milieu fortement infesté de glossines (ranch de Madina-Diassa).
Rev Elev Méd vét Pays trop **45**, 155-161.
- DIARRA, B. (2001).
Caractérisation de la sensibilité à l'isométabidium et au diminazène des phénotypes de trypanosomes isolés dans la Province du KénéDougou au Burkina Faso.
Thèse Doct., Université Cheikh Anta Diop de Dakar, Senegal, No d'ordre : /253, 177pp.
- DICKIN, S.K. & GIBSON, W.C. (1989).
Hybridization with repetitive probe reveals the presence of small chromosomes in *Trypanosoma vivax*.
Mol Biochem Parasitol **33**, 135-42.
- D'ETEREN, G.D.M., AUTHIE, E., WISSOCQ, N. & MURRAY, M. (1998).
Trypanotolerance, an option for sustainable livestock production in areas at risk from trypanosomosis.
Rev sci tech Off int Epiz **17** (1).
- DOLAN, R. B. (1987).
Genetics and Trypanotolerance.
Parasitology Today **3**, 137-143.

- DOLAN, R.B., STEVENSON, P.G., ALUSHULA, H. & OKECH, G. (1992).
Failure of chemoprophylaxis against bovine trypanosomiasis on Galana Ranch in Kenya.
Acta Trop **51**, 113-21.
- DOWLER, M.E., SCHILLINGER, D. & CONNOR, R.J. (1989).
Notes on the routine intravenous use of isometamidium in the control of bovine trypanosomiasis on the Kenya coast.
Trop Anim Hlth Prod **21**, 4-10.
- DUVALLET, G., BENGALY, Z., REIFENBERG, J.M. & ARGIRO, L. (1993).
De nouveaux outils pour le diagnostic et l'épidémiologie de la trypanosomose animale africaine.
In: Biotechnologies du diagnostic et de la prévention des maladies animales, II^e Journées Scientifiques du Réseau Biotechnologies Animales de l'UREF, 19-29.
- DWINGER, R.H., HOLLAND, W.G., WINT, W., NDEGWA, T.K., KASSIM, S.S., HONGJIE, P. & SLINGENBERGH, J.H.W. (2000).
Study of trypanosome and anaemia indicators during the eradication of tsetse flies from Unguja Island, United Republic of Tanzania.
In: Animal trypanosomosis: Diagnosis and Epidemiology. Results of a FAO/IAEA Co-ordinated Research Programme on the use of immunoassay methods for improved diagnosis of trypanosomosis and monitoring tsetse and trypanosomosis control programmes. Backhuys Publishers, Leiden, The Netherlands, 141-154.
- EDINGLOH, M., MERCK, C. C. & MANZ, E. (1999).
Multiplex-PCR zum diagnostischen Nachweis von *Coxiella burnetii* aus Kuhmilch.
Berl Münch Tierärztl Wschr **112**, 5-9.
- EDWARDS, M. C. & GIBBS, R. A. (1994).
Multiplex PCR: advantages, development, and applications.
PCR Methods Appl **3**, 65-75.
- EISLER, M.C., GAULT, E.A., SMITH, H.V., PEREGRINE, A.S. & HOLMES, P.H. (1993).
Evaluation and improvement of an enzyme-linked immunosorbent assay for the detection of isometamidium in bovine serum.
Ther Drug Monit **15**, 236-42.
- EISLER, M.C., AROWOLO, R.O., GAULT, E.A., MOLOO, S.K., HOLMES, P.H. & PEREGRINE, A.S. (1994).
Isometamidium concentrations in the sera of Boran cattle: correlation with prophylaxis against tsetse-transmitted *Trypanosoma congolense*.
Acta Trop **56**, 39-50.
- EISLER, M.C., ELLIOT, C.T. & HOLMES, P.H. (1996).
A simple competitive enzyme immunoassay for the detection of the trypanocidal drug isometamidium.
Ther Drug Monit **18**, 73-79.

- EISLER, M.C., GAULT, E.A., MOLOO, S.K., HOLMES, P.H. & PEREGRINE, A.S. (1997).
Concentrations of isometamidium in the sera of cattle challenged with drug-resistant *Trypanosoma congolense*.
Acta Trop **63**, 89-100.
- EISLER, M.C., LESSARD, P., MASAKE, R.A., MOLOO, S.K. & PEREGRINE, A.S. (1998).
Sensitivity and specificity of antigen-capture ELISAs for diagnosis of *Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle.
Vet Parasitol **79**, 187-201.
- EISLER, M.C., HOPKINS, J.S., MACHILA, N., VAN DEN BOSSCHE, P., PEREGRINE, A.S. & LUCKINS, A.G. (2000).
Evaluation of antigen and antibody ELISA's for epidemiological surveys of tsetse-transmitted trypanosomosis in cattle.
In: Animal trypanosomosis: Diagnosis and Epidemiology. Results of a FAO/IAEA Co-ordinated Research Programme on the use of immunoassay methods for improved diagnosis of trypanosomosis and monitoring tsetse and trypanosomosis control programmes. Backhuys Publishers, Leiden, The Netherlands, 21-36.
- EISLER, M. C., BRANDT, J., BAUER, B., CLAUSEN, P.-H., DELESPAUX, V., HOLMES, P. H., ILEMOBADE, A., MACHILA, N., MBWAMBO, H., MCDERMOTT, J., MEHLITZ, D., MURILLA, G., NDUNG'U, J. M., PEREGRINE, A. S., SIDIBE, I., SINYANGWE, L. & GEERTS, S. (2001).
Standardised tests in mice and cattle for the detection of drug resistance in tsetse-transmitted trypanosomes of African domestic cattle.
Vet Parasitol **97**, 171-82.
- FAO (1994).
Opening address of Y. Cheneau. A systematic approach to tsetse and trypanosomiasis control.
In: Proceedings of the FAO Panels of Experts, Rome, Italy; FAO Animal and Production Health Paper 121, 1-3.
- FELDMANN, U. & HENDRICH, J. (1998).
Integrating the Sterile Insect Technique as a key component of area-wide tsetse and trypanosomosis intervention.
PAAT position paper; www.fao.org/paat/html/1pps.htm.
- FINELLE, P. & YVORE, P. (1962).
Quelques observations sur la chimiorésistance.
In: Proceedings of the 9th meeting of the International Scientific Council for Trypanosomiasis Research, Conakry, Guinea; CCTA Publ. 88, 107-10.
- FOLKERS, C. (1966).
The effect of repeated use of isometamidium at low dosage on development of drug-resistant strains of cattle trypanosomes.
Bull Epizoot Dis Afr **14**, 301-10.

- FOX, R. G., MMBANDO, S. O., FOX, M. S. & WILSON, A. (1993).
Effect on herd health and productivity of controlling tsetse and trypanosomosis by applying deltamethrin to cattle.
Trop Anim Health Prod **25**, 203-14.
- FREY, H. H. & LÖSCHER, W. (1996).
Mittel gegen Haemoprotozoen.
In: Lehrbuch der Pharmakologie und Toxikologie für die Veterinärmedizin.
Ferdinand Enke Verlag, Stuttgart, 527-31.
- FROMMEL, T. O. & BALBER, A. E. (1987).
Flow cytofluorimetric analysis of drug accumulation by multidrug-resistant *Trypanosoma brucei brucei* and *T. b. rhodesiense*.
Mol Biochem Parasitol **26**, 183-91.
- GARDINER, P. R. (1989).
Recent studies of the biology of *Trypanosoma vivax*.
Adv Parasitol **28**, 229-317.
- GASHUMBA, J. K., OWINO, H. O., LIWO, D. A., OKORI, E. E. & MUDAMBI-NADIDE, M. (1983).
Field application of the miniature anion-exchange/centrifugation technique in the Bugosa sleeping sickness epidemic.
Trans R Soc Trop Med Hyg **77**, 277-8.
- GASHUMBA, J. K. (1986).
Two enzymically distinct stocks of *Trypanosoma congolense*.
Res Vet Sci **40**, 411-2.
- GASHUMBA, J. K., BAKER, R. D. & GODFREY, D. G. (1988).
Trypanosoma congolense: the distribution of enzymatic variants in East and West Africa.
Parasitol **96**, 475-86.
- GEERTS, S. & HOLMES, P. H. (1998).
Drug management and parasite resistance in bovine trypanosomiasis in Africa.
PAAT Technical Sciences Series, No 1, FAO, Rom.
- GIBSON, W. & BORST, P. (1986).
Size-fractionation of the small chromosomes of *Trypanozoon* and *Nannomonas* trypanosomes by pulsed field gradient electrophoresis.
Mol Biochem Parasitol **18**, 127-140.
- GIBSON, W. C., DUKES, P. & GASHUMBA, J. K. (1988).
Species-specific DNA probes for the identification of African trypanosomes in tsetse flies.
Parasitology **97**, 63-73.
- GOTTESDIENER, K., GARCIA-ANOVEROS, J., LEE, M. G. & VAN DER PLOEG, L. H. (1990).
Chromosome organization of the protozoan *Trypanosoma brucei*.
Mol Cell Biol **10**, 6079-83.

- GRABER, M. (1968).
Note on the resistance to berenil of a Chad strain of *Trypanosoma vivax*.
Rev Elev Med Vet Pays Trop **21**, 463-6.
- GRAY, M. A., KIMARUA, R. W., PEREGRINE, A. S. & STEVENSON, P. (1993).
Drug sensitivity screening *in vitro* of populations of *Trypanosoma congolense* originating from cattle and tsetse flies at Nguruman, Kenya.
Acta Trop **55**, 1-9.
- HAWKING, F. (1963).
Drug-resistance of *Trypanosoma congolense* and other trypanosomes to quinapyramine, phenanthridines, Berenil and other compounds in mice.
Ann Trop Med Parasitol **57**, 262-82.
- HENEGARIU, O. (1997).
PCR and Multiplex-PCR: Guide and troubleshooting.
Yale University; <http://info.med.yale.edu/genetics/ward/avi/PCR.html>.
- HIGUCHI, R. (1989).
Simple and rapid preparation of samples for PCR.
In: Ehrlich (Ed.), PCR Technology, Stockton Press, New York, 31-38.
- HIRUMI, H., DOYLE, J.J. & HIRUMI, K. (1977).
African trypanosomes: cultivation of animal-infective *Trypanosoma brucei* in vitro.
Science **196**, 992-4.
- HIRUMI, H., DOYLE, J.J. & HIRUMI, K. (1977).
Cultivation of bloodstream *Trypanosoma brucei*.
Bull World Health Organ **55**, 405-9.
- HIRUMI, H. & HIRUMI, K. (1984).
Continuous cultivation of animal-infective bloodstream forms of an East African *Trypanosoma congolense* stock.
Ann Trop Med Parasitol **78**, 327-30.
- HOARE, C.A. (1972).
The trypanosomes of mammals : a zoological monograph.
Blackwell Scientific Publications, Oxford.
- HILL, G.C. & HIRUMI, H., (1983).
African trypanosomes.
In: J.B. Jensen, *In Vitro* cultivation of Protozoan Parasites. CRC Press, Boca Raton, FL, 193-219.
- ICPTV (2000).
Conclusions and recommendations of a workshop on drug delivery and resistance in the context of integrated disease management.
Newsletter No 2 of EU Concerted Action on Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV), Nairobi.

- ILEMOBADE, A.A. & BUYS, J. (1970).
The isolation of a strain of *Trypanosoma vivax* resistant against Novidium from cattle in Northern Nigeria.
Vet Rec **87**, 761-2.
- JEUNE AFRIQUE ATLASES (1998).
Burkina Faso.
Les éditions J. A. aux éditions du Jaguar, 57 bis, rue d'Auteuil, 75016 Paris.
- JONGEJAN, F., OOIJEN, C.J., ZIVKOVIC, D. & TER HUURNE, A.A. (1988).
Quantitative correlation of parasitological and serological techniques for the diagnosis of *Trypanosoma congolense* infection in cattle.
Vet Q **10**, 42-7.
- JOSHUA, R.A. (1988).
Drug resistance in recent Isolates of *Trypanosoma brucei* and *Trypanosoma congolense*.
Rev Elev Med Vet Pays Trop **41**, 359-64.
- JOSHUA, R.A., OBWOLO, M.J., BWANGAMOI, O. & MANDEBVU, E. (1995).
Resistance to diminazine aceturate by *Trypanosoma congolense* from cattle in the Zambezi Valley of Zimbabwe.
Vet Parasitol **60**, 1-6.
- KAGERUKA, P., KABORE, H., MARCOTTY, T., IBOUESSE, J.F., DE DEKEN, R., GEERTS, S., LEMMOUCHI, Y. & SCHACHT, E. (1996).
Comparative evaluation of the prophylactic effect of slow release devices containing homidium bromide and isometamidium on *Trypanosoma congolense* in rabbits.
Vet Parasitol **63**, 179-85.
- KALU, A.U., Edeghere, H.,U. & Lawani, F.A. (1986).
Comparison of diagnostic techniques during subclinical single infections of trypanosomiasis in goats
Vet Parasitol **22**, 37-47.
- KALU, A.U. (1995).
Sensitivity of animal-derived *Trypanozoon* stocks from sleeping sickness endemic foci of Nigeria to trypanocides and human plasma.
Rev Elev Med Vet Pays Trop **48**, 139-44.
- KAMINSKY, R., CHUMA, F. & ZWEYGARTH, E. (1989).
Trypanosoma brucei brucei: expression of drug resistance in vitro.
Exp Parasitol **69**, 281-9.
- KAMINSKY, R., GUMM, I.D., ZWEYGARTH, E. & CHUMA, F. (1990).
A drug incubation infectivity test (DIIT) for assessing resistance in trypanosomes.
Vet Parasitol **34**, 335-43.
- KAMINSKY, R. & BRUN, R. (1993).
In vitro assays to determine drug sensitivities of African trypanosomes: a review.
Acta Trop **54**, 279-89.

- KAMUANGA, M., SIGUE, H., SWALLOW, B., BAUER, B. & D'ETEREN, G. (2001).
Farmers' perceptions of the impacts of tsetse and trypanosomosis control on livestock production: evidence from southern Burkina Faso.
Trop Anim Health Prod **33**, 141-53.
- KAMUANGA, M. (2001).
Role and importance of socio-economic and agricultural factors in the research and control of trypanosomiasis.
The Programm Against African Trypanosomiasis, Meeting of the Panel of Advisory Group Co-ordinators, Ouagadougou, Burkina Faso, 26-28 September 2001, Working Document for Discussion, Position Paper Part 2.
- KANMOGNE, G. D., ASONGANYI, T. & GIBSON, W.C. (1996).
Detection of *Trypanosoma brucei gambiense*, in serologically positive but aparasitaemic sleeping-sickness suspects in Cameroon, by PCR.
Ann Trop Med Parasitol **90**, 475-83.
- KATAKURA, K., LUBINGA, C., CHITAMBO, H. & TADA, Y. (1997).
Detection of *Trypanosoma congolense* and *T. brucei* subspecies in cattle in Zambia by polymerase chain reaction from blood collected on a filter paper.
Parasitol Res **83**, 241-5.
- KENNETH, H. R. (1995).
Optimisation and troubleshooting in PCR.
PCR Methods Appl **4**, 185-94.
- KIMMEL, B.E., OLE-MOIYOI, O.K. & YOUNG, J.R. (1987).
Ingi, a 5.2-kb dispersed sequence element from *Trypanosoma brucei* that carries half of a smaller mobile element at either end and has homology with mammalian LINES.
Mol Cell Biol **7**, 1465-75.
- KINABO, L.D. (1993).
Pharmacology of existing drugs for animal trypanosomiasis.
Acta Trop **54**, 169-83.
- KNOWLES, G., BETSCHART, B., KUKLA, B.A., SCOTT, J.R. & MAJIWA, P.A. (1988).
Genetically discrete populations of *Trypanosoma congolense* from livestock on the Kenyan coast.
Parasitology **96**, 461-74.
- KUKLA, B.A., MAJIWA, P.A., YOUNG, J.R., MOLOO, S.K. & OLE-MOIYOI, O.K. (1987).
Use of species-specific DNA probes for detection and identification of trypanosome infection in tsetse flies.
Parasitology **95**, 1-16.
- KÜPPER, W. & WOLTERS, M. (1983).
Observation on drug resistance of *Trypanosoma* (Nannomonas) *congolense* and *Trypanosoma* (Duttonella) *vivax* in cattle at a feedlot in the Northern Ivory Coast.
Tropenmed Parasitol **34**, 203-5.

- KUZOE, F.A.S. (1991).
Perspectives in research on and control of African trypanosomiasis.
Ann Trop Med Parasitol **85**, 33-41.
- LANHAM, S.M. & GODFREY, D.G. (1970).
Isolation of salivarian trypanosomes from man and other mammals using DEAE-cellulose.
Exp Parasitol **28**, 521-34.
- LANHAM, S.M., WILLIAMS, J.E. & GODFREY, D.G. (1972).
Detection of low concentrations of trypanosomes in blood by column-separation and membrane-filtration.
Trans R Soc Trop Med Hyg **66**, 624-7.
- LEAK, S.G.A., WOULDYALEW, MULATU, AUTHIE, E. & D'ETEREN, G.D.M. (1995).
A trial of cypermethrin « pour on » insecticide to control *Glossina pallidipes*, *G. fuscipes fuscipes* and *G. morsitans submorsitans* (Diptera: Glossinidae) in southwest Ethiopia.
Bull Entomol Res **85**, 241-51.
- LEAK, S.G., PEREGRINE, A.S., MULATU, W., ROWLANDS, G.J. & D'ETEREN, G. (1996).
Use of insecticide-impregnated targets for the control of tsetse flies (*Glossina* spp.) and trypanosomiasis occurring in cattle in an area of south-west Ethiopia with a high prevalence of drug-resistant trypanosomes.
Trop Med Int Health **1**, 599-609.
- LEEFLANG, P., BUYS, J. & BLOTKAMP, C. (1976).
Studies on *Trypanosoma vivax*: infectivity and serial maintenance of natural bovine isolates in mice.
Int J Parasitol **6**, 413-7.
- LEFRANCOIS, T., SOLANO, P., DE LA ROCQUE, S., BENGALY, Z., REIFENBERG, J.M., KABORE, I. & CUISANCE, D. (1998).
New epidemiological features on animal trypanosomiasis by molecular analysis in the pastoral zone of Sidéradougou, Burkina Faso.
Molec Ecol **7**, 897-904.
- LEFRANCOIS, T., SOLANO, P., BAUER, B., KABORE, I., TOURE, S.M., CUNY, G. & DUVALLET, G. (1999).
Polymerase chain reaction characterization of trypanosomes in *Glossina morsitans submorsitans* and *G. tachinoides* collected on the game ranch of Nazinga, Burkina Faso.
Acta Trop **72**, 65-77.
- LEWIS, A.R. & THOMSON, J.W. (1974).
Observations on a isometamidium resistant strain of *Trypanosoma congolense* in Rhodesia.
Rhod Vet J **4**, 62-67.
- LUCKINS, A.G. (1977).
Detection of antibodies in trypanosome-infected cattle by means of a microplate enzyme-linked immunosorbent assay.
Trop Anim Health Prod **9**, 53-62.

- LUCKINS, A.G. & MEHLITZ, D. (1978).
Evaluation of an indirect fluorescent antibody test, enzyme-linked immunosorbent assay and quantification of immunoglobulins in the diagnosis of bovine trypanosomiasis.
Trop Anim Health Prod **10**, 149-159.
- LUMSDEN, W.H.R., KIMBER, C.D., EVANS, D.A. & DOIG, S.J. (1979).
Trypanosoma brucei: Miniature-Anion Exchange Centrifugation Technique for detection of low parasitaemias: Adaptation for field use.
Trans R Soc Trop Med Hyg **73**, 312-317.
- MAJIWA, P.A., HAMERS, R., VAN MEIRVENNE, N. & MATTHYSSENS, G. (1986).
Evidence for genetic diversity in *Trypanosoma* (*Nannomonas*) *congolense*.
Parasitology **93**, 291-304.
- MAJIWA, P.A., YOUNG, J.R., HAMERS, R. & MATTHYSSENS, G. (1986).
Minichromosomal variable surface glycoprotein genes and molecular karyotypes of *Trypanosoma* (*Nannomonas*) *congolense*.
Gene **41**, 183-92.
- MAJIWA; P.A.O. (1989).
Recombinant DNA probes as tools for epidemiological studies of parasitic diseases. *Discovery and Innovation* **1**, 35-40.
- MAJIWA, P.A. & OTIENO, L. H. (1990).
Recombinant DNA probes reveal simultaneous infection of tsetse flies with different trypanosome species.
Mol Biochem Parasitol **40**, 245-53.
- MAJIWA, P.A., MAINA, M., WAITUMBI, J.N., MIHOK, S. & ZWEYGARTH, E. (1993).
Trypanosoma (*Nannomonas*) *congolense*: molecular characterization of a new genotype from Tsavo, Kenya.
Parasitology **106**, 151-62.
- MAJIWA, P.A., THATTHI, R., MOLOO, S.K., NYEKO, J.H., OTIENO, L.H. & MALOO, S. (1994).
Detection of trypanosome infections in the saliva of tsetse flies and buffy-coat samples from antigenaemic but aparasitaemic cattle.
Parasitology **108**, 313-22.
- MASAKE, R.A., MOLOO, S.K., NANTULYA, V.M., MINJA, S.H., MAKAU, J.M. & NJUGUNA, J. T. (1995).
Comparative sensitivity of antigen-detection enzyme immunosorbent assay and the microhaematocrit centrifugation technique in the diagnosis of *Trypanosoma brucei* infections in cattle.
Vet Parasitol **56**, 37-46.
- MASAKE, R.A., MAJIWA, P.A., MOLOO, S.K., MAKAU, J.M., NJUGUNA, J.T., MAINA, M., KABATA, J., OLE-MOIYOI, O.K. & NANTULYA, V.M. (1997).
Sensitive and specific detection of *Trypanosoma vivax* using the polymerase chain reaction.
Exp Parasitol **85**, 193-205.

- MASAKE, R.A., NYAMBATI, V.M., NANTULYA, V.M., MAJIWA, P.A., MOLOO, S.K., & MUSOKE, A.J. (1988).
The chromosome profiles of *Trypanosoma congolense* isolates from Kilifi, Kenya and their relationship to serodeme identity.
Mol Biochem Parasitol **30**, 105-12.
- MASSAMBA, N.N. & WILLIAMS, R.O. (1984).
Distinction of African trypanosome species using nucleic acid hybridization.
Parasitology **88**, 55-65.
- MASIGA, D.K., SMYTH, A.J., HAYES, P., BROMIDGE, T.J. & GIBSON, W.C. (1992).
Sensitive detection of trypanosomes in tsetse flies by DNA amplification.
Int J Parasitol **22**, 909-18.
- MASIGA, D.K., MCNAMARA, J.J. & GIBSON, W.C. (1996).
A repetitive DNA sequence specific for *Trypanosoma (Nannomonas) godfreyi*.
Vet Parasitol **62**, 27-33.
- MASIGA, D.K., MCNAMARA, J.J., LAVEISSIERE, C., TRUC, P. & GIBSON, W.C. (1996).
A high prevalence of mixed trypanosome infections in tsetse flies in Sinfra, Cote d'Ivoire, detected by DNA amplification.
Parasitology **112**, 75-80.
- MATTIOLI, R.C., FAYE, J.A. & JAITNER, J. (2001).
Estimation of trypanosomal status by the buffy coat technique and an antibody ELISA for assessment of the impact of trypanosomosis on health and productivity of N'Dama cattle in The Gambia.
Vet Parasitol **95**, 25-35.
- MBWAMBO, H.A., MELLA, P.N.P. & LEKAKI, K.A. (1988).
Berenil (diminazene aceturate)-resistant *Trypanosoma congolense* in cattle under natural tsetse challenge at Kibaha, Tanzania.
Acta Trop **45**, 239-44.
- MCDERMOTT, J.J., SIDIBÉ, I., BAUER, B., DIARRA, B., CLAUSEN, P.-H., WOITAG, T., OUEDRAOGO, D., KAMUANGA, M., PEREGRINE, A.S., EISLER, M.C. & MEHLITZ, D. (2000).
Field studies on the development and impact of drug resistant animal trypanosomes in market-oriented production systems in the southern Guinean Zone of West Africa.
Newsletter ICPTV **2**: 18-21.
- MCNAMARA, J.J., DUKES, P., SNOW, W.F. & GIBSON, W.C. (1989).
Use of DNA probes to identify *Trypanosoma congolense* and *T. simiae* in tsetse flies from The Gambia.
Acta Trop **46**, 55-61.
- MCNAMARA, J.J., MOHAMMED, G. & GIBSON, W.C. (1994).
Trypanosoma (Nannomonas) godfreyi sp. nov. from tsetse flies in The Gambia: biological and biochemical characterization.
Parasitology **109**, 497-509.

- MCNAMARA, J.J., LAVEISSIERE, C. & MASIGA, D.K. (1995).
Multiple trypanosome infections in wild tsetse in Cote d'Ivoire detected by PCR analysis and DNA probes.
Acta Trop **59**, 85-92.
- MEHLHORN, H. & PIEKARSKI, G. (1995).
Grundriss der Parasitenkunde.
Gustav Fischer Verlag, Stuttgart.
- MEHLITZ, D. (1978).
Untersuchungen zur Empfänglichkeit von *Mastomys natalensis* für *Trypanosoma (Trypanozoon) brucei gambiense*.
Tropenmed Parasit **29**, 101-107.
- MEHLITZ, D. (1986).
Le réservoir animal de la maladie du sommeil à *Trypanosoma brucei gambiense*.
Etudes et Synthèses de l'IEMVT, GTZ 18.
- MILLER, E.N. & TURNER, M.J. (1981).
Analysis of antigenic types appearing in first relapse populations of clones of *Trypanosoma brucei*.
Parasitology **82**, 63-80.
- MOHAMED-AHMED, M.M., RAHMAN, A.H. & ABDEL KARIM, E.I. (1992).
Multiple drug-resistant bovine trypanosomes in South Darfur Province, Sudan.
Trop Anim Health Prod **24**, 179-81.
- MOLOO, S.K. & KUTUZA, S.B. (1990).
Expression of resistance to isometamidium and diminazene in *Trypanosoma congolense* in Boran cattle infected by *Glossina morsitans centralis*.
Acta Trop **47**, 79-89.
- MORLAIS, I., GREBAUT, P., BODO, J.M., DJOHA, S., CUNY, G. & HERDER, S. (1998).
Detection and identification of trypanosomes by polymerase chain reaction in wild tsetse flies in Cameroon.
Acta Trop **70**, 109-17.
- MOSER, D.R., COOK, G.A., OCHS, D.E., BAILEY, C.P., MCKANE, M.R. & DONELSON, J.E. (1989).
Detection of *Trypanosoma congolense* and *Trypanosoma brucei* subspecies by DNA amplification using the polymerase chain reaction.
Parasitology **99**, 57-66.
- MULUGETA, W., WILKES, J., MULATU, W., MAJIWA, P.A., MASAKE, R. & PEREGRINE, A.S. (1997).
Long-term occurrence of *Trypanosoma congolense* resistant to diminazene, isometamidium and homidium in cattle at Ghibe, Ethiopia.
Acta Trop **64**, 205-17.

- MUGITTU, K.N., SILAYO, R.S., MAJIWA, P.A., KIMBITA, E.K., MUTAYOBA, B.M. & MASELLE, R. (2001).
Application of PCR and DNA probes in the characterisation of trypanosomes in the blood of cattle in farms in Morogoro, Tanzania.
Vet Parasitol **94**, 177-89.
- MULLIGAN, H.W. (1970).
The African trypanosomiasis.
George Allen and Unwin, London.
- MUNZINGER ARCHIV (1997).
Burkina Faso.
In: Internationales Handbuch – Länder aktuell, Munzinger Archiv GmbH, Ravensburg.
- MURRAY, M., MURRAY, P.K. & MCINTYRE, W.I. (1977).
An improved parasitological technique for the diagnosis of African trypanosomiasis.
Trans R Soc Trop Med Hyg **71**, 325-6.
- MURRAY, M., MORRISON, W.I. & WHITELAW, D.D. (1982).
Host susceptibility to African trypanosomiasis : Trypanotolerance.
Adv Parasitol **21**, 1-68.
- MURRAY, M., TRAIL, J.C.M. & D'ETEREN, G.D.M. (1990).
Trypanotolerance in cattle and prospects for the control of trypanosomiasis by selective breeding.
Rev sci tech Off int Epiz **9**, 369-86.
- MWAMBU, P.M. & MAYENDE, J.S.P. (1971).
Berenil resistant *Trypanosoma vivax*, isolated from naturally infected cattle in Teso District, eastern Uganda.
In: Proceedings of the 13th Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Lagos, Nigeria; OAU/STRC Publ. No 105, 133-38.
- MYLER, P.J. (1993).
Molecular variation in trypanosomes.
Acta Trop **53**, 205-25.
- NAGALO, M. (1997).
Présentation de l'élevage au Burkina Faso.
Cinquième Conférence des Ministres chargés des ressources animales, Mbabane, Swaziland; Ministère des ressources animales, Direction des services vétérinaires, Ouagadougou, Burkina Faso.
- NANTULYA, V.M., DOYLE, J.J. & JENNI, L. (1978).
Studies on *Trypanosoma* (Nannomonas) *congolense*. I. On the morphological appearance of the parasite in the mouse.
Acta Trop **35**, 329-37.
- NANTULYA, V.M., MUSOKE, A.J., RURANGIRWA, F.R., SAIGAR, N. & MINJA, S.H. (1987).
Monoclonal antibodies that distinguish *Trypanosoma congolense*, *T. vivax* and *T. brucei*.
Parasite Immunol **9**, 421-431.

- NANTULYA, V.M. & LINDQVIST, K.J. (1989).
Antigen-detection enzyme immunoassays for the diagnosis of *Trypanosoma vivax*, *T. congolense* and *T. brucei* infections in cattle.
Trop Med Parasitol **40**, 267-72.
- NANTULYA, V.M., DOUA, F. & MOLISHO, S. (1992).
Diagnosis of *Trypanosoma brucei gambiense* sleeping sickness using an antigen detection enzyme-linked immunosorbent assay.
Trans R Soc Trop Med Hyg **86**, 42-5.
- NANTULYA, V.M., LINDQVIST, K.J., STEVENSON, P. & MWANGI, E.K. (1992).
Application of a monoclonal antibody-based antigen detection enzyme-linked immunosorbent assay (antigen ELISA) for field diagnosis of bovine trypanosomiasis at Nguruman, Kenya.
Ann Trop Med Parasitol **86**, 225-30.
- NEHR, H. (1991).
In: Hörburger, Nehr, Neuweg, Pichlwanger (Ed.), Burkina Faso – Unterentwicklung und Selbsthilfe in einem Sahel-Land.
Brandes & Apsel, Frankfurt 141-53.
- NYEKO, J.H., GOLDER, T.K., OTIENO, L.H. & SSENIONGA, G. S. (1989).
Trypanosoma congolense: drug resistance during cyclical transmissions in tsetse flies and syringe passages in mice.
Exp Parasitol **69**, 357-62.
- NYEKO, J.H.P., OLE-MOI YOI, O.K., MAJIWA, P.A.O., OTIENO, L.H. & OCIBA, P.M. (1990).
Characterization of trypanosome isolates from Uganda using species-specific DNA probes reveals predominance of mixed infections.
Insect Sci Applic **11**, 271-80.
- OAU, (2001).
Pan African Tsetse and Typanosomiasis Eradication Campaign (PATTEC). Plan of Action.
Organization of African Unity, Addis Ababa, Ethiopia.
- OBEXER, W., SCHMIDT, C., BARBE, J., GALY, J. P. & BRUN, R. (1995).
A novel *in vitro* screening assay for trypanocidal activity using the fluorescent dye BCECF-AM.
Trop Vet Parasitol **46**, 45-48.
- OUEDRAOGO, D. (2001).
Analyse socio-économique des pratiques de gestion de la trypanosomose animale et les facteurs associés au développement de la chimio-résistance dans la province du Kéné Dougou, Burkina Faso.
Thèse Doct., Université de Ouagadougou, Burkina Faso.
- OLE-MOI YOI, O.K. (1987).
Trypanosome species-specific DNA probes to detect infection in tsetse flies.
Parasitol Today **3**, 371-374.

- PARIS, J., MURRAY, M. & McODIMBA, F. (1982).
A comparative evaluation of the parasitological techniques currently available for the diagnosis of African trypanosomiasis in cattle.
Acta Tropica **39**, 307-316.
- PALING, R.W., MOLOO, S.K., SCOTT, J.R., LOGAN-HENFREY, L.L., MURRAY, M. & WILLIAMS, D.J.L. (1991).
Susceptibility of N'Dama and Boran cattle to tsetse-transmitted primary and rechallenge infections with homologous serodeme of *Trypanosoma congolense*.
Parasite Immunol **13**, 413-25.
- PELLMANN, C. (1999).
Untersuchungen zur Anwendbarkeit von zwei *in-vitro* Testsystemen zur Charakterisierung der Diminazeturat-Empfindlichkeit von *Trypanosoma brucei*-Feldisolaten aus Süd-Ost Uganda.
Diss., Fachber. Veterinärmed., FU-Berlin.
- PEREGRINE, A.S., KNOWLES, G., IBITAYO, A.I., SCOTT, J.R., MOLOO, S.K. & MURPHY, N.B. (1991).
Variation in resistance to isometamidium chloride and diminazene aceturate by clones derived from a stock of *Trypanosoma congolense*.
Parasitology **102**, 93-100.
- PEREGRINE, A.S. & MAMMAN, M. (1993).
Pharmacology of diminazene: a review.
Acta Trop **54**, 185-203.
- PEREGRINE, A.S. (1994).
Chemotherapy and delivery systems: haemoparasites.
Vet Parasitol **54**, 223-48.
- PINDER, M. & AUTHIE, E. (1984).
The appearance of isometamidium resistant *Trypanosoma congolense* in West Africa.
Acta Trop **41**, 247-52.
- RADWANSKA, M., CLAES F., MAGEZ, S., MAGNUS, E., LEJON, V., PAYS, E. & BÜSCHER, P. (2001).
Novel primer sequences for a PCR diagnosis of human African trypanosomiasis.
In: Provisional programme of the 26th Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Ouagadougou, Burkina Faso, 209.
- REBESKI, D.E., WINGER, E.M., VAN ROOIJ, E.M., SCHOCHL, R., SCHULLER, W., DWINGER, R.H., CROWTHER, J.R. & WRIGHT, P. (1999).
Pitfalls in the application of enzyme-linked immunoassays for the detection of circulating trypanosomal antigens in serum samples.
Parasitol Res **85**, 550-6.

- REBESKI, D.E., WINGER, E.M., ROBINSON, M.M., DWINGER, R.H. & CROWTHER, J.R. (2000).
Development, standardization and validation of ELISA methods to improve the control of trypanosomiasis.
In: Animal trypanosomiasis: Diagnosis and Epidemiology. Results of a FAO/IAEA Co-ordinated Research Programme on the use of immunoassay methods for improved diagnosis of trypanosomiasis and monitoring tsetse and trypanosomiasis control programmes. Backhuys Publishers, Leiden, The Netherlands, 11-19.
- REBESKI, D.E., WINGER, E.M., OUMA, J.O., KONG PAGES, S., BUSCHER, P., SANOGO, Y., DWINGER, R.H. & CROWTHER, J.R. (2001).
Charting methods to monitor the operational performance of ELISA method for the detection of antibodies against trypanosomes.
Vet Parasitol **96**, 11-50.
- REIFENBERG, J.M., CUISANCE, D., FREZIL, J.L., CUNY, G. & DUVALLET, G. (1997).
Comparison of the susceptibility of different *Glossina* species to simple and mixed infections with *Trypanosoma (Nannomonas) congolense* savannah and riverine forest types.
Med Vet Entomol **11**, 246-52.
- REIFENBERG, J.M., SOLANO, P., DUVALLET, G., CUISANCE, D., SIMPORE, J. & CUNY, G. (1997).
Molecular characterization of trypanosome isolates from naturally infected domestic animals in Burkina, Faso.
Vet Parasitol **71**, 251-62.
- RICKMANN, L.R. & ROBSON, J. (1970).
The testing of proven *Trypanosoma brucei* and *T. rhodesiense* strains by the blood incubation infectivity test.
Bull World Health Organ **42**, 911-916.
- RÖTTCHER, D. & SCHILLINGER, D. (1985).
Multiple drug resistance in *Trypanosoma vivax* in the Tana River District of Kenya.
Vet Rec **117**, 557-8.
- ROWLANDS, G.J., MULATU, W., AUTHIE, E., D'ETEREN, G.D., LEAK, S.G., NAGDA, S.M. & PEREGRINE A.S. (1993).
Epidemiology of bovine trypanosomiasis in the Ghibe valley, southwest Ethiopia. 2. Factors associated with variations in trypanosome prevalence, incidence of new infections and prevalence of recurrent infections.
Acta Trop **53**, 135-50.
- SACHS, R. (1984).
The superiority of the miniature anion-exchange centrifugation technique for detecting low grade trypanosome parasitaemias.
Trans R Soc Trop Med Hyg **78**, 694-969.
- SCHEINERT, P. (1997).
Primerdesign und Wahl stringenter Reaktionsbedingungen.
BioTec **4**, 52-4.

- SCHEINERT, P. , SCHALK, H.J. & KROLL, C. (1997).
Optimierung der PCR-Amplifikation komplexer Mischungen durch spezifitätssteigernde Additive und Temperaturgradienten-PCR.
BioTec **5**, 54-5.
- SCHEER, A. (2001).
In vitro-Untersuchungen zur Medikamentenempfindlichkeit (Isometamidiumchlorid) von Trypanosomenpopulationen (*Trypanosoma brucei*) aus Milchviehherden Ugandas.
Diss., Fachber. Veterinärmed., FU-Berlin.
- SCHILLINGER, D. (1985).
Ursachen von Therapieversagern bei der Behandlung der Naganaseuche des Rindes.
Tierärztl Umsch **40**, 894-904.
- SCHÖNEFELD, A., RÖTTCHER, D. & MOLOO, S.K. (1987).
The sensitivity to trypanocidal drugs of *T. vivax* isolated in Kenya and Somalia.
Trop Med Parasitol **38**, 177-80.
- SCHWARTZ, D. C. & CANTOR, C. R. (1984).
Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis.
Cell **37**, 67-75.
- SCOTT, J.M. & PEGRAM, R.G. (1974).
A high incidence of *Trypanosoma congolense* strains resistant to homidium bromide in Ethiopia.
Trop Anim Health Prod **6**, 215-21.
- SIDIBE, I. (1996).
Variabilité génétique de *Trypanosoma congolense*, agent de la trypanosomose animale : implications taxonomiques et épidémiologiques.
Thèse Doct., Université Montpellier II, France.
- SINYANGWE, L., MACHILA, N., MUBANGA, J., DELESPAUX, V., BRANDT, J., GEERTS, S., HOLMES, P.H. & EISLER, M.C. (2001).
Trypanocidal drug resistance in eastern Province of Zambia.
In: Proceedings of the 25th Meeting of the International Scientific Council for Trypanosomiasis Research and Control, Mombasa, Kenya, OAU/STRC Publ. No 120, 165-67.
- SLOOF, P., MENKE, H.H., CASPERS, M.P. & BORST, P. (1983).
Size fractionation of *Trypanosoma brucei* DNA : localization of the 177-bp repeat satellite DNA and a variant surface glycoprotein gene in a mini-chromosomal DNA fraction.
Nucleic Acids Res **11**, 3889-901.
- SOLANO, P. & AMSLER-DELAFOSSÉ, S. (1995).
Trypanosoma congolense in different species of horse flies (*Diptera: Tabanidae*) in Burkina Faso.
Rev Elev Med Vet Pays Trop **48**, 145-6.

- SOLANO, P., REIFENBERG, J.M., AMSLER-DELAFOSSÉ, S., KABORE, I., CUISANCE, D. & DUVALLET, G. (1996).
Trypanosome characterization by polymerase chain reaction in *Glossina palpalis gambiensis* and *G. tachinoides* from Burkina Faso.
Med Vet Entomol **10**, 354-8.
- SOLANO, P., MICHEL, J.F., LEFRANCOIS, T., DE LA ROCQUE, S., SIDIBE, I., ZOUNGRANA, A. & CUISANCE, D. (1999).
Polymerase chain reaction as a diagnosis tool for detecting trypanosomes in naturally infected cattle in Burkina Faso.
Vet Parasitol **86**, 95-103.
- SONES, K. R., HOLMES, P. H. & URQUHART, G. M. (1989).
Interference between drug-resistant and drug-sensitive stocks of *Trypanosoma congolense* in goats.
Res Vet Sci **47**, 75-7.
- STAAK, C., SALCHOW, F. & DENZIN, N. (2000).
Practical Serology: From the Basics to the testing.
Bundesinstitut für Gesundheitlichen Verbraucherschutz und Veterinärmedizin (BgVV) und Gesellschaft für Technische Zusammenarbeit (GTZ). Urban und Vogel, München.
- STATISTISCHES BUNDESAMT (1995).
Länderbericht: Afrikanische Staaten der Franc Zone.
Metzle-Poeschel, Stuttgart.
- SUTHERLAND, I.A., PEREGRINE, A.S., LONSDALE-ECCLES, J. D. & HOLMES, P.H. (1991).
Reduced accumulation of isometamidium by drug-resistant *Trypanosoma congolense*.
Parasitology **103**, 245-51.
- SUTHERLAND, I.A., MOLOO, S.K., HOLMES, P.H. & PEREGRINE, A.S. (1991).
Therapeutic and prophylactic activity of isometamidium chloride against a tsetse-transmitted drug-resistant clone of *Trypanosoma congolense* in Boran cattle.
Acta Trop **49**, 57-64.
- SUTHERLAND, I.A., MOUNSEY, A. & HOLMES, P.H. (1991).
Effect of isometamidium on *Trypanosoma congolense* infectivity.
Vet Parasitol **39**, 13-7.
- SUTHERLAND, I.A., CODJIA, V., MOLOO, S.K., HOLMES, P.H. & PEREGRINE, A.S. (1992).
Therapeutic activity of isometamidium chloride in Boran cattle against a tsetse-transmitted clone of *Trypanosoma congolense* with a low level of drug resistance.
Trop Anim Health Prod **24**, 157-63.
- SUTHERLAND, I.A. & HOLMES, P.H. (1993).
Alterations in drug transport of resistant *Trypanosoma congolense*.
Acta Trop **54**, 271-78.

- SWALLOW, B.M. (1997).
Impacts of trypanosomosis on African agriculture.
Review paper prepared for the Programme Against African Trypanosomosis for presentation at the 24th International Scientific Council for Trypanosomiasis Research and Control, Maputo, Mozambique.
- TAKKEN, W., OLADUNMADE, M.A., DENGWAT, L., FELDMANN, H.U., ONAH, J.A., TENABE, S.O. & HAMANN, H.J. (1986).
The eradication of *Glossina palpalis palpalis* (Robineau-Desvoidy) (Diptera: Glossinidae) using traps, insecticide-impregnated targets and the sterile insect technique in central Nigeria.
Bull ent Res **76**, 275-286.
- TANO, K. (1998).
Genetic preferences of smallholders and trypanotolerant cattle in southern Burkina Faso.
Dissertation, University of Manitoba, Canada.
- THOMPSON, J.W., MITCHELL, M., REES, R.B., SHERENI, W., SCHOENFELD, A.H. & WILSON, A. (1991).
Studies on the efficacy of deltamethrin applied to cattle for the control of tsetse flies (*Glossina spp.*) in southern Africa.
Trop Anim Health Prod **23**, 221-6.
- TRAIL, J. C., D'ETEREN, G. D., COLARDELLE, C.; MAILLE, J. C., ORDNER, G., SAUVEROCHE, B. & YANGARI, G. (1990).
Evaluation of a field test for trypanotolerance in young N'Dama cattle.
Acta Trop **48**, 47-57.
- TRAIL, J. C., D'ETEREN, G. D., FERON, A., KAKIESE, O., MULUNGO, M. & PELO, M. (1990).
Effect of trypanosome infection, control of parasitaemia and control of anaemia development on productivity of N'Dama cattle.
Acta Trop **48**, 37-45.
- TRAIL, J.C., D'ETEREN, G.D., VIVIANI, P., YANGARI, G. & NANTULYA, V.M. (1992).
Relationships between trypanosome infection measured by antigen detection enzyme immunoassays, anaemia and growth in trypanotolerant N'Dama cattle.
Vet Parasitol **42**, 213-23.
- TRAIL, J.C., WISSOCQ, N., D'ETEREN, G.D.M., KAKIESE, O., MULUNGO, M. & MURRAY, M. (1994).
Quantitative phenotyping of N'Dama cattle for aspects of trypanotolerance under field tsetse challenge.
Vet Parasitol **55**, 185-95.
- VAN DER PLOEG, L. H., SCHWARTZ, D. C., CANTOR, C. R. & BORST, P. (1984).
Antigenic variation in *Trypanosoma brucei* analysed by electrophoretic separation of chromosome-sized DNA molecules.
Cell **37**, 77-84.
- VICKERMANN, K. & LUCKINS, A.G. (1969).
Localization of variable antigens on the surface coat of *Trypanosoma brucei* using ferritin-conjugates antibodies.
Nature **224**, 1125-27.

- VICKERMAN, K. & PRESTON, T.M. (1970).
Spindle microtubules in the dividing nuclei of trypanosomes.
J Cell Sci **6**, 365-383.
- VICKERMANN, K. (1985).
Developmental cycles and biology of pathogenic trypanosomes.
Brit Med Bull **41**, 102-114.
- WALKER, P.J. (1972).
Capillary concentration technique applicable to infections of *T. congolense* in cattle.
Trans R Soc Trop Med Hyg **66**, 348.
- WELBURN, S.C., PICOZZI, K., FEVRE, E.M., COLEMAN, P.G., ODIIT, M., CARRINGTON, M. & MAUDLIN, I. (2001).
Identification of human-infective trypanosomes in animal reservoir of sleeping sickness in Uganda by means of serum-resistance-associated (SRA) gene
Lancet **358**, 2017-19.
- WELLDE, B. T., CHUMO, D. A., ONYANGO, F. K., REARDON, M. J., ROBERTS, L. M., NJOGU, A. R. & OPIYO, E. A. (1989).
Trypanosoma vivax: disseminated intravascular coagulation in cattle.
Ann Trop Med Parasitol **83** Suppl 1, 177-83.
- WHO (1986).
Epidemiology and control of African trypanosomiasis.
WHO, Rome, Tech Rep Ser No. 739.
- WHO (1988).
Vector control series: Tsetse flies – training and information guide.
WHO, Rome, VBC/88.958.
- WILLIAMSON, J. (1976).
Chemotherapy of African trypanosomiasis.
Trop Dis Bull **73**, 531-42.
- WILLIAMSON, D.L., DAME, D.A., LEE, C.W., GATES, D.B. & COBB, P.E. (1983).
Integration of insect sterility and insecticides for control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in Tanzania: V. The impact of sequential releases of sterilized tsetse flies.
Bull ent Res **73**, 391-404.
- WILSON, S.M. (1991).
Nucleic Acid Techniques and the Detection of Parasitic Diseases.
Parasitology Today **7**, 255-259.

- WOITAG, T. (1999).
Incidence, associated factors and impact of drug resistance in Kénédougou province, Burkina Faso.
In: Special Project (BMZ), PN 97.7860.6-001.00, Annual Report 1999 and Final Report 1998-1999. Field studies on the development and impact of drug resistance of animal trypanosomes in market-oriented production systems in the Southern guinean zone of West Africa, 24-31.
- WOO, P.T. (1969).
The haematocrit centrifuge for the detection of trypanosomes in the blood.
Can J Zool **47**, 921.
- WOO, P.T. (1970).
The haematocrit centrifuge technique for the diagnosis of African trypanosomiasis.
Acta Trop **27**, 384-6.
- WOO, P. T. (1971).
Evaluation of the haematocrit centrifuge and other techniques for the field diagnosis of human trypanosomiasis and filariasis.
Acta Trop **28**, 298-303.
- WUYTS, N., CHOKESAJJAWATEE, N. & PANYIM, S. (1994).
A simplified and highly sensitive detection of *Trypanosoma evansi* by DNA amplification.
Southeast Asian J Trop Med Public Health **25**, 266-71.
- ZINSSTAG, I., BRUN, R. & GESSLER, M. (1991).
A new photometric assay for testing trypanocidal activity *in vitro*.
Parasitol Res **77**, 33-38.
- ZWEYGARTH, E., KAMINSKY, R. & GRAY, M.A. (1991b).
In vitro assessment of isometamidium chloride susceptibility of *Trypanosoma vivax* bloodstream forms.
Parasitol Res **77**, 714-16.
- YOUNG, C.J. & GODFREY, D.G. (1983).
Enzyme polymorphism and the distribution of *Trypanosoma congolense* isolates.
Ann Trop Med Parasitol **77**, 467-81.

Die Zeitschriften wurden abgekürzt nach:

List of journals indexed in index medicus 1997, National Library of Medicine, U. S. Department of Health and Human Services, Bethesda, Maryland, 1997

und

Catalogue of the journals indexed in Medline, Euroscience, Bilthoven, The Netherlands, 1997