

## 8 Literaturverzeichnis

- Adesiyun, A. A.; Webb, L. A. und Romain, H. T. (1998):  
Prevalence and characteristics of *Staphylococcus aureus* strains isolated from bulk and composite milk and cattle handlers.  
J Food Prot 61 (5): 629-32
- Almeida, R. A.; Matthews, K. R.; Cifrian, E.; Guidry, A. J. und Oliver, S. P. (1996):  
*Staphylococcus aureus* invasion of bovine mammary epithelial cells.  
J Dairy Sci 79 (6): 1021-126
- Anderson, J. C. (1982):  
Progressive pathology of staphylococcal mastitis with a note on control, immunisation and therapy.  
Vet Rec 110: 372-6
- Annemüller, C.; Lämmler, C. und Zschöck, M. (1999):  
Genotyping of *Staphylococcus aureus* isolated from bovine mastitis.  
Vet Microbiol 69 (3): 217-24
- Barkema, H. W.; Dingwell, R. T.; Keefe, G. P.; Sampimon, O. C. und Sol, J. (2004):  
Factors associated with cure of subclinical *Staphylococcus aureus* mastitis during lactation.  
Proc. National Mastitis Council 43rd Annual Meeting, Charlotte, North Carolina, 24-34
- Barkema, H. W.; Schukken, Y. H.; Lam, T. J.; Beiboer, M. L.; Wilmink, H.; Benedictus, G. und Brand, A. (1998):  
Incidence of clinical mastitis in dairy herds grouped in three categories by bulk milk somatic cell counts.  
J Dairy Sci 81 (2): 411-19
- Barto, P. B.; Bush, L. J. und Adams, G. D. (1982):  
Feeding milk containing *Staphylococcus aureus* to calves.  
J Dairy Sci 65 (2): 271-4
- Baseggio, N.; Mansell, P. D.; Browning, J. W. und Browning, G. F. (1997):  
Strain differentiation of isolates of streptococci from bovine mastitis by pulse-field gel electrophoresis.  
Mol Cell Prob 11: 3349-54
- Belschner, A. P.; Hallberg, J. W.; Nickerson, S. C. und Owens, W. E. (1996):  
*Staphylococcus aureus* mastitis therapie revised.  
Proc. National Mastitis Council 35th Annual Meeting, Madison, Wisconsin, 116-122
- Biberstein, E. L. und Hirsh, D. C. (1999):  
*Staphylococci*.  
In: Hirsh, D. C. und Zee, Y. C.: Veterinary microbiology: Blackwell Science Ltd., 115-9

- Boerlin, P.; Kuhnert, P.; Hussy, D. und Schaellibaum, M. (2003):  
Methods for identification of *Staphylococcus aureus* isolates in cases of bovine mastitis.  
*J Clin Microbiol* 41 (2): 767-71
- Calzolari, A.; Giraudo, J. A.; Rampone, H.; Odierno, L.; Giraudo, A. T.; Frigerio, C.; Bettera, S.; Raspanti, C.; Hernandez, J.; Wehbe, M.; Mattea, M.; Ferrari, M.; Larriestra, A. und Nagel, R. (1997):  
Field trials of a vaccine against bovine mastitis. 2. Evaluation in two commercial dairy herds.  
*J Dairy Sci* 80 (5): 854-8
- Capurro, A.; Concha, C.; Nilsson, L. und Östensson, K. (1999):  
Identification of Coagulase-Positive *Staphylococci* isolated from Bovine Milk.  
*Acta vet scand* 40: 315-21
- Craven, N. (1987):  
Efficacy and financial value of antibiotic treatment of bovine clinical mastitis during lactation--a review.  
*Br Vet J* 143 (5): 410-22
- De Buyser, M. L.; Dufour, B.; Maire, M. und Lafarge, V. (2001):  
Implication of milk and milk products in food-borne diseases in France and in different industrialised countries.  
*Int J Food Microbiol* 20: 1-17
- De Haas, Y.; Veerkamp, R. F.; Barkema, H. W.; Grohn, Y. T. und Schukken, Y. H. (2004):  
Associations between pathogen-specific cases of clinical mastitis and somatic cell count patterns.  
*J Dairy Sci* 87 (1): 95-105
- Diarra, M. S.; Petitclerc, D.; Deschenes, E.; Lessard, N.; Grondin, G.; Talbot, B. G. und Lacasse, P. (2003):  
Lactoferrin against *Staphylococcus aureus* Mastitis. Lactoferrin alone or in combination with penicillin G on bovine polymorphonuclear function and mammary epithelial cells colonisation by *Staphylococcus aureus*.  
*Vet Immunol Immunopathol* 95 (1-2): 33-42
- Dingwell, R. T.; Leslie, K. E.; Duffield, T. F.; Schukken, Y. H.; Descoteaux, L.; Keefe, G. P.; Kelton, D. F.; Lissemore, K. D.; Shewfelt, W.; Dick, P. und Bagg, R. (2003):  
Efficacy of intramammary tilmicosin and risk factors for cure of *Staphylococcus aureus* infection in the dry period.  
*J Dairy Sci* 86 (1): 159-68
- Djabri, B.; Bareille, N.; Beaudreau, F. und Seegers, H. (2002):  
Quarter milk somatic cell count in infected dairy cows: a meta-analysis.  
*Vet Res* 33 (4): 335-57
- Elbers, A. R.; Miltenburg, J. D.; De Lange, D.; Crauwels, A. P.; Barkema, H. W. und Schukken, Y. H. (1998):  
Risk factors for clinical mastitis in a random sample of dairy herds from the southern part of The Netherlands.  
*J Dairy Sci* 81 (2): 420-426

## Literaturverzeichnis

Erskine, R. J.; Wagner, S. und Degraes, F. (2003):  
Mastitis therapy and pharmacology.  
Vet Clin North Am Food Anim Pract 19 (1): 109-38

Erskine, R. J. (2000):  
Antimicrobial drug use in bovine mastitis.  
In: Prescott Jf, B. J., Walker Rd: Antimicrobial therapy in veterinarian medicine, 712-34

Erskine, R. J.; Bartlett, P. C.; Tavernier, S. R.; Fowler, L. H.; Walker, R. D.; Seguin, J. H. und Shuster, D. (1998):  
Recombinant bovine interleukin-2 and dry cow therapy: efficacy to cure and prevent intramammary infections, safety, and effect on gestation.  
J Dairy Sci 81 (1): 107-15

Erskine, R. J.; Kirk, J. H.; Tyler, J. W. und Degraes, F. J. (1993):  
Advances in the therapy for mastitis.  
Vet Clin North Am Food Anim Pract 9 (3): 499-517

Fantelli, K. und Stephan, R. (2003):  
Validation of DNase reaction for identification of Staphylococcus aureus strains in routine mastitis diagnosis.  
Schweiz Arch Tierheilk 145 (2): 76-9

Fitzgerald, J. R.; Meaney, W. J.; Hartigan, P. J.; Smyth, C. J. und Kapur, V. (1997):  
Fine-structure molecular epidemiological analysis of Staphylococcus aureus recovered from cows.  
Epidemiol Infect 119 (2): 261-9

Fox, L. K.; Chester, S. T.; Hallberg, J. W.; Nickerson, S. C.; Pankey, J. W. und Weaver, L. D. (1994):  
Survey of intramammary infections in dairy heifers at breeding age and first parturition.  
J Dairy Sci 78 (7): 1619-28

Fox, L. K.; Gershman, M.; Hancock, D. D. und Hutton, C. T. (1991):  
Fomites and reservoirs of Staphylococcus aureus causing intramammary infections as determined by phage typing: the effect of milking time hygiene practices.  
Cornell Vet 81 (2): 183-93

Frenay, H. M.; Bunschoten, A. E.; Schouls, L. M.; Van Leeuwen, W. J.; Vandenbroucke-Grauls, C. M.; Verhoef, J. und Mooi, F. R. (1996):  
Molecular typing of methicillin-resistant Staphylococcus aureus on the basis of protein A gene polymorphism.  
Eur J Clin Microbiol Infect Dis 15 (1): 60-4

Gillespie, B. E.; Moorehead, H.; Lunn, P.; Dowlen, H. H.; Johnson, D. L.; Lamar, K. C.; Lewis, M. J.; Ivey, S. J.; Hallberg, J. W.; Chester, S. T. und Oliver, S. P. (2002):  
Efficacy of extended pirlimycin hydrochloride therapy for treatment of environmental Streptococcus spp and Staphylococcus aureus intramammary infections in lactating dairy cows.  
Vet Ther 3 (4): 373-80

- Gillespie, B. E.; Owens, W. E.; Nickerson, S. C. und Oliver, S. P. (1999):  
Deoxyribonucleic acid fingerprinting of *Staphylococcus aureus* from heifer mammary secretions and from horn flies.  
J Dairy Sci 82 (7): 1581-5
- Gillespie, B. E.; Jayarao, B. M. und Oliver, S. P. (1997):  
Identification of *Streptococcus* species by randomly amplified polymorphic deoxyribonucleic acid fingerprinting.  
J Dairy Sci 80 (3): 471-6
- Giraud, J. A.; Calzolari, A.; Rampone, H.; Rampone, A.; Giraud, A. T.; Bogni, C.; Larriestra, A. und Nagel, R. (1997):  
Field trials of a vaccine against bovine mastitis. 1. Evaluation in heifers.  
J Dairy Sci 80 (5): 845-53
- Goh, S. H.; Byrne, S. K.; Zhang, J. L. und Chow, A. W. (1992):  
Molecular typing of *Staphylococcus aureus* on the basis of coagulase gene polymorphisms.  
J Clin Microbiol 30 (7): 1642-5
- Gregory, L. (1999):  
Die katarrhalische Mastitis des Rindes: Häufigkeit, Ätiologie und Therapie-Statistische Erhebungen an einer Hochschulklinik in den Jahren 1986-1996.  
Hannover: Klinik für Rinder, Tierärztliche Hochschule Hannover, Diss.
- Heald, C. W. (1979):  
Morphometric study of experimentally induced *Staphylococcus bovis* mastitis in the cow.  
Am J Vet Res 40 (9): 1294-8
- Hoedemaker, M. (2001):  
Neuere Aspekte zur Bekämpfung von *Staphylococcus aureus* als Mastitiserreger.  
Tierärztl Prax 29: 1-7
- Hoedemaker, M. und Korff, B. (1999):  
Untersuchungen zum Einsatz einer stallspezifischen Vakzine gegen *Staphylococcus aureus* in einem Milchviehbetrieb.  
Prakt Tierarzt 80: 68-71
- Hoedemaker, M. (1995):  
Mastitis bei Erstkalbinnen. Ursache, Therapie und Prophylaxe.  
Prakt. Tierarzt Coll. Vet. XXV, 76: 22-5
- Hogan, J. S.; Smith, K. L.; Hoblet, K. H.; Schoenberger, P. S.; Todhunter, D. A.; Hueston, W. D.; Pritchard, D. E.; Bowman, G. L.; Heider, L. E.; Brockett, B. L. et al. (1989):  
Field survey of clinical mastitis in low somatic cell count herds.  
J Dairy Sci 72 (6): 1547-56
- Jayarao, B. M.; Bassam, B. J.; Caetano-Anolles, G.; Gresshoff, P. M. und Oliver, S. P. (1992):  
Subtyping of *Streptococcus uberis* by DNA amplification fingerprinting.  
J. Clin. Microbiol 30: 1347-50

## Literaturverzeichnis

- Jayarao, B. M.; Schilling, E. E. und Oliver, S. P. (1993):  
Genomic deoxyribonucleic acid restriction fragment length polymorphism of *Streptococcus uberis*: evidence of clonal diversity.  
J Dairy Sci 76: 468-74
- Jones, G. M.; Bailey, J. T. L. und Roberson, J. R. (1998):  
Staphylococcus aureus mastitis: Cause, Detection and Control. Virginia Cooperative Extension  
<http://www.ext.vt.edu/pubs/dairy/404-229/404-229.html>
- Joo, Y. S.; Fox, L. K.; Davis, W. C.; Bohach, G. A. und Park, Y. H. (2001):  
Staphylococcus aureus associated with mammary glands of cows: genotyping to distinguish different strains among herds.  
Vet Microbiol 80 (2): 131-8
- Kelton, D.; Godkin, A.; Alves, D.; Lissemore, K.; Leslie, K.; Smart, N.; Church, C. und Meadows, P. (1999):  
Prevalence of Staphylococcus aureus on Ontario dairy farms- lesson from the Sentinel herds.  
Proc. National Mastitis Council 38th Annual Meeting, Arlington, Virginia
- Kenny, K.; Reiser, R. F.; Bastida-Corcuera, F. D. und Norcross, N. L. (1993):  
Production of enterotoxins and toxic shock syndrome toxin by bovine mammary isolates of *Staphylococcus aureus*.  
J Clin Microbiol 31 (3): 706-7
- Kirk, J. H.; Berry, S. L.; Gardner, I. A.; Maas, J. und Ahmadi, A. (1997):  
Dry cow antibiotic treatment in a herd with low contagious mastitis prevalence.  
Proc. National Mastitis Council 36th Annual Meeting, Madison, Wisconsin, 164
- Kirst, E.; Krenkel, K. und Rathjen, J. (2001):  
Die Zellzahlen der Milch-Untersuchungen über die Eutergesundheit der Milchkühe.  
Berlin: Milchkonferenz, DVG
- Klaas, I. C. (2000):  
Untersuchungen zum Auftreten von Mastitiden und zur Tiergesundheit in 15 Milchviehbetrieben Schleswig-Holsteins.  
Kiel: Institut für Tierzucht und Tierhaltung, Christian-Albrechts-Universität, Diss.
- Köster, G. (2004):  
Einflüsse auf die Eutergesundheit und Verbreitung von Mastitiserregern sowie deren Resistenzlage in Brandenburger Milchviehbetrieben.  
Berlin: Tierklinik für Fortpflanzung, Freie Universität, Diss.
- Lam, T. J.; Lipman, L. J.; Schukken, Y. H.; Gaastra, W. und Brand, A. (1996):  
Epidemiological characteristics of bovine clinical mastitis caused by *Staphylococcus aureus* and *Escherichia coli* studied by DNA fingerprinting.  
Am J Vet Res 57 (1): 39-42

- Leitner, G.; E., L. und Z., T. (2003a):  
Staphylococcus aureus vaccine against mastitis in dairy cows, composition and evaluation of its immunogenicity in a mouse model.  
Vet Immunol Immunopathol 93 (3-4): 159-67
- Leitner, G.; Yadlin, N.; Lubashevsky, E.; Ezra, E.; Glickman, A.; Chaffer, M.; Winkler, M.; Saran, A. und Trainin, Z. (2003b):  
Development of a Staphylococcus aureus vaccine against mastitis in dairy cows. II. Field trial.  
Vet Immunol Immunopathol 93 (3-4): 153-8
- Lipman, L. J.; De Nijs, A.; Lam, T. J.; Rost, J. A.; Van Dijk, L.; Schukken, Y. H. und Gaastra, W. (1996):  
Genotyping by PCR, of Staphylococcus aureus strains, isolated from mammary glands of cows.  
Vet Microbiol 48 (1-2): 51-5
- Lipman, L. J.; Nijs, A. D.; Lam, T. J. und Gaastra, W. (1995):  
Identification of Escherichia coli strains from cows with clinical mastitis by serotyping and DNA polymorphism patterns with REP and ERIC primers.  
Vet. Microbiol 43: 13-19
- Matos, J. S.; White, D. G.; Harmon, R. J. und Langlois, B. E. (1991):  
Isolation of Staphylococcus aureus from sites other than the lactating mammary gland.  
J Dairy Sci. 74 (5): 1544-9
- Matthews, K. R.; Kumar, S. J.; O'Connor, S. A.; Harmon, R. J.; Pankey, J. W.; Fox, L. K. und Oliver, S. P. (1994):  
Genomic fingerprints of Staphylococcus aureus of bovine origin by polymerase chain reaction-based DNA fingerprinting.  
Epidem Infect 112: 177-86
- Matthews, K. R.; Jayarao, B. M. und Oliver, S. P. (1992):  
Restriction endonuclease fingerprinting of genomic DNA of Staphylococcus species of bovine origin.  
Epidem Infect 109: 59-68
- Mossel, D. A. und Van Netten, P. (1990):  
Staphylococcus aureus and related staphylococci in foods: ecology, proliferation, toxinogenesis, control and monitoring.  
Soc Appl Bacteriol Symp Ser 19: 123-45
- Murchan, S.; Kaufmann, M. E.; Deplano, A.; De Ryck, R.; Struelens, M.; Zinn, C. E.; Fussing, V.; Salmenlinna, S.; Vuopio-Varkila, J.; El Solh, N.; Cuny, C.; Witte, W.; Tassios, P. T.; Legakis, N.; Van Leeuwen, W.; Van Belkum, A.; Vindel, A.; Laconcha, I.; Garaizar, J.; Haeggman, S.; Olsson-Liljequist, B.; Ransjo, U.; Coombes, G. und Cookson, B. (2003):  
Harmonization of pulsed-field gel electrophoresis protocols for epidemiological typing of strains of methicillin-resistant Staphylococcus aureus: a single approach developed by consensus in 10 European laboratories and its application for tracing the spread of related strains.  
J Clin Microbiol 41 (4): 1574-85

## Literaturverzeichnis

- Myllys, V.; Ridell, J.; Björkroth, J.; Biese, I. und Pyörälä, S. (1997):  
Persistence in bovine mastitis of *Staphylococcus aureus* clones as assessed by random amplified polymorphic DNA analysis, ribotyping and biotyping.  
Vet. Microbiol 51: 245-51
- Nickerson, S. C.; Owens, W. E.; Fox, L. K.; Scheifinger, C. C.; Shryock, T. R. und Spike, T. E. (1999):  
Comparison of tilmicosin and cephalixin as therapeutics for *Staphylococcus aureus* mastitis at dry-off.  
J Dairy Sci 82 (4): 696-703
- Nickerson, S. C.; Owens, W. E. und Boddie, R. L. (1995):  
Mastitis in dairy heifers: initial studies on prevalence and control.  
J Dairy Sci 78 (7): 1607-18
- Nordhaug, M. L.; Nesse, L. L.; Norcross, N. L. und Gudding, R. (1994):  
A field trial with an experimental vaccine against *Staphylococcus aureus* mastitis in cattle.  
2. Antibody response.  
J Dairy Sci 77 (5): 1276-84
- Oliver, S. P.; Gillespie, B. E.; Headrick, S. J.; Moorehead, H.; Lunn, P.; Dowlen, H. H.; Johnson, D. L.; Lamar, K. C.; Chester, S. T. und Moseley, W. M. (2004):  
Efficacy of extended ceftiofur intramammary therapy for treatment of subclinical mastitis in lactating dairy cows.  
J Dairy Sci 87 (8): 2393-400
- Oliver, S. P. und Jayarao, B. M. (1997):  
Coagulase-negative staphylococcal intramammary infections in cows and heifers during the nonlactating and periparturient periods.  
Zentralbl Veterinarmed B 44 (6): 355-63
- Oliver, S. P.; Lewis, M. J.; Gillespie, B. E. und Dowlen, H. H. (1992):  
Influence of prepartum antibiotic therapy on intramammary infections in primigravid heifers during early lactation.  
J Dairy Sci 75 (2): 406-14
- Ollis, G. W.; Rawluk, S. A.; Schoonderwoerd, M. und Schipper, C. (1995):  
Detection of *Staphylococcus aureus* in bulk tank milk using modified Baird-Parker culture media.  
Can Vet J 36: 619-623
- Owens, W. E.; Nickerson, S. C.; Boddie, R. L.; Tomita, G. M. und Ray, C. H. (2001):  
Prevalence of mastitis in dairy heifers and effectiveness of antibiotic therapy.  
J Dairy Sci 84 (4): 814-7
- Owens, W. E.; Oliver, S. P.; Gillespie, B. E.; Ray, C. H. und Nickerson, S. C. (1998):  
Role of horn flies (*Haematobia irritans*) in *Staphylococcus aureus*-induced mastitis in dairy heifers.  
Am J Vet Res 59 (9): 1122-4

- Owens, W. E.; Ray, C. H.; Boddie, R. L. und Nickerson, S. C. (1997):  
Efficacy of sequential intramammary treatment against chronic *Staphylococcus aureus*  
intramammary infection.  
Large Animal Practice 18: 10-14
- Owens, W. E.; Watts, J. L.; Boddie, R. L. und Nickerson, S. C. (1988):  
Antibiotic treatment of mastitis: comparison of intramammary and intramuscular plus  
intramuscular therapies.  
J Dairy Sci 71 (11): 3143-7
- Pankey, J. W.; Drechsler, P. A. und Wildman, E. E. (1991):  
Mastitis prevalence in primigravid heifers at parturition.  
J Dairy Sci 74 (5): 1550-2
- Poelarends, J. J.; Hogeveen, H.; Sampimon, O. C. und Sol, J. (2001):  
Monitoring subclinical mastitis in Dutch Dairy Herds.  
Proc. 2nd International Symposium on Mastitis and Milk Quality, National Mastitis Council,  
Vancouver, Canada, 145-9
- Radostitis, O. M.; Gay, C. C.; Blood, D. C. und Hinchcliff, K. W. (2000):  
Mastitis.  
In: Radostitis, O. M., Gay, C. C., Blood, D. C. und Hinchcliff, K. W.: Veterinarian Medicine  
London: W. B. Saunders Company Ltd., 603-700
- Raimundo, O.; Deighton, M.; Capstick, J. und Gerraty, N. (1999):  
Molecular typing of *Staphylococcus aureus* of bovine origin by polymorphisms of the  
coagulase gene.  
Vet Microbiol 66 (4): 275-84
- Remmen, J. W. A.; Van De Laar, J. M. J. und Jaartsveld, F. H. J. (1982):  
The effect of treatment with Nafpenzal MC of all cows with subclinical mastitis in 15 dairy  
herds.  
Amsterdam, Nederlande: World Buiatric Congress
- Rivas, A. L.; Gonzalez, R. N.; Wiedmann, M.; Bruce, J. L.; Cole, E. M.; Bennett, G. J.;  
Schulte, H.F.; Wilson, D. J.; Mohammed, H. O. und Batt, C. A. (1997):  
Diversity of *Streptococcus agalactiae* and *Staphylococcus aureus* ribotypes recovered from  
New York dairy herds.  
Am J Res 58: 482-7
- Roberson, J. R. (1999):  
Epidemiology of *Staphylococcus aureus* on dairy farms.  
Proc. National Mastitis Council 38th Annual Meeting, Arlington, Virginia  
<http://www.nmconline.org/articles/staphepid.htm>
- Roberson, J. R.; Fox, L. K.; Hancock, D. D.; Gay, J. M. und Besser, T. E. (1998):  
Sources of intramammary infections from *Staphylococcus aureus* in dairy heifers at first  
parturition.  
J Dairy Sci 81 (3): 687-93



## Literaturverzeichnis

- Roberson, J. R.; Fox, L. K.; Hancock, D. D.; Gay, J. M. und Besser, T. E. (1994):  
Ecology of *Staphylococcus aureus* isolated from various sites on dairy farms.  
J Dairy Sci. 1994 Nov;77(11): 3354-64
- Roberson, J. R.; Fox, L. K.; Hancock, D. D. und Besser, T. E. (1992):  
Evaluation of methods for differentiation of Coagulase-Positive staphylococci.  
J Clin Microbiol 30: 3217-9
- Ruzickova, V. (1994):  
Characteristics of strains of *Staphylococcus aureus* isolated at dairy farms.  
Vet Med (Praha) 39 (1): 37-44
- Sabat, A.; Krzyszton-Russjan, J.; Strzalka, W.; Filipek, R.; Kosowska, K.; Hryniewicz, W.;  
Travis, J. und Potempa, J. (2003):  
New method for typing *Staphylococcus aureus* strains: multiple-locus variable-number  
tandem repeat analysis of polymorphism and genetic relationships of clinical isolates.  
J Clin Microbiol 41 (4): 1801-4
- Schreiner, D. A. und Ruegg, P. L. (2003):  
Relationship between udder and leg hygiene scores and subclinical mastitis.  
J Dairy Sci 86 (11): 3460-5
- Schukken, Y. H.; Grommers, F. J.; Van De Geer, D. und Brand, A. (1989):  
Incidence of clinical mastitis on farms with low somatic cell counts in bulk milk.  
Vet Rec 125 (3): 60-3
- Schukken, Y. H.; Leslie, K. E.; Barnum, D. A.; Mallard, B. A.; Lumsden, J. H.; Dick, P. C.;  
Vessie, G. H. und Kehrl, M. E. (1999):  
Experimental *Staphylococcus aureus* intramammary challenge in late lactation dairy cows:  
quarter and cow effects determining the probability of infection.  
J Dairy Sci 82 (11): 2393-401
- Schwarz, S.; Blickwede, M.; Kehrenberg, C. und Michael, G. B. (2003):  
Phenotypic and genotypic methods for epidemiological typing of veterinary important  
bacterial pathogens of the genera *Staphylococcus*, *Salmonella*, and *Pasteurella*.  
Berl Munch Tierarztl Wochenschr 116 (9-10): 401-16
- Sears, P. und Belschner, A. (1999):  
Alternative management and economic consideration in *Staphylococcus aureus* elimination  
programs.  
Proc. National Mastitis Council 38th Annual Meeting, Arlington, Virginia
- Seffner, W. und Bergmann, A. (1994):  
Staphylokokkeninfektionen.  
In: Wendt, K., H. Bostedt, H. Mielke Und H.-W. Fuchs: Euter- und Gesäugekrankheiten:  
Verlag Gustav Fischer, 349-59
- Selbitz, H.-J. (1992):  
Micrococcaceae.  
In: Selbitz, H.-J.: Lehrbuch der veterinärmedizinischen Bakteriologie: Verlag Gustav Fischer,  
152-9

- Serieys, F.; Raguet, Y.; Goby, L.; Schmidt, H. und Friton, G. (2005):  
Comparative efficacy of local and systemic antibiotic treatment in lactating cows with clinical mastitis.  
J Dairy Sci 88 (1): 93-9
- Silk, A. S.; Fox, L. K. und Hancock, D. D. (2003):  
Removal of hair surrounding the teat and associated bacterial counts on teat skin surface, in milk, and intramammary infections.  
J Vet Med B Infect Dis Vet Public Health 50 (9): 447-50
- Smith, K. L.; Fox, L. K. und Middleton, J. R. (1998):  
Outbreak of mastitis cause by one strain of Staphylococcus aureus in a closed dairy herd.  
J Am Vet Med Ass 212: 553-6
- Smith, K. L.; Hogan, J. S. und Weiss, W. P. (1997):  
Dietary vitamin E and selenium affect mastitis and milk quality.  
J Anim Sci 75 (6): 1659-65
- Smith, K. L. und Hogan, J. S. (1995):  
Epidemiology of mastitis.  
Proc. 3rd IDF International Mastitis Seminar, Tel Aviv, Israel, 3-13
- Smith, K. L. und Hogan, J. S. (1993):  
Environmental mastitis.  
Vet Clin North Am Food Anim Pract 9 (3): 489-98
- Sol, J.; Sampimon, O.C.; Barkema, H.W. und Schukken, Y.H. (2000):  
Factors associated with cure after therapy of clinical mastitis caused by Staphylococcus aureus.  
J Dairy Sci. 82(2): 278-84
- Sol, J.; Sampimon, O. C.; Snoep, J. J. und Schukken, Y. H. (1997):  
Factors associated with bacteriological cure during lactation after therapy for subclinical mastitis caused by Staphylococcus aureus.  
J Dairy Sci 80 (11): 2803-8
- Sol, J.; Sampimon, O.C.; Snoep, J.J. und Schukken, Y.H. (1994):  
Factors associated with bacteriological cure after dry cow treatment of subclinical staphylococcal mastitis with antibiotics.  
J Dairy Sci. 77(1): 75-9
- Sommerhäuser, J. (2001):  
Untersuchung mittels Geno- und Phänotypisierung zur Epidemiologie von Staphylococcus aureus als Erreger subklinischer Mastitiden in hessischen Milcherzeugerbetrieben im Zuge von Bestandssanierungen.  
Leipzig: Ambulatorische und Geburtshilfliche Tierklinik, Universität Leipzig, Diss.
- Sommerhäuser, J.; Kloppert, B.; Wolter, W.; Zschock, M.; Sobiraj, A. und Failing, K. (2003):  
The epidemiology of Staphylococcus aureus infections from subclinical mastitis in dairy cows during a control programme.  
Vet Microbiol 96 (1): 91-102

## Literaturverzeichnis

- Su, C.; Kanevski, I.; Jayarao, B. M. und Sordillo, L. M. (2000):  
Phylogenetic relationships of *Staphylococcus aureus* from bovine mastitis based on coagulase gene polymorphism.  
*Vet Microbiol* 71: 53-8
- Suriyasathaporn, W.; Heuer, C.; Noordhuizen-Stassen, E. N. und Schukken, Y. H. (2000):  
Hyperketonaemia and the impairment of udder defense: a review.  
*Vet Res* 31: 397-412
- Takeuchi, S.; Ishiguro, K.; Ikegami, M.; Kaidoh, T. und Hayakawa, Y. (1998):  
Production of toxic shock syndrome toxin by *Staphylococcus aureus* isolated from mastitic cow's milk and farm bulk milk.  
*Vet Microbiol* 59 (4): 251-8
- Taponen, S.; Jantunen, A.; Pyorala, E. und Pyorala, S. (2003):  
Efficacy of targeted 5-day combined parenteral and intramammary treatment of clinical mastitis caused by penicillin-susceptible or penicillin-resistant *Staphylococcus aureus*.  
*Acta Vet Scand* 44 (1-2): 53-62
- Tenhagen, B.-A.; Edinger, D.; Baumgärtner, B.; Kalbe, G. und Heuwieser, W. (2001):  
Efficacy of a herd-specific vaccine against *Staphylococcus aureus* to prevent post-partum mastitis in dairy heifers.  
*J. Vet. Med. A* 48: 601-7
- Tenover, F. C.; Arbeit, R. D.; Goering, R. V.; Mickelsen, P. A.; Murray, B. E.; Persing, D. H. und Swaminathan, B. (1995):  
Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing.  
*J Clin Microbiol* 33: 2233-9
- Timms, L. L. (1995):  
Evaluation of pirlimicin for blitz therapy of chronic *Staphylococcus aureus* mastitis in dairy cows.  
Proc. National Mastitis Council 34th Annual Meeting, Fort Worth, Texas  
<http://www.extension.iastate.edu/Pages/dairy/report95/health/dsl-56.pdf>
- Todhunter, D. A.; Smith, K. L.; Hogan, J. S. und Schoenberger, P. S. (1991):  
Gram-negative bacterial infections of the mammary gland in cows.  
*Am J Vet Res* 52 (2): 184-8
- Tondo, E. C.; Guimaraes, M. C.; Henriques, J. A. und Ayub, M. A. (2000):  
Assessing and analysing contamination of a dairy products processing plant by *Staphylococcus aureus* using antibiotic resistance and PFGE.  
*Can J Microbiol* 46 (12): 1108-14
- Toshkova, K.; Savov, E.; Soedarmanto, I.; Lammler, C.; Chankova, D.; Van Belkum, A.; Verbrugh, H. A. und Van Leeuwen, W. (1997):  
Typing of *Staphylococcus aureus* isolated from nasal carriers.  
*Zentralbl Bakteriologie* 286 (4): 547-59

- Tyler, K. D.; Wang, G.; Tyler, S. D. und Johnson, W. M. (1997):  
Factors affecting reliability and reproducibility of amplification-based DNA fingerprinting of representative bacterial pathogens.  
J Clin Microbiol 35 (2): 339-46
- Wallace, R. L.; Queen, W. G.; Hoblet, K. H. und Hogan, J. S. (1998):  
Evaluation of an acriflavine disk assay for differentiating *Staphylococcus aureus* from other staphylococci isolated from bovine milk.  
J Am Vet Med Assoc 213: 394-8
- Wang, S. M.; Deighton, M. A.; Capstick, J. A. und Gerraty, N. (1999):  
Epidemiological typing of bovine streptococci by pulsed-field gel electrophoresis.  
Epidem Infect 123: 317-24
- Watts, J. L.; Ray, C. H. und Washburn, P. J. (1991):  
A convenient method for differentiation of coagulase-negative staphylococci isolated from bovine mammary glands.  
J Dairy Sci 74: 426-8
- Weide-Botjes, M.; Kobe, B.; Lange, C. und Schwarz, S. (1998):  
Molecular typing of *Salmonella enterica* subsp. *enterica* serovar Hadar: evaluation and application of different typing methods.  
Vet Microbiol 61 (3): 215-27
- Weiss, W. P.; Hogan, J. S.; Todhunter, D. A. und Smith, K. L. (1997):  
Effect of vitamin E supplementation in diets with a low concentration of selenium on mammary gland health of dairy cows.  
J Dairy Sci 80 (8): 1728-37
- Wichelhaus, T. A.; Schäfer, V. und Brade, V. (2000):  
Typisierungsverfahren in der Infektionsepidemiologie.  
Chemotherapie Journal 9: 93-8
- Wilson, D. J.; Gonzalez, R. N. und Sears, P. M. (1995):  
Segregation or use of separate milking units for cows infected with *Staphylococcus aureus*: effects on prevalence of infection and bulk tank somatic cell count.  
J Dairy Sci 78 (9): 2083-5
- Zadoks, R. N.; Allore, H. G.; Barkema, H. W.; Sampimon, O. C.; Wellenberg, G. J.; Grohn, Y. T. und Schukken, Y. H. (2001):  
Cow- and quarter-level risk factors for *Streptococcus uberis* and *Staphylococcus aureus* mastitis.  
J Dairy Sci 84 (12): 2649-63
- Ziv, G. und Storper, M. (1985):  
Intramuscular treatment of subclinical staphylococcal mastitis in lactating cows with penicillin G, methicillin and their esters.  
J Vet Pharmacol Ther 8 (3): 276-83