

## 6 Literaturverzeichnis

- Ahammad, M.M., Bhattacharyya, D. & Jana, B.B. (1998): Effect of different concentrations of cryoprotectant and extender on the hatching of Indian major carp embryos (*Labeo rohita*, *Catla catla*, and *Cirrhinus mrigala*) stored at low temperature. *Cryobiology* 37, 318–324
- Amann, R. P. & Hammerstedt, R. H. (1980): Validation of a system for computerized measurements of spermatozoal velocity and percentage of motile sperm. *Biology of Reproduction* 23, 647–656
- Aquilla, S., Sisci, D., Gentile, M., Middea, E., Siciliano, L. & Ando, S. (2002): Human ejaculated spermatozoa contain active P450 aromatase. *Journal of Clinical Endocrinology and Metabolism* 87(7), 3385–3390
- Auger, J. & Dadoune, J. P. (1988): Computerized sperm motility and application of sperm cryopreservation. *Archives of Andrology* 20, 103–112
- Babiak, I., Glogowski, Brzuska E., Szumiec, J. & Adamek J. (1997): Cryopreservation of common carp, *Cyprinus carpio* L. *Aquaculture Research* 28, 567–571
- Betarbet, R., Sherer, T.B., MacKenzie, G., Garcia-Osuna, M., Panov, A.V. & Greenamyre, J.T. (2000): Chronic systemic pesticide exposure reproduces features of Parkinson's disease. *Nature Neuroscience* 3, 1301–1306
- Billard, R. (1986): Spermatogenesis and spermatology of some teleost fish species. *Reproduction Nutrition Development* 26(4), 877–920
- Billard, R., Cosson, J., Perchec, G. & Linhart, O. (1995): Biology of sperm and artificial reproduction in carp. *Aquaculture* 129, 95–112
- Billard, R., Cosson, J., Fierville, F., Brun, R., Rouault, T. & Williot, P. (1999): Motility analysis and energetics of the Siberian sturgeon *Acipenser baerii* spermatozoa. *Journal of Applied Ichthyology* 15(4–5), 199–203
- Billard, R. (1978): Changes in structure and fertilizing ability of marine and freshwater fish spermatozoa diluted in media of various salinities. *Aquaculture* 14(3), 187–198
- Billard, R., Cosson, M.-P. & Christen, R. (1987). Some recent data on the biology of trout spermatozoa. In: *Reproductive Physiology of Fish*. Idler, D.R., Crim, L.W. & Walsh, J.M. (Eds.). Memorial University St. John's Newfoundland Canada: 187–190.
- Billard, R. & Cosson, M.-P. (1989). Measurement of sperm motility in trout and carp. In: *Aquaculture - A Biotechnology in Progress*. DePauw, N., Jaspers, E., Ackefors, H. & Wilkins, N. (Eds.). Bredene, Belgium, European Aquaculture Society.
- Billard, R. (1990). La motilité du spermatozoïde de poisson: aspects énergétique. 5 as *Jornadas Internacionales de Reproduccion animal*, Zaragoza Espagne.
- Billard, R. & Cosson, M. P. (1992): Some problems related to the assessment of sperm motility in freshwater fish. *Journal of Experimental Zoology* 261, 251–267
- Blaxter, J.H.S. (1953): Sperm storage and cross-fertilization of spring and autumn spawning herring. *Nature* 172, 1189–1190

- Bock, R. & Pluta, H.-J. (1993): Spermatozoen vom Fisch als Indikatorzellen in einem neuen Biotest. Bundesgesundheitsblatt 36(1), 3–5
- Brown, G.G. & Mims, S.D. (1995): Storage, transportation, and fertility of undiluted and diluted paddlefish milt. The Progressive Fish-Culturist 57, 64–69
- Cesarone, C.F., Bolognesi, C. & Santi, L. (1979): Improved microfluorometric DNA determination in biological material using 33258 Hoechst. Analytical Biochemistry 100, 188–197
- Chao, N.H., Chao, W.C., Liu, K.C. & Liao, I.-C. (1987): The properties of tilapia sperm and its cryopreservation. Journal of Fish Biology 30(2), 107–118
- Chechun, T.Y., Pantaleeva, N.O. & Samoded, A.Y. (1994): Seasonal and age-related qualitative and quantitative changes in sperm production in steelhead, *Oncorhynchus mykiss*. Journal of Ichthyology 34(2), 78–89
- Chereguini, O., Cal, R.M., Dreanno, C., Ogier de Baulny, B., Suquet, M. & Maise, G. (1997): Short-term storage and cryopreservation of turbot (*Scophthalmus maximus*) sperm. Aquatic Living Resources 10, 251–255
- Cherepanov, V.V., Drokin S.I., Ochkur S.I., Dzuba B.B., Chikhachov, A.S. & Kopeika E.F. (1993): Freezing of sperm of Azov-Black Sea Acipenserids. Problems and prospects for cryopreserved sperm collection from rare and endangered sturgeon species, 63–64
- Cherr, G.N. & Clark Jr., W.H. (1985). Gamete interaction in the white sturgeon *Acipenser transmontanus*: a morphological and physiological review. In: North American Sturgeons. Binkowski, F.P. & Doroshov, S.I. (Eds.). Dordrecht, The Netherlands, Dr. W. Junk Publishers, 11–22
- Christ, S.A., Toth, G.P., McCarthy, H.W., Torsella, J.A. & Smith, M.K. (1996): Monthly variation in sperm motility in common carp assessed using computer-assisted sperm analysis (CASA). Journal of Fish Biology 48(6), 1210–1222
- Christen, R., Gatti, J.-L. & Billard, R. (1987): Trout sperm motility. The transient movement of trout sperm is related to changes in the concentration of ATP following the activation of the flagellar movement. European Journal of Biochemistry 166(3), 667–671
- Ciereszko, A., Toth, G. P., Christ, S. A. & Dabrowski, K. (1996): Effect of cryopreservation and theophylline on motility characteristics of lake sturgeon (*Acipenser fulvescens*) spermatozoa. Theriogenology 45(3), 665–672
- Cognie, F., Billard, R. & Chao, N.H. (1989): La cryoconservation de la laitance de la carpe, *Cyprinus carpio*. Journal of Applied Ichthyology 5, 165–176
- Cosson, M. P., Billard, R. & Letellier, L. (1989): Rise of internal  $Ca^{2+}$  accompanies the initiation of trout sperm motility. Cell Motility and the Cytoskeleton 14, 424–434
- Cosson, M. P., Cosson, J., Andre, F. & Billard, R. (1995): cAMP/ATP relationship in the activation of trout sperm motility - their interaction in membrane-deprived models and in live spermatozoa. Cell Motility and the Cytoskeleton 31(2), 159–176
- Cosson, J. & Linhart, O. (1996): Paddlefish (*Polyodon spathula*) spermatozoa: Effects of potassium and pH on motility. Folia Zoologica 45(4), 361–370

- Cosson, J., Linhart, O., Mims, S.D., Shelton, W.L. & Rodina, M. (2000): Analysis of motility parameters from paddlefish and shovelnose sturgeon spermatozoa. *Journal of Fish Biology* 56, 1348–1367
- DIN 38 412 Teil 15: Bestimmung der Wirkung von Wasserinhaltsstoffen auf Fische - Fischtest (1982)
- DIN 38 412 Teil 30: Bestimmung der nicht akut giftigen Wirkung von Abwasser gegenüber Daphnien über Verdünnungsstufen (1989)
- DIN 38 412 Teil 31: Bestimmung der nicht akut giftigen Wirkung von Abwasser gegenüber Fischen über Verdünnungsstufen (1989)
- DIN 38 412 Teil 33: Bestimmung der nicht giftigen Wirkung von Abwasser gegenüber Grünalgen (Scenedesmus-Chlorophyll-Fluoreszenztest) über Verdünnungsstufen (1991)
- DIN 38412 Teil 341: Bestimmung der Hemmwirkung von Abwasser auf die Lichtemission von *Photobacterium phosphoreum* - Leuchtbakterien-Abwassertest, Erweiterung des Verfahrens DIN 38412 - L 34 (1993)
- DIN EN 28692: Wasserbeschaffenheit - Wachstumshemmtest mit den Süßwasseralgen *Scenedesmus subspicatus* und *Selenastrum capricornutum* (1993)
- Davis, R.O., Niswander, P.W. & Katz, D.F. (1992): New measures of sperm motion. I. Adaptive smoothing and harmonic analysis. *Journal of Andrology* 13, 139–152
- Dilauro, M.N., Krise, W.F., Hendrix, M.A. & Baker, S.E. (1994): Short-term cold-storage of Atlantic sturgeon sperm. *Progressive Fish-Culturist* 56(2), 143–144
- Dinnel, P.A., Link, J.M., Stober, Q.J., Letourneau, M.W. and Roberts, W.E. (1989): Comparative sensitivity of sea urchin sperm bioassays to metals and pesticides. *Archives of Environmental Contamination and Toxicology* 18, 748–755
- Dreanno, C., Suquet, M., Quemener, L., Cosson, J., Fierville, F., Normant, Y. & Billard, R. (1997): Cryopreservation of turbot (*Scophthalmus maximus*) spermatozoa. *Theriogenology* 48(4), 589–603
- Drokin, S.I., Cherepanov V.V., Kopeika E.F. & Shilin, N.I. (1993): Cryoconservation of the sperm of Shalalin sturgeon (*Acipenser medirostris* Micadoi). Problems and prospects for cryopreserved sperm collection from rare and endangered sturgeon species, 64–65
- Fent, K. (1998): Ökotoxikologie, Thieme Verlag, Stuttgart (ISBN 3-13-109991-7)
- Finney, D.J. (1971): Probit Analysis, Cambridge Univ. Press., pp. 19–76
- Finney, D.J. (1978): Statistical Method in Biological Assay. Charles Griffin & Company Ltd, London
- Fry, D.M. & Toone, C.K. (1981): DDT-induced feminization of gull embryos. *Science* 213, 922–924
- Gallis, J.L., Federico, E., Jatteau, P., Bonpant, E. & Billard, R. (1991): Siberian sturgeon, *Acipenser baeri*, spermatozoa: Effects of dilution, pH, osmotic pressure, sodium and potassium ions on motility. In: *Acipenser*. Williot, P. (Ed.), Cemagref Publ., 143–151
- Geffen, A.J. & Frayer, O. (1993): Retention of sperm motility in turbot, *Scophthalmus maximus* L.: The effects of time from activation, thermal shock and adenosine triphosphate levels. *Aquaculture and Fisheries Management*, 203–209

- Giasson, B.I., & Lee V.M.-Y. (2000): A new link between pesticides and Parkinson's disease. *Nature Neuroscience* 3, 1227–1228
- Glogowski, J., Ciereszko, A. & Dabrowski, K. (1999): Cryopreservation of muskellunge and yellow perch semen. *North American Journal of Aquaculture* 61(3), 258–262
- Gwo, J.-C., Ohta, H., Okuzawa, K. & Wu, H.C. (1999): Cryopreservation of sperm from the endangered Formosan landlocked salmon (*Oncorhynchus masou formosanus*). *Theriogenology* 51(3), 569–582
- Gwo, J.-C., Strawn, K., Longnecker, M. T. & Arnold, C.R. (1991): Cryopreservation of Atlantic croaker spermatozoa. *Aquaculture* 94(4), 355–375
- Gwo, J.-C., Kurokura, H. & Hirano, R. (1993): Cryopreservation of spermatozoa from rainbow trout, common carp, and marine puffer. *Nippon Suisan Gakkaishi (Bulletin of the Japanese Society of Scientific Fisheries)* 59(5), 777–782
- Hamoutene, D., Rahimtula, A. & Payne, J. (2000): Development of a new biochemical assay for assessing toxicity in invertebrate and fish sperm. *Water Research* 34(16), 4049–4053
- Hochleitner, M. (1996): Störe. Österreichischer Agrarverlag, Klosterneuburg (ISBN 3 7040 1261 0)
- Holtz, W. (1993): Cryopreservation of rainbow trout (*Oncorhynchus mykiss*) sperm: practical recommendations. *Aquaculture* 110, 97–100
- Horvath, A. & Urbanyi, B. (2000): The effect of cryoprotectants on the motility and fertilizing capacity of cryopreserved African catfish *Clarias gariepinus* (Burchell 1822) sperm. *Aquaculture Research* 31(3), 317–324
- Jähnichen, H., Warnecke, D., Trölsch, E., Kohlmann, K., Bergler, H. & Pluta, H. J. (1999): Motility and fertilizing capability of cryopreserved *Acipenser ruthenus* L. sperm. *Journal of Applied Ichthyology* 15(4–5), 204–206
- Jähnichen, H. (1992): Weitere Verbesserung der künstlichen Vermehrung von Cypriniden durch Kurzzeitkonservierung des Spermas. *Fortschritte in der Fischereiwissenschaft* 10, 61–67
- Kime, D.E. (1995): The Effects of Pollution on Reproduction in Fish. *Reviews in Fish Biology and Fisheries* 5(1), 52–95
- Kime, D.E., Ebrahimi, M., Nysten, K., Roelants, I., Rurangwa, E., Moore, H.D.M. & Ollevier, F. (1996): Use of computer assisted sperm analysis (CASA) for monitoring the effects of pollution on sperm quality of fish; Application to the effects of heavy metals. *Aquatic Toxicology* 36(3–4), 223–237
- Kime, D.E. (1999): A strategy for assessing the effects of xenobiotics on fish reproduction. *Science of the Total Environment* 225(1–2), 3–11
- Kime, D.E., Van Look, K.J.W., McAllister, B.G., Huyskens, G., Rurangwa, E. & Ollevier, F. (2001): Computer-assisted sperm analysis (CASA) as a tool for monitoring sperm quality in fish. *Comparative Biochemistry and Physiology C - Toxicology & Pharmacology* 130(4), 425–433
- Koldras, M. & Bieniarz K (1987): Cryopreservation of carp sperm. *Polish Archives of Hydrobiology* 34(1), 125–134
- Krasznai, Z., Marian, T., Izumi, H., Damjanovich, S., Balkay, L., Tron, L. & Morisawa, M. (2000): Membrane hyperpolarization removes inactivation of Ca<sup>2+</sup> channels, leading to Ca<sup>2+</sup> influx and

- subsequent initiation of sperm motility in the common carp. Proceedings of the National Academy of Sciences of the USA 97(5), 2052–2057
- Kurokura, H., Hirano, R., Tomita, M. & Iwahashi, M. (1984): Cryopreservation of carp sperm. *Aquaculture* 37(3), 267–273
- Lahnsteiner, F., Berger, B., Horvath, A., Urbanyi, B. & Weismann, T. (2000): Cryopreservation of spermatozoa in cyprinid fishes. *Theriogenology* 54(9), 1477–1498
- Lakra, W.S. & Krishna G. (1997): Preliminary trials for cryopreservation of spermatozoa of selected carps and catfishes. *Indian Journal of Animal Sciences* 67(1), 90–92
- Leveroni Calvi, S., Zoccarato, I., Gasco, L. & Andrione, A. (1993): Motility of cryopreserved carp (*Cyprinus carpio* L.) milt: Effects of diluent, cryopreservation and thawing procedures. *Rivista Italiana Acquacoltura* 28, 187–195
- Linhart, O., Mims, S.D. & Shelton, W.L. (1995): Motility of spermatozoa from shovelnose sturgeon and paddlefish. *Journal of Fish Biology* 47(5), 902–909
- Linhart, O. & Cosson, J. (1997): Cryopreservation of carp (*Cyprinus carpio* L.) spermatozoa: the influence of external K<sup>+</sup> and Na<sup>+</sup> on post-thaw motility. *Polish Archives of Hydrobiology* 44(1–2), 275–279
- Linhart, O., Rodina, M. & Cosson, J. (2000): Cryopreservation of sperm in common carp *Cyprinus carpio*: Sperm motility and hatching success of embryos. *Cryobiology* 41(3), 241–250
- Liu, Y.T. & Warne, P.K. (1977): Computerized evaluation of sperm cell motility. *Computers and Biomedical Research* 10, 127–138
- Lubzens, E., Daube, N., Pekarsky, I., Magnus, Y., Cohen, A., Yusefovich, F. & Feigin, P. (1997): Carp (*Cyprinus carpio* L.) spermatozoa cryobanks - strategies in research and application. *Aquaculture* 155(1–4), 13–30
- Makler, A. (1978a): A new chamber for rapid sperm count and motility estimation. *Fertility and Sterility* 30, 313–318
- Makler, A. (1978b): The thickness of microscopically examined seminal sample and its relationship to sperm motility estimation. *International Journal of Andrology* 1, 213–219
- Magyary, I., Urbanyi, B. & Horvath, L. (1996a): Cryopreservation of common carp (*Cyprinus carpio* L.) sperm I. The importance of oxygen supply. *Journal of Applied Ichthyology* 12, 113–115
- Magyary, I., Urbanyi, B. & Horvath, L. (1996b): Cryopreservation of common carp (*Cyprinus carpio* L.) sperm II. Optimal conditions for fertilization. *Journal of Applied Ichthyology* 12, 117–119
- Marian, T., Krasznai, Z., Balkay, L., Balazs, M., Emri, M., Bene, L. & Tron, L. (1993): Hypo-osmotic shock induces an osmolality-dependent permeabilization and structural changes in the membrane of carp sperm. *Journal of Histochemistry and Cytochemistry* 41(2), 291–297
- McLachlan J.A., Korach, K.S., Newbold, R.R. & Degen, G.H. (1984): Diethylstilbestrol and other estrogens in the environment. *Fundamental and Applied Toxicology* 4, 686–691
- McNiven, M. A., Gallant, R. K. & Richardson, G. F. (1993): Dimethyl-acetamide as a cryoprotectant for rainbow trout spermatozoa. *Theriogenology* 40(5), 943–948

- Moczarski, M. (1977): Deep freezing of carp *Cyprinus carpio* L. sperm. Bulletin de l'Académie Polonaise des Sciences - Série des Sciences Biologiques 25, 187–190
- Morisawa, M. & Suzuki K (1980): Osmolality and potassium ion: their roles in initiation of sperm motility in teleosts. Science 210(4474), 1145–1147
- Morisawa, M., Okuno, M., Suzuki, K., Morisawa, S. & Ishida, K. (1983): Initiation of sperm motility in teleosts. Journal of Submicroscopic Cytology 15(1), 61–65
- Morisawa, M. & Ishida, K. (1987): Short-term changes in levels of cyclic AMP, adenylate cyclase, and phosphodiesterase during the initiation of sperm motility in rainbow trout. Journal of Experimental Zoology 242(2), 199–204
- Müller, H. (1983): Fische Europas. Enke Verlag, Stuttgart (ISBN 3 432 93531 5)
- Nehring, H., Rothe, L., Müller, K. & Koepsell, H. (1994). Überprüfung von Spermivitalitätstesten als alternative Technik zur Erfassung von Stoffdaten hinsichtlich einer Einstufung "umweltgefährlich". F/E-Vorhaben 106 02 072 des Umweltbundesamtes.
- Nelson, L. (2000): Technical report - Beyond pesticides. National Coalition against the Misuse of Pesticides 15(7)
- Oda, S., Igarashi, Y., Ohtake, H., Sakai, K., Shimizu, N. & Morisawa, M. (1995): Sperm-activating proteins from unfertilized eggs of the Pacific herring, *Clupea pallasii*. Development, Growth and Differentiation 37, 257–261
- Ogier de Baulny, B., LeVern, Y., Kerboeuf, D. & Maise, G. (1997): Flow cytometric evaluation of mitochondrial activity and membrane integrity in fresh and cryopreserved rainbow trout (*Oncorhynchus mykiss*) spermatozoa. Cryobiology 34(2), 141–149
- Ogier de Baulny, B., Labbe, C. & Maise, G. (1999): Membrane integrity, mitochondrial activity, ATP content, and motility of the European catfish (*Silurus glanis*) testicular spermatozoa after freezing with different cryoprotectants. Cryobiology 39(2), 177–184
- Parks, J.E. & Graham, J.K. (1992): Effects of cryopreservation procedures on sperm membranes. Theriogenology 38(2), 209–222
- Perchec, G., Jeulin, C., Cosson, J., Andre, F. & Billard, R. (1995): Relationship between sperm ATP content and motility of carp spermatozoa. Journal of Cell Science 108, 747–753
- Perchec, G., Cosson, J., André, F. & Billard, R. (1993): La motilité des spermatozoïdes de truite (*Oncorhynchus mykiss*) et de carpe (*Cyprinus carpio*). Journal of Applied Ichthyology 9(3–4), 129–149
- Perchec Poupard, G., Gatti, J.L., Cosson, J., Jeulin, C., Fierville, F. & Billard, R. (1997): Effects of extracellular environment on the osmotic signal transduction involved in activation of motility of carp spermatozoa. Journal of Reproduction and Fertility 110(2), 315–327
- Perchec Poupard, G., Paxion, C., Cosson, J., Jeulin, C., Fierville, F. & Billard, R. (1998): Initiation of carp spermatozoa motility and early ATP reduction after milt contamination by urine. Aquaculture 160(3–4), 317–328
- Rathner, M. & Sonneborn, M. (1979): Biologisch wirksame Östrogene in Trink- und Abwasser. Forum Städte Hygiene 30, 45–49

- Ravinder, K., Nasaruddin, K., Majumdar, K.C. & Shivaji, S. (1997): Computerized analysis of motility, motility patterns and motility parameters of spermatozoa of carp following short-term storage of semen. *Journal of Fish Biology* 50(6), 1309–1328
- Redondo-Müller, C., Cosson, M.-P., Cosson, J. & Billard, R. (1991): In vitro maturation of the potential for movement of carp spermatozoa. *Molecular Reproduction and Development* 29, 259–270
- Reichle, G. (1997): *Der Stör*. Verlag Laßleben, Kallmünz (ISBN 3 7847 9115 8)
- Richardson, G.F., Miller, T.L. & McNiven, M.A. (2000): Cryopreservation of Arctic charr, *Salvelinus alpinus* (L.), semen in various extenders and in three sizes of straw. *Aquaculture Research* 31(3), 307–315
- Rurangwa, E., Roelants, I., Huyskens, G., Ebrahimi, M., Kime, D.E. & Ollevier, F. (1998): The minimum effective spermatozoa : egg ratio for artificial insemination and the effects of mercury on sperm motility and fertilization ability in *Clarias gariepinus*. *Journal of Fish Biology* 53(2), 402–413
- Rurangwa, E., Biegiewska, A., Slominska, E., Skorkowski, E.F. & Ollevier, F. (2002): Effect of tributyltin on adenylate content and enzyme activities of teleost sperm: a biochemical approach to study the mechanisms of toxicant reduced spermatozoa motility. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology* 131 (3), 335–344
- Saad, A. & Billard, R. (1987): Composition et emploi d'un dileur d'insémination chez la carpe, *Cyprinus carpio*. *Aquaculture* 66, 329–345
- Seibert, H., Kolossa, M. & Wassermann, O. (1989): Bovine spermatozoa as an in vitro model for studies on the cytotoxicity of chemicals: effects of chlorophenols. *Cell Biology and Toxicology* 5(3), 315–330
- Suquet, M., Billard, R., Cosson, J., Dorange, G., Chauvaud, L., Mugnier, C. & Fauvel, C. (1994): Sperm features in turbot (*Scophthalmus maximus*) - a comparison with other fresh-water and marine fish species. *Aquatic Living Resources* 7(4), 283–294
- Suquet, M., Billard, R., Cosson, J., Normant, Y. & Fauvel, C. (1995): Artificial-insemination in turbot (*Scophthalmus maximus*) - determination of the optimal sperm to egg ratio and time of gamete contact. *Aquaculture* 133(1), 83–90
- Suquet, M., Dreanno, C., Dorange, G., Normant, Y., Quemener, L., Gaignon, J.L. & Billard, R. (1998): The ageing phenomenon of turbot spermatozoa: effects on morphology, motility and concentration, intracellular ATP content, fertilization, and storage capacities. *Journal of Fish Biology* 52(1), 31–41
- Suzuki, T., Komada, H., Takai, R., Aarii, K. & Kozima, T.T. (1995): Relation between toxicity of cryoprotectant DMSO and its concentration in several fish embryos. *Fisheries Science* 61(2), 193–197
- Thorogood, J. and Blackshaw A. (1992): Factors affecting the activation, motility and cryopreservation of the spermatozoa of the yellowfin bream, *Acanthopagrus australis* (Guenther). *Aquaculture and Fisheries Management* 23(3), 337–344
- Toth, G.P., Christ, S.A., McCarthy, H.W., Torsella, J.A. & Smith, M.K. (1995): Computer-assisted motion analysis of sperm from the common carp. *Journal of Fish Biology* 47(6), 986–1003
- Toth, G.P., Ciereszko, A., Christ, S.A. & Dabrowski, K. (1997): Objective analysis of sperm motility in the lake sturgeon, *Acipenser fulvescens*: activation and inhibition conditions. *Aquaculture* 154 (3–4), 337–348

- Trippel, E.A. & Neilson, J.D. (1992): Fertility and sperm quality of virgin and repeat-spawning Atlantic cod (*Gadus morhua*) and associated hatching success. Canadian Journal of Fisheries and Aquatic Sciences 49, 2118–2127
- Tsvetkova, L., Cosson, J., Linhart., O. & Billard, R. (1996): Motility and fertilizing capacity of fresh and frozen-thawed spermatozoa in sturgeons *Acipenser baeri* and *A. ruthenus*. Journal of Applied Ichthyology 12, 107–112
- Westin, L. & Nissling, A. (1991): Effects of salinity on spermatozoa motility, percentage of fertilized eggs and egg development of Baltic cod (*Gadus morhua*), and implications for cod stock fluctuations in the Baltic. Marine Biology 108, 5–9
- Woynarovich, E. (1962): Hatching of carp eggs in Zuger glasses and breeding of carp larvae until the age of 10 days. Bamidgeh 14, 38–46

**Informationsquellen zu den verwendeten Chemikalien und zu Tabelle 16 und Tabelle 17:**

- [1] Sicherheitsdatenblatt der Fa. Merck gemäß EG-Richtlinie 91/155/EWG für Cadmiumnitrat-Tetrahydrat (Stand: 12.04.1999)
- [2] Kühn, R. & Pattard, M. (1990): Results of the harmful effects of water pollutants to green algae (*Scenedesmus subspicatus*) in the cell multiplication inhibition test. *Water Research* 24(1), 31–38
- [3] Brauer, F., Podewils, C. & Pluta, H.-J. (1997): Validierung eines Zytotoxizitätstests als Ersatzmethode zum Fischtest nach DIN 38412, Teil 31(Phase II). Abschlussbericht zum Forschungsvorhaben des BMBF (FKZ 031 07 58)
- [4] Kime, D.E., Ebrahimi, M., Nysten, K., Roelants, I., Rurangwa, E., Moore, H.D.M. & Ollevier, F. (1996): Use of computer assisted sperm analysis (CASA) for monitoring the effects of pollution on sperm quality of fish; application to the effects of heavy metals. *Aquatic Toxicology* 36, 223–237
- [5] Vorliegende Dissertation
- [6] Internet-Adresse: <http://www.oekopro.de/>
- [7] Streit, B. (1991/1994): Lexikon der Ökotoxikologie, VCH Verlag, Weinheim (ISBN 3-527-28104-5)
- [8] Trenel, J. & Kühn, R. (1982): Bewertung wassergefährdender Stoffe im Hinblick auf Lagerung, Umschlag und Transport. Umweltforschungsplan des Bundesministers des Innern.
- [9] Brooke, L.T. (1993): Acute and chronic toxicity of Nonylphenol to ten species of aquatic organisms; Contract No. 68-C1-0034, U.S. EPA, Duluth, MN: 36
- [10] Yoshioka, Y. (1985): Testing for the toxicity of chemicals with *Tetrahymena pyriformis*. *Science of the Total Environment* 43, 149-157
- [11] Sicherheitsdatenblatt der Fa. Merck gemäß EG-Richtlinie 91/155/EWG für Crotonaldehyd (Stand: 29.05.2001)
- [12] Holcombe, G.W., Phipps, G.L., Sulaiman, A. H. & Hoffman, A.D. (1987): Simultaneous multiple species testing: acute toxicity of 13 chemicals to 12 diverse freshwater amphibian, fish, and invertebrate families. *Archives of Environmental Contamination and Toxicology* 16, 697–710
- [13] DIN 38415-6: Bestimmung der nicht akut giftigen Wirkung von Abwasser auf die Entwicklung von Fischeiern über Verdünnungsstufen (2001). Validierungsdokument Nr. 23 (DIN Arbeitskreis 7.6)
- Devillers, J., Chambon, P., Zakarya, D., Chastrette, M. & Chambon, R. (1987): A predictive structure-toxicity model with *Daphnia magna*. *Chemosphere* 16, 1149–1163
  - Kolossa, M. & Seibert, H. (1991): Toxicity testing by means of cryopreserved bovine spermatozoa. *Scandinavian Cell Toxicology Congress* 6, 204–208
  - Palar, H. & Angerhöfer, D. (1995): *Chemische Ökotoxikologie*. Springer-Verlag, Berlin (ISBN 3 540 59150 8)
  - Smith, S., Furay, V.J., Layiwola, P.J. & Menezes-Filho, J.A. (1994): Evaluation of the toxicity and quantitative structure-activity relationships (QSAR) of chlorophenols to the copepodid stage of a marine copepod (*Tisbe battagliai*) and two species of benthic flatfish, the flounder (*Platichthys flesus*) and sole (*Solea solea*). *Chemosphere* 28(4), 825–836
  - Sonstige genutzte Internetquellen (<http://>): [chemexpo.com](http://chemexpo.com), [anubis.uba.de/etox](http://anubis.uba.de/etox), [www.citi.or.jp](http://www.citi.or.jp), [chemfinder.cambridgesoft.com](http://chemfinder.cambridgesoft.com), [ull.chemistry.uakron.edu](http://ull.chemistry.uakron.edu), [ace.ace.orst.edu](http://ace.ace.orst.edu), [www.fibl.ch](http://www.fibl.ch).