

---

**Reference List**

1. Araneda RC, Kini AD, Firestein S (2000) The molecular receptive range of an odorant receptor. *Nat Neurosci* 3: 1248-1255.
2. Aroniadou-Anderjaska V, Zhou FM, Priest CA, Ennis M, Shipley MT (2000) Tonic and synaptically evoked presynaptic inhibition of sensory input to the rat olfactory bulb via GABA(B) heteroreceptors. *J Neurophysiol* 84: 1194-1203.
3. Aubert C, Bourger N (2004) Investigation of volatiles in Charentais cantaloupe melons (*Cucumis melo* Var. *cantalupensis*). Characterization of aroma constituents in some cultivars. *J Agric Food Chem* 52: 4522-4528.
4. Augustine GJ, Santamaria F, Tanaka K (2003) Local calcium signaling in neurons. *Neuron* 40: 331-346.
5. Ayer RK, Jr., Carlson J (1991) *acj6*: a gene affecting olfactory physiology and behavior in *Drosophila*. *Proc Natl Acad Sci U S A* 88: 5467-5471.
6. Baum D (2005) Multiple Semi-flexible 3D Superposition of Drug-Sized Molecules. Berthold, M. R. 198-207. 2005. Berlin Heidelberg, Springer-Verlag. *CompLife* 2005.
7. Bhalerao S, Sen A, Stocker R, Rodrigues V (2003) Olfactory neurons expressing identified receptor genes project to subsets of glomeruli within the antennal lobe of *Drosophila melanogaster*. *J Neurobiol* 54: 577-592.
8. Bichao H, Borg-Karlson AK, Araujo J, Mustaparta H (2005) Five types of olfactory receptor neurons in the strawberry blossom weevil *Anthonomus rubi*: selective responses to inducible host-plant volatiles. *Chem Senses* 30: 153-170.
9. Boeckh J (1962) Elektrophysiologische Untersuchungen an einzelnen Geruchsrezeptoren auf den Antennen des Totengräbers (*Necrophorus*, Coleoptera). *Z Vergl Physiol* 46: 212-248.
10. Boeckh J, Tolbert LP (1993) Synaptic organization and development of the antennal lobe in insects. *Microsc Res Tech* 24: 260-280.
11. Boekhoff I, Michel WC, Breer H, Ache BW (1994) Single odors differentially stimulate dual second messenger pathways in lobster olfactory receptor cells. *J Neurosci* 14: 3304-3309.
12. Bozza T, Feinstein P, Zheng C, Mombaerts P (2002) Odorant receptor expression defines functional units in the mouse olfactory system. *J Neurosci* 22: 3033-3043.

13. Brand AH, Perrimon N (1993) Targeted gene expression as a means of altering cell fates and generating dominant phenotypes. *Development* 118: 401-415.
14. Breer H (2003) Olfactory receptors: molecular basis for recognition and discrimination of odors. *Anal Bioanal Chem* 377: 427-433.
15. Buchner E (1991) Genes expressed in the adult brain of *Drosophila* and effects of their mutations on behavior: a survey of transmitter- and second messenger-related genes. *J Neurogenet* 7: 153-192.
16. Buck L, Axel R (1991) A novel multigene family may encode odorant receptors: a molecular basis for odor recognition. *Cell* 65: 175-187.
17. Charpak S, Mertz J, Beaurepaire E, Moreaux L, Delaney K (2001) Odor-evoked calcium signals in dendrites of rat mitral cells. *Proc Natl Acad Sci U S A* 98: 1230-1234.
18. Clyne P, Grant A, O'Connell R, Carlson JR (1997) Odorant response of individual sensilla on the *Drosophila* antenna. *Invert Neurosci* 3: 127-135.
19. Clyne PJ, Warr CG, Freeman MR, Lessing D, Kim J, Carlson JR (1999) A novel family of divergent seven-transmembrane proteins: candidate odorant receptors in *Drosophila*. *Neuron* 22: 327-338.
20. Cometto-Muniz JE, Cain WS, Abraham MH (2003) Quantification of chemical vapors in chemosensory research. *Chem Senses* 28: 467-477.
21. Couto A, Alenius M, Dickson BJ (2005) Molecular, anatomical, and functional organization of the *Drosophila* olfactory system. *Curr Biol* 15: 1535-1547.
22. de Bruyne M (2003) Physiology and genetics of odor perception in *Drosophila*. In: *Insect Pheromone Biochemistry and Molecular Biology - The Biosynthesis and Detection of Pheromones and Plant Volatiles* (Blomquist G, Vogt R, eds), pp 651-697. Academic Press.
23. de Bruyne M, Clyne PJ, Carlson JR (1999) Odor coding in a model olfactory organ: the *Drosophila* maxillary palp. *J Neurosci* 19: 4520-4532.
24. de Bruyne M, Foster K, Carlson JR (2001) Odor coding in the *Drosophila* antenna. *Neuron* 30: 537-552.
25. Diegelmann S, Fiala A, Leibold C, Spall T, Buchner E (2002) Transgenic flies expressing the fluorescence calcium sensor Cameleon 2.1 under UAS control. *Genesis* 34: 95-98.
26. Distler P (1990) GABA-immunohistochemistry as a label for identifying types of local interneurons and their synaptic contacts in the antennal lobes of the American cockroach. *Histochemistry* 93: 617-626.

27. Dobritsa AA, van der Goes van Naters, Warr CG, Steinbrecht RA, Carlson JR (2003) Integrating the molecular and cellular basis of odor coding in the *Drosophila* antenna. *Neuron* 37: 827-841.
28. Dubin AE, Heald NL, Cleveland B, Carlson JR, Harris GL (1995) Scutoid mutation of *Drosophila melanogaster* specifically decreases olfactory responses to short-chain acetate esters and ketones. *J Neurobiol* 28: 214-233.
29. Duchamp-Viret P, Chaput MA, Duchamp A (1999) Odor response properties of rat olfactory receptor neurons. *Science* 284: 2171-2174.
30. Elmore T, Ignell R, Carlson JR, Smith DP (2003) Targeted mutation of a *Drosophila* odor receptor defines receptor requirement in a novel class of sensillum. *J Neurosci* 23: 9906-9912.
31. Ennis M, Zhou FM, Ciombor KJ, Aroniadou-Anderjaska V, Hayar A, Borrelli E, Zimmer LA, Margolis F, Shipley MT (2001) Dopamine D2 receptor-mediated presynaptic inhibition of olfactory nerve terminals. *J Neurophysiol* 86: 2986-2997.
32. Estes PS, Roos J, van der BA, Kelly RB, Krishnan KS, Ramaswami M (1996) Traffic of dynamin within individual *Drosophila* synaptic boutons relative to compartment-specific markers. *J Neurosci* 16: 5443-5456.
33. Fadool DA, Ache BW (1992) Plasma membrane inositol 1,4,5-trisphosphate-activated channels mediate signal transduction in lobster olfactory receptor neurons. *Neuron* 9: 907-918.
34. Fiala A, Spall T, Diegelmann S, Eisermann B, Sachse S, Devaud JM, Buchner E, Galizia CG (2002) Genetically expressed cameleon in *Drosophila melanogaster* is used to visualize olfactory information in projection neurons. *Curr Biol* 12: 1877-1884.
35. Firestein S, Picco C, Menini A (1993) The relation between stimulus and response in olfactory receptor cells of the tiger salamander. *J Physiol* 468: 1-10.
36. Fischer A, Schütte C, Deuflhard P, Cordes F (2002) Hierarchical uncoupling-coupling of metastable conformations. [24], 235-259. Berlin, Springer Verlag. LNCSE Series.
37. Fishilevich E, Vosshall LB (2005) Genetic and functional subdivision of the *Drosophila* antennal lobe. *Curr Biol* 15: 1548-1553.
38. Fried HU, Fuss SH, Korsching SI (2002) Selective imaging of presynaptic activity in the mouse olfactory bulb shows concentration and structure dependence of odor responses in identified glomeruli. *Proc Natl Acad Sci U S A* 99: 3222-3227.
39. Friedrich RW, Korsching SI (1997) Combinatorial and chemotopic odorant coding in the zebrafish olfactory bulb visualized by optical imaging. *Neuron* 18: 737-752.

40. Friedrich RW, Korsching SI (1998) Chemotopic, combinatorial, and noncombinatorial odorant representations in the olfactory bulb revealed using a voltage-sensitive axon tracer. *J Neurosci* 18: 9977-9988.
41. Fuss SH, Korsching SI (2001) Odorant feature detection: activity mapping of structure response relationships in the zebrafish olfactory bulb. *J Neurosci* 21: 8396-8407.
42. Gaillard I, Rouquier S, Pin JP, Mollard P, Richard S, Barnabe C, Demaille J, Giorgi D (2002) A single olfactory receptor specifically binds a set of odorant molecules. *Eur J Neurosci* 15: 409-418.
43. Galizia CG, Kimmerle B (2004) Physiological and morphological characterization of honeybee olfactory neurons combining electrophysiology, calcium imaging and confocal microscopy. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol* 190: 21-38.
44. Gao Q, Chess A (1999) Identification of candidate *Drosophila* olfactory receptors from genomic DNA sequence. *Genomics* 60: 31-39.
45. Gao Q, Yuan B, Chess A (2000) Convergent projections of *Drosophila* olfactory neurons to specific glomeruli in the antennal lobe. *Nat Neurosci* 3: 780-785.
46. Gesteland RC, Lettvin JY, Pitts WH (1965) Chemical transmission in the nose of the frog. *J Physiol* 181: 525-559.
47. Goldman AL, van der Goes van Naters, Lessing D, Warr CG, Carlson JR (2005) Coexpression of two functional odor receptors in one neuron. *Neuron* 45: 661-666.
48. Hallem EA, Ho MG, Carlson JR (2004) The molecular basis of odor coding in the *Drosophila* antenna. *Cell* 117: 965-979.
49. Hamana H, Hirono J, Kizumi M, Sato T (2003) Sensitivity-dependent hierarchical receptor codes for odors. *Chem Senses* 28: 87-104.
50. Hatt H, Gisselmann G, Wetzel CH (1999) Cloning, functional expression and characterization of a human olfactory receptor. *Cell Mol Biol (Noisy -le-grand)* 45: 285-291.
51. Hildebrand JG, Shepherd GM (1997) Mechanisms of olfactory discrimination: converging evidence for common principles across phyla. *Annu Rev Neurosci* 20: 595-631.
52. Ignell R, Hansson BS (2005) Insect Olfactory Neuroethology - An Electrophysiological Perspective. In: *Methods in Insect Sensory Neuroscience* (Christensen TA, ed), pp 319-347. London: CRC Press.
53. Jackson FR, Newby LM, Kulkarni SJ (1990) *Drosophila* GABAergic systems: sequence and expression of glutamic acid decarboxylase. *J Neurochem* 54: 1068-1078.

54. Jordan MJ, Goodner KL, Shaw PE (2002) Characterization of the aromatic profile in aqueous essence and fruit juice of yellow passion fruit (*Passiflora edulis* Sims F. *Flavicarpa degner*) by GC-MS and GC/O. *J Agric Food Chem* 50: 1523-1528.
55. Jordan MJ, Margaria CA, Shaw PE, Goodner KL (2003) Volatile components and aroma active compounds in aqueous essence and fresh pink guava fruit puree (*Psidium guajava* L.) by GC-MS and multidimensional GC/GC-O. *J Agric Food Chem* 51: 1421-1426.
56. Jordan MJ, Shaw PE, Goodner KL (2001a) Volatile components in aqueous essence and fresh fruit of *Cucumis melo* cv. Athena (muskmelon) by GC-MS and GC-O. *J Agric Food Chem* 49: 5929-5933.
57. Jordan MJ, Tandon K, Shaw PE, Goodner KL (2001b) Aromatic profile of aqueous banana essence and banana fruit by gas chromatography-mass spectrometry (GC-MS) and gas chromatography-olfactometry (GC-O). *J Agric Food Chem* 49: 4813-4817.
58. Kajiya K, Inaki K, Tanaka M, Haga T, Kataoka H, Touhara K (2001) Molecular bases of odor discrimination: Reconstitution of olfactory receptors that recognize overlapping sets of odorants. *J Neurosci* 21: 6018-6025.
59. Katada S, Hirokawa T, Oka Y, Suwa M, Touhara K (2005) Structural basis for a broad but selective ligand spectrum of a mouse olfactory receptor: mapping the odorant-binding site. *J Neurosci* 25: 1806-1815.
60. Kauer JS, White J (2001) Imaging and coding in the olfactory system. *Annu Rev Neurosci* 24: 963-979.
61. Kondoh Y, Kaneshiro KY, Kimura K, Yamamoto D (2003) Evolution of sexual dimorphism in the olfactory brain of Hawaiian *Drosophila*. *Proc Biol Sci* 270: 1005-1013.
62. Krautwurst D, Yau KW, Reed RR (1998) Identification of ligands for olfactory receptors by functional expression of a receptor library. *Cell* 95: 917-926.
63. Krieger J, Klink O, Mohl C, Raming K, Breer H (2003) A candidate olfactory receptor subtype highly conserved across different insect orders. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol* 189: 519-526.
64. Kurtz R, Warzecha AK, Egelhaaf M (2001) Transfer of visual motion information via graded synapses operates linearly in the natural activity range. *J Neurosci* 21: 6957-6966.
65. Laissue PP, Reiter C, Hiesinger PR, Halter S, Fischbach KF, Stocker RF (1999) Three-dimensional reconstruction of the antennal lobe in *Drosophila melanogaster*. *J Comp Neurol* 405: 543-552.

66. Larsson MC, Domingos AI, Jones WD, Chiappe ME, Amrein H, Vosshall LB (2004) Or83b encodes a broadly expressed odorant receptor essential for *Drosophila* olfaction. *Neuron* 43: 703-714.
67. Lewcock JW, Reed RR (2004) A feedback mechanism regulates monoallelic odorant receptor expression. *Proc Natl Acad Sci U S A* 101: 1069-1074.
68. Linster C, Sachse S, Galizia CG (2005) Computational modeling suggests that response properties rather than spatial position determine connectivity between olfactory glomeruli. *J Neurophysiol* 93: 3410-3417.
69. Loughrin JH, Kasperbauer MJ (2002) Aroma of fresh strawberries is enhanced by ripening over red versus black mulch. *J Agric Food Chem* 50: 161-165.
70. Luu P, Acher F, Bertrand HO, Fan J, Ngai J (2004) Molecular determinants of ligand selectivity in a vertebrate odorant receptor. *J Neurosci* 24: 10128-10137.
71. Madrid R, Delgado R, Bacigalupo J (2005) Cyclic AMP Cascade Mediates the Inhibitory Odor Response of Isolated Toad Olfactory Receptor Neurons. *J Neurophysiol* 94: 1781-1788.
72. Malnic B, Hirono J, Sato T, Buck LB (1999) Combinatorial receptor codes for odors. *Cell* 96: 713-723.
73. Marin EC, Jefferis GS, Komiyama T, Zhu H, Luo L (2002) Representation of the glomerular olfactory map in the *Drosophila* brain. *Cell* 109: 243-255.
74. Martin F, Charro MJ, Alcorta E (2001) Mutations affecting the cAMP transduction pathway modify olfaction in *Drosophila*. *J Comp Physiol [A]* 187: 359-370.
75. Meister M, Bonhoeffer T (2001) Tuning and topography in an odor map on the rat olfactory bulb. *J Neurosci* 21: 1351-1360.
76. Michel WC, Ache BW (1992) Cyclic nucleotides mediate an odor-evoked potassium conductance in lobster olfactory receptor cells. *J Neurosci* 12: 3979-3984.
77. Miesenbock G, De Angelis DA, Rothman JE (1998) Visualizing secretion and synaptic transmission with pH-sensitive green fluorescent proteins. *Nature* 394: 192-195.
78. Miyawaki A, Griesbeck O, Heim R, Tsien RY (1999) Dynamic and quantitative Ca<sup>2+</sup> measurements using improved cameleons. *Proc Natl Acad Sci U S A* 96: 2135-2140.
79. Mombaerts P, Wang F, Dulac C, Chao SK, Nemes A, Mendelsohn M, Edmondson J, Axel R (1996) Visualizing an olfactory sensory map. *Cell* 87: 675-686.

80. Morales B, Ugarte G, Labarca P, Bacigalupo J (1994) Inhibitory K<sup>+</sup> current activated by odorants in toad olfactory neurons. *Proc Biol Sci* 257: 235-242.
81. Mori K, Mataga N, Imamura K (1992) Differential specificities of single mitral cells in rabbit olfactory bulb for a homologous series of fatty acid odor molecules. *J Neurophysiol* 67: 786-789.
82. Mori K, Shepherd GM (1994) Emerging principles of molecular signal processing by mitral/tufted cells in the olfactory bulb. *Semin Cell Biol* 5: 65-74.
83. Mori K, Yoshihara Y (1995) Molecular recognition and olfactory processing in the mammalian olfactory system. *Prog Neurobiol* 45: 585-619.
84. Murphy GJ, Darcy DP, Isaacson JS (2005) Intraglomerular inhibition: signaling mechanisms of an olfactory microcircuit. *Nat Neurosci* 8: 354-364.
85. Murrell JR, Hunter DD (1999) An olfactory sensory neuron line, odora, properly targets olfactory proteins and responds to odorants. *J Neurosci* 19: 8260-8270.
86. Nakai J, Ohkura M, Imoto K (2001) A high signal-to-noise Ca<sup>2+</sup> probe composed of a single green fluorescent protein. *Nat Biotechnol* 19: 137-141.
87. Neuhaus EM, Gisselmann G, Zhang W, Dooley R, Stortkuhl K, Hatt H (2005) Odorant receptor heterodimerization in the olfactory system of *Drosophila melanogaster*. *Nat Neurosci* 8: 15-17.
88. Ng M, Roorda RD, Lima SQ, Zemelman BV, Morcillo P, Miesenbock G (2002) Transmission of olfactory information between three populations of neurons in the antennal lobe of the fly. *Neuron* 36: 463-474.
89. Oka Y, Omura M, Kataoka H, Touhara K (2004) Olfactory receptor antagonism between odorants. *EMBO J* 23: 120-126.
90. Pino JA, Mesa J, Munoz Y, Marti MP, Marbot R (2005) Volatile components from mango (*Mangifera indica* L.) cultivars. *J Agric Food Chem* 53: 2213-2223.
91. Pophof B (2002) Moth pheromone binding proteins contribute to the excitation of olfactory receptor cells. *Naturwissenschaften* 89: 515-518.
92. Pophof B (2004) Pheromone-binding proteins contribute to the activation of olfactory receptor neurons in the silkworms *Antheraea polyphemus* and *Bombyx mori*. *Chem Senses* 29: 117-125.
93. Raming K, Krieger J, Strotmann J, Boekhoff I, Kubick S, Baumstark C, Breer H (1993) Cloning and expression of odorant receptors. *Nature* 361: 353-356.
94. Rawson NE, Eberwine J, Dotson R, Jackson J, Ulrich P, Restrepo D (2000) Expression of mRNAs encoding for two different olfactory receptors in a subset of olfactory receptor neurons. *J Neurochem* 75: 185-195.

95. Rawson NE, Gomez G, Cowart B, Brand JG, Lowry LD, Pribitkin EA, Restrepo D (1997) Selectivity and response characteristics of human olfactory neurons. *J Neurophysiol* 77: 1606-1613.
96. Rosay P, Armstrong JD, Wang Z, Kaiser K (2001) Synchronized neural activity in the *Drosophila* memory centers and its modulation by amnesiac. *Neuron* 30: 759-770.
97. Rostelien T, Strandén M, Borg-Karlson AK, Mustaparta H (2005) Olfactory receptor neurons in two Heliothine moth species responding selectively to aliphatic green leaf volatiles, aromatic compounds, monoterpenes and sesquiterpenes of plant origin. *Chem Senses* 30: 443-461.
98. Rutzler M, Zwiebel L (2005) Molecular biology of insect olfaction: recent progress and conceptual models. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol* 1-14.
99. Sachse S, Galizia CG (2002) Role of inhibition for temporal and spatial odor representation in olfactory output neurons: a calcium imaging study. *J Neurophysiol* 87: 1106-1117.
100. Sachse S, Galizia CG (2003) The coding of odour-intensity in the honeybee antennal lobe: local computation optimizes odour representation. *Eur J Neurosci* 18: 2119-2132.
101. Sadowski J, Gasteiger J (1993) From Atoms and Bonds to 3-Dimensional Atomic Coordinates - Automatic Model Builders. *Chemical Reviews* 93: 2567-2581.
102. Sato T, Hirono J, Tonoike M, Takebayashi M (1994) Tuning specificities to aliphatic odorants in mouse olfactory receptor neurons and their local distribution. *J Neurophysiol* 72: 2980-2989.
103. Schneider D, Lacher V, Kaissling KE (1964) Die Reaktionsweise und das Reaktionsspektrum von Riechzellen bei *Antherea pernyi* (Lepidoptera, Saturniidae). *Z Vergl Physiol* 48: 632-662.
104. Serizawa S, Miyamichi K, Nakatani H, Suzuki M, Saito M, Yoshihara Y, Sakano H (2003) Negative feedback regulation ensures the one receptor-one olfactory neuron rule in mouse. *Science* 302: 2088-2094.
105. Shanbhag SR, Müller B, Steinbrecht RA (1999) Types, external organization, innervation and distribution of olfactory sensilla. *Int J Insect Morphol Embryol* 28: 377-397.
106. Shields VD, Hildebrand JG (2000) Responses of a population of antennal olfactory receptor cells in the female moth *Manduca sexta* to plant-associated volatile organic compounds. *J Comp Physiol [A]* 186: 1135-1151.
107. Shields VD, Hildebrand JG (2001) Recent advances in insect olfaction, specifically regarding the morphology and sensory physiology of antennal



- sensilla of the female sphinx moth *Manduca sexta*. *Microsc Res Tech* 55: 307-329.
108. Shirokova E, Schmiedeberg K, Bedner P, Niessen H, Willecke K, Raguse JD, Meyerhof W, Krautwurst D (2005) Identification of specific ligands for orphan olfactory receptors. G protein-dependent agonism and antagonism of odorants. *J Biol Chem* 280: 11807-11815.
  109. Silverman RB (1992) Receptors. In: *The Organic Chemistry of Drug Design and Drug Action* (Silverman RB, ed), pp 52-97. London: Academic Press, Inc.
  110. Single S, Borst A (2002) Different mechanisms of calcium entry within different dendritic compartments. *J Neurophysiol* 87: 1616-1624.
  111. Spehr M, Gisselmann G, Poplawski A, Riffell JA, Wetzel CH, Zimmer RK, Hatt H (2003) Identification of a testicular odorant receptor mediating human sperm chemotaxis. *Science* 299: 2054-2058.
  112. Stengl M (1994) Inositol-trisphosphate-dependent calcium currents precede cation currents in insect olfactory receptor neurons in vitro. *J Comp Physiol [A]* 174: 187-194.
  113. Stensmyr MC, Dekker T, Hansson BS (2003a) Evolution of the olfactory code in the *Drosophila melanogaster* subgroup. *Proc Biol Sci* 270: 2333-2340.
  114. Stensmyr MC, Giordano E, Balloi A, Angioy AM, Hansson BS (2003b) Novel natural ligands for *Drosophila* olfactory receptor neurones. *J Exp Biol* 206: 715-724.
  115. Stocker RF (1994) The organization of the chemosensory system in *Drosophila melanogaster*: a review. *Cell Tissue Res* 275: 3-26.
  116. Stortkuhl KF, Kettler R (2001) Functional analysis of an olfactory receptor in *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 98: 9381-9385.
  117. Stranden M, Borg-Karlson AK, Mustaparta H (2002) Receptor neuron discrimination of the germacrene D enantiomers in the moth *Helicoverpa armigera*. *Chem Senses* 27: 143-152.
  118. Stranden M, Liblikas I, Konig WA, Almaas TJ, Borg-Karlson AK, Mustaparta H (2003) (-)-Germacrene D receptor neurones in three species of heliothine moths: structure-activity relationships. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol* 189: 563-577.
  119. Strange PG (2002) Mechanisms of inverse agonism at G-protein-coupled receptors. *Trends Pharmacol Sci* 23: 89-95.
  120. Tanaka NK, Awasaki T, Shimada T, Ito K (2004) Integration of chemosensory pathways in the *Drosophila* second-order olfactory centers. *Curr Biol* 14: 449-457.

121. Touhara K, Sengoku S, Inaki K, Tsuboi A, Hirono J, Sato T, Sakano H, Haga T (1999) Functional identification and reconstitution of an odorant receptor in single olfactory neurons. *Proc Natl Acad Sci U S A* 96: 4040-4045.
122. Tressl R, Drawert W, Heiman W, Emberger R (1969) Gaschromatographische Bestandsaufnahme von Bananen-Aromastoffen. *Z Naturfoschung B* 24: 781-783.
123. Venkatesh S, Singh RN (1984) Sensilla on the third antennal segment of *Drosophila melanogaster* Meigen (Diptera: Drosophilidae). *Int J Insect Morphol Embryol* 13: 51-63.
124. Vosshall LB, Amrein H, Morozov PS, Rzhetsky A, Axel R (1999) A spatial map of olfactory receptor expression in the *Drosophila* antenna. *Cell* 96: 725-736.
125. Vosshall LB, Wong AM, Axel R (2000) An olfactory sensory map in the fly brain. *Cell* 102: 147-159.
126. Wachowiak M, Cohen LB (1998) Presynaptic afferent inhibition of lobster olfactory receptor cells: reduced action-potential propagation into axon terminals. *J Neurophysiol* 80: 1011-1015.
127. Wachowiak M, Cohen LB (1999) Presynaptic inhibition of primary olfactory afferents mediated by different mechanisms in lobster and turtle. *J Neurosci* 19: 8808-8817.
128. Wachowiak M, Cohen LB (2001) Representation of odorants by receptor neuron input to the mouse olfactory bulb. *Neuron* 32: 723-735.
129. Wachowiak M, Cohen LB, Ache BW (2002a) Presynaptic inhibition of olfactory receptor neurons in crustaceans. *Microsc Res Tech* 58: 365-375.
130. Wachowiak M, Cohen LB, Zochowski MR (2002b) Distributed and concentration-invariant spatial representations of odorants by receptor neuron input to the turtle olfactory bulb. *J Neurophysiol* 87: 1035-1045.
131. Wachowiak M, Denk W, Friedrich RW (2004) Functional organization of sensory input to the olfactory bulb glomerulus analyzed by two-photon calcium imaging. *Proc Natl Acad Sci U S A* 101: 9097-9102.
132. Wachowiak M, McGann JP, Heyward PM, Shao Z, Puche AC, Shipley MT (2005) Inhibition of olfactory receptor neuron input to olfactory bulb glomeruli mediated by suppression of presynaptic calcium influx. *J Neurophysiol*.
133. Wang JW, Wong AM, Flores J, Vosshall LB, Axel R (2003) Two-photon calcium imaging reveals an odor-evoked map of activity in the fly brain. *Cell* 112: 271-282.
134. Wetzel CH, Behrendt HJ, Gisselmann G, Stortkuhl KF, Hovemann B, Hatt H (2001) Functional expression and characterization of a *Drosophila* odorant

- receptor in a heterologous cell system. *Proc Natl Acad Sci U S A* 98: 9377-9380.
135. Wetzel CH, Oles M, Wellerdieck C, Kuczkowiak M, Gisselmann G, Hatt H (1999) Specificity and sensitivity of a human olfactory receptor functionally expressed in human embryonic kidney 293 cells and *Xenopus Laevis* oocytes. *J Neurosci* 19: 7426-7433.
  136. Wilson RI, Laurent G (2005) Role of GABAergic inhibition in shaping odor-evoked spatiotemporal patterns in the *Drosophila* antennal lobe. *J Neurosci* 25: 9069-9079.
  137. Wilson RI, Turner GC, Laurent G (2004) Transformation of olfactory representations in the *Drosophila* antennal lobe. *Science* 303: 366-370.
  138. Wong AM, Wang JW, Axel R (2002) Spatial representation of the glomerular map in the *Drosophila* protocerebrum. *Cell* 109: 229-241.
  139. Xu P, Atkinson R, Jones DN, Smith DP (2005) *Drosophila* OBP LUSH is required for activity of pheromone-sensitive neurons. *Neuron* 45: 193-200.
  140. Yao CA, Ignell R, Carlson JR (2005) Chemosensory coding by neurons in the coeloconic sensilla of the *Drosophila* antenna. *J Neurosci* 25: 8359-8367.
  141. Yu D, Ponomarev A, Davis RL (2004) Altered representation of the spatial code for odors after olfactory classical conditioning; memory trace formation by synaptic recruitment. *Neuron* 42: 437-449.
  142. Zhang HG, Lee HJ, Rocheleau T, French-Constant RH, Jackson MB (1995) Subunit composition determines picrotoxin and bicuculline sensitivity of *Drosophila* gamma-aminobutyric acid receptors. *Mol Pharmacol* 48: 835-840.
  143. Zhao H, Ivic L, Otaki JM, Hashimoto M, Mikoshiba K, Firestein S (1998) Functional expression of a mammalian odorant receptor. *Science* 279: 237-242.
  144. Zufall F, Leinders-Zufall T, Greer CA (2000) Amplification of odor-induced Ca<sup>2+</sup> transients by store-operated Ca<sup>2+</sup> release and its role in olfactory signal transduction. *J Neurophysiol* 83: 501-512.