

Acknowledgements

I would like to thank Prof. I. V. Hertel not only for the opportunity to work at the Max-Born-Institut, but also for his enthusiasm concerning this experiment and his positive suggestions to my thesis.

I would also like to thank Prof. M. Wolf for accepting to be my second supervisor and for the interesting remarks relative to my work.

I very much appreciate the thoughtful advice given to me by Prof. W. Raith who always had time to listen, and who had numerous valuable suggestions and comments regarding both physics and English.

A special thanks goes to Prof. Wolf Widdra for the constructive and insightful comments. Thank you for the many hours of intense and interesting discussion.

I can honestly say that I could not be the person and the physicist that I am today without Dr. Bernd Winter. He is the one person who over the four years has provided me with unending support and encouragement. His innate curiosity and excitement for physics was contagious, allowing me to see physics with the same eager eyes. Working together with him made the long nights and weekends at BESSY not only productive but also enjoyable. Furthermore, his guidance concerning every aspect of my thesis helped me gain a deep understanding of my subject. But above all else I must thank him for his endless patience (and I mean ENDLESS!!!) with me. All that I can really say is: *Multumesc din suflet.*

I'm very grateful to Dr. Manfred Faubel for having introduced me to this exciting field. He was not only patiently explaining and listening, also beamtimes together with him were always very special in a most friendly atmosphere.

I would particularly like to thank Dr. Mirko Dittmar, the predecessor of the water experiment, for our shared experience exploring the first water photoemission spectra at BESSY. During that time he showed me many tricky experimental details for managing the water jet apparatus.

To Dr. Burkhardt Langer and Dr. Tanja Gießel, many thanks for their time and knowledge they gave me related to both physics and computers. Likewise, I like to thank Dr. Wolfgang Freyer for his interest in the experiment.

We faced many problems in building the MBI Beamline from scratch, however, most could be solved with the sage advice from the BESSY staff. Personally I would like to

mention Dr. Gerd Reichardt and Dr. Rolf Follath. All of my comprehension of the technical and conceptual aspects of the synchrotron radiation is mainly due to my discussions with Dr. Rolf Follath.

I greatly acknowledge the interest of Dr. Kai Godehusen, Dr. Michael Martins, and Tobias Richter for the gas-phase measurements and appreciate their quick response in starting this joint experiment. I would particularly like to say thanks to Kai for his unwavering support and for always being only one phone call away. Moreover, I like to thank him for the stimulating discussion of the gas-phase data and for having thoroughly read this manuscript.

It was my pleasure to work with Dr. Norbert Koch during our first experiments performed at the MBI Beamline. His dedication, optimism, and good mood made these many night shifts an unforgettable experience.

Also many thanks to Dr. Manfred Wick for having supported my work at the various stages. Much of my knowledge on lasers, and particularly handling them, is due to him.

Dr. Norbert Böwering was joining the water experiment for too short time. His excitement for the early experiment had quite an impact on my own motivation, particularly at a time between organic films and water. I also thank him for having always contributed to a friendly atmosphere.

I'm very grateful to David Bröcker who always had time for helping me fighting the computer. His patience and kindness greatly contributed to enjoying my work.

A warm office atmosphere was always provided by Dr. Diana Pop, my colleague and my friend. Whether it was long measuring nights at BESSY or travelling to conferences, we have always had good times together. I also like to thank Dr. Razvan Stoian for several discussions.

A particular thanks to Cynthia Heiner. Her friendly nature and enthusiasm made my final beamtime a very special experience. Although she has only recently joined the group it feels like she has always been ours. I also thank her for having helped me patiently with the proof reading of the various drafts of this work.

I would like to thank Philipp Schmidt for his dedication with the water experiment and also for the ensuing fruitful discussions.

A very special thanks goes to Roman Peslin. He would get me out of every 'impossible' situation quick, with some ingenious idea and a smile. Ich danke Dir.

I would like to thank Rainer Schuman for his friendly and constructive advice concerning both the technical and safety aspects of our laser system. Many thanks to Reinhard Grosser for his continuous and reliable help in maintaining the experimental setup. Many thanks also

to Michael Dose and Wolfgang Krüger for their support. Not only that they are the experts on monochromator and synchronization electronics, they would always help me quickly out of all kinds of technical problems.

I would like to take this opportunity to thank also Kathrein Baurich, and all Ph. D. students in our division, Helena, Mark, Lukas, Helmut, Oliver, and Andreas for the always friendly atmosphere.

Many thanks also to Mr. B. Kinski, Mrs. K. Lekve, and Mrs. S. Winter for their help with all the administrative issues.

Finally I want to especially thank my parents and my sister. Although far away, they have always been *here* and have given me lots of love and support all along the way.