

# Bibliography

- [1] J. T. P. DeBrunner and E. Munck, editors. *How to fold graciously*. University of Illinois Press, 1969.
- [2] C. B. Anfinsen. Principles that govern the folding of protein chains. *Science*, 181:223–230, 1973.
- [3] M. Karplus. The Levinthal paradox: yesterday and today. *Fold. Des.*, 2:S69–S75, 1997.
- [4] A. R. Fersht. *Structure and function in protein science. A guide to enzyme catalysis and protein folding*. Freeman, 1999.
- [5] P. L. Privalov and G. I. Makhatadze. Heat capacity of proteins. II. Partial molar heat capacity of the unfolded polypeptide chain of proteins: protein unfolding effects. *J. Mol. Biol.*, 213:385–391, 1990.
- [6] J. M. Sanz and A. R. Fersht. Rationally designing the accumulation of a folding intermediate of barnase by protein engineering. *Biochemistry*, 32:13584–92, 1993.
- [7] C. M. Johnson and A. R. Fersht. Protein stability as a function of denaturant concentration: the thermal stability of barnase in presence of urea. *Biochemistry*, 34:6795–6804, 1995.
- [8] C. Tanford. Protein denaturation. *Adv. Prot. Chem.*, 23:121, 1968.
- [9] M.L. Scalley, Q. Yi, H. Gu, A. McCormack, J.R. Yates 3rd, and D. Baker. Kinetics of folding of the igg binding domain of peptostreptococcal protein l. *Biochemistry*, 36:3373–3382, 1997.
- [10] S. E. Jackson and A. R. Fersht. Folding of chymotrypsin inhibitor 2. 1. Evidence for a two-state transition. *Biochemistry*, 30:10428–10435, 1991.
- [11] B. Schuler, E. A. Lipman, and W. A. Eaton. Probing the free energy surface for protein folding with single molecule fluorescence spectroscopy. *Nature*, 419:743–747, 2002.
- [12] A. R. Fersht. Transition-state structure as a unifying basis in protein-folding mechanisms: Contact order, chain topology, stability, and the extended nucleus mechanism. *Proc. Natl. Acad. Sci USA*, 97:1525–1529, 2000.

- [13] M. Jacob and F. X. Schmid. Protein folding as a diffusional process. *Biochemistry*, 38:13773–13779, 1999.
- [14] H. A. Kramers. Brownian motion in a field of force and the diffusion model of chemical reactions. *Physica*, 7:284, 1940.
- [15] K. W. Plaxco and D. Baker. Limited internal friction in the rate-limiting step of a two-state protein folding reaction. *Proc. Natl. Acad. Sci. USA*, 95:13591–13596, 1998.
- [16] A. Matouschek, J.T. Kellis Jr., L. Serrano, and A. R. Fersht. Mapping the transition state and pathway of protein folding by protein engineering. *Nature*, 340:122–126, 1989.
- [17] D. B. Wetlaufer. Nucleation, rapid folding and globular intrachain regions in proteins. *Proc. Natl. Acad. Sci. USA*, 70:697–701, 1973.
- [18] M. Karplus and D. L. Weaver. Protein folding dynamics. *Nature*, 260:404–406, 1976.
- [19] S. Rackovsky and H. A. Scheraga. Hydrophobicity, hydrophilicity and the radial and orientational distributions of residues in native proteins. *Proc. Natl. Acad. Sci. USA*, 74:5248–5251, 1977.
- [20] K. A. Dill. Theory for the folding and stability of globular proteins. *Biochemistry*, 24:1501–1509, 1985.
- [21] V. Daggett and A. R. Fersht. The present view of the mechanism of protein folding. *Nature*, 4:497–502, 2003.
- [22] B. Nolting and K. Andert. Mechanism of protein folding. *Proteins*, 41:288–298, 2000.
- [23] P. G. Wolynes, J. N. Onuchic, and D. Thirumalai. Navigating the folding routes. *Science*, 267:1619–1620, 1996.
- [24] P. G. Wolynes. Symmetry and the energy landscapes of biomolecules. *Proc. Natl. Acad. Sci. USA*, 93:14249–14255, 1996.
- [25] P. E. Leopold, M. Montal, and J. N. Onuchic. Protein folding funnels: a kinetic approach to the sequence-structure relationship. *Proc. Natl. Acad. Sci. USA*, 89:8721–8725, 1992.
- [26] D. C. Rapaport. *The Art of Molecular Dynamics Simulation*. Cambridge University Press, 1995.
- [27] A. R. Leach. *Molecular Modelling. Principles and applications*. Longman, 1996.
- [28] K. Huang. *Statistical Mechanics*. J. Wiley & Sons, second edition edition, 1987.
- [29] B. R. Brooks, R. E. Bruccoleri, B. D. Olafson, D. J. States, S. Swaminathan, and M. Karplus. CHARMM: A program for macromolecular energy minimization and dynamics calculations. *Journal of Computational Chemistry*, 4:187–217, 1983.

- [30] D. A. Pearlman, D. A. Case, J. W. Caldwell, W. S. Ross, T. E. Cheatham III, S. De Bolt, D. Ferguson, G. Seibel, and P. Kollmann. AMBER, a package of computer programs for applying molecular mechanics, normal mode analysis, molecular dynamics and free energy calculations to simulate the structural and energetic properties of molecules. *Comp. Phys. Comm.*, 91:1–41, 1995.
- [31] W. R. P. Scott, P. H. Hünenberg, I. G. Tironi, A. E. Mark, S. R. Billeter, J. Fennen, A. E. Torda, T. Huber, P. Krüger, and W. F. van Gunsteren. The GROMOS biomolecular simulation program package. *J. Phys. Chem. A*, 103:3596–3607, 1999.
- [32] J. Norgberg and L. Nilsson. Advances in biomolecular simulations: methodology and recent applications. *Quarterly Reviews of Biophysics*, 36:257–306, 2003.
- [33] A. D. MacKerell Jr., D. Bashford, M. Bellott, R. L. Dunbrack Jr., J. D. Evanseck, M. J. Field, S. Fischer, J. Gao, H. Guo, S. Ha, D. Joseph-McCarthy, L. Kuchnir, K. Kuczera, F. T. K. Lau, C. Mattos, S. Michnick, T. Ngo, D. T. Nguyen, B. Prodhom, W. E. Reiher, III, B. Roux, M. Schlenkrich, J. C. Smith, R. Stote, J. Straub, M. Watanabe, J. Wiórkiewicz-Kuczera, D. Yin, and M. Karplus. All-atom empirical potential for molecular modeling and dynamics studies of proteins. *J. Phys. Chem.*, 102:3586–3616, 1998.
- [34] E. Neria, S. Fischer, and M. Karplus. Simulation of activation free energies in molecular systems. *J. Chem. Phys.*, 105:1902–1921, 1996.
- [35] W. E. Reither III. *Theoretical studies of hydrogen bonding*. PhD thesis, Department of Chemistry, Harvard University, 1985.
- [36] A. J. Russel and A. R. Fersht. Rational modification of enzyme catalysis by engineering the surface charge. *Nature*, 328:496–500, 1987.
- [37] M. W. Pantoliano, M. Whitlow, and et al. The engineering of binding affinity at metal ion binding sites for the stabilization of proteins: Subtilisin as a test case. *Biochemistry*, 27:8311–8317, 1988.
- [38] M.P. Allen and D. J. Tildesley. *Computer simulation of liquids*. Oxford University Press, 1989.
- [39] R. H. Stote, D. J. States, and et al. On the treatment of electrostatic interactions in biomolecular simulations. *J. Chem. Phys.*, 88:2419–2433, 1991.
- [40] L. Greengard and V. Rokhlin. A fast algorithm for particle simulations. *J. Comp. Phys.*, 73:325–348, 1987.
- [41] Y. Duan and P. A. Kollman. Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution. *Science*, 282:740–744, 1998.

- [42] L. Verlet. Computer 'experiments' on classical fluids. i. thermodynamical properties of Lennard-Jones molecules. *Physical review*, 159:98–103, 1967.
- [43] Research Collaboratory for Structural Bioinformatics. Protein data bank. <http://www.rcsb.org/pdb>.
- [44] W. L. Jorgensen, J. Chandrasekar, J. D. Madura, R. W. Impey, and M. L. Klein. Comparison of simple potential functions for simulationg liquid water. *J. Chem. Phys.*, 79:926–935, 1983.
- [45] L. V. Woodcock. Isothermal molecular dynamics calculations for liquid salts. *Chem. Phys. Lett.*, 10:257–261, 1971.
- [46] H. J. C. Berendsen, J. P. M. Postma, W. F. van Gunsteren, A. DiNola, and J. R. Haak. Molecular dynamics with coupling to an external bath. *J. Chem. Phys.*, 81:3684–3690, 1984.
- [47] S. Nose. A unified formulation of the constant temperature molecular dynamics model. *J. Chem. Phys.*, 81:511–519, 1984.
- [48] W. G. Hoover. Canonical dynamics. Equilibrium phase-space distributions. *Phys. Rev. A*, 31:511–519, 1985.
- [49] W. F. van Gunsteren and H. J. C. Berendsen. Algorithms for brownian dynamics. *Molecular Physics*, 45:637–647, 1982.
- [50] G. S. Grest and K. Kremer. Molecular dynamics simulation for polymers in the presence of a heat bath. *Phys. rev. A*, 33:3628–3631, 1986.
- [51] R. Kubo. The fluctuation-dissipation theorem. *Rep. Prog. Phys.*, 29:255–284, 1966.
- [52] M. Levitt. The birth of computational biology. *Nature Struct. Biol.*, 8:392–393, 2001.
- [53] M. Karplus and D. L. Weaver. Protein folding dynamics: the diffusion-collision model and experimental data. *Protein Science*, 3:650–668, 1994.
- [54] M. Levitt and S. Lifson. Refinement of protein conformations using a macromolecular energy minimization procedure. *J. Mol. Biol.*, 46:269–279, 1969.
- [55] A. Szabo and M. Karplus. A mathematical model for structure-function relations in hemoglobin. *J. Mol. Biol.*, 72:163–197, 1972.
- [56] M. Levitt and S. J. Lifson. Refinement of protein conformations using a macromolecular energy minimization procedure. *J. Mol. Biol.*, 46:269–279, 1969.
- [57] B. R. Gelin and M. Karplus. Mechanism of tertiary structural change in hemoglobin. *Proc. Natl. Acad. Sci. USA*, 74:801–5, 1977.

- [58] D. A. Case and M. Karplus. Dynamics of ligand binding to heme proteins. *J. Mol. Biol.*, 132:343–368, 1979.
- [59] B. J. Alder and T. E. Wainwright. Studies in molecular dynamics. i. general method. *J. Chem. Phys.*, 31:459–466, 1959.
- [60] Rahman A. Correlations in the motion of atoms in liquid argon. *Phys. Rev.*, 136:A405–A411, 1964.
- [61] F. H. Stillinger and A. Rahman. Molecular dynamics study of liquid water. *J. Chem. Phys.*, 55:3336–3359, 1971.
- [62] A. Mc Cammon, B. R. Gelin, and M. Karplus. Dynamics of folded proteins. *Nature*, 267:585–90, 1977.
- [63] M. Feig and C. L. Brooks III. Recent advances in the development and application of implicit solvent models in biomolecule simulations. *Curr. Op. Struct. Biol.*, 14:217–224, 2004.
- [64] R. M. Levy and E. Gallicchio. Computer simulations with explicit solvent: recent progress in the thermodynamic decomposition of free energies and in modeling electrostatic effects. *Ann. Rev. Phys. Chem.*, 49:531–567, 1998.
- [65] T. Lazaridis and M. Karplus. Effective energy function for proteins in solution. *Proteins*, 35:133–152, 1999.
- [66] B. Rabenstein. *Monte Carlo methods for simulation of protein folding and titration*. PhD thesis, Freie Universität Berlin, 2000.
- [67] A. Warshel, A. Papazyan, and I. Muegge. Microscopic and semimacroscopic redox calculations: what can and cannot be learned from continuum models. *JBIC*, 2:143–152, 1997.
- [68] G. M. Ullmann and E. W. Knapp. Electrostatic models for computing protonation and redox equilibria in proteins. *Eur. Biophys. J.*, 28:533–551, 1999.
- [69] B. Rabenstein, G. M. Ullmann, and E. W. Knapp. Calculation of protonation patterns in proteins with structural relaxations and molecular ensembles - application to the photosynthetic reaction center. *Eur. Biophys. J.*, 27:626–637, 1998.
- [70] C. Tanford and J. G. Kirkwood. Theory of protein titration curves. *J. Am. Chem. Soc.*, 79:5333–5347, 1957.
- [71] A. Nicholls and B. Honig. A rapide finite difference algorithm, utilizing successive overrelaxation to solve the Poisson-Boltzmann equation. *J. Comput. Chem.*, 12:435–445, 1991.

- [72] B. Honig and A. Nicholls. Classic electrostatics in biology and chemistry. *Science*, 268:1144–1149, 1995.
- [73] H. Hishikita, G. Morra, and E.W. Knapp. Redox potential of quinones in photosynthetic reaction centers from *Rhodobacter sphaeroides*: dependence on protonation of Glu-L212 and Asp-L213. *Biochemistry*, 42:3882–3892, 2003.
- [74] H. Hishikita and E. W. Knapp. Redox potential of quinones in both electron transfer branches of photosystem I. *J. Biol. Chem.*, 278:52002–52011, 2003.
- [75] D. M. Popovic, A. Zmiric, S.D. Zaric, and E.W. Knapp. Energetics of radical transfer in DNA photolyase. *J. Am. Chem. Soc.*, 124:3775–3782, 2002.
- [76] W. Im, D. Beglov, and B. Roux. Continuum solvation model: electrostatic forces from numerical solutions to the Poisson-Boltzmann equation. *Comput. Phys. Comm.*, 111:59–75, 1998.
- [77] F. Fogolari, A. Brigo, and H. Molinari. Protocol for MM/PBSA molecular dynamics simulations of proteins. *Biophys. J.*, 85:159–166, 2003.
- [78] B. Z. Lu, W. Z. Chen, C. X. Wang, and Xj. Ju. Protein molecular dynamics with electrostatic force entirely determined by a single Poisson- Boltzmann calculation. *Proteins*, 48:497–504, 2002.
- [79] R. Luo, L. David, and M. K. Gilson. Accelerated Poisson-Boltzmann calculations for static and dynamic systems. *J. Comp. Chem.*, 23:1244–1253, 2002.
- [80] D. Bashford and D. A. Case. Generalized Born models of macromolecular solvation effects. *Annu. Rev. Phys. Chem.*, 51:129–152, 2000.
- [81] M. Born. Volumen und Hydratationswärme der Ionen. *Z. Phys.*, 1:45–48, 1920.
- [82] W. C. Still, A. Tempczyk, R. C. Hawley, and T. Hendrickson. Semianalytical treatment of solvation for molecular mechanics and dynamics. *J. Am. Chem. Soc.*, 112:6127–6129, 1990.
- [83] A. Ghosh, C. S. Rapp, and R. A. Friesner. Generalized Born model based on a surface integral formulation. *J. Phys. Chem. B*, 102:10983–10990, 1998.
- [84] M. Scarsi, J. Apostolakis, and A. Caffisch. Continuum electrostatics energies of macromolecules in aqueous solutions. *J. Phys. Chem. A*, 101:8098–8106, 1997.
- [85] D. Qiu, P. S. Shenkin, F. P. Hollinger, and W. C. Still. The GB/SA continuum model for solvation. a fast analytical method for the calculation of approximate Born radii. *J. Phys. Chem. A*, 101:3005–3014, 1997.

- [86] M. Schaefer and M. Karplus. A comprehensive analytical treatment of continuum electrostatics. *J. Phys. C*, 100:1578–1599, 1996.
- [87] J. Srinivasan, M. W. Trevathan, P. Beroza, and D. A. Case. Application of a pairwise generalized Born model to proteins and nucleic acids: inclusion of salt effects. *Theor. Chem. Acc.*, 101:426–434, 1999.
- [88] W. Im, M. S. Lee, and C. L. Brooks III. Generalized Born model with a simple smoothing function. *J. Comp. Chem.*, 24:1691–1702, 2003.
- [89] M. S. Lee, F. R. Salsbury, and C.L. Brooks III. Novel generalized Born methods. *J. Chem. Phys.*, 116:10606–10614, 2002.
- [90] T. Lazaridis and M. Karplus. New view of protein folding reconciled with the old through multiple unfolding simulations. *Science*, 278:1928–1931, 1997.
- [91] P.L. Privalov and G.L. Makhatadze. Contribution of hydration to protein folding thermodynamics. ii the entropy and gibbs energy of hydration. *J. Mol. Biol.*, 232:660–679, 1993.
- [92] T. Lazaridis and M. Karplus. Thermodynamics of protein folding: a microscopic view. *Biophys. Chem.*, 100:367–395, 2003.
- [93] K. W. Plaxco, K. T. Simons, and D. Baker. Contact order, transition state placement and the refolding rates of single domain proteins. *J. Mol. Biol.*, 277:985–994, 1998.
- [94] Y. Bai, A. Karimi, H. J. Dyson, and P. E. Wright. Absence of a stable intermediate on the folding pathway of protein a. *Protein Sci.*, 6:1449–1457, 1997.
- [95] J. E. Shea and C. L. Brooks III. From folding theories to folding proteins: A review and assessment of simulation studies of protein folding and unfolding. *Annu. Rev. Phys. Chem.*, 52:499–535, 2001.
- [96] Y. Duan, L. Wang, and P. A. Kollman. The early stage of folding of villin headpiece subdomain observed in a 200-nanosecond fully solvated molecular dynamics simulation. *Proc. Natl. Acad. Sci. USA*, 95:9897–9902, 1998.
- [97] P. H. Hünenberg, A. E. Mark, and W. F. van Gunsteren. Computational approaches to study protein unfolding: hen egg white lysozyme as a case study. *Proteins*, 21(196-213), 1995.
- [98] D. O. Alonso and V. Daggett. Staphylococcal protein A: unfolding pathways, unfolded states, and differences between the B and E domains. *Proc. Natl. Acad. Sci. USA*, 97:133–138, 2000.

- [99] Z. Guo, C.L. Brooks III, and E. M. Boczko. Exploring the folding free energy surface of a three-helix bundle protein. *Proc. Natl. Acad. Sci. USA*, 94:10161–10166, 1997.
- [100] J. Gsponer and A. Caflisch. Role of native topology investigated by multiple unfolding simulations of four SH3 domains. *J. Mol. Biol.*, 309:285–298, 2001.
- [101] E. Paci and M. Karplus. Forced unfolding of fibronectin type 3 modules: An analysis by biased molecular dynamics simulations. *J. Mol. Biol.*, 288:441–459, 1999.
- [102] E. Paci, L. J. Smith, C. M. Dobson, and M. Karplus. Exploration of partially unfolded states of human alpha-lactalbumin by molecular dynamics simulations. *J. Mol. Biol.*, 306:329–347, 2001.
- [103] M. Marchi and P. Ballone. Adiabatic bias molecular dynamics: A method to navigate the conformational space of complex molecular systems. *J. Chem. Phys.*, 110:3697–3702, 1999.
- [104] D. Perl, C. Welker, T. Schindler, K. Schroeder, M. A. Marahiel, R. Jaenicke, and F. X. Schmid. Conservation of rapid two-state folding in mesophilic, thermophilic and hyper-thermophilic cold shock proteins. *Nature Struct. Biol.*, 5:229–235, 1998.
- [105] U. Mueller, D. Perl, F. X. Schmid, and U. Heinemann. Thermal stability and atomic resolution crystal structure of the *Bacillus Caldolyticus* cold shock protein. *J. Mol. Biol.*, 297:975–988, 2000.
- [106] D. Perl, U. Mueller, U. Heinemann, and F. X. Schmid. Two exposed amino acid residues confer thermostability on a cold shock protein. *Nature Struct. Biol.*, 7:380–383., 2000.
- [107] D. Perl and F. X. Schmid. Electrostatic stabilization of a thermophilic cold shock protein. *J. Mol. Biol.*, 313:343–357, 2001.
- [108] T. Schindler and F. X. Schmid. Thermodynamic properties of an extremely rapid protein folding reaction. *Biochemistry*, 35:16833–16842, 1996.
- [109] H. Delbrück, U. Mueller, D. Perl, F. X. Schmid, and U. Heinemann. Crystal structures of mutant forms of the *Bacillus Caldolyticus* cold shock protein differing in thermal stability. *J. Mol. Biol.*, 313:359–369, 2001.
- [110] J. Tsai, M. Levitt, and D. Baker. Hierarchy of structure loss in MD simulations of src SH3 domain unfolding. *J. Mol. Biol.*, 291:215–225, 1999.
- [111] H. M. Rodriguez, A. D. Robertson, and L. M. Gregoret. Native state EX1 and EX2 hydrogen exchange of *Escherichia coli* CspA, a small  $\beta$ -sheet protein. *Biochemistry*, 41:2140–2148, 2002.



- [112] D. Perl, G. Holtermann, and F. X. Schmid. Role of the chain termini for the folding transition state of the cold shock protein. *Biochemistry*, 40:15501–15511, 2001.
- [113] V. Daggett, A. Li, L. S. Itzhaki, D. E. Otzen, and A. R. Fersht. Structure of the transition state for folding of a protein derived from experiment and simulation. *J. Mol. Biol.*, 257:430–440, 1996.
- [114] M. Vendruscolo, E. Paci, C. M. Dobson, and M. Karplus. Three key residues form a critical contact network in a protein folding transition state. *Nature*, 409:641–645, 2001.
- [115] J. Gsponer and A. Caffisch. Molecular dynamics simulations of protein folding from the transition state. *Proc. Natl. Acad. Sci. USA*, 99:6719–6724, 2002.
- [116] R. J. Dubos and R. D. Hotchkiss. The production of bactericidal substances by aerobic sporulating bacilli. *J. Exp. Med.*, 73:629–640, 1941.
- [117] A. S. Bourinbaiar, K. Krasinski, and W. Borkowsky. Anti-HIV effect of gramicidin in vitro: potential for spermicide use. *Life Sci.*, 54:PL5–PL9, 1994.
- [118] S. B. Hladky and D. A. Haydon. Ion transfer across lipid membranes in the presence of gramicidin A. I. unit conductance channel. *Biochim. Biophys. Acta*, 274:294–312, 1972.
- [119] S. M. Pascal and T. A. Cross. High resolution structure and dynamic implications for a double-helical gramicidin A conformer. *Journal of Biomolecular NMR*, 3:495–513, 1993.
- [120] W. R. Veatch, E. T. Fossel, and E. R. Blout. Conformation of gramicidin A. *Biochemistry*, 13:5249–5257, 1974.
- [121] Z. L. Zhang, S. M. Pascal, and T. A. Cross. A conformational rearrangement in gramicidin A. from a double-stranded left-handed to a single-stranded right-handed helix. *Biochemistry*, 31:8822–8828, 1992.
- [122] T. W. Allen, O. S. Andersen, and B. Roux. Structure of gramicidin A in a lipid bilayer environment determined using molecular dynamics simulations and solid-state NMR data. *J. Am. Chem. Soc.*, 125:9868–9877, 2003.
- [123] F. Kovacs, J. Quine, and T. A. Cross. Validation of the single-stranded channel conformation of gramicidin A by solid-state NMR. *Proc. Natl. Acad. Sci. USA*, 96:7910–7915, 1999.
- [124] N. C. Bingham, N. E. C. Smith, T. A. Cross, and D. D. Busath. Molecular dynamics simulations of Trp side-chain conformational flexibility in the gramicidin A channel. *Biopolymers (Pep. Sci.)*, 71:593–600, 2003.

- [125] B. Roux and M. Karplus. Molecular dynamics simulations of the gramicidin channel. *Annu. Rev. Biophys. Biomol. Struct.*, 23:731–761, 1994.
- [126] T. W. Allen, O. S. Andersen, and B. Roux. Energetics of ion conduction through the gramicidin channel. *Proc. Natl. Acad. Sci. USA*, 101:117–122, 2004.
- [127] S. Edwards, B. Corry, S. Kuyucak, and S. H. Chung. Continuum electrostatics fails to describe ion permeation in the gramicidin channel. *Biophys. J.*, 83:1348–1360, 2002.
- [128] S. Kuyucak, O. S. Andersen, and S. H. Chung. Models of permeation in ion channels. *Rep. Prog. Phys.*, 64:1427–1472, 2001.
- [129] J. Åqvist and A. Warshel. Energetics of ion permeation through membrane channels. Solvation of  $\text{Na}^+$  by gramicidin A. *Biophys. J.*, 56:171–182, 1989.
- [130] R. Elber, D. P. Chen, D. Rojewska, and R. Eisenberg. Sodium in gramicidin: an example of a permion. *Biophys. J.*, 68:906–924, 1995.
- [131] R. E. Koeppe II and O. S. Andersen. Engineering the gramicidin channel. *Annu. Rev. Biophys. Biomol. Struct.*, 25:231–258, 1996.
- [132] H. D. Arndt, D. Bockelmann, A. Knoll, S. Lamberth, C. Griesinger, and U. Koert. Kationenkontrolle bei der Funktionsprogrammierung von Helices: Strukturen eines D,L-Peptid-Ionenkanals. *Angew. Chem.*, 114:4234–4238, 2002.
- [133] P. J. Kraulis. MOLSCRIPT: A program to produce both detailed and schematic plots of protein structures. *J. Appl. Cryst.*, 24:956–950, 1991.
- [134] C. I. Bayly, P. Cieplak, W. D. Cornell, and P. A. Kollmann. A well-behaved electrostatic potential based method using charge restraints for deriving atomic charges. The RESP model. *J. Phys. Chem.*, 97:10269–10280, 1993.
- [135] A. Warshel and S. T. Russell. Calculations of electrostatic interactions in biological systems and in solutions. *Q. Rev. Biophys.*, 17:283–422, 1984.
- [136] T. Simonson and C. L. Brooks III. Charge screening and the dielectric constant of proteins: Insights from molecular dynamics. *J. Am. Chem. Soc.*, 118:8452–8458, 1996.
- [137] R. Sayle and E. J. Milner-White. Rasmol: Biomolecular graphics for all. *TIBS*, 20:374, 1995.
- [138] W. D. Cornell, P. Cieplak, C. I. Bayly, I. R. Gould, K. M. Merz Jr., D. M. Ferguson, D. C. Spellmeyer, T. Fox, J. W. Caldwell, and P. A. Kollmann. A second generation force field for the simulation of proteins, nucleic acids and organic molecules. *J. Am. Chem. Soc.*, 117:5179–5197, 1995.

- [139] W. L. Jorgensen, J. Chandrasekhar, J. D. Madura, R. W. Impey, and M. L. Klein. Comparison of simple potential functions for simulating liquid water. *J. Chem. Phys.*, 79:926–935, 1983.
- [140] P. C. Jordan. Ion-water and ion-polypeptide correlations in a gramicidin-like channel. *Biophys. J.*, 58:1133–1156, 1990.
- [141] S. H. Chung and S. Kuyucak. Ion channels: recent progress and prospects. *Eur. J. Biochem.*, 31:283–293, 2002.
- [142] A. Burykin, C.N. Schutz, J. Villa, and A. Warshel. Simulations of ion current in realistic models of ion channels: the KcsA potassium channel. *Proteins*, 47:265–280, 2002.
- [143] A. Burykin, M. Kato, and A. Warshel. Exploring the origin of the ion selectivity of the KcsA potassium channel. *Proteins*, 52:412–426, 2003.
- [144] B. Roux. Computational studies of the gramicidin channel. *Acc. Chem. Res.*, 35:366–375, 2002.
- [145] B. Roux, B. Prodhom, and M. Karplus. Ion transport in the gramicidin channel. Molecular dynamics study of single and double occupancy ion-transport. *Biophys. J.*, 68:876–892., 1995.
- [146] B. L. De Groot and H. Grubmüller. Water permeation across biological membranes: mechanism and dynamics of aquaporin-1 and GlpF. *Science*, 294:2353–2357, 2001.
- [147] L. Hoang, S. Bedard, M. M. G. Krishna, Y. Lin, and S. W. Englander. Cytochrome c folding pathway: Kinetic native-state hydrogen exchange. *Proc. Natl. Acad. Sci. USA*, 99:12173–12178, 2002.
- [148] R. Li and C. Woodward. The hydrogen exchange core and protein folding. *Pro. Sci.*, 8:1571–1591, 1999.
- [149] J. S. Milne, L. Mayne, H. Roder, A. J. Wand, and S. W. Englander. Determinants of protein hydrogen exchange studied in equine cytochrome c. *Pro. Sci.*, 7:739–745, 1998.
- [150] K. S. Kim, J. A. Fuchs, and C. K. Woodward. Hydrogen exchange identifies native-state motional domains important in protein folding. *Biochemistry*, 32:9600–9608, 1993.
- [151] T. Kiefhaber and R. L. Baldwin. Kinetics of hydrogen-bond breakage in the process of unfolding of ribonuclease-a measured by pulsed hydrogen exchange. *Proc. Natl. Acad. Sci. USA*, 92:2657–2661, 1995.
- [152] Y. W. Bai, T. R. Sosnick, L. Mayne, and S. W. Englander. Protein folding intermediates: native-state hydrogen exchange. *Science*, 269:192–197, 1995.

- [153] M. M. G. Krishna, Y. Lin, J. N. Rumbley, and S. W. Englander. Cooperative omega loops in cytochrome c: Role in folding and function. *J. Mol. Biol.*, 331:29–36, 2003.
- [154] I. Bartalesi, A. Rosato, and W. Zhang. Hydrogen exchange in a bacterial cytochrome c: A fingerprint of the cytochrome c fold. *Biochemistry*, 42:10923–10930, 2003.
- [155] H. Feng, Z. Zhou, and Y. Bai. A protein folding pathway with multiple folding intermediates at atomic resolution. *Proc. Natl. Acad. Sci. USA*, 102:5026–5031, 2005.
- [156] E. J. Fuentes and A. J. Wand. Local dynamics and stability of apocytochrome b562 examined by hydrogen exchange. *Biochemistry*, 37:3687–3698, 1998.
- [157] D. M. Ferraro and A. D. Robertson. EX1 hydrogen exchange and protein folding. *Biochemistry*, 43:587–594, 2004.
- [158] A. K. Chamberlain and S. Marqusee. Molten global unfolding monitored by hydrogen exchange in urea. *Biochemistry*, 37:1736–1742, 1998.
- [159] D. O. V. Alonso and V. Daggett. Molecular dynamics simulations of protein unfolding and limited refolding characterization of partially unfolded states of ubiquitin in 60-percent methanol and in water. *J. Mol. Biol.*, 247:501–520, 1995.
- [160] A. E. Garcia and G. Hummer. Conformational dynamics of cytochrome c: correlation to hydrogen exchange. *Proteins*, 36:175–191, 1999.
- [161] C. Chothia and A. M. Lesk. Helix movements and the reconstruction of the haem pocket during the evolution of the cytochrome-c family. *J. Mol. Biol.*, 182:151–158, 2003.
- [162] H. Maity, M. Maity, and S.W. Englander. How cytochrome c folds, and why: submolecular foldon units and their stepwise sequential stabilization. *J. Mol. Biol.*, 343:223–233, 2004.
- [163] G. Morra, M. Hodoscek, and E. W. Knapp. Unfolding of the cold shock protein studied with biased molecular dynamics. *Proteins*, 53:597–606, 2003.
- [164] L. Banci, I. Bertini, S. Ciurli, A. Dikiy, A. Rosato, G. Sciara, and A. R. Thompsett. NMR solution structure, backbone mobility, and homology modeling of c-type cytochromes from gram-positive bacteria. *ChemBioChem*, 3:299–310, 2002.
- [165] S. Benini, A. González, W. R. Rypniewski, K. S. Wilson, J. J. Van Beeumen, and S. Ciurli. Crystal structure of oxydized bacillus pasteurii cytochrome c553 at 0.97Å resolution. *Biochemistry*, 39:13115–13126, 2000.
- [166] I. H. M. Vandenberghe, Y. Guisez, S. Ciurli, S. Benini, and J. J. Van Beeumen. Cytochrome c-553 from the alkalophilic bacterium *Bacillus pasteurii* has the primary structure characteristics of a lipoprotein. *Biochem. Biophys. Res. Commun.*, 264:380–387, 1999.

- [167] P. Voigt and E. W. Knapp. Tuning heme redox potential in the cytochrome c subunit of photosynthetic reaction centers. *J. Biol. Chem.*, 278:51293–51301, 2003.
- [168] G. Morra, G. Kieseritzky, and E. W. Knapp. Stability and fluctuations of amide hydrogen bonds in a bacterial cytochrome c: a molecular dynamics study. *submitted to J.Biol.Inor. Chem.*, 2005.
- [169] F. Parak and E. W. Knapp. A consistent picture of protein dynamics. *Proc. Natl. Acad. Sci. USA- Biol. Sci.*, 81:7088–7092, 1984.
- [170] I. Muegge and E. W. Knapp. Residence times and lateral diffusion of water at protein surfaces: application to BPTI. *J. Phys. Chem.*, 99:1371–1374, 1995.
- [171] L. Hoang, H. Maity, M. M. G. Krishna, Y. Lin, and S. W. Englander. Folding units govern the cytochrome c alkaline transition. *J. Mol. Biol.*, 331:37–43, 2003.
- [172] I. Bartalesi, I. Bertini, and A. Rosato. Structure and dynamics of reduced *Bacillus pasteurii* cytochrome c: Oxidation state dependent properties and implications for electron transfer processes. *Biochemistry*, 42:739–745, 2003.
- [173] X. Morelli and F. Guerlesquin. Mapping the cytochrome c553 interacting site using  $^1\text{H}$  and  $^{15}\text{N}$  NMR. *FEBS Letters*, 460:77–80, 1999.
- [174] C. Hunte, S. Solmaz, and C. Lange. Electron transfer between yeast cytochrome bc1 complex and cytochrome c: A structural analysis. *Biochim. Biophys. Acta*, 1555:21–28, 2002.
- [175] H. Maity, W. K. Lim, J. N. Rumbley, and S. W. Englander. Protein hydrogen exchange mechanism: Local fluctuations. *Pro. Sci.*, 12:153–160, 2003.