

Lipid and protein regulation of membrane trafficking

Inaugural-Dissertation
to obtain the academic degree
Doctor rerum naturalium (Dr. rer. nat)
Submitted to the Department of Biology, Chemistry and Pharmacy of
Freie Universität Berlin

by

Junyong Jia

From Jia Musi, China

March 2007

1st Reviewer: Professor Dr. Volker Haucke
2nd Reviewer: Professor Dr. Petra Knaus

Date of defence: 06-06-2007

DIRECTORY

DIRECTORY	i
ACKNOWLEDGEMENTS	iv
DEDICATION	v
EPIGRAPH	vii
FIGURES	viii
ZUSAMMENFASSUNG.....	x
SUMMARY	xii
1 INTRODUCTION	1
1.1 Overview of membrane traffic in eukaryotic cells.....	1
1.2 Scaffolding, adaptor, regulatory proteins and cargo in coated-vesicle mediated membrane trafficking	2
1.2.1 Vesicle coat scaffolding proteins	2
1.2.1.1 Clathrin.....	3
1.2.1.2 COPII	3
1.2.1.3 COPI.....	4
1.2.2 Adaptor proteins.....	4
1.2.2.1 Heterotetrameric assembly (adaptor) protein (APs)	5
1.2.2.2 GGAs	7
1.2.3 Arf GTPases and vesicle budding.....	9
1.2.4 Cargo selection.....	12
1.2.4.1 Sorting signals in CME	12
1.3 Membrane bending and fission	14
1.3.1 Membrane deformation.....	14
1.3.2 Coated vesicle budding	15
1.3.3 Fission	16
1.4 Synaptic vesicle membrane traffic at chemical synapses	18
1.4.1 Synaptic vesicle cycle	18
1.4.2 Membrane Microdomains	21
2 AIMS OF THE STUDIES	23
3 MATERIALS AND METHODS	24
3.1 Materials.....	24
3.1.1 Primary antibodies	24
3.1.2 Secondary antibodies	24
3.1.3 Reagents, chemicals and consumables.....	24
3.1.4 Instruments.....	25
3.1.5 Kits	25
3.1.6 Buffer, solution and media.....	26
3.2 Methods.....	27
3.2.1 Molecular Cloning	27
3.2.1.1 Oligonucleotide primers.....	27
3.2.1.2 Plasmids	27
3.2.1.3 PCR (Polymerase Chain Reaction).....	27
3.2.1.4 Agarose gel electrophoresis and gel extraction.....	28
3.2.1.5 Bacterial strains.....	28
3.2.1.6 Competent bacteria, ligation and transformation	28
3.2.1.7 Colony PCR screen	29
3.2.1.8 Miniprep for positive colony screen	29
3.2.2 Bioinformatics and software interfaces.....	30
3.2.3 Biochemistry	31

3.2.3.1	Isolation of synaptic detergent-resistant membranes (DRMs) from highly purified synaptosomes (P2).....	31
3.2.3.2	TCA precipitation.....	31
3.2.3.3	Immunoblot, Coomassie staining and autoradiography.....	32
3.2.3.4	Crude synaptic vesicle (LP2) preparation and co-immunoprecipitation.....	33
3.2.3.5	Total lipid extraction and free cholesterol determination.....	34
3.2.3.6	Two-dimensional electrophoresis with immobilized pH gradients.....	34
3.2.3.7	16-BAC/SDS-PAGE two dimensional gel electrophoresis.....	36
3.2.3.8	Protein tryptic digestion and isotope labeling.....	37
3.2.3.9	NanoLC-MALDI-MS/MS and identification of proteins.....	37
3.2.3.10	Quantification of proteins.....	38
3.2.3.11	Recombinant protein expression and purification.....	39
3.2.3.12	M9 medium preparation, protein expression labeled with ¹⁵ N and ¹³ C for NMR analysis.....	40
3.2.3.13	Protonation of phosphoinositides using acid.....	41
3.2.3.14	Liposome preparation and protein binding assay.....	41
3.2.3.15	<i>In vitro</i> tubulation assay and EM negative staining.....	42
3.2.3.16	Clathrin purification from pig brain.....	43
3.2.4	Cell biology.....	46
3.2.4.1	Tissue culture cell lines and storage.....	46
3.2.4.2	Transfection, indirect immunofluorescence microscopy analysis.....	46
3.2.4.3	Primary rat hippocampal neuron-glia co-cultures.....	47
3.2.4.4	<i>In vitro</i> targeted differentiation of neuron from ES cells.....	48
3.2.4.5	Triton X-100 extraction of primary hippocampal neurons.....	49
3.2.4.6	Cholera toxin uptake.....	49
4	RESULTS.....	50
4.1	Results 1.....	50
4.1.1	Flotillin 1 is localized in synaptic DRMs in a cholesterol dependent manner.....	50
4.1.2	Quantitative nanoLC-MALDI-MS/MS proteomics reveals many synaptic vesicle and synaptic vesicle cycling proteins in synaptic DRMs.....	52
4.1.3	Confirmation of DRMs localization of some synaptic vesicle and endocytic proteins by immunoblotting.....	56
4.1.4	A cholesterol-dependent synaptic vesicle complex containing synaptotagmin 1, synaptobrevin 2 and synaptophysin.....	58
4.1.5	Synaptic vesicle and endocytic proteins are partially resistant to Triton X-100 extraction in the cold in primary hippocampal neurons.....	60
4.1.6	Synaptic vesicle proteins co-localize with FITC-labeled cholera toxin B in stimulated primary neurons.....	62
4.2	Results 2.....	64
4.2.1	Characterization of the amino-terminal alpha helix of Arfs.....	64
4.2.2	Profiling of <i>in vitro</i> lipid binding of Arfs.....	66
4.2.3	Arf1 and Arf6 can deform PI(4,5)P ₂ -containing liposomes.....	69
4.2.4	<i>In vivo</i> characterization of Arf1 and its mutants.....	71
4.2.5	Establishment of an <i>in vitro</i> minimal system for membrane budding.....	74
5	DISCUSSION.....	78
5.1	Synaptic DRMs as a platform for synaptic vesicle cargo protein sorting and retrieval as an entity by CME.....	78
5.2	Membrane bending by Arfs during clathrin-mediated transport.....	84
5.2.1	Arfs and membrane curvature.....	84
5.2.2	Assembly of GGA1- and clathrin-coated carriers.....	87
5.2.3	Arf GAP.....	88
5.2.4	Arf like proteins (ARLs).....	89

6	CONCLUSIONS.....	91
7	BIBLIOGRAPHY.....	92
8	APPENDIX.....	104
8.1	Table 1.....	104
8.2	Table 2.....	109
8.3	List of abbreviations.....	110
8.4	Vitae.....	113
8.5	List of publications.....	114

ACKNOWLEDGEMENTS

First, I would like to give my deepest respect and most valuable credit to my supervisor **Professor Dr. Volker Haucke!** Thank you for the patient guidance and the introduction to the mysteries of science. I have been really impressed by your contagious enthusiasm for science and serious attitude as a scientist. I enjoyed a lot of the open discussions with you. Your insightful thinking makes it possible for me to fly on a giant's shoulders. Surely, I will miss that amazing and wonderful time spent in the lab!!!

I would like to thank all former and current members of the laboratory both in Göttingen and Berlin, **Dr. Michael Krauß, Dr. Kristin Walther, Dr. Kathrin Kastning, Steffi Thiel, Dr. Kasim Diril, Dr. Nadja Jung, Michael Schmidt, Inge Walther, Isabelle Grass, Dr. Claus Rodemer, Monika Krems, Arndt Pechstein, Dr. Viktoria Kukhtina, Nina Kahlfeldt, Dr. Yaara Kapp-Barnea, Naomi Barak, Jasmin Podufall, Dr. Tanja Maritzen, Minako Kawai, Lisa Jerndal, Julie Mössinger and Yijian Rao.** Thanks to all of you for giving me such a good time both in the lab and in spare time.

I would like to specially thank **Dr. Michael Krauss.** Thank you for your invaluable technical help all the time especially at the initial stage of my PhD study. Since you are always busy and I often have a lot of questions, I really appreciate your patience and spending so much time on discussion.

I wish to thank **Dr. Eberhard Krause** at the Leibniz-institut für Molekulare Pharmakologie, for scientifically successful collaboration, and the encouragement. I really enjoyed the time discussing science and life. Thanks **Stephanie Lamer** and **Dr. Michael Schümann** for technical help and discussion. I was impressed by your beautiful work. I have been lucky to be your collaborator.

Professor Pietro De Camilli, Dr. Aurelien Roux at the department of cell biology, Yale University School of Medicine. Thanks for your collaboration and contribution to my project!

Thanks **Dr. Christoph Böttcher, Dr. Boris Schade** at the Center of Electron Microscopy, Freie Universität Berlin for your "in-house" collaboration to generate nice EM pictures!

Thanks **Professor Dr. Petra Knaus** for your scientific guidance and encouragement!

Prof. Andreas Herrmann, Dr. Peter Müller, Martin Stöckl, Dr. Thomas Korte. Thanks for your discussion, especially Electron Paramagnetic Resonance.

Professor Dr. Hartmut Oschkinat, Dr. Victoria Higman, Matthias Hiller. I appreciate a lot of your efforts to solve the structure of Arf proteins on membranes.

Although this is a PhD thesis acknowledgement, I still want to thank those who guided me at the very beginning of my scientific career including my master thesis supervisor, **Professor Dr. Xinshan Jia** at China Medical University, the head of our postgraduate program in Stockholm **Professor Eva Severison, Professor Tomas Hokfelt, Dr. Zhiqing David Xu, Dr. Md. Shahidul Islam, Dr. Tiejun Shi and Dr. Sheng Xia** at the Karolinska Institutet, Thanks very much for your support.

Finally, I would like to thank all my friends in Göttingen and Berlin for spending so much happy time with me!

DEDICATION

The blossoming of my life and fruit reaped in this harvest season are only possible with those in my life who persevered and toiled their compassion, love, selfless dedication for a man's growth and maturation. At this moment, I would like to be grateful to all of you who deserve my deepest respect and admiration for your presence in my life.

Zhiying Wang. No words could be used to describe a relationship between a mother and a son. You not only gave me a vivid life to this colorful world but also are my mental guider to be a real man all the time. Your endless love and support are the invaluable power and encouragement to overcome any challenge in my life!

Yansheng Jia, my respected father. You showed me the real meaning to be a strong person and one should never give up for one's dream. It took me many years to understand why you tried to persuade and even force me to study hard when I was at the early stage of the school. Without your support, I would not be here today.

Eva Severision, my supervisor at the international graduate program of "Stockholm graduate school of molecular life science" in Karolinska Institute. Your kind help and understanding made me feel like staying at warm homes. Your tactic encouragement rendered me so much confidence and self-appreciation in science.

Gang Qin, my best friend and intellectual companion. I enjoyed the most exciting discussion with you both on science and life. I have been always impressed by your scientific knowledge, insightful idea of life and ambition.

*To my parents and
all the people love me and I love*

EPIGRAPH

*It matters not how strait the gate,
How charged with punishment the scroll,
I am the master of my fate;
I am the captain of my soul.*

--William Ernest Henley

FIGURES

Figure 1-1 Membrane trafficking pathways of vesicle carriers coated with clathrin, COPII and COPI in eukaryotic cells.....	1
Figure 1-2 Clathrin structure and clathrin-coated vesicles	3
Figure 1-3 Monomeric clathrin endocytic adaptors	5
Figure 1-4 Structural model of the AP-2 adaptor complex.....	7
Figure 1-5 Schematic domain structure of GGA1 and assembly of GGA on membranes	8
Figure 1-6 Interswitch toggles of Arfs	11
Figure 1-7 Mechanisms of cargo recruitment into clathrin coated pits	13
Figure 1-8 Mechanisms of membrane deformation	14
Figure 1-9 Epsin forms an amino-terminal amphipathic helix upon PI(4,5)P ₂ binding and tubulates liposomes <i>in vitro</i>	15
Figure 1-10 Dynamin works at the last step of CCV budding.....	17
Figure 1-11 Synaptic vesicle cycling	19
Figure 1-12 Postulated pathways of synaptic vesicle recycling.....	20
Figure 3-1 Principle of free cholesterol determination	34
Figure 3-2 <i>In vitro</i> liposome deformation assay from lipid membrane sheets	43
Figure 4-1 Flotillin 1 is localized to synaptic DRM fractions in a cholesterol-dependent manner.....	51
Figure 4-2 Sample preparation and working scheme for nanoLC-MALDI-MS/ MS.....	52
Figure 4-3 Comparison of isotopic distribution patterns obtained from a DRM protein.....	53
Figure 4-4 Synaptic DRMs and DRM-associated proteins reveal diverse cellular functions..	56
Figure 4-5 Some synaptic vesicle and endocytic proteins are localized to synaptic DRM fractions.....	57
Figure 4-6 Synaptotagmin 1 forms a cholesterol-dependent protein complex with synaptophysin, and synaptobrevin 2	59
Figure 4-7 Cholesterol-dependent synaptic vesicle protein complex formation using antibodies against synpatophysin (A) and synaptobrevin 2 (B) for co-immunoprecipitation	60
Figure 4-8 Synaptic vesicle proteins are partly resistant to extraction with Triton X-100 in hippocampal neurons	61
Figure 4-9 The endocytic proteins clathrin and AP-2 co-localize with synaptobrevin 2 in Triton X-100-extracted hippocampal neurons	62
Figure 4-10 Internalized FITC-labelled cholera toxin co-localizes with flotillin 1 and synaptotagmin 1 at synapses	63
Figure 4-11 Sequence analysis of Arfs	65
Figure 4-12 Helical wheel analyses of Arfs' amino-terminal helices.....	66
Figure 4-13 Arf1 and Arf6 differ in lipid binding specificity.....	67
Figure 4-14 GTP- and GDP-locked Arf1 and Arf6 mutants bind PI(4,5)P ₂ liposomes.....	68
Figure 4-15 Arf1 and Arf6 amino-terminal basic residues are required for liposome binding	69
Figure 4-16 Arf1 and Arf6 can tubulate liposomes <i>in vitro</i>	70
Figure 4-17 Arf1 wt but not Rab11 wt and Arf1 NH ₂ -terminal hydrophobic mutants tubulate lipid membrane sheets <i>in vitro</i>	71
Figure 4-18 Non-myristoylated and hydrophobic mutants of Arf1 abolish their peri-nuclear location in COS7 cells.....	72
Figure 4-19 Overexpressed Arf1-EGFP decorates tubular structures in COS7 cells	73
Figure 4-20 NH ₂ -terminal amphipathic helix of Arf1 but not the hydrophobic mutant produces massive tubules when overexpressed in COS7 cells	74
Figure 4-21 Affinity purification of GGA1	75
Figure 4-22 His ₆ ×tagged-GGA1Δ1-426 and clathrin liposome binding assays	76
Figure 4-23 Generation of clathrin-coated buds <i>in vitro</i>	76

Figure 5-1 Arl 1-4 secondary structure prediction and helical wheel analysis89