

7. References

- Abeles,A.L., Reaves,L.D., and Austin,S.J. (1989) Protein-DNA interactions in regulation of P1 plasmid replication. *J. Bacteriol.*, **171**, 43-52.
- Adamczyk,M., and Jagura-Burdzy,G. (2003) Spread and survival of promiscuous IncP-1 plasmids. *Acta Biochim. Pol.*, **50**, 425-453.
- Austin,S.J. (1988) Plasmid partition. *Plasmid*, **20**, 1-9.
- Baikalov,L., Schroder,L., Kaczor-Grzeskowiak,M., Grzeskowiak,K., Gunsalus,R., and Dickerson,R.E. (1996) Structure of the *Escherichia coli* response regulator NarL. *Biochemistry*, **35**, 11053-11061.
- Balzer,D., Ziegelin,G., Pansegrouw,W., Kruft,V., and Lanka,E. (1992) KorB protein of promiscuous plasmid RP4 recognizes inverted sequence repetitions in regions essential for conjugative plasmid transfer. *Nucleic Acids Res.*, **20**, 1851-1858.
- Bechhofer,D.H. and Figurski,D.H. (1983) Map location and nucleotide sequence of KorA, a key regulatory gene of promiscuous plasmid RK2. *Nucleic Acids Res.*, **11**, 7453-7469.
- Bignell,C.R., Haines,A.S., Khare,D., and Thomas,C.M. (1999) Effect of growth rate and incC mutation on symmetric plasmid distribution by the IncP-1 partitioning apparatus. *Mol. Microbiol.*, **34**, 205-216.
- Bignell,C. and Thomas,C.M. (2001) The bacterial ParA-ParB partitioning proteins. *J. Biotechnol.*, **91**, 1-34.
- Bingle,L.E., Zatyka,M., Manzoor,S.E., and Thomas,C.M. (2003) Co-operative interactions control conjugative transfer of broad host-range plasmid RK2: Full effect of minor changes in TrbA operator depends on KorB. *Mol. Microbiol.*, **49**, 1095-1108.
- Brennan,R.G. and Matthews,B.W. (1989) Structural basis of DNA-protein recognition. *Trends Biochem. Sci.*, **14**, 286-290.
- Brünger,A.T. (1992) The free *R* value: a novel statistical quantity for assessing the accuracy of crystal structures. *Nature*, **355**, 472-474.
- CCP4, Collaborative Computational Project No. 4. (1994) The CCP4 suite: Programs for protein crystallography. *Acta Crystallogr.*, **D50**, 760-763.
- Cudney,R., Patel,S., Weisgraber,K., Newhouse, Y., and McPherson,A. (1994). Screening and optimization strategies for macromolecular crystal growth. *Acta. Crystallogr.*, **D50**, 414-423.

- Dauter,Z., and Dauter,M. (2001) Entering a new phase: using solvent halide ions in protein structure determination. *Structure*, **9**, 21-26.
- Davis,M.A., Radnedge,L., Martin,K.A., Hayes,F., Youngren,B., and Austin,S.J. (1996) The P1 ParA protein and its ATPase activity play a direct role in the segregation of plasmid copies to daughter cells. *Mol. Microbiol.*, **21**, 1029-1036.
- Delbrück,H., Ziegelin,G., Lanka,E., and Heinemann,U. (2002) An Src homology 3-like domain is responsible for dimerization of the repressor protein KorB encoded by the promiscuous IncP plasmid RP4. *J. Biol. Chem.*, **277**, 4191-4198.
- Diederichs,K., and Karplus,P.A. (1997) Improved R-factors for diffraction data analysis in macromolecular crystallography. *Nature Struct. Biol.*, **4**, 269-275.
- Dostál,L., Khare,D., Bok,J., Heinemann,U., Lanka,E., and Welfle,H. (2003) RP4 repressor protein KorB binds to the major groove of the operator DNA – a Raman study. *Biochemistry*, **42**, 14476-14482.
- Ducros,V.M., Lewis,R.J., Verma,C.S., Dodson,E.J., Leonard,G., Turkenburg,J.P., Murshudov,G.N., Wilkinson,A.J., and Brannigan,J.A. (2001) Crystal structure of GerE, the ultimate transcriptional regulator of spore formation in *Bacillus subtilis*. *J. Mol. Biol.*, **306**, 759-771.
- Evans,G., and Pettifer,R.F. (2001) CHOOCH: a program for deriving anomalous-scattering factors from X-ray fluorescence spectra. *J. Appl. Crystallogr.*, **34**, 82-86.
- Ferré-D'Amaré,A.R., Prendergast,G.C., Ziff,E.B., and Burley,S.K. (1993) Recognition by Max of its cognate DNA through a dimeric b/HLH/Z domain. *Nature*, **363**, 38-45.
- Figurski,D.H., Pohlman,R.F., Bechhofer,D.H., Prince,A.S., and Kelton,C.A. (1982) Broad host range plasmid RK2 encodes multiple Kill genes potentially lethal to *Escherichia coli* host-cells. *Proc. Natl. Acad. Sci. USA*, **79**, 1935-1939.
- Fischer,S.E., Wienholds,E., and Plasterk,R.H. (2001). Regulated transposition of a fish transposon in the mouse germ line. *Proc. Natl. Acad. Sci. USA* **98**, 6759-6764.
- Gerdes,K., Møller-Jensen,J., and Jensen,R.B. (2000) Plasmid and chromosome partitioning: Surprises from phylogeny. *Mol. Microbiol.*, **37**, 455-466.
- Gerlitz,M., Hrabak,O., and Schwab,H. (1990) Partitioning of broad host range plasmid RP4 is a complex system involving site-specific recombination. *J. Bacteriol.*, **172**, 6194-6203.

- Gomis-Rüth,F.X., Sola,M., Acebo,P., Parraga,A., Guasch,A., Eritja,R., Gonzalez,A., Espinosa,M., del Solar,G., and Coll,M. (1998) The structure of plasmid-encoded transcriptional repressor CopG unliganded and bound to its operator. *EMBO J.*, **17**, 7404-7415.
- Gouet,P., Courcelle,E., Stuart,D.I., and Metoz,F. (1999). ESPript: multiple sequence alignments in PostScript. *Bioinformatics*. **15**, 305-8.
- Harrison,S.C., and Aggarwal,A.K. (1990) DNA recognition by proteins with the helix-turn-helix motif. *Annu. Rev. Biochem.*, **59**, 933-969.
- Heinemann,J.A., and Sprague,G.F. (1989) Bacterial conjugative plasmids mobilize DNA transfer between bacteria and yeast. *Nature*, **340**, 205-209.
- Heinemann,U., Alings,C., and Bansal,M. (1992) Double helix conformation, groove dimensions and ligand binding potential of a G/C stretch in B-DNA. *EMBO J.*, **11**, 1931-1939.
- Hendrickson,W.A. (1991) Determination of macromolecular structures from anomalous diffraction of synchrotron radiation. *Science*, **254**, 51-58.
- Hendrickson,W.A., Horton,J.R., LeMaster,D.M. (1990) Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure. *EMBO J.*, **9**, 1665-72.
- Holm,L. and Sander,C. (1993) Protein structure comparison by alignment of distance matrices. *J. Mol. Biol.*, **233**, 123-138.
- Hutchinson,E.G., and Thornton,J.M. (1994) PROMOTIF- A program to identify and analyze structural motifs in proteins. *Protein Sci.*, **5**, 212-220.
- Hooft,R.W.W., Vriend,G., Sander,C., and Abola,E.E. (1996) Errors in protein structures. *Nature*, **381**, 272.
- Ivics,Z., Hackett,P.B., Plasterk,R.H., and Izsvak,Z. (1997). Molecular reconstruction of Sleeping Beauty, a Tc1-like transposon from fish, and its transposition in human cells. *Cell*, **91**, 501-510.
- Izsvak,Z., Ivics,Z., and Plasterk,R.H. (2000). Sleeping Beauty, a wide host-range transposon vector for genetic transformation in vertebrates. *J. Mol. Biol.*, **302**, 93-102.
- Izsvak,Z., Khare,D., Behlke,J., Heinemann,U., Plasterk,R.H., and Ivics,Z. (2002) Involvement of a bifunctional, paired-like DNA-binding domain and a transpositional enhancer in Sleeping Beauty transposition. *J. Biol. Chem.*, **277**, 34581-34588.

- Jagura-Burdzy,G., Kostelidou,K., Pole,J., Khare,D., Jones,A., Williams,D.R., and Thomas,C.M. (1999) IncC of broad-host-range plasmid RK2 modulates KorB transcriptional repressor activity *in vivo* and operator binding *in vitro*. *J. Bacteriol.*, **181**, 2807-2815.
- Jagura-Burdzy,G., Macartney,D.P., Zatyka,M., Cunliffe,L., Cooke,D., Huggins,C., Westblade,L., Khamim,F., and Thomas,C.M. (1999b) Repression at a distance by the global regulator KorB of promiscuous IncP plasmids. *Mol. Microbiol.*, **32**, 519-532.
- Jagura-Burdzy,G., and Thomas,C.M. (1995) Purification of KorA protein from broad host range plasmid RK2: definition of a hierarchy of KorA operators. *J. Mol. Biol.*, **253**, 39-50.
- Jancarik,J., and Kim,S.H. (1991) Sparse matrix sampling: a screening method for crystallization of proteins. *J. Appl. Crystallogr.*, **24**, 409-411.
- Jones,T.A., Zou,J.Y., Cowan,S.W., and Kjeldgaard,M. (1991) Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Crystallogr.*, **A47**, 110-119.
- Kabsch, W. (1993) Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants. *J. Appl. Crystallogr.*, **26**, 795-800.
- Kim,S.K. and Shim,J. (1999) Interaction between F plasmid partition proteins SopA and SopB. *Biochem. Biophys. Res. Commun.*, **263**, 113-117.
- Koradi,R., Billeter,M., and Wüthrich,K. (1996) MOLMOL: a program for display and analysis of macromolecular structures. *J. Mol. Graphics*, **14**, 51-55.
- Kornacki,J.A., Balderes,P.J., and Figurski,D.H. (1987) Nucleotide sequence of KorB, a replication control gene of broad host-range plasmid RK2. *J. Mol. Biol.*, **198**, 211-222.
- Kostelidou,K., Jones,A.C., and Thomas,C.M. (1999) Conserved C-terminal region of global repressor KorA of broad-host-range plasmid RK2 is required for co-operativity between KorA and a second RK2 global regulator, KorB. *J. Mol. Biol.*, **289**, 211-221.
- Kostelidou,K. and Thomas,C.M. (2000) The hierarchy of KorB binding at its 12 binding sites on the broad-host-range plasmid RK2 and modulation of this binding by IncC1 protein. *J. Mol. Biol.*, **295**, 411-422.
- Laemmli,U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.

- Laskowski,R.A., MacArthur,M.A., Moss,D.S., and Thornton,J.M. (1993) PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.*, **26**, 283-291.
- Lavery,R. and Sklenar,H. (1989) Defining the structure of irregular nucleic acids: conventions and principles. *J. Biomol. Struct. Dyn.*, **6**, 655-667.
- Lessl,M., Balzer,D., Weyrauch,K., and Lanka,E. (1993) The mating pair formation system of plasmid RP4 defined by RSF1010 mobilization and donor-specific phage propagation. *J. Bacteriol.*, **175**, 6415-6425.
- Lohe,A.R., Moriyama,E.N., Lidholm,D.A., and Hartl,D.L. (1995) Horizontal transmission, vertical inactivation, and stochastic loss of mariner-like transposable elements. *Mol. Biol. Evol.*, **12**, 62-72.
- Lowburry,E.J.L., Lilly,H.A., Kidson,A., Ayliffe,A., and Jones,R.J. (1969) Sensitivity of *Pseudomonas aeruginosa* to antibiotics: emergence of strains highly sensitive to carbenicillin. *Lancet*, **2**, 448-452.
- Lukaszewicz,M., Kostelidou,K., Bartosik,A.A., Cooke,G.D., Thomas,C.M., and Jagura-Burdzy,G. (2002) Functional dissection of the ParB homologue (KorB) from IncP-1 plasmid RK2. *Nucleic Acids Res.*, **30**, 1046-1055.
- Møller-Jensen,J., Jensen,R.B., and Gerdes,K. (2000) Plasmids and chromosome segregation in prokaryotes. *Trends Microbiol.*, **8**, 313-320.
- Macartney,D.P., Williams,D.R., Stafford,T., and Thomas,C.M. (1997) Divergence and conservation of the partitioning and global regulation functions in the central control region of the IncP plasmids RK2 and R751. *Microbiology*, **143**, 2167-2177.
- Miller,R., Gallo,S.M., Khalak,H.G., and Weeks,C.M. (1994). *SnB*: crystal structure determination via *Shake-and-Bake*. *J. Appl. Crystallogr.* **27**, 613-621.
- Mori,H., Mori,Y., Ichinose,C., Niki,H., Ogura,T., Kato,A., and Hiraga,S. (1989) Purification and characterization of SopA protein and SopB protein essential for F-plasmid partitioning. *J. Biol. Chem.*, **264**, 15535-15541.
- Motallebi-Veshareh,M., Rouch,D.A., and Thomas,C.M. (1990) A family of ATPases involved in active partitioning of diverse bacterial plasmids. *Mol. Microbiol.*, **4**, 1455-1463.

- Nesterenko,M.V., Tilley,M., and Upton,S.J. (1994) A simple modification of Blum's silver stain method allows for 30 minute detection of proteins in polyacrylamide gels. *J. Biochem. Biophys. Methods*, **3**, 239-242.
- Nicholls,A., Sharp,K.A., and Honig,B. (1993) Protein folding and association: Insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins: Struct. Funct. Genet.*, **11**, 281-296.
- Notredame,C., Higgins,D., and Heringa,J. (2000) T-Coffee: A novel method for multiple sequence alignments. *J. Mol. Biol.*, **302**, 205-217.
- Pabo,C.O. and Sauer,R.T. (1984) Protein-DNA recognition. *Annu. Rev. Biochem.*, **53**, 293-321.
- Pansegrouw,W. and Lanka,E. (1987) Conservation of a common 'backbone' in the genetic organization of the IncP plasmids RP4 and R751. *Nucleic Acids Res.*, **15**, 2385.
- Pansegrouw,W., Lanka,E., Barth,P.T., Figurski,D.H., Guiney,D.G., Haas,D., Helinski,D.R., Schwab,H., Stanisich,V.A., and Thomas,C.M. (1994) Complete nucleotide sequence of Birmingham IncP- α plasmids - Compilation and comparative analysis. *J. Mol. Biol.*, **239**, 623-663.
- Perrakis,A., Harkiolaki,M., Wilson,K.S., and Lamzin,V.S. (2001) ARP/wARP and molecular replacement. *Acta Crystallogr.*, **D57**, 1445-1450.
- Plasterk,R.H. (1996) The Tc1/mariner transposon family. *Curr. Top. Microbiol. Immunol.*, **204**, 125-143.
- Ramakrishnan,C. and Ramachandran,G.N. (1965) Stereochemical criteria for polypeptide and protein chain conformations. II. Allowed conformations for a pair of peptide units. *Biophys. J.*, **5**, 909-933.
- Rees,C.E., and Wilkins,B.M. (1990) Protein transfer into the recipient cell during bacterial conjugation: studies with F and RP4. *Mol. Microbiol.*, **4**, 1199-1205.
- Roberts,R.C., Strom,A.R., and Helinski,D.R. (1994) The *parDE* operon of the broad host range plasmid RK2 specifies growth inhibition associated with plasmid loss. *J. Mol. Biol.*, **237**, 35-51.
- Rosche,T.M., Siddique,A., Larsen,M.H., and Figurski,D.H. (2000) Incompatibility protein IncC and global regulator KorB interact in active partition of promiscuous plasmid RK2. *J. Bacteriol.*, **182**, 6014-6026.

- Sheldrick,G.M. (1990) Phase annealing in SHELX-90: Direct methods for larger structures. *Acta Crystallogr.*, **A46**, 467-473.
- Siddique,A. and Figurski,D.H. (2002) The active partition gene *incC* of IncP plasmids is required for stable maintenance in a broad range of hosts. *J. Bacteriol.*, **184**, 1788-1793.
- Surtees,J.A. and Funnell,B.E. (1999) P1 ParB domain structure includes two independent multimerization domains. *J. Bacteriol.*, **181**, 5898-5908.
- Terwilliger,T.C. (2000) Maximum-likelihood density modification. *Acta Crystallogr.*, **D56**, 965-972.
- Terwilliger,T.C. (2002) Automated structure solution, density modification and model building. *Acta Crystallogr.*, **D58**, 1937-1940.
- Terwilliger,T.C. and Berendzen,J. (1999) Automated MAD and MIR structure solution. *Acta Crystallogr.*, **D55**, 849-861.
- Theophilus,B.D.M. and Thomas,C.M. (1987) Nucleotide sequence of the transcriptional repressor gene KorB which plays a key role in regulation of the copy number of broad host range plasmid RK2. *Nucleic Acids Res.*, **15**, 7443-7450.
- Thomas,C.M. and Smith,C.A. (1986) The TrfB region of broad host range plasmid RK2 - the nucleotide sequence reveals IncC and key regulatory gene TrfB/KorA/KorD as overlapping genes. *Nucleic Acids Res.*, **14**, 4453-4469.
- Thorsted,P.A., Macartney,D.P., Akhtar,P., Haines,A.S., Ali,N., Davidson,P., Stafford,T., Pocklington,M.J., Pansegrouw,W., Wilkins,B.M., Lanka,E., and Thomas,C.N. (1998) Complete sequence of the IncP beta plasmid R751: Implications for evolution and organisation of the IncP backbone. *J. Mol. Biol.* **282**, 969-990.
- Vaguine,A.A, Richelle,J., and Wodak,S.J. (1999) SFCHECK: a unified set of procedures for evaluating the quality of macromolecular structure-factor data and their agreement with the atomic model. *Acta Crystallogr.* **D55**, 191-205.
- Watanabe,E., Wachi,M., Yamasaki,M., and Nagai,K. (1992) ATPase activity of SopA, a protein essential for active partitioning of F-plasmid. *Mol. Gen. Genet.*, **234**, 346-352.
- Waters,V.L. (2001) Conjugation between bacterial and mammalian cells. *Nature Genet.*, **29**, 375-376.

- Williams,D.R., Macartney,D.P., and Thomas,C.M. (1998) The partitioning activity of the RK2 central control region requires only *incC*, *korB* and KorB-binding site O(B)3 but other KorB-binding sites form destabilizing complexes in the absence of O(B)3. *Microbiology*, **144**, 3369-3378.
- Williams,D.R., Motallebi-Veshareh,M., and Thomas,C.M. (1993) Multifunctional repressor KorB can block transcription by preventing isomerization of RNA polymerase-promoter complexes. *Nucleic Acids Res.*, **21**, 1141-1148.
- Williams,D.R. and Thomas,C.M. (1992) Active partitioning of bacterial plasmids. *J. Gen. Microbiol.*, **138**, 1-16.
- Wilson,J.A., Sia,E.A., and Figurski,D.H. (1997) The *kilE* locus of promiscuous IncP α plasmid RK2 is required for stable maintenance in *Pseudomonas aeruginosa*. *J. Bacteriol.*, **179**, 2339-2347.
- Xu,H.E., Rould,M.A., Xu,W., Epstein,J.A., Maas,R.L., and Pabo,C.O. (1999) Crystal structure of the human Pax-6 Paired domain-DNA complex reveals specific roles for the linker region and the carboxy-terminal subdomain in DNA binding. *Genes Dev.*, **13**, 1263-1275.
- Zatyka,M., Bingle,L., Jones,A.C., and Thomas,C.M. (2001) Cooperativity between KorB and TrbA repressors of broad-host-range plasmid RK2. *J. Bacteriol.*, **183**, 1022-1031.
- Zayed,H., Izsvak,Z., Khare,D., Heinemann,U., and Ivics,Z. (2003) The DNA-bending protein HMGB1 is a cellular cofactor of Sleeping Beauty transposition. *Nucleic Acids Res.*, **31**, 2313-2322.

8. List of Publications

1. **Khare, D.**, Ziegelin, Z., Lanka, E., and Heinemann, U. (2004). Sequence-specific DNA binding determined by contacts outside the helix-turn-helix motif of the ParB homolog KorB. *Nature Structural and Molecular Biology*, published online 30 May 2004; doi:10.1038/nsmb773.
2. Dostál, L., **Khare, D.**, Bok, J., Heinemann, U., Lanka, E., and Welfle, H. (2003). RP4 repressor protein KorB binds to the major groove of the operator DNA – a Raman study. *Biochemistry*, **42**, 14476-14482.
3. Zayed, H., Izsvák Z., **Khare, D.**, Heinemann, U., and Ivics, Z. (2003). The DNA-bending protein HMGB1 is a Cellular Cofactor of *Sleeping Beauty* transposition. *Nucleic Acids Res.* **31**, 2313-2322.
4. Izsvák, Z., **Khare, D.**, Behlke, J., Heinemann, U., Plasterk, R.H., and Ivics, Z. (2002). Involvement of a bifunctional, paired-like DNA-binding domain and a transpositional enhancer in *Sleeping Beauty* transposition. *J. Biol. Chem.* **37**, 34581-34588.
5. Bignell, C.R., Haines, A.S., **Khare, D.** & Thomas, C.M. (1999). Effect of growth rate and *incC* mutation on symmetric plasmid distribution by the IncP-1 partitioning apparatus. *Mol. Microbiol.* **2**, 205-216.
6. Jagura-Burdzy, G., Kostelidou, K., Pole, J., **Khare, D.**, Jones, A., Williams, D.R., & Thomas, C.M. (1999). IncC of broad-host-range plasmid RK2 modulates KorB transcriptional repressor activity *in vivo* and operator binding *in vitro*. *J. Bacteriol.* **181(9)**, 2807-2815.