

Literaturverzeichnis

1. K. F. Kozarsky, D. R. McKinley, L. L. Austin, S. E. Raper, L. D. Stratford-Perricaudet, and JM Wilson. In vivo correction of low density lipoprotein receptor deficiency in the Watanabe heritable hyperlipidemic rabbit with recombinant adenoviruses. *J Biol Chem* 269:13695-702, 1994.
2. Y. Yang, F. A. Nunes, K. Berencsi, E. Furth, E. Gonczol, and J. M. Wilson. Cellular immunity to viral antigens limits E1-deleted adenoviruses for gene therapy. *Proc Natl Acad Sci USA* 91:4407-11, 1994.
3. P. R. Lowenstein. Why are we doing so much cancer gene therapy? Disentangling the scientific basis from the origins of gene therapy. *Gene Ther* 8:755-6, 1997.
4. J. A. Wolff. The "grand" problem of synthetic delivery. *Nat Biotechnol* 8:768-9, 2002.
5. W. H. Sun, J. K. Burkholder, J. Sun, J. Culp, J. Turner, X. G. Lu, T. D. Pugh, W. B. Ershler, and N. S. Yang. In vivo cytokine gene transfer by gene gun reduces tumor growth in mice. *Proc Natl Acad Sci USA* 92: 2889-2893, 1995.
6. A. L. Rakhmievich, K. Janssen, J. Turner, J. Culp, and N. S. Yang. Cytokine gene therapy of cancer using gene gun technology: superior antitumor activity of interleukin-12. *Hum Gene Ther* 8: 1303-1311, 1997.
7. T. Nishi, K. Yoshizato, S. Yamashiro, H. Takeshima, K. Sato, K. Hamada, I. Kitamura, T. Yoshimura, H. Saya, J. Kuratsu, and Y. Ushio. High-efficiency in vivo gene transfer using intraarterial plasmid DNA injection following in vivo electroporation. *Cancer Res* 56: 1050-1055, 1996.
8. H. Aihara, and J. Miyazaki. Gene transfer into muscle by electroporation in vivo. *Nat Biotechnol* 16: 867-870, 1998.
9. P. L. Felgner, Y. Barenholz, J. P. Behr, S. H. Cheng, P. Cullis, L. Huang, J. A. Jessee, L. Seymour, F. Szoka, A. R. Thierry, E. Wagner, and G. Wu. Nomenclature for synthetic gene delivery systems. *Hum Gene Ther* 8:511-2,1997.
10. G. Zuber, E. Dauty, M. Nothisen, P. Belguise, and J. P. Behr. Towards synthetic viruses. *Adv Drug Deliv Rev* 52:245-53, 2001.
11. C. W. Pouton, and L. W. Seymour. Key issues in non-viral gene delivery. *Adv Drug Deliv Rev* 34: 3-19, 1998.
12. C. Plank, W. Zauner, and E. Wagner. Application of membrane-active peptides for drug and gene delivery across cellular membranes. *Adv Drug Deliv Rev* 34: 21-35, 1998.
13. C. M. Varga, T. J. Wickham, and D. A. Lauffenburger. Receptor-mediated targeting of

- gene delivery vectors: insights from molecular mechanisms for improved vehicle design. *Biotechnol Bioeng* 70: 593-605, 2000.
14. J. T. Sparrow, V. Edwards, C. Tung, M. J. Logan, M. S. Wadhwa, J. Duguid, and L. C. Smith. Synthetic peptide-based DNA complexes for nonviral gene delivery. *Adv Drug Deliv Rev* 30: 115-131, 1998.
 15. O. Boussif, F. Lezoualc'h, M. A. Zanta, M. D. Mergny, D. Scherman, B. Demeneix, and J. P. Behr. A versatile vector for gene and oligonucleotide transfer into cells in culture and in vivo: polyethylenimine. *Proc Natl Acad Sci U.S.A.* 92: 7297-7301, 1995.
 16. A. Kichler, C. Leborgne, E. Coeytaux, and O. Danos. Polyethylenimine-mediated gene delivery: a mechanistic study. *J gene medicine* 2: 135-144, 2001.
 17. R. Cartier and R. Reszka. Utilization of synthetic peptides containing nuclear localization signals for nonviral gene transfer systems. *Gene Ther* 9: 157-67., 2002.
 18. D. V. Schaffer, N. A. Fidelman, N. Dan, and D. A. Lauffenburger. Vector unpacking as a potential barrier for receptor-mediated polyplex gene delivery. *Biotechnol Bioeng* 67: 598-606, 2000.
 19. X. Gao, and L. Huang. Cytoplasmic expression of a reporter gene by co-delivery of T7 RNA polymerase and T7 promoter sequence with cationic liposomes. *Nucleic Acids Res* 21: 2867-72, 1993.
 20. M. Brisson, W. C. Tseng, C. Almonte, S. Watkins, and L. Huang. Subcellular trafficking of the cytoplasmic expression system. *Hum Gene Ther* 10: 2601-13, 1999.
 21. H. Kasamatsu, and A. Nakanishi. How do animal DNA viruses get to the nucleus? *Annu Rev Microbiol* 52: 627-686, 1998.
 22. G. R. Whittaker, M. Kann, and A. Helenius. Viral entry into the nucleus. *Annu Rev Cell Dev Biol* 16: 627-51, 2000.
 23. J. Vacik, B. S. Dean, W. E. Zimmer, and D. A. Dean. Cell-specific nuclear import of plasmid DNA. *Gene Ther* 6: 1006-14, 1999.
 24. I. Fajac, P. Briand, M. Monsigny, and P. Midoux. Sugar-mediated uptake of glycosylated polylysines and gene transfer into normal and cystic fibrosis airway epithelial cells. *Hum Gene Ther* 10: 395-406, 1999.
 25. D. A. Jans, C. K. Chan, and S. Huebner. Signals mediating nuclear targeting and their regulation: application in drug delivery. *Med Res Rev* 18: 189-223, 1998.
 26. T. D. Allen, J. M. Cronshaw, S. Bagley, E. Kiseleva, and M. W. Goldberg. The nuclear pore complex: mediator of translocation between nucleus and cytoplasm. *J Cell Sci* 113: 1651-1659, 2000.

27. J. O. Bustamante, E. R. Michelette, J. P. Geibel, D. A. Dean, J. A. Hanover, and T. J. McDonnell. Calcium, atp and nuclear pore channel gating. *Pflugers Arch* 439: 433-444, 2000.
28. D. Stoffler, B. Fahrenkrog, and U. Aebi. The nuclear pore complex: from molecular architecture to functional dynamics. *Curr Opin Cell Biol* 11: 391-401, 1999.
29. D. A. Jans, C. Y. Xiao, and M. H. Lam. Nuclear targeting signal recognition: a key control point in nuclear transport? *Bioessays* 22: 532-544, 2000.
30. D. Gorlich, and U. Kutay. Transport between the cell nucleus and the cytoplasm. *Annu Rev Cell Dev Biol* 15: 607-660, 1999.
31. S. Nakielny, and G. Dreyfuss. Transport of proteins and RNAs in and out of the nucleus. *Cell* 99: 677-90, 1999.
32. K. Ribbeck, and D. Gorlich. Kinetic analysis of translocation through nuclear pore complexes. *Embo J* 20: 1320-30, 2001.
33. M. R. Capecchi. High efficiency transformation by direct microinjection of DNA into cultured mammalian cells. *Cell* 22: 479-88, 1980.
34. V. Escriou, C. Ciolina, A. Helbling Leclerc, P. Wils, and D. Scherman. Cationic lipid-mediated gene transfer: analysis of cellular uptake and nuclear import of plasmid DNA. *Cell Biol Toxicol* 14: 95-104, 1998.
35. J. E. Hagstrom, J. J. Ludtke, M. C. Bassik, M. G. Sebestyen, S. A. Adam, and J. A. Wolff. Nuclear import of DNA in digitonin-permeabilized cells. *J Cell Sci* 110: 2323-2331, 1997.
36. J. J. Ludtke, G. F. Zhang, M. G. Sebestyen, and J. A. Wolff. A nuclear localization signal can enhance both the nuclear transport and expression of 1 kb DNA. *J cell Sci* 112: 2033-2041, 1999.
37. Labat Moleur, F., A. M. Steffan, C. Brisson, H. Perron, O. Feugeas, P. Furstenberger, F. Oberling, E. Brambilla, and J. P. Behr. An electron microscopy study into the mechanism of gene transfer with lipopolyamines. *Gene Ther* 3: 1010-1017, 1996.
38. J. Zabner, A. J. Fasbender, T. Moninger, K. A. Poellinger, and M. J. Welsh. Cellular and molecular barriers to gene transfer by a cationic lipid. *J Biol Chem* 270: 18997-19007, 1995.
39. M. Wilke, E. Fortunati, M. van den Broek, A. T. Hoogeveen, and B. J. Scholte. Efficacy of a peptide-based gene delivery system depends on mitotic activity. *Gene Ther* 3: 1133-1142, 1996.
40. A. Fasbender, J. Zabner, B. G. Zeiher, and M. J. Welsh. A low rate of cell proliferation and reduced DNA uptake limit cationic lipid-mediated gene transfer to primary cultures of

- ciliated human airway epithelia. *Gene Ther* 4: 1173-1180, 1997.
41. W. C. Tseng, F. R. Haselton, and T. D. Giorgio. Mitosis enhances transgene expression of plasmid delivered by cationic liposomes. *Biochim Biophys Acta* 1445: 53-64, 1999.
 42. V. Escriou, M. Carrière, F. Bussone, P. Wils, and D. Scherman. Critical assessment of the nuclear import of plasmid during cationic lipid-mediated gene transfer. *The Journal of Gene Medicine* 3: 179-187, 2001.
 43. C. M. Feldherr, E. Kallenbach, and N. Schultz. Movement of a karyophilic protein through the nuclear pores of oocytes. *J Cell Biol* 99: 2216-2222, 1984.
 44. M. Bottger, S. V. Zaitsev, A. Otto, A. Haberland, and V. I. Vorob'ev. Acid nuclear extracts as mediators of gene transfer and expression. *Biochim Biophys Acta* 1395: 78-87, 1998.
 45. J. D. Fritz, H. Herweijer, G. Zhang, and J. A. Wolff. Gene transfer into mammalian cells using histone-condensed plasmid DNA. *Hum Gene Ther* 7: 1395-1404, 1996.
 46. K. E. Ellison, N. H. Bishopric, K. A. Webster, R. Morishita, G. H. Gibbons, Y. Kaneda, B. Sato, and V. J. Dzau. Fusigenic liposome-mediated DNA transfer into cardiac myocytes. *J Mol Cell Cardiol* 28: 1385-1399, 1996.
 47. S. Hubner, C. Y. Xiao, and D. A. Jans. The protein kinase CK2 site (Ser111/112) enhances recognition of the simian virus 40 large T-antigen nuclear localization sequence by importin. *J Biol Chem* 272: 17191-5, 1997.
 48. H. Siomi, and G. Dreyfuss. A nuclear localization domain in the hnRNP A1 protein. *J Cell Biol* 129: 551-560, 1995.
 49. S. Nakielnny, M. C. Siomi, H. Siomi, W. M. Michael, V. Pollard, and G. Dreyfuss. Transportin: nuclear transport receptor of a novel nuclear protein import pathway. *Exp Cell Res* 229: 261-266, 1996.
 50. Y. Jenkins, M. McEntee, K. Weis, and W. C. Greene. Characterization of HIV-1 vpr nuclear import: analysis of signals and pathways. *J Cell Biol* 143: 875-885, 1998.
 51. J. S. Hong, and J. A. Engler. The amino terminus of the adenovirus fiber protein encodes the nuclear localization signal. *Virology* 185: 758-67, 1991.
 52. M. A. Zanta, P. Belguise Valladier, and J. P. Behr. Gene delivery: a single nuclear localization signal peptide is sufficient to carry DNA to the cell nucleus. *Proc Natl Acad Sci USA* 96: 91-96, 1999.
 53. C. Neves, V. Escriou, G. Byk, D. Scherman, and P. Wils. Intracellular fate and nuclear targeting of plasmid DNA. *Cell Biol Toxicol* 15: 193-202, 1999.
 54. C. Ciolina, G. Byk, F. Blanche, V. Thuillier, D. Scherman, and P. Wils. Coupling of nu-

- clear localization signals to plasmid DNA and specific interaction of the conjugates with importin alpha. *Bioconjug Chem* 10: 49-55, 1999.
55. M. G. Sebestyen, J. J. Ludtke, M. C. Bassik, G. Zhang, V. Budker, E. A. Lukhtanov, J. E. Hagstrom, and J. A. Wolff. DNA vector chemistry: the covalent attachment of signal peptides to plasmid DNA. *Nat Biotechnol* 16: 80-85, 1998.
56. P. Collas, H. Husebye, and P. Alestrom. The nuclear localization sequence of the SV40 T antigen promotes transgene uptake and expression in zebrafish embryo nuclei. *Transgenic Res* 5: 451-8, 1996.
57. P. Collas, and P. Alestrom. Nuclear localization signals: a driving force for nuclear transport of plasmid DNA in zebrafish. *Biochem Cell Biol* 75: 633-640, 1997.
58. C. K. Chan, and D. A. Jans. Enhancement of polylysine-mediated transferrin infection by nuclear localization sequences: Polylysine does not function as a nuclear localization sequence. *Hum Gene Ther* 10: 1695-1702, 1999.
59. C. K. Chan, T. Senden, and D. A. Jans. Supramolecular structure and nuclear targeting efficiency determine the enhancement of transfection by modified polylysines. *Gene Ther* 7: 1690-7, 2000.
60. C. K. Chan, and D. A. Jans. Enhancement of MSH receptor- and GAL4-mediated gene transfer by switching the nuclear import pathway. *Gene Ther* 8: 166-171, 2001.
61. A. Subramanian, P. Ranganathan, and S. Diamond. Nuclear targeting peptide scaffolds for lipofection of nondividing mammalian cells. *Nat Biotechnol* 17: 873-877, 2000.
62. J. P. Leonetti, N. Mechti, G. Degols, C. Gagnor, and B. Lebleu. Intracellular distribution of microinjected antisense oligonucleotides. *Proc Natl Acad Sci U S A* 88: 2702-6, 1991.
63. G. L. Lukacs, P. Haggie, O. Seksek, D. Lechardeur, N. Freedman, and A. S. Verkman. Size-dependent dna mobility in cytoplasm and nucleus. *J Biol Chem* 275: 1625-1629, 2000.
64. A. Coonrod, F. Q. Li, and M. Horwitz. On the mechanism of DNA transfection: efficient gene transfer without viruses. *Gene Ther* 4: 1313-1321, 1997.
65. B. Schwartz, M. A. Ivanov, B. Pitard, V. Escriou, R. Rangara, G. Byk, P. Wils, J. Crouzet, and D. Scherman. Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo. *Gene Therapy* 6: 282-292, 1999.
66. P. A. Furth, D. Kerr, and R. Wall. Gene transfer by jet injection into differentiated tissues of living animals and in organ culture. *Mol Biotechnol* 4: 121-127, 1995.

67. R.P. Harbottle, R.G. Cooper, S.L. Hart, A. Ladhoff, T. McKay, A.M. Knight, E. Wagner, A.D. Miller, C. Coutelle. An RGD-oligolysine peptide: a prototype construct for integrin-mediated gene delivery. *Hum Gene Ther* 9:1037-1047, 1998.
68. E. Conti, M. Uy, L. Leighton, G. Blobel, J. Kuriyan. Crystallographic Analysis of the Recognition of a Nuclear Localization Signal by the Nuclear Import Factor Karyopherin α . *Cell* 94:193-204,1998.
69. A.C. Gibbs, L.H. Kondejewski, W. Gronwald, A.M. Nip, R.S. Hodges RS, Sykes BD, Wishart DS. Unusual beta-sheet periodicity in small cyclic peptides. *Nat Struct Biol* 4:284-288, 1998.
70. K.A. Mislick, J.D. Baldeschwieler. Evidence for the role of proteoglycans in cation-mediated gene transfer. *Proc Natl Acad Sci U S A.* 93:12349-12354, 1996.
71. L.C. Mounkes, W. Zhong, G. Cipres-Palacin, T.D. Heath, R.J. Debs. Proteoglycans mediate cationic liposome-DNA complex-based gene delivery in vitro and in vivo. *J Biol Chem.* 273:26164-26170, 1998.
72. C.M Wiethoff, J.G. Smith, G.S. Koe, C.R. Middaugh. The potential role of proteoglycans in cationic lipid-mediated gene delivery. Studies of the interaction of cationic lipid-DNA complexes with model glycosaminoglycans. *J Biol Chem.* 276:32806-32813, 2001.
73. T.P. Richardson, V. Trinkaus-Randall, M.A. Nugent. Regulation of heparan sulfate proteoglycan nuclear localization by fibronectin. *J Cell Sci.* 114:1613-1623, 2001.
74. M. Ruponen, S. Yla-Herttuala , A. Urtti. Interactions of polymeric and liposomal gene delivery systems with extracellular glycosaminoglycans: physicochemical and transfection studies. *Biochim Biophys Acta.* 1415:331-341, 1999.
75. E. Mastrobattista, R.H. Kapel, M.H. Eggenhuisen, P.J. Roholl, D.J. Crommelin, W.E. Hennink, G. Storm. Lipid-coated polyplexes for targeted gene delivery to ovarian carcinoma cells. *Cancer Gene Ther.* 8:405-413, 2001.
76. F., Zhang, P. Andreassen, P. Fender, E. Geissler, J. F. Hernandez, and J. Chroboczek. A transfecting peptide derived from adeno virus fiber protein. *Gene Therapy* 6: 171-181, 1999.
77. M. C. Morris, L. Chaloin, J. Mery, F. Heitz, and G. Divita. A novel potent strategy for gene delivery using a single peptide vector as a carrier. *Nucleic Acid Res* 27: 3510-3517, 1999.
78. D. Singh, R. Kiarash, K. Kawamura, E. C. LaCasse, and J. Garipey. Penetration and intracellular routing of nucleus-directed peptide-based shuttles (lologomers) in eukaryotic cells. *Biochemistry* 37: 5798-5809, 1998.

79. O. Karni, A. Friedler, N. Zakai, C. Gilon, A. Loyter. A peptide derived from the N-terminal region of HIV-1 Vpr promotes nuclear import in permeabilized cells: elucidation of the NLS region of the Vpr. *FEBS Lett* 429:421-5 (1998).
80. A. Haberland, T. Knaus, S.V. Zaitsev, R. Stahn, A.R. Mistry, C. Coutelle, H. Haller, M. Bottger. Calcium ions as efficient cofactor of polycation-mediated gene transfer. *Biochim Biophys Acta*. 1445:21-30, 1999.
81. L.C. Gosule, J.A. Schellman. Compact form of DNA induced by spermidine. *Nature* 259: 333-335, 1976.
82. P.A. Baeuerle, W.B. Huttner. Chlorate--a potent inhibitor of protein sulfation in intact cells. *Biochem Biophys Res Commun*. 141:870-877, 1986.
83. P.G. Arscott, A.Z. Li, V.A. Bloomfield. Condensation of DNA by trivalent cations. 1. Effects of DNA length and topology on the size and shape of condensed particles. *Biopolymers*. 30:619-630, 1990.
84. G.E. Plum, P.G. Arscott, V.A. Bloomfield. Condensation of DNA by trivalent cations. 2. Effects of cation structure. *Biopolymers*. 30:631-643, 1990.
85. E. Ramsay, M. Gumbleton. Polylysine and polyornithine gene transfer complexes: A study of complex stability and cellular uptake as a basis for their differential in-vitro transfection efficiency. *J Drug Target* 10: 1-9, 2002.
86. M. Marsh. Endocytosis. *Oxford University Press*, Oxford. 2001.
87. R. Cartier, M. Velinova, C. Lehman, B. Erdmann, and R. Reszka. Ultrastructural analysis of DNA complexes during transfection and intracellular transport. *J Histochem Cytochem* 51: 1237-1240., 2003.
88. D. Briane, D. Lesage, A. Cao, R. Coudert, N. Lievre, J.L. Salzmann, E. Taillandier. Cellular pathway of plasmids vectorized by cholesterol-based cationic liposomes. *J Histochem Cytochem*. 50:983-91, 2002.
89. V. S. Trubetskoy, A. Loomis, J. E. Hagstrom, V. G. Budker, and J. A. Wolff. Layer-by-layer deposition of oppositely charged polyelectrolytes on the surface of condensed DNA particles. *Nucleic Acids Res*. 27(15): 3090-5., 1999.
90. R.H. Müller. Zetapotential und Partikelladung in der Laborpraxis. *Wissenschaftliche Verlagsgesellschaft mbH Stuttgart*, 1996.
91. M. Daune. Molecular Biophysics. *Oxford University Press*, Oxford. 2003.
92. K.E. van Holde, W.C. Johnson, P.S. Ho. Principles of Physical Chemistry. *Prentice Hall*, New Jersey, 1998.

93. L. Russel, S. Burguet. Ultrastructure of leydig cells as revealed by secondary tissue treatment with a ferrocyanide-osmium mixture. *Tissue Cell.* 9:751-766, 1977.
94. P. Bertrand, A. Jonas, A. Laschewsky, and R. Legras. Ultrathin polymer coatings by complexation of polyelectrolytes at interfaces: suitable materials, structure and properties. *Macromol. Rapid Commun.*, 21 (7): 319-348, 2000.
95. J.L. Coll, P. Chollet, E. Brambilla, D. Desplanques, J.P. Behr, M. Favrot. In vivo delivery to tumors of DNA complexed with linear polyethylenimine. *Hum Gene Ther.* 10:1659-1666, 1999.
96. J.L. Merlin, A. N'Doye, T. Bouriez, G. Dolivet. Polyethylenimine Derivatives as Potent Nonviral Vectors for Gene Transfer. *Drug News Perspect.* 15:445-451 2002.
97. J.P. Behr. The Proton Sponge - A Trick to Enter Cells the Viruses Did Not Exploit. *CHIMIA* 51: 34-36, 1997.
98. G. Liu, M. Molas, G. A. Grossmann, M. Pasumarthy, J. C. Perales, M. J. Cooper, and R. W. Hanson. Biological properties of poly-L-lysine-DNA complexes generated by cooperative binding of the polycation. *J Biol Chem* 276: 34379-34387, 2001.
99. D.F. Evans, H. Wennerström The Colloidal Domain : Where Physics, Chemistry, Biology, and Technology Meet. Wiley-VCA, 1999.
100. J.G. Duguid, C. Li, M. Shi, M.J. Logan, H. Alila, A. Rolland, E. Tomlinson, J.T. Sparrow, L.C. Smith. A physicochemical approach for predicting the effectiveness of peptide-based gene delivery systems for use in plasmid-based gene therapy. *Biophys J.* 74:2802-2814, 1998.
101. D.D. Lasic, F.J. Martin, A. Gabizon, S.K. Huang, D. Papahadjopoulos. Sterically stabilized liposomes: a hypothesis on the molecular origin of the extended circulation times. *Biochim Biophys Acta.* 1070:187-192, 1991.
102. Y. Hu and J. Dai. Hydrophobic aggregation of alumina in surfactant solution, *Minerals Engineering*, 16:1167-1172, 2003.
103. J.J. Skehel, M.D. Waterfield. Studies on the primary structure of the influenza virus hemagglutinin. *Proc Natl Acad Sci U S A.* 72:93-97, 1975.
104. I. Navarro-Quiroga, J.A. Gonzalez-Barrios, F. Barron-Moreno, V. Gonzalez-Bernal, D.B. Martinez-Arguelles, and D. Martinez-Fong. Improved neurotensin-vector-mediated gene transfer by the coupling of hemagglutinin HA2 fusogenic peptid and Vp1 SV40 nuclear localization signal. *Molecular Brain Research*, 105: 86-97, 2002.
105. T. Niidome, N. Ohmori, A. Ichinose, A. Wada, H. Mihara, T. Hirayama, and H. Aoyagi. Binding of cationic alpha-helical peptides to plasmid DNA and their gene transfer abilities

- into cells. *J Biol Chem* 272: 15307-12., 1997.
106. E. Wagner, C. Plank, K. Zatloukal, M. Cotten, M.L. Birnstiel. Influenza virus hemagglutinin HA-2 N-terminal fusogenic peptides augment gene transfer by transferrin-polylysine-DNA complexes: toward a synthetic virus-like gene-transfer vehicle. *Proc Natl Acad Sci U S A.* 89:7934-7938; 1992.
107. R.P. Harbottle, R.G. Cooper, S.L. Hart, A. Ladhoff, T. McKay, A.M. Knight, E. Wagner, A.D. Miller, C. Coutelle. An RGD-oligolysine peptide: a prototype construct for integrin-mediated gene delivery. *Hum Gene Ther.* 9:1037-1047, 1998.
108. A. Haberland, S. Zaitsev, R. Dallüge, M. Schneider, H. Zastrow, G.B. Sukhorukov, V.I. Vorob'ev, M. Böttger. Peptide-mediated gene transfer. Effect of the size of complexes with DNA on the efficiency of transfection and receptor-specific binding with cellular target. *Biol.Membrany* 20:278-287. 2003.
109. C. Rudolph, C. Plank, J. Lausier, U. Schillinger, R. H. Muller, and J. Rosenecker. Oligomers of the arginine-rich motif of the HIV-1 TAT protein are capable of transferring plasmid DNA into cells. *J Biol Chem* 278: 11411-8., 2003.
110. M. Tyagi, M. Rusnati, M. Presta, M. Giacca. Internalization of HIV-1 tat requires cell surface heparan sulfate proteoglycans. *J Biol Chem.* 276:3254-61, 2000.
111. T.B. Potocky, A.K. Menon, S.H. Gellman. Cytoplasmic and Nuclear Delivery of a TAT-derived Peptide and a β -Peptide after Endocytic Uptake into HeLa Cells. *Biol. Chem.* 278, 50:50188-50194, 2003.
112. I.A. Ignatovich, E.B. Dizhe, A.V. Pavlotskaya, B.N. Akifiev, S.V. Burov, S.V. Orlov, A.P. Perevozchikov. Complexes of plasmid DNA with basic domain 47-57 of the HIV-1 Tat protein are transferred to mammalian cells by endocytosis-mediated pathways. *J Biol Chem.* 278:42625-36, 2003.
113. K. J. Longmuir, S. M. Haynes, M. E. Dickinson, J. C. Murphy, R. C. Willson, and A. J. Waring. Optimization of a peptide/non-cationic lipid gene delivery system for effective microinjection into chicken embryo in vivo Polyion complex micelles as vectors in gene therapy--pharmacokinetics and in vivo gene transfer. *Mol Ther* 4: 66-74., 2001.
114. F. Liu, Y. Song, and D. Liu. Hydrodynamics-based transfection in animals by systemic administration of plasmid DNA. *Gene Ther* 6: 1258-66, 1999.
115. R. Cartier, S. V. Ren, W. Walther, U. Stein, A. Lewis, P. M. Schlag, M. Li, and P. A. Furth. In vivo gene transfer by low-volume jet injection. *Anal Biochem* 2000 Jul 1;282(2):262-5 282: 262-265, 2000.

116. S. Zaitsev, R. Cartier, O. Vyborov, G. Sukhorukov, B.R. Paulke, A. Haberland, Y. Parfyonova, V. Tkachuk, M. Böttger. Polyelectrolyte nanoparticles mediate vascular gene delivery. *Pharmaceutical Research*. Manuskript eingereicht und in Überarbeitung.
117. C. Wittekindt, M. Böttger, H.D. Höltje, M. Schäfer-Korting, R. Cartier, A. Haberland. Integrin-specificity of the cyclic Arg-Gly-Asp motif and its role in integrin targeted gene transfer. *Biotechnology and Applied Biochemistry*. Manuskript eingereicht und in Überarbeitung.
118. J. Rejman, V. Oberle, I.S. Zuhorn, D. Hoekstra. Size-dependent internalization of particles via the pathways of clathrin- and caveolae-mediated endocytosis. *Biochem J.* 377:159-69, 2004.
119. M. E. Dowty, P. Williams, G. Zhang, J. E. Hagstrom, and J. A. Wolff. Plasmid DNA entry into postmitotic nuclei of primary rat myotubes. *Proc Natl Acad Sci U S A* 92: 4572-6., 1995.
120. J.J. Ludtke, M.G. Sebestyen, J.A. Wolff. The effect of cell division on the cellular dynamics of microinjected DNA and dextran. *Mol Ther.* 5:579-88, 2002
121. G. Liu, D. Li, M. K. Pasumathy, T. H. Kowalczyk, C. R. Gedeon, S. L. Hyatt, J. M. Payne, T. J. Miller, P. Brunovskis, T. L. Fink, O. Muhammad, R. C. Moen, R. W. Hanson, and M. J. Cooper. Nanoparticles of compacted DNA transfect postmitotic cells. *J Biol Chem.* 278(35): 32578-86., 2003.
122. S. M. Moghimi, and J. Szebeni. Stealth liposomes and long circulating nanoparticles: critical issues in pharmacokinetics, opsonization and protein-binding properties. *Progress In Lipid Research* 42: 463-478, 2003.
123. D. Oupicky, C. Konak, K. Ulbrich, M.A. Wolfert, L.W. Seymour. DNA delivery systems based on complexes of DNA with synthetic polycations and their copolymers. *J Control Release.* 65:149-71, 2000.
124. Y. Kakizawa, K. Kataoka. Block copolymer micelles for delivery of gene and related compounds. *Adv Drug Deliv Rev.* 54:203-22, 2002.
125. K. A. Howard, P. R. Dash, M. L. Read, K. Ward, L. M. Tomkins, O. Nazarova, K. Ulbrich, and L. W. Seymour. Influence of hydrophilicity of cationic polymers on the biophysical properties of polyelectrolyte complexes formed by self-assembly with DNA. *Biochimica Et Biophysica Acta* 1475: 245-255, 2000.
126. M. C. Deshpande, M. C. Garnett, M. Vamvakaki, L. Bailey, S. P. Armes, and S. Stolnik. Influence of polymer architecture on the structure of complexes formed by PEG-tertiary amine methacrylate copolymers and phosphorothioate oligonucleotide. *Journal of Control-*

- led Release* 81: 185-199, 2002.
127. K. Itaka, K. Yamauchi, A. Harada, K. Nakamura, H. Kawaguchi, and K. Kataoka. Polyion complex micelles from plasmid DNA and poly(ethylene glycol)-poly(-lysine) block copolymer as serum-tolerable polyplex system: physicochemical properties of micelles relevant to gene transfection efficiency. *Biomaterials* 24: 4495-4506, 2003.
 128. G. Decher, J. D. Hong, and J. Schmitt. Buildup of ultrathin multilayer films by a self-assembly process: III. Consecutively alternating adsorption of anionic and cationic polyelectrolytes on charged surfaces. *Thin Solid Films* 210-211: 831-835, 1992.
 129. G. B. Sukhorukov, E. Donath, H. Lichtenfeld, E. Knippel, M. Knippel, A. Budde, and H. Mohwald. Layer-by-layer self assembly of polyelectrolytes on colloidal particles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 137: 253-266, 1998.
 130. I. L. Radtchenko, G. B. Sukhorukov, S. Leporatti, G. B. Khomutov, E. Donath, and H. Mohwald. Assembly of Alternated Multivalent Ion/Polyelectrolyte Layers on Colloidal Particles. Stability of the Multilayers and Encapsulation of Macromolecules into Polyelectrolyte Capsules. *Journal of Colloid and Interface Science* 230: 272-280, 2000.
 131. V. S. Trubetskoy, A. Loomis, J. E. Hagstrom, V. G. Budker, and J. A. Wolff. Layer-by-layer deposition of oppositely charged polyelectrolytes on the surface of condensed DNA particles. *Nucleic Acids Res.* 27(15): 3090-5., 1999.
 132. V. S. Trubetskoy, S. C. Wong, V. Subbotin, V. G. Budker, A. Loomis, J. E. Hagstrom, and J. A. Wolff. Recharging cationic DNA complexes with highly charged polyanions for in vitro and in vivo gene delivery. *Gene Ther* 10: 261-71., 2003.
 133. S. L. Clark, M.F. Montague, and P.T. Hammond. Ionic effects of sodium chloride on the templated deposition of polyelectrolytes using layer-by-layer ionic assembly. *Macromolecules*, 30: 7237-7244, 1997.
 134. M. Schönhoff. Self-assembled polyelectrolyte multilayers. *Current Opinion in Colloid & Interface Science* 8: 86-95, 2003.
 135. N. A. Kotov. Layer-by-layer self-assembly: The contribution of hydrophobic interactions. *Nanostructured Materials* 12: 789-796, 1999.
 136. C. Tedeschi, H. Möhwald, S. Kirstein. Polarity of layer-by-layer deposited polyelectrolyte films as determined by pyrene fluorescence, *Journal Of The American Chemical Society*, 123:954-960, 2001.
 137. G. S. Manning. Limiting laws and counterion condensation in polyelectrolyte solutions. I. Collogative properties. *J Chem phys* 1(3): 924-33., 1969
 138. G. S. Manning, and J. Ray. Counterion condensation revisited. *Journal Of Biomolecular*

- Structure & Dynamics* 16: 461-476, 1998.
139. K. Büscher, K. Graf, H. Ahrens and C.A. Helm. Influence of adsorption conditions on the structure of polyelectrolyte multilayers. *Langmuir*, 18: 3585-3591, 2002.
 140. X. Arys, A. M. Jonas, B. Laguitton, A. Laschewsky, R. Legras, and E. Wischerhoff. Ultrathin multilayers made by alternate deposition of ionenes and polyvinylsulfate: from unstable to stable growth. *Thin Solid Films* 327-329: 734-738, 1998.
 141. V. A. Bloomfield. DNA condensation. *Current Opinion in Structural Biology* 6: 334-341, 1996.
 142. V. A. Bloomfield. DNA condensation by multivalent cations. *Biopolymers* 44: 269-82., 1997.
 143. M. D. Frank-Kamenetskii. Biophysics of the DNA molecule. *Physics Reports* 288: 13-60, 1997.
 144. D. Matulis, I. Rouzina, and V. A. Bloomfield. Thermodynamics of DNA binding and condensation: isothermal titration calorimetry and electrostatic mechanism¹. *Journal of Molecular Biology* 296: 1053-1063, 2000.
 145. V. V. Vasilevskaya, A.R. Khokhlov, Y. Matsuzawa, and K. Yoshikawa. Collapse of single DNA molecule in poly(ethylene glycol) solutions. *J. Chem. Phys.*, 102: 27-65, 1995.
 146. J. Chen, J. A. Heitmann, and M. A. Hubbe. Dependency of polyelectrolyte complex stoichiometry on the order of addition. 1. Effect of salt concentration during streaming current titrations with strong poly-acid and poly-base. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 223: 215-230, 2003.
 147. P. Haronska, J. Kötz, B. Philipp. Zur Interpretation einer vom Verhältnis 1:1 abweichenden Symplex-Stöchiometrie. *Acta Polymerica*. 40: 110-112, 1989.
 148. S. General, A.F. Thunemann. pH-sensitive nanoparticles of poly(amino acid) dodecanoate complexes. *Int J Pharm*. 230:11-24, 2001.
 149. V. Subr, J. Kopecek, J. Pohl, M. Baudys, V. Kostka. Cleavage of oligopeptide side-chains in *N*-(2-hydroxypropyl)meth-acrylamide copolymers by mixtures of lysosomal enzymes. *J Control Release*, 8:133-140, 1988.
 150. M. de Carvalho Bittencourt, P. Saas, S. Fresnay, V. Yerly-Motta, C. Ferrand, S. Perruche, A. Duperrier, P. Hervé, P. Tiberghien, D.E. Chalmers. Exposure to exogenous DNA can modify the sensitivity of the Fas apoptotic pathway. *J Gene Med* 4:14-24, 2002.

Bisherige Veröffentlichungen im Zusammenhang mit dieser Arbeit

Publikationen

1. R. Cartier, R. Reszka. Utilization of synthetic peptides containing nuclear localization signals for nonviral gene transfer systems. *Gene Therapy*. 9: 157-167, 2002.
2. A. Haberland, R. Dallüge, B. Erdmann, S. Zaitsev, R. Cartier, M. Schäfer-Korting, M. Böttger. Polycation-mediated transfection: How to overcome undesirable side effects of sticky DNA complexes. *Som. Cell. Mol. Genet.* 25: 327-332. 2002.
3. R. Cartier, M. Velinova, C. Lehman, B. Erdmann, R. Reszka. Ultrastructural analysis of DNA complexes during transfection and intracellular transport. *J. Histochem. Cytochem.* 51: 1237-1240, 2003.
4. S. Zaitsev, R. Cartier, O. Vyborov, G. Sukhorukov, B.R. Paulke, A. Haberland, Y. Parfyonova, V. Tkachuk, M. Böttger. Polyelectrolyte nanoparticles mediate vascular gene delivery. *Pharmaceutical Research*. Manuskript eingereicht und in Überarbeitung.
5. C. Wittekindt, M. Böttger, H.D. Höltje, M. Schäfer-Korting, R. Cartier, A. Haberland. Integrin-specificity of the cyclic Arg-Gly-Asp motif and its role in integrin targeted gene transfer. *Biotechnology and Applied Biochemistry*. Manuskript eingereicht und in Überarbeitung.

Patentanmeldungen

1. M. Boettger, S. Zaitsev, R. Cartier, A. Haberland, G. Sukhorukov, H. Zastrow, M. Schneider, H. Moehwald. Preparation and use of DNA-polyelectrolyte nanoparticles for gene transfer. EP 0200 8686.4 und WO 002003 087384A1
2. R. Cartier, M. Böttger, A. Haberland, R. Reszka. Method for improving transfection efficiency. WO 2002 002000991A1