

Literaturverzeichnis

- Adler, A.J., Greenfield, N.J. und Fasman, G.D.** (1973) *Circular dichroism and optical rotatory dispersion of proteins and polypeptides*. Methods Enzymol., 27, 675-735.
- Almog, O., Benhar, I., Vasmatzis, G., Tordova, M., Lee, B., Pastan, I. und Gilliland, G.L.** (1998) *Crystal structure of the disulfide-stabilized Fv fragment of anticancer antibody B1: conformational influence of an engineered disulfide bond*. Proteins, 31, 128-138.
- Anderson, B.F., Baker, H.M., Norris, G.E., Rumball, S.V. und Baker, E.N.** (1990) *Apolactoferrin structure demonstrates ligand-induced conformational change in transferrins*. Nature, 344, 784-787.
- Artymiuk, P.J., Blake, C.C., Grace, D.E., Oatley, S.J., Phillips, D.C. und Sternberg, M.J.** (1979) *Crystallographic studies of the dynamic properties of lysozyme*. Nature, 280, 563-568.
- Bailey, S.** (1994) *The CCP4 Suite - Programs for Protein Crystallography*. Acta Crystallogr. D, 50, 760-763.
- Baldwin, J. und Chothia, C.** (1979) *Haemoglobin: the structural changes related to ligand binding and its allosteric mechanism*. J. Mol. Biol., 129, 175-220.
- Barford, D., Das, A.K. und Egloff, M.P.** (1998) *The structure and mechanism of protein phosphatases: insights into catalysis and regulation*. Annu Rev Biophys Biomol Struct, 27, 133-164.
- Baykov, A.A., Evtushenko, O.A. und Avaeva, S.M.** (1988) *A malachite green procedure for orthophosphate determination and its use in alkaline phosphatase-based enzyme immunoassay*. Anal. Biochem., 171, 266-270.
- Bisswanger, H.** *Enzymkinetik: Theorie und Methoden*. 1994. VCH Verlag, Weinheim
- Bond, R.A., Leff, P., Johnson, T.D., Milano, C.A., Rockman, H.A., McMinn, T.R., Apparsundaram, S., Hyek, M.F., Kenakin, T.P., Allen, L.F. und et al.** (1995) *Physiological effects of inverse agonists in transgenic mice with myocardial over-expression of the beta 2-adrenoceptor*. Nature, 374, 272-276.

- Bradford, M.M.** (1976) *Rapid and Sensitive Method for Quantitation of Microgram Quantities of Protein Utilizing Principle of Protein-Dye Binding*. Anal. Biochem., 72, 248-254.
- Brunger, A.T., Adams, P.D., Clore, G.M., DeLano, W.L., Gros, P., Grosse-Kunstleve, R.W., Jiang, J.S., Kuszewski, J., Nilges, M., Pannu, N.S., Read, R.J., Rice, L.M., Simonson, T. und Warren, G.L.** (1998) *Crystallography & NMR system: A new software suite for macromolecular structure determination*. Acta Crystallogr. D, 54, 905-921.
- Burns, D.M. und Beacham, I.R.** (1986) *Nucleotide sequence and transcriptional analysis of the *E. coli ushA* gene, encoding periplasmic UDP-sugar hydrolase (5'-nucleotidase): regulation of the *ushA* gene, and the signal sequence of its encoded protein product*. Nucleic Acids Res., 14, 4325-4342.
- Cashikar, A.G., Kumaresan, R. und Rao, N.M.** (1997) *Biochemical Characterization and Subcellular Localization of the Red Kidney Bean Purple Acid Phosphatase*. Plant Physiol., 114, 907-915.
- Chervitz, S.A. und Falke, J.J.** (1995) *Lock on Off Disulfides Identify the Transmembrane Signaling Helix of the Aspartate Receptor*. J. Biol. Chem., 270, 24043-24053.
- Clarke, J., Henrick, K. und Fersht, A.R.** (1995) *Disulfide Mutants of Barnase .1. Changes in Stability and Structure Assessed by Biophysical Methods and X-Ray Crystallography*. J. Mol. Biol., 253, 493-504.
- Cogan, E.B., Birrell, G.B. und Griffith, O.H.** (1999) *A robotics-based automated assay for inorganic and organic phosphates*. Anal. Biochem., 271, 29-35.
- Dauter, Z.** (1999) *Data-collection strategies*. Acta Crystallogr. D, 55 (Pt 10), 1703-1717.
- de Groot, B.L., Hayward, S., van Aalten, D.M.F., Amadei, A. und Berendsen, H.J.C.** (1998) *Domain motions in bacteriophage T4 lysozyme: A comparison between molecular dynamics and crystallographic data*. Proteins, 31, 116-127.
- Ducruix, A. und Giege, R.** *Crystallization of Nucleic Acids and Proteins*. 1999. Oxford University Press, New York

- Dvorak, H.F. und Heppel, L.A.** (1968) *Metallo-enzymes released from Escherichia coli by osmotic shock. II. Evidence that 5'-nucleotidase and cyclic phosphodiesterase are zinc metallo-enzymes*. J. Biol. Chem., 243, 2647-2653.
- Echols, N., Milburn, D. und Gerstein, M.** (2003) *MolMovDB: analysis and visualization of conformational change and structural flexibility*. Nucleic Acids Res., 31, 478-482.
- Egloff, M.P., Cohen, P.T., Reinemer, P. und Barford, D.** (1995) *Crystal structure of the catalytic subunit of human protein phosphatase 1 and its complex with tungstate*. J. Mol. Biol., 254, 942-959.
- Ellman, G.L.** (1959) *Tissue Sulphydryl Groups*. Arch. Biochem. Biophys., 82, 70-77.
- Engh, R.A. und Huber, R.** (1991) *Accurate Bond and Angle Parameters for X-Ray Protein-Structure Refinement*. Acta Crystallogr. A, 47, 392-400.
- Fenn, T.D., Ringe, D. und Petsko, G.A.** (2003) *POVScript+: a program for model and data visualization using persistence of vision ray-tracing*. J. Appl. Cryst., 36, 944-947.
- Fini, C., Amoresano, A., Andolfo, A., D'Auria, S., Floridi, A., Paolini, S. und Pucci, P.** (2000) *Mass spectrometry study of ecto-5'-nucleotidase from bull seminal plasma*. Eur. J. Biochem., 267, 4978-4987.
- Fini, C., Talamo, F., Cherri, S., Coli, M., Floridi, A., Ferrara, L. und Scaloni, A.** (2003) *Biochemical and mass spectrometric characterization of soluble ecto-5'-nucleotidase from bull seminal plasma*. Biochem. J., 372, 443-451.
- Fiske, C.H. und SubbaRow, Y.** (1925) *The Colorimetric Determination of Phosphorus*. J. Biol. Chem., 66, 375-400.
- Fontana, A.** (1991) *Analysis and modulation of protein stability*. Curr. Opin. Biotechnol., 2, 551-560.
- Garcia, L., Chayet, L., Kettlun, A.M., Collados, L., Chiong, M., Traverso-Cori, A., Mancilla, M. und Valenzuela, M.A.** (1997) *Kinetic characteristics of nucleoside mono-, di- and triphosphatase activities of the periplasmic 5'-nucleotidase of Escherichia coli*. Comp Biochem Physiol B Biochem Mol Biol, 117, 135-142.

- Gerstein, K.** (1998) *A database of macromolecular motions*. Nucleic Acids Res., 26, 4280-4290.
- Gerstein, M., Lesk, A.M. und Chothia, C.** (1994) *Structural mechanisms for domain movements in proteins*. Biochemistry, 33, 6739-6749.
- Gill, S.C. und von Hippel, P.H.** (1989) *Calculation of protein extinction coefficients from amino acid sequence data*. Anal. Biochem., 182, 319-326.
- Glaser, L., Melo, A. und Paul, R.** (1967) *Uridine diphosphate sugar hydrolase. Purification of enzyme and protein inhibitor*. J. Biol. Chem., 242, 1944-1954.
- Goldberg, J., Huang, H.B., Kwon, Y.G., Greengard, P., Nairn, A.C. und Kuriyan, J.** (1995) *Three-dimensional structure of the catalytic subunit of protein serine/threonine phosphatase-1*. Nature, 376, 745-753.
- Gorbitz, C.H.** (1994) *Conformational Properties of Disulfide Bridges .3. An Estimation of Structural Flexibility from a Theoretical-Study of Diethyl Disulfide*. J. Chem. Soc. [Perkin. 2], 259-263.
- Goto, N.K., Skrynnikov, N.R., Dahlquist, F.W. und Kay, L.E.** (2001) *What is the average conformation of bacteriophage T4 lysozyme in solution? A domain orientation study using dipolar couplings measured by solution NMR*. J. Mol. Biol., 308, 745-764.
- Greenfield, N. und Fasman, G.D.** (1969) *Computed circular dichroism spectra for the evaluation of protein conformation*. Biochemistry, 8, 4108-4116.
- Griffith, J.P., Kim, J.L., Kim, E.E., Sintchak, M.D., Thomson, J.A., Fitzgibbon, M.J., Fleming, M.A., Caron, P.R., Hsiao, K. und Navia, M.A.** (1995) *X-ray structure of calcineurin inhibited by the immunophilin-immunosuppressant FKBP12-FK506 complex*. Cell, 82, 507-522.
- Guddat, L.W., McAlpine, A.S., Hume, D., Hamilton, S., de Jersey, J. und Martin, J.L.** (1999) *Crystal structure of mammalian purple acid phosphatase*. Structure, 7, 757-767.
- Guex, N. und Peitsch, M.C.** (1997) *SWISS-MODEL and the Swiss-PdbViewer: an environment for comparative protein modeling*. Electrophoresis, 18, 2714-2723.

- Hayward, S. und Berendsen, H.J.** (1998) *Systematic analysis of domain motions in proteins from conformational change: new results on citrate synthase and T4 lysozyme*. Proteins, 30, 144-154.
- Hayward, S. und Lee, R.A.** (2002) *Improvements in the analysis of domain motions in proteins from conformational change: DynDom version 1.50*. J. Mol. Graph. Model., 21, 181-183.
- Hazes, B. und Dijkstra, B.W.** (1988) *Model-Building of Disulfide Bonds in Proteins with Known 3-Dimensional Structure*. Protein Eng., 2, 119-125.
- Ho, S.N., Hunt, H.D., Horton, R.M., Pullen, J.K. und Pease, L.R.** (1989) *Site-directed mutagenesis by overlap extension using the polymerase chain reaction*. Gene, 77, 51-59.
- Honig, B. und Nicholls, A.** (1995) *Classical electrostatics in biology and chemistry*. Science, 268, 1144-1149.
- Hooft, R.W., Vriend, G., Sander, C. und Abola, E.E.** (1996) *Errors in protein structures*. Nature, 381, 272.
- Hopfner, K.P., Karcher, A., Craig, L., Woo, T.T., Carney, J.P. und Tainer, J.A.** (2001) *Structural biochemistry and interaction architecture of the DNA double-strand break repair Mre11 nuclease and Rad50-ATPase*. Cell, 105, 473-485.
- Howlin, B., Butler, S.A., Moss, D.S., Harris, G.W. und Driessens, H.P.C.** (1993) *Tlsanl - Tls Parameter-Analysis Program for Segmented Anisotropic Refinement of Macromolecular Structures*. J. Appl. Cryst., 26, 622-624.
- Hunter, T.** (1995) *Protein kinases and phosphatases: the yin and yang of protein phosphorylation and signaling*. Cell, 80, 225-236.
- Itaya, K. und Ui, M.** (1966) *A new micromethod for the colorimetric determination of inorganic phosphate*. Clin. Chim. Acta, 14, 361-366.
- Ivens, A., Mayans, O., Szadkowski, H., Jurgens, C., Wilmanns, M. und Kirschner, K.** (2002) *Stabilization of a (betaalpha)8-barrel protein by an engineered disulfide bridge*. Eur. J. Biochem., 269, 1145-1153.

- Jacobson, R.H., Matsumura, M., Faber, H.R. und Matthews, B.W.** (1992) *Structure of a Stabilizing Disulfide Bridge Mutant That Closes the Active-Site Cleft of T4-Lysozyme*. Protein Sci., 1, 46-57.
- Janin, J. und Wodak, S.J.** (1983) *Structural domains in proteins and their role in the dynamics of protein function*. Prog. Biophys. Mol. Biol., 42, 21-78.
- Jones, T.A., Zou, J.Y., Cowan, S.W. und Kjeldgaard, M.** (1991) *Improved Methods for Building Protein Models in Electron-Density Maps and the Location of Errors in These Models*. Acta Crystallogr. A, 47, 110-119.
- Kabsch, W., Kabsch, H. und Eisenberg, D.** (1976) *Packing in a new crystalline form of glutamine synthetase from Escherichia coli*. J. Mol. Biol., 100, 283-291.
- Kabsch, W. und Sander, C.** (1983) *Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features*. Biopolymers, 22, 2577-2637.
- Kakkar, T., Boxenbaum, H. und Mayersohn, M.** (1999) *Estimation of Ki in a competitive enzyme-inhibition model: comparisons among three methods of data analysis*. Drug Metab. Dispos., 27, 756-762.
- Katz, B.A. und Kossiakoff, A.** (1986) *The crystallographically determined structures of atypical strained disulfides engineered into subtilisin*. J. Biol. Chem., 261, 15480-15485.
- Kawate, T. und Gouaux, E.** (2003) *Arresting and releasing Staphylococcal {alpha}-hemolysin at intermediate stages of pore formation by engineered disulfide bonds*. Protein Sci., 12, 997-1006.
- Kissinger, C.R., Parge, H.E., Knighton, D.R., Lewis, C.T., Pelletier, L.A., Tempczyk, A., Kalish, V.J., Tucker, K.D., Showalter, R.E., Moomaw, E.W. und et al.** (1995) *Crystal structures of human calcineurin and the human FKBP12-FK506-calcineurin complex*. Nature, 378, 641-644.
- Klabunde, T., Strater, N., Frohlich, R., Witzel, H. und Krebs, B.** (1996) *Mechanism of Fe(III)-Zn(II) purple acid phosphatase based on crystal structures*. J. Mol. Biol., 259, 737-748.

- Knöfel, T. und Sträter, N.** (1999) *X-ray structure of the Escherichia coli periplasmic 5'-nucleotidase containing a dimetal catalytic site*. Nat. Struct. Biol., 6, 448-453.
- Knöfel, T. und Sträter, N.** (2001a) *E. coli 5'-nucleotidase undergoes a hinge-bending domain rotation resembling a ball-and-socket motion*. J. Mol. Biol., 309, 255-266.
- Knöfel, T. und Sträter, N.** (2001b) *Mechanism of hydrolysis of phosphate esters by the dimetal center of 5'-nucleotidase based on crystal structures*. J. Mol. Biol., 309, 239-254.
- Kraulis, P.J.** (1991) *Molscript - a Program to Produce Both Detailed and Schematic Plots of Protein Structures*. J. Appl. Cryst., 24, 946-950.
- Krebs, W.G., Tsai, J., Alexandrov, V., Junker, J., Jansen, R. und Gerstein, M.** (2003) *Tools and databases to analyze protein flexibility; approaches to mapping implied features onto sequences*. Methods Enzymol., 374, 544-584.
- Lanzetta, P.A., Alvarez, L.J., Reinach, P.S. und Candia, O.A.** (1979) *An improved assay for nanomole amounts of inorganic phosphate*. Anal. Biochem., 100, 95-97.
- Laskowski, R.A., MacArthur, M.W., Moss, D.S. und Thornton, J.M.** (1993) *Procheck - a Program to Check the Stereochemical Quality of Protein Structures*. J. Appl. Cryst., 26, 283-291.
- Lee, G.F., Lebert, M.R., Lilly, A.A. und Hazelbauer, G.L.** (1995) *Transmembrane Signaling Characterized in Bacterial Chemoreceptors by Using Sulphydryl Cross-Linking in-Vivo*. Proc. Natl. Acad. Sci. U. S. A., 92, 3391-3395.
- Liao, D.I., Karpasas, M. und Remington, S.J.** (1991) *Crystal-Structure of an Open Conformation of Citrate Synthase from Chicken Heart at 2.8-a Resolution*. Biochemistry, 30, 6031-6036.
- Lindqvist, Y., Johansson, E., Kaija, H., Vihko, P. und Schneider, G.** (1999) *Three-dimensional structure of a mammalian purple acid phosphatase at 2.2 Å resolution with a mu-(hydr)oxo bridged di-iron center*. J. Mol. Biol., 291, 135-147.
- Lippard, S.J. und Berg, J.M.** *Bioanorganische Chemie*. 1995. Spektrum Akademischer Verlag, Heidelberg, Berlin, Oxford

- Lo Conte, L., Brenner, S.E., Hubbard, T.J., Chothia, C. und Murzin, A.G.** (2002) SCOP database in 2002: refinements accommodate structural genomics. *Nucleic Acids Res.*, 30, 264-267.
- Lobley, A., Whitmore, L. und Wallace, B.A.** (2002) DICHROWEB: an interactive website for the analysis of protein secondary structure from circular dichroism spectra. *Bioinformatics*, 18, 211-212.
- Lyhamn, L. und Pettersson, L.** (1980) Multicomponent Polyanions .30. Investigations of Isopoly(molybdates), Molybdophosphates and Molybdoarsenates in Aqueous-Solution Using Combined Potentiometric-Spectrophotometric Titrations. *Chemica Scripta*, 16, 52-61.
- Marshall, K., Nash, K., Haussman, G., Cassady, I., Hume, D., de Jersey, J. und Hamilton, S.** (1997) Recombinant human and mouse purple acid phosphatases: expression and characterization. *Arch Biochem Biophys*, 345, 230-236.
- Mattevi, A., Rizzi, M. und Bolognesi, M.** (1996) New structures of allosteric proteins revealing remarkable conformational changes. *Curr. Opin. Struct. Biol.*, 6, 824-829.
- McMillen, L., Beacham, I.R. und Burns, D.M.** (2003) Cobalt activation of *Escherichia coli* 5'-nucleotidase is due to zinc ion displacement at only one of two metal-ion-binding sites. *Biochem. J.*, 372, 625-630.
- Merritt, E.A. und Murphy, M.E.P.** (1994) Raster3d Version-2.0 - a Program for Photorealistic Molecular Graphics. *Acta Crystallogr. D*, 50, 869-873.
- Michaelis, L. und Menten, M.L.** (1913) Die kinetik der invertinwirkung. *Biochem. Z.*, 49, 333-369.
- Murphy, J. und Riley, J.P.** (1962) A Modified Single Solution Method for Determination of Phosphate in Natural Waters. *Anal. Chim. Acta*, 26, 31-&.
- Murshudov, G.N., Vagin, A.A. und Dodson, E.J.** (1997) Refinement of macromolecular structures by the maximum-likelihood method. *Acta Crystallogr. D*, 53, 240-255.
- Murzin, A.G., Brenner, S.E., Hubbard, T. und Chothia, C.** (1995) SCOP: a structural classification of proteins database for the investigation of sequences and structures. *J. Mol. Biol.*, 247, 536-540.

- Navaza, J.** (1994) *Amore - an Automated Package for Molecular Replacement*. Acta Crystallogr. A, 50, 157-163.
- Navaza, J. und Saludjian, P.** (1997) AMoRe: An automated molecular replacement program package. In *Macromolecular Crystallography, Pt A*, Vol. 276, pp. 581-594.
- Neu, H.C.** (1967a) *The 5'-nucleotidase of Escherichia coli. I. Purification and properties*. J. Biol. Chem., 242, 3896-3904.
- Neu, H.C.** (1967b) *The 5'-nucleotidase of Escherichia coli. II. Surface localization and purification of the Escherichia coli 5'-nucleotidase inhibitor*. J. Biol. Chem., 242, 3905-3911.
- Neu, H.C. und Heppel, L.A.** (1964) *On the surface localization of enzymes in E. coli*. Biochem. Biophys. Res. Commun., 17, 215-219.
- Neu, H.C. und Heppel, L.A.** (1965) *The release of enzymes from Escherichia coli by osmotic shock and during the formation of spheroplasts*. J. Biol. Chem., 240, 3685-3692.
- Otwinowski, Z. und Minor, W.** (1997) Processing of X-ray diffraction data collected in oscillation mode. In *Macromolecular Crystallography, Pt A*, Vol. 276, pp. 307-326.
- Perrakis, A., Morris, R. und Lamzin, V.S.** (1999) *Automated protein model building combined with iterative structure refinement*. Nat. Struct. Biol., 6, 458-463.
- Perutz, M.F., Wilkinson, A.J., Paoli, M. und Dodson, G.G.** (1998) *The stereochemical mechanism of the cooperative effects in hemoglobin revisited*. Annu Rev Biophys Biomol Struct, 27, 1-34.
- Petersen, M.T.N., Jonson, P.H. und Petersen, S.B.** (1999) *Amino acid neighbours and detailed conformational analysis of cysteines in proteins*. Protein Eng., 12, 535-548.
- Pjura, P.E., Matsumura, M., Wozniak, J.A. und Matthews, B.W.** (1990) *Structure of a thermostable disulfide-bridge mutant of phage T4 lysozyme shows that an engineered cross-link in a flexible region does not increase the rigidity of the folded protein*. Biochemistry, 29, 2592-2598.

- Quadrifoglio, F. und Urry, D.W.** (1968) *Ultraviolet rotatory properties of polypeptides in solution. I. Helical poly-L-alanine*. J. Am. Chem. Soc., 90, 2755-2760.
- Ravelli, R.B. und McSweeney, S.M.** (2000) *The 'fingerprint' that X-rays can leave on structures*. Structure, 8, 315-328.
- Read, R.J.** (2001) *Pushing the boundaries of molecular replacement with maximum likelihood*. Acta Crystallogr. D, 57, 1373-1382.
- Richardson, J.S.** (1981) *The anatomy and taxonomy of protein structure*. Adv. Protein Chem., 34, 167-339.
- Ruiz, A., Hurtado, C., Meireles Ribeiro, J., Sillero, A. und Gunther Sillero, M.A.** (1989) *Hydrolysis of bis(5'-nucleosidyl) polyphosphates by Escherichia coli 5'-nucleotidase*. J. Bacteriol., 171, 6703-6709.
- Schmidt, R.F. und Thews, G.** *Physiologie des Menschen*. 1995. Springer-Verlag, Berlin, Heidelberg
- Soyenkov, B.** (1947) *A Micromethod of Phosphate Determination*. J. Biol. Chem., 168, 447-457.
- Sreerama, N., Venyaminov, S.Y. und Woody, R.W.** (1999) *Estimation of the number of alpha-helical and beta-strand segments in proteins using circular dichroism spectroscopy*. Protein Sci., 8, 370-380.
- Srinivasan, N., Sowdhamini, R., Ramakrishnan, C. und Balaram, P.** (1990) *Conformations of Disulfide Bridges in Proteins*. Int. J. Pept. Protein Res., 36, 147-155.
- Sträter, N., Klabunde, T., Tucker, P., Witzel, H. und Krebs, B.** (1995) *Crystal structure of a purple acid phosphatase containing a dinuclear Fe(III)-Zn(II) active site*. Science, 268, 1489-1492.
- Sträter, N., Lipscomb, W., Klabunde, T. und Krebs, B.** (1996) *Two-metal ion catalysis in enzymatic acyl- and phosphoryl-transfer reactions*. Angewandte Chemie International Edition England, 35, 2024-2055.
- Thornton, J.M.** (1981) *Disulphide bridges in globular proteins*. J. Mol. Biol., 151, 261-287.

- Uppenberg, J., Lindqvist, F., Svensson, C., Ek-Rylander, B. und Andersson, G.**
(1999) *Crystal structure of a mammalian purple acid phosphatase*. J. Mol. Biol., 290, 201-211.
- Vagin, A. und Teplyakov, A.** (1997) *MOLREP: an automated program for molecular replacement*. J. Appl. Cryst., 30, 1022-1025.
- van den Akker, F., Feil, I.K., Roach, C., Platas, A.A., Merritt, E.A. und Hol, W.G.**
(1997) *Crystal structure of heat-labile enterotoxin from Escherichia coli with increased thermostability introduced by an engineered disulfide bond in the A subunit*. Protein Sci., 6, 2644-2649.
- Van Veldhoven, P.P. und Mannaerts, G.P.** (1987) *Inorganic and organic phosphate measurements in the nanomolar range*. Anal. Biochem., 161, 45-48.
- Villafranca, J.E., Howell, E.E., Oatley, S.J., Xuong, N.H. und Kraut, J.** (1987) *An engineered disulfide bond in dihydrofolate reductase*. Biochemistry, 26, 2182-2189.
- Voegtli, W.C., White, D.J., Reiter, N.J., Rusnak, F. und Rosenzweig, A.C.** (2000)
Structure of the bacteriophage lambda Ser/Thr protein phosphatase with sulfate ion bound in two coordination modes. Biochemistry, 39, 15365-15374.
- Volknandt, W., Vogel, M., Pevsner, J., Misumi, Y., Ikebara, Y. und Zimmermann, H.**
(1991) *5'-nucleotidase from the electric ray electric lobe. Primary structure and relation to mammalian and prokaryotic enzymes*. Eur. J. Biochem., 202, 855-861.
- Wakarchuk, W.W., Sung, W.L., Campbell, R.L., Cunningham, A., Watson, D.C. und Yaguchi, M.** (1994) *Thermostabilization of the Bacillus circulans xylanase by the introduction of disulfide bonds*. Protein Eng., 7, 1379-1386.
- Wallace, B.A. und Janes, R.W.** (2003) *Circular dichroism and synchrotron radiation circular dichroism spectroscopy: tools for drug discovery*. Biochem. Soc. Trans., 31, 631-633.
- Weik, M., Ravelli, R.B., Kryger, G., McSweeney, S., Raves, M.L., Harel, M., Gros, P., Silman, I., Kroon, J. und Sussman, J.L.** (2000) *Specific chemical and structural damage to proteins produced by synchrotron radiation*. Proc Natl Acad Sci U S A, 97, 623-628.

- Weiner, M.P., Costa, G.L., Schoettlin, W., Cline, J., Mathur, E. und Bauer, J.C.** (1994) *Site-directed mutagenesis of double-stranded DNA by the polymerase chain reaction*. Gene, 151, 119-123.
- Wiegand, G. und Remington, S.J.** (1986) *Citrate synthase: structure, control, and mechanism*. Annu. Rev. Biophys. Biophys. Chem., 15, 97-117.
- Winn, M.D., Murshudov, G.N. und Papiz, M.Z.** (2003) *Macromolecular TLS refinement in REFMAC at moderate resolutions*. Methods Enzymol., 374, 300-321.
- Winter, R. und Noll, F.** *Methoden der Biophysikalischen Chemie*. 1998. Teubner Studienbücher Chemie, Stuttgart
- Zhuo, S., Clemens, J.C., Stone, R.L. und Dixon, J.E.** (1994) *Mutational analysis of a Ser/Thr phosphatase. Identification of residues important in phosphoesterase substrate binding and catalysis*. J. Biol. Chem., 269, 26234-26238.
- Zimmermann, H.** (1992) *5'-Nucleotidase: molecular structure and functional aspects*. Biochem J, 285 (Pt 2), 345-365.