

References

- Aagaard, A., and Brzezinski, P. (2001). Zinc ions inhibit oxidation of cytochrome c oxidase by oxygen. *FEBS Lett.* **494**, 157-160.
- Abresch, E.C., Paddock, M.L., Stowell, M.H.B., McPhillips, T.M., Axelrod, H.L., Soltis, S.M., Rees, D.C., Okamura, M.Y., and Feher, G. (1998). Identification of proton transfer pathways in the X-ray crystal structure of the bacterial reaction center from *Rhodobacter sphaeroides*. *Photosynth. Res.* **55**, 119-125.
- Ädelroth, P., Paddock, M.L., Sagle, L.B., Feher, G., and Okamura, M.Y. (2000). Identification of the proton pathway in bacterial reaction centers: both protons associated with reduction of Q_B to Q_BH₂ share a common entry point. *Proc. Natl. Acad. Sci. USA* **97**, 13086-13091.
- Ädelroth, P., Paddock, M.L., Tehrani, A., Beatty, J.T., Feher, G., and Okamura, M.Y. (2001). Identification of the proton pathway in bacterial reaction centers: decrease of proton transfer rate by mutation of surface histidines at H126 and H128 and chemical rescue by imidazole identifies the initial proton donors. *Biochemistry* **40**, 14538-14546.
- Agalarov, R., and Brettel, K. (2003). *Biochim. Biophys. Acta* **1604**, 7-12.
- Ahlbrink, R., Haumann, M., Cherepanov, D., Bogershausen, O., Mulikidjanian, A., and Junge, W. (1998). Function of tyrosine Z in water oxidation by photosystem II: electrostatic promotor instead of hydrogen abstractor. *Biochemistry* **37**, 1131-1142.
- Alexov, E.G., and Gunner, M.R. (1999). Calculated protein and proton motions coupled to electron transfer: electron transfer from Q_A⁻ to Q_B in bacterial photosynthetic reaction centers. *Biochemistry* **38**, 8253-8270.
- Allen, J.P., Artz, K., Lin, X., Williams, J.C., Ivancich, A., Albouy, D., Mattioli, T.A., Fetsch, A., Kuhn, M., and Lubitz, W. (1996). Effects of hydrogen bonding to a bacteriochlorophyll-bacteriopheophytin dimer in reaction centers from *Rhodobacter sphaeroides*. *Biochemistry* **35**, 6612-6619.
- Arata, H., and Parson, W.W. (1981). Delayed fluorescence from *Rhodospseudomonas sphaeroides* reaction centers. Enthalpy and free energy changes accompanying electron transfer from P-870 to quinones. *Biochim. Biophys. Acta* **638**, 201-209.
- Axelrod, H.L., Abresch, E.C., Paddock, M.L., Okamura, M.Y., and Feher, G. (2000). Determination of the binding sites of the proton transfer inhibitors Cd²⁺ and Zn²⁺ in bacterial reaction centers. *Proc. Natl. Acad. Sci. USA* **97**, 1542-1547.
- Barber, J., and Archer, M.D. (2001). P680, the primary electron donor of photosystem II. *J. Photochem. Photobiol., A Chem.* **142**, 97-106.
- Barber, J. (2002). P680: what is it and where is it? *Bioelectrochemistry* **55**, 135-138.
- Barber, J. (2004). Water, water everywhere, and its remarkable chemistry. *Biochim. Biophys. Acta* **1655**, 123-132.
- Barber, J., Ferreira, K., Maghlaoui, K., and Iwata, S. (2004). Structural model of the oxygen-evolving centre of photosystem II with mechanistic implications. *Phys. Chem. Chem. Phys.* **6**, 4737-4742.
- Bashford, D., and Karplus, M. (1990). pKa's of ionizable groups in proteins: atomic detail from a continuum electrostatic model. *Biochemistry* **29**, 10219-10225.
- Bashford, D., and Karplus, M. (1991). Multiple-site titration curves of proteins: an analysis of exact and approximate methods for their calculation. *J. Phys. Chem.* **95**, 9556-9561.
- Baxter, R.H.G., Ponomarenko, N., Srajer, V., Pahl, R., Moffat, K., and Norris, J.R. (2004). Time-resolved crystallographic studies of light-induced structural changes in the photosynthetic reaction center. *Proc. Natl. Acad. Sci. USA* **101**, 5982-5987.
- Bayly, C.I., Cieplak, P., Cornell, W.D., and Kollman, P.A. (1993). A well-behaved electrostatic potential based method using charge restraints for deriving atomic charges: the RESP model. *J. Phys. Chem.* **97**, 10269-10280.
- Baymann, F., Brugna, M., Mühlhoff, U., and Nitschke, W. (2001). Daddy, where did (PS)I come from? *Biochim. Biophys. Acta* **1507**, 291-310.
- Beekman, L.M.P., van Stokkum, I.H.M., Monshouwer, R., Rijnders, A.J., McGlynn, P.,

- Vischers, R.W., Jones, M.R., and van Grondelle, R.** (1996). Primary electron transfer in membrane-bound reaction centers with mutations at the M210 position. *J. Phys. Chem.* **100**, 7256-7268.
- Beijer, C., and Rutherford, A.W.** (1987). The iron-quinone acceptor complex in *Rhodospirillum rubrum* chromatophores studied by EPR. *Biochim. Biophys. Acta* **890**, 169-178.
- Beroza, P., Fredkin, D.R., Okamura, M.Y., and Feher, G.** (1991). Protonation of interacting residues in a protein by a Monte Carlo method: application to lysozyme and the photosynthetic reaction center of *Rhodobacter sphaeroides*. *Proc. Natl. Acad. Sci. USA* **88**, 5804-5808.
- Berry, E.A., Zhang, Z., Bellamy, H.D., and Huang, L.** (2000). Crystallographic location of two Zn²⁺-binding sites in the avian cytochrome bc₁ complex. *Biochim. Biophys. Acta* **1459**, 440-448.
- Berthomieu, C., and Hienerwadel, R.** (2001). Iron coordination in photosystem II: Interaction between bicarbonate and the Q_B pocket studied by Fourier transform infrared spectroscopy. *Biochemistry* **40**, 4044-4052.
- Bianchetti, M., Zheleva, D., Deak, Z., Zharmuhamedov, S., Klimov, V., Nugent, J.H.A., Vass, I., and Barber, J.** (1998). Comparison of the functional properties of the monomeric and dimeric forms of the isolated CP47-reaction center complex. *J. Biol. Chem.* **273**, 16128-16133.
- Biesiadka, J., Loll, B., Kern, J., Irrgang, K.-D., and Zouni, A.** (2004). Crystal structure of cyanobacterial photosystem II at 3.2 Å resolution: a closer look at the Mn-cluster. *Phys. Chem. Chem. Phys.* **6**, 4733 - 4736.
- Bittl, R., Zech, S.G., Fromme, P., Witt, H.T., and Lubitz, W.** (1997). Pulsed EPR structure analysis of photosystem I single crystals: localization of the phylloquinone acceptor. *Biochemistry* **36**, 12001-12004.
- Bittl, R., Zech, S.G., Teutloff, C., Krabben, L., and Lubitz, W.** (1998). in *Photosynthesis: Mechanisms and Effects* (Garab, G. Ed.) Vol. 1, pp 509-514, Kluwer Academic Publishers, Dordrecht, Netherlands.
- Boussac, A., Sétif, P., and Rutherford, A.W.** (1992). Inhibition of tyrosine Z photooxidation after formation of the S₃-state in Ca²⁺-depleted and Cl⁻-depleted photosystem II. *Biochemistry* **31**, 1224-1234.
- Bowes, J., Crofts, A.R., and Arntzen, C.J.** (1980). Redox reaction on the reducing side of photosystem II in chloroplasts with altered herbicide-binding properties. *Arch. Biochem. Biophys.* **200**, 303-308.
- Bowes, J.M., Crofts, A.R., and Itoh, S.** (1979). A high potential acceptor for Photosystem II. *Biochim. Biophys. Acta* **547**, 320-335.
- Bowyer, J., Hilton, M., Whitelegge, J., Jewess, P., Camilleri, P., Crofts, A., and Robinson, H.** (1990). Molecular modelling studies on the binding of phenylurea inhibitors to the D1 protein of photosystem II. *Z. Naturforsch.* **45c**, 379-387.
- Breton, J., Boullais, C., Burie, J.R., Nabedryk, E., and Mioskowski, C.** (1994). Binding sites of quinones in photosynthetic bacterial reaction centers investigated by light-induced FTIR difference spectroscopy: assignment of the interactions of each carbonyl of Q_A in *Rhodobacter sphaeroides* using site-specific ¹³C-labeled ubiquinone. *Biochemistry* **33**, 14378-14386.
- Breton, J., Nabedryk, E., Allen, J.P., and Williams, J.C.** (1997). Electrostatic influence of Q_A reduction on the IR vibrational mode of the 10a-ester C=O of H_A demonstrated by mutations at residues Glu L104 and Trp L100 in reaction centers from *Rhodobacter sphaeroides*. *Biochemistry* **36**, 4515-4525.
- Breton, J., Boullais, C., Mioskowski, C., Sebban, P., Baciou, L., and Nabedryk, E.** (2002). Vibrational spectroscopy favors a unique Q_B binding site at the proximal position in wild-type reaction centers and in the Pro-L209 → Tyr mutant from *Rhodobacter sphaeroides*. *Biochemistry* **41**, 12921-12927.
- Breton, J.** (2004). Absence of large-scale displacement of quinone Q_B in bacterial photosynthetic reaction centers. *Biochemistry* **43**, 3318-3326.

- Brettel, K.** (1988). Electron transfer from A_1^- to an iron-sulfur center with $t_{1/2} = 200$ ns at room temperature in photosystem I Characterization by flash absorption spectroscopy. *FEBS Lett.* **239**, 93-98.
- Brettel, K.** (1997). Electron transfer and arrangement of the redox cofactors in photosystem I. *Biochim. Biophys. Acta* **1318**, 322-373.
- Brettel, K., and Leibl, W.** (2001). Electron transfer in photosystem I. *Biochim. Biophys. Acta* **1507**, 100-114.
- Brooks, B.R., Bruccoleri, R.E., Olafson, B.D., States, D.J., Swaminathan, S., and Karplus, M.** (1983). CHARMM: a program for macromolecular energy minimization and dynamics calculations. *J. Comp. Chem.* **4**, 187-217.
- Brudler, R., de Groot, H.J.M., van Liemt, W.B.S., Steggerda, W.F., Esmeijer, R., Gast, P., Hoff, A.J., Lugtenburg, J., and Gerwert, K.** (1994). Asymmetric binding of the 1- and 4-C=O groups of Q_A in *Rhodobacter sphaeroides* R26 reaction centres monitored by Fourier transform infra-red spectroscopy using site-specific isotopically labelled ubiquinone-10. *EMBO J.* **13**, 5523-5530.
- Brzezinski, P., Paddock, M.L., Okamura, M.Y., and Feher, G.** (1997). Light-induced electrogenic events associated with proton uptake upon forming Q_B^- in bacterial wild-type and mutant reaction centers. *Biochim. Biophys. Acta* **1321**, 149-156.
- Büchel, C., Barber, J., Ananyev, G., Eshaghi, S., Watt, R., and Dismukes, C.** (1999). Photoassembly of the manganese cluster and oxygen evolution from monomeric and dimeric CP47 reaction center photosystem II complexes. *Proc. Natl. Acad. Sci. USA* **96**, 14288-14293.
- Calderone, V., Trabucco, M., Vujicic, A., Battistutta, R., Giacometti, G.M., Andreucci, F., Barbato, R., and Zanotti, G.** (2003). Crystal structure of the PsbQ protein of photosystem II from higher plants. *EMBO Rep.* **4**, 900-905.
- Cao, J.C., Vermaas, W.F.J., and Govindjee.** (1991). Arginine residues in the D2 polypeptide may stabilize bicarbonate binding in photosystem II of *Synechocystis* sp. PCC. *Biochim. Biophys. Acta* **1059**, 171-180.
- Chang, C.H., el-Kabbani, O., Tiede, D., Norris, J., and Schiffer, M.** (1991). Structure of the membrane-bound protein photosynthetic reaction center from *Rhodobacter sphaeroides*. *Biochemistry* **30**, 5352-5360.
- Chu, H., Nguyen, A. P., and Debus, R.J.** (1995). Amino acid residues that influence the binding of manganese or calcium to photosystem II. 1. the luminal interhelical domains of the D1 polypeptide. *Biochemistry* **34**, 5839-5858.
- Clausen, J., Debus, R.J., and Junge, W.** (2004). Time-resolved oxygen production by PSII: chasing chemical intermediates. *Biochim. Biophys. Acta* **1655**, 184-194.
- Cramer, W.A., and Butler, W.L.** (1969). Potentiometric titration of the fluorescence yield of spinach chloroplasts. *Biochim. Biophys. Acta* **172**, 503-510.
- Crofts, A.R., and Wraight, C.A.** (1983). The electrochemical domain of photosynthesis. *Biochim. Biophys. Acta* **726**, 149-185.
- De Las Rivas, J., Telfer, A., and Barber, J.** (1993). Two coupled β -carotene molecules protect P680 from photodamage in isolated Photosystem II reaction centres. *Biochim. Biophys. Acta* **1142**, 155-164.
- De Las Rivas, J., Balsera, M., and Barber, J.** (2004). Evolution of oxygenic photosynthesis: genome-wide analysis of the OEC extrinsic proteins. *Trends Plant Sci.* **9**, 18-25.
- De Las Rivas, J., and Barber, J.** (2004). Analysis of the structure of the PsbO protein and its implications. *Photosynth. Res.* **81**, 329-343.
- de Wijn, R., Schrama, T., and van Gorkom, H.J.** (2001). Secondary stabilization reactions and proton-coupled electron transport in photosystem II investigated by electroluminescence and fluorescence spectroscopy. *Biochemistry* **40**, 5821-5834.
- de Wijn, R., and van Gorkom, H.J.** (2001). Kinetics of electron transfer from Q_A to Q_B in photosystem II. *Biochemistry* **40**, 11912-11922.
- Debus, R.J., Feher, G., and Okamura, M.Y.** (1986). Iron-depleted reaction centers from *Rhodospseudomonas sphaeroides* R-26.1: characterization and reconstitution with Fe^{2+} , Mn^{2+} , Co^{2+} , Ni^{2+} , Cu^{2+} , and Zn^{2+} . *Biochemistry* **25**, 2276-2287.

- Dekker, J.P., and van Grondelle, R.** (2000). Primary charge separation in photosystem II. *Photosynth. Res.* **63**, 195-208.
- Deligiannakis, Y., Petrouleas, V., and Diner, B.A.** (1994). Binding of carboxylate anions at the non-heme Fe(II) of PSII. I. Effects on the $Q_A^-Fe^{2+}$ and Q_AFe^{3+} EPR spectra and the redox properties of the iron. *Biochim. Biophys. Acta* **1188**, 260-270.
- Deligiannakis, Y., Hanley, J., and Rutherford, A.W.** (2000). Carotenoid oxidation in photosystem II: 1D- and 2D-electron spin-echo envelope modulation study. *J. Am. Chem. Soc.* **122**, 400-401.
- Diner, B.A., and Delosme, R.** (1983). Oxidation-reduction properties of the electron acceptors of photosystem II. I. Redox titration of the flash-induced carotenoid band shift, of c550 and of the variable fluorescence yield in spinach chloroplasts. *Biochim. Biophys. Acta* **722**, 443-451.
- Diner, B.A., and Petrouleas, V.** (1987). Light-induced oxidation of the acceptor-side Fe(II) of Photosystem II by exogenous quinones acting through the Q_B binding site. II. Blockage by inhibitors and their effects on the Fe(III) EPR spectra. *Biochim. Biophys. Acta* **893**, 138-148.
- Diner, B.A., Petrouleas, V., and Wendoloski, J.J.** (1991). The iron-quinone electron-acceptor complex of photosystem II. *Physiol. Plant.* **81**, 423-436.
- Diner, B.A., Schlodder, E., Nixon, P.J., Coleman, W.J., Rappaport, F., Lavergne, J., Vermaas, W.F.J., and Chisholm, D.A.** (2001). Site-directed mutations at D1-His198 and D2-His197 of photosystem II in *Synechocystis* PCC 6803: sites of primary charge separation and cation and triplet stabilization. *Biochemistry* **40**, 9265-9281.
- Durrant, J.R., Giorgi, L.B., Barber, J., Klug, D.R., and Porter, G.** (1990). Characterisation of triplet states in isolated Photosystem II reaction centres: oxygen quenching as a mechanism for photodamage. *Biochim. Biophys. Acta* **1017**, 167-175.
- Dutton, P.L., Leigh, J.S., and Wraight, C.A.** (1973). Direct measurement of the midpoint potential of the primary electron acceptor in *Rhodospseudomonas spheroides* in situ and in the Isolated state: some relationships with pH and the *o*-phenanthroline. *FEBS Lett.* **36**, 169-173.
- Enami, I., Yoshihara, S., Tohri, A., Okumura, A., Ohta, H., and Shen, J.-R.** (2000). Cross-reconstitution of various extrinsic proteins and photosystem II complexes from cyanobacteria, red algae and higher plants. *Plant Cell Physiol.* **41**, 1354-1364.
- Ermler, U., Fritsch, G., Buchanan, S.K., and Michel, H.** (1994). Structure of the photosynthetic reaction centre from *Rhodobacter sphaeroides* at 2.65 Å resolution. *Structure* **2**, 925-936.
- Fajer, J., Brune, D.C., Davis, M.S., Forman, A., and Spaulding, L.D.** (1975). Primary charge separation in bacterial photosynthesis: oxidized chlorophylls and reduced pheophytin. *Proc. Natl. Acad. Sci. USA* **72**, 4956-4960.
- Fajer, J., Fujita, I., Davis, M.S., Forman, A., Hanson, L.K., and Smith, K.M.** (1982). Photosynthetic energy transduction: spectral and redox characteristics of chlorophyll radicals in vitro and in vivo. in *Electrochemical and spectrochemical studies of biological redox components* (Kadish, K. M. Ed.), chapter 21, American chemical society, Washington, D. C.
- Faller, P., Pascal, A., and Rutherford, A.W.** (2001). β -carotene redox reactions in photosystem II: electron transfer pathway. *Biochemistry* **40**, 6431-6440.
- Faller, P., Kienzler, K., and Krieger-Liszka, A.** (2005). Mechanism of Cd^{2+} toxicity: Cd^{2+} inhibits photoactivation of Photosystem II by competitive binding to the essential Ca^{2+} site. *Biochim. Biophys. Acta* **1706**, 158-164.
- Ferreira, K.N., Iverson, T.M., Maghlaoui, K., Barber, J., and Iwata, S.** (2004). Architecture of the photosynthetic oxygen-evolving center. *Science* **303**, 1831-1838.
- Francia, F., Palazzo, G., Mallardi, A., Cordone, L., and Venturoli, G.** (2003). Residual water modulates Q_A^- -to- Q_B electron transfer in bacterial reaction centers embedded in trehalose amorphous matrices. *Biophys. J.* **85**, 2760-2775.
- Frazao, C., Enguita, F.J., Coelho, R., Sheldrick, G.M., Navarro, J.A., Hervas, M., De la Rosa, M.A., and Carrondo, M.A.** (2001). Crystal structure of low-potential

- cytochrome c_{549} from *Synechocystis* sp. PCC 6803 at 1.21 Å resolution. *J. Biol. Inorg. Chem.* **6**, 324-332.
- Frese, R.N., Germano, M., de Weerd, F.L., van Stokkum, I.H.M., Shkuropatov, A.Y., Shuvalov, V.A., van Gorkom, H.J., van Grondelle, R., and Dekker, J.P.** (2003). Electric field effects on the chlorophylls, pheophytins, and β -carotenes in the reaction center of photosystem II. *Biochemistry* **42**, 9205-9213.
- Fufezan, C., Rutherford, A.W., and Krieger-Liszkay, A.** (2002). Singlet oxygen production in herbicide-treated photosystem II. *FEBS Lett.* **532**, 407-410.
- Fufezan, C., Drepper, F., Juhnke, H.D., Lancaster, C.R.D., Un, S., Rutherford, A.W., and Krieger-Liszkay, A.** (2005). Herbicide-induced changes in charge recombination and redox potential of Q_A in the T4 mutant of *Blastochloris viridis*. *Biochemistry* **44**, 5931-5939.
- Gerencsér, L., and Maróti, P.** (2001). Retardation of proton transfer caused by binding of the transition metal ion to the bacterial reaction center is due to pK_a shifts of key protonatable residues. *Biochemistry* **40**, 1850-1860.
- Giachini, L., Francia, F., Mallardi, A., Palazzo, G., Carpenè, E., Boscherini, F., and Venturoli, G.** (2005). Multiple scattering X-ray absorption studies of Zn^{2+} binding sites in bacterial photosynthetic reaction centers. *Biophys. J.* **88**, 2038-2046.
- Golbeck, J.H., Parrett, K.G., Mehari, T., Jones, K.L., and Brand, J.J.** (1988). Isolation of the intact photosystem I reaction center core containing P700 and iron-sulfur center F_X . *FEBS Lett.* **228**, 268-272.
- Golbeck, J.H.** (2003). The binding of cofactors to photosystem I analyzed by spectroscopic and mutagenic methods. *Annu. Rev. Biophys. Biomol. Struct.* **32**, 237-256.
- Gong, X.M., Agalarov, R., Brettel, K., and Carmeli, C.** (2003). Control of electron transport in photosystem I by the iron-sulfur cluster F_X in response to intra- and intersubunit interactions. *J. Biol. Chem.* **278**, 19141-19150.
- Goussias, C., Boussac, A., and Rutherford, A.W.** (2002). Photosystem II and photosynthetic oxidation of water: an overview. *Phil. Trans. R. Soc. Lond. B* **357**, 1369-1381.
- Grafton, A.K., and Wheeler, R.A.** (1999). Amino acid protonation states determine binding sites of the secondary ubiquinone and its anion in the *Rhodobacter sphaeroides* photosynthetic reaction center. *J. Phys. Chem. B* **103**, 5380-5387.
- Graige, M.S., Feher, G., and Okamura, M.Y.** (1998). Conformational gating of the electron transfer reaction $Q_A^-Q_B \rightarrow Q_AQ_B^-$ in bacterial reaction centers of *Rhodobacter sphaeroides* determined by a driving force assay. *Proc. Natl. Acad. Sci. USA* **95**, 11679-11684.
- Greenberg, B.M., Gaber, V., Mattoo, A.K., and Edelman, M.** (1987). Identification of a primary *in vivo* degradation product of the rapidly turning over 32 Kd protein of photosystem II. *EMBO J.* **6**, 2865-2869.
- Guergova-Kuras, M., Boudreaux, B., Joliot, A., Joliot, P., and Redding, K.** (2001). Evidence for two active branches for electron transfer in photosystem I. *Proc. Natl. Acad. Sci. USA* **98**, 4437-4442.
- Gunner, M.R., Robertson, D.E., and Dutton, P.L.** (1986). Kinetic studies on the reaction center protein from *Rhodospseudomonas sphaeroides*: the temperature and free energy dependence of electron transfer between various quinones in the Q_A site and the oxidized bacteriochlorophyll dimer. *J. Phys. Chem.* **90**, 3783-3795.
- Gunner, M.R., and Zhu, Z.** (2004). Protons forge new paths. *Structure* **12**, 518-519.
- Hallahan, B.J., Ruffle, S.V., Bowden, S.J., and Nugent, J.H.A.** (1991). Identification and characterisation of EPR signals involving Q_B semiquinone in plant photosystem II. *Biochim. Biophys. Acta* **1059**, 181-188.
- Hanley, J., Deligiannakis, Y., Pascal, A., Faller, P., and Rutherford, A.W.** (1999). Carotenoid oxidation in photosystem II. *Biochemistry* **38**, 8189-8195.
- Hanson, D.K., Baciou, L., Tiede, D.M., Nance, S.L., Schiffer, M., and Sebban, P.** (1992a). In bacterial reaction centers protons can diffuse to the secondary quinone by alternative pathways. *Biochim. Biophys. Acta* **1102**, 260-265.
- Hanson, D.K., Nance, S.L., and Schiffer, M.** (1992b). Second-site mutation at M43 (Asn \rightarrow

- Asp) compensates for the loss of two acidic residues in the Q_B site of the reaction center. *Photosynth. Res.* **32**, 147-153.
- Haumann, M., and Junge, W.** (1994). The rates of proton uptake and electron transfer at the reducing side of photosystem II in thylakoids. *FEBS Lett.* **347**, 45-50.
- Haumann, M., and Junge, W.** (1999). Photosynthetic water oxidation: a simplex-scheme of its partial reactions. *Biochim. Biophys. Acta* **1411**, 86-91.
- Hieber, A.D., Bugos, R.C., and Yamamoto, H.Y.** (2000). Plant lipocalins: violaxanthin de-epoxidase and zeaxanthin epoxidase. *Biochim. Biophys. Acta* **1482**, 84-91.
- Higgins, D.G., Thompson, J.D., and Gibson, T.J.** (1996). Using CLUSTAL for multiple sequence alignments. *Meth. Enzymol.* **266**, 383-402.
- Hinerwadel, R., and Berthomieu, C.** (1995). Bicarbonate binding to the non-heme iron of photosystem II investigated by Fourier transform infrared difference spectroscopy and ¹³C-labeled bicarbonate. *Biochemistry* **34**, 16288-16297.
- Hinerwadel, R., Grzybek, S., Fogel, C., Kreutz, W., Okamura, M.Y., Paddock, M.L., Breton, J., Nabedryk, E., and Mantele, W.** (1995). Protonation of Glu L212 following Q_B⁻ formation in the photosynthetic reaction center of *Rhodobacter sphaeroides*: evidence from time-resolved infrared spectroscopy. *Biochemistry* **34**, 2832-2843.
- Hoganson, C.W., and Babcock, G.T.** (1997). A metalloradical mechanism for the generation of oxygen from water in photosynthesis. *Science* **277**, 1953-1956.
- Hutchison, R.S., Xiong, J., Sayre, R.T., and Govindjee.** (1996). Construction and characterization of a Photosystem II D1 mutant (arginine-269-glycine) of *Chlamydomonas reinhardtii*. *Biochim. Biophys. Acta* **1277**, 83-92.
- Ifuku, K., Nakatsu, T., Kato, H., and Sato, F.** (2004). Crystal structure of the PsbP protein of photosystem II from *Nicotiana tabacum*. *EMBO Rep.*, 362-367.
- Ishikita, H., and Knapp, E.W.** (2003). Redox potential of quinones in both electron transfer branches of photosystem I. *J. Biol. Chem.* **278**, 52002-52011.
- Ishikita, H., Morra, G., and Knapp, E.W.** (2003). Redox potential of quinones in photosynthetic reaction centers from *Rhodobacter sphaeroides*: dependence on protonation of Glu-L212 and Asp-L213. *Biochemistry* **42**, 3882-3892.
- Ishikita, H., and Knapp, E.W.** (2004). Variation of Ser-L223 hydrogen bonding with the Q_B redox state in reaction centers from *Rhodobacter sphaeroides*. *J. Am. Chem. Soc.* **126**, 8059-8064.
- Ishikita, H., Biesiadka, J., Loll, B., Kern, J., Irrgang, K.D., Zouni, A., Saenger, W., and Knapp, E.W.** (2005a). Function of β -carotene near D1/CP47 proteins in photosystem II dimer, submitted.
- Ishikita, H., and Knapp, E.W.** (2005a). Redox potentials of chlorophylls and β -carotene in the antenna complexes of photosystem II. *J. Am. Chem. Soc.* **127**, 1963-1968.
- Ishikita, H., and Knapp, E.W.** (2005b). Energetics of proton transfer pathways in reaction centers from *Rhodobacter sphaeroides*: the Glu-H173 activated mutants. *J. Biol. Chem.* **280**, 12446-12450.
- Ishikita, H., and Knapp, E.W.** (2005c). Induced conformational change upon Cd²⁺ binding at photosynthetic reaction centers. *Proc. Natl. Acad. Sci. USA*, **102**, 16215-16220.
- Ishikita, H., and Knapp, E.W.** (2005d). Oxidation of the non-heme iron complex in photosystem II. *Biochemistry* **44**, 14772-14783.
- Ishikita, H., and Knapp, E.W.** (2005e). Control of quinone redox potentials in photosystem II: electron transfer and photoprotection. *J. Am. Chem. Soc.* **127**, 14714-14720.
- Ishikita, H., and Knapp, E.W.** (2005f). Role of the non-heme iron complex in bacterial photosynthetic reaction center, submitted.
- Ishikita, H., Loll, B., Biesiadka, J., Saenger, W., and Knapp, E.W.** (2005b). Redox potentials of chlorophylls in the photosystem II reaction center. *Biochemistry* **44**, 4118-4124.
- Ishikita, H., Saenger, W., Biesiadka, J., Loll, B., and Knapp, E.W.** (2005c). How nature steers chlorophyll oxidation power of P680, P700, P870 in photosynthesis, in preparation.
- Ishikita, H., Saenger, W., Loll, B., Biesiadka, J., and Knapp, E.W.** (2005d). Energetics of proton exit pathway for water oxidation in Photosystem II. *Biochemistry*, in press.

- Ishikita, H., Stehlik, D., Golbeck, J.H., and Knapp, E.W.** (2006). Electrostatic influence of PsaC protein binding to the PsaA/PsaB heterodimer in Photosystem I. *Biophys. J.*, in press.
- Ivancich, A., Artz, K., Williams, J.C., Allen, J.P., and Mattioli, T.A.** (1998). Effects of hydrogen bonds on the redox potential and electronic structure of the bacterial primary electron donor. *Biochemistry* **37**, 11812-11820.
- Iwaki, M., and Itoh, S.** (1994). Reaction of reconstituted acceptor quinone and dynamic equilibration of electron transfer in the photosystem I reaction center. *Plant Cell Physiol.* **35**, 983-993.
- Iwata, S., and Barber, J.** (2004). Structure of photosystem II and molecular architecture of the oxygen-evolving centre. *Curr. Opin. Struct. Biol.* **14**, 447-453.
- Jaguar4.2.** (1991-2000). Schrödinger, Inc., Portland, OR.
- Johnson, G.N., Rutherford, A.W., and Krieger, A.** (1995). A change in the midpoint potential of the quinone Q_A in Photosystem II associated with photoactivation of oxygen evolution. *Biochim. Biophys. Acta* **1229**, 202-207.
- Joliot, P., and Joliot, A.** (1999). In vivo analysis of the electron transfer within photosystem I: Are the two phylloquinones involved? *Biochemistry* **38**, 11130-11136.
- Jones, M.R., Heer-Dawson, M., Mattioli, T.A., Hunter, C.N., and Robert, B.** (1994). Site-specific mutagenesis of the reaction centre from *Rhodobacter sphaeroides* studied by Fourier transform Raman spectroscopy: mutations at tyrosine M210 do not affect the electronic structure of the primary donor. *FEBS Lett.* **339**, 18-24.
- Jordan, P., Fromme, P., Witt, H.T., Klukas, O., Saenger, W., and Krauß, N.** (2001). Three-dimensional structure of cyanobacterial photosystem I at 2.5 Å resolution. *Nature* **411**, 909-917.
- Kamiya, N., and Shen, J.-R.** (2003). Crystal structure of oxygen-evolving photosystem II from *Thermosynechococcus vulcanus* at 3.7-Å resolution. *Proc. Natl. Acad. Sci. USA* **100**, 98-103.
- Katona, G., Snijder, A., Gourdon, P., Andreasson, U., Hansson, O., Andreasson, L.E., and Neutze, R.** (2005). Conformational regulation of charge recombination reactions in a photosynthetic bacterial reaction center. *Nat. Struct. Mol. Biol.* **12**, 630-631.
- Kawamori, A., Ono, T.-A., Ishii, A., Nakazawa, S., Hara, H., Tomo, T., Minagawa, J., Bittl, R., and Dzuba, S.A.** (2005). The functional sites of chlorophylls in D1 and D2 subunits of Photosystem II identified by pulsed EPR. *Photosynth. Res.* **84**, 187-192.
- Keilty, A.T., Vavilin, D.V., and Vermaas, W.F.J.** (2001). Functional analysis of combinatorial mutants with changes in the C-terminus of the CD loop of the D2 protein in photosystem II of *Synechocystis* sp. PCC 6803. *Biochemistry* **40**, 4131-4139.
- Kerfeld, C.A., Sawaya, M.R., Bottin, H., Tran, K.T., Sugiura, M., Cascio, D., Desbois, A., Yeates, T.O., Kirilovsky, D., and Boussac, A.** (2003). Structural and EPR characterization of the soluble form of cytochrome c-550 and of the *psbV2* gene product from cyanobacterium *Thermosynechococcus elongatus*. *Plant Cell Physiol.* **44**, 697-706.
- Kern, J., Loll, B., Luneberg, C., DiFiore, D., Biesiadka, J., Irrgang, K.-D., and Zouni, A.** (2005). Purification, characterisation and crystallisation of photosystem II from *Thermosynechococcus elongatus* cultivated in a new type of photobioreactor. *Biochim. Biophys. Acta* **1706**, 147-157.
- Kirmaier, C., Holtén, D., Debus, R.J., Feher, G., and Okamura, M.Y.** (1986). Primary photochemistry of iron-depleted and zinc-reconstituted reaction centers from *Rhodospseudomonas sphaeroides*. *Proc. Natl. Acad. Sci. USA* **83**, 6407-6411.
- Kleinfeld, D., Okamura, M.Y., and Feher, G.** (1984). Electron-transfer kinetics in photosynthetic reaction centers cooled to cryogenic temperatures in the charge-separated state: evidence for light-induced structural changes. *Biochemistry* **23**, 5780-5786.
- Knoepfle, N., Bricker, T.M., and Putnam-Evans, C.** (1999). Site-directed mutagenesis of basic arginine residues 305 and 342 in the CP43 protein of photosystem II affects oxygen-evolving activity in *Synechocystis* 6803. *Biochemistry* **38**, 1582-1588.
- Koulouglotis, D., Innes, J.B., and Brudvig, G.W.** (1994). Location of chlorophyll_z in

- photosystem II. *Biochemistry* **33**, 11814-11822.
- Krieger, A., and Weis, E.** (1992). Energy dependent quenching of chlorophyll a fluorescence: the involvement of proton-calcium exchange at photosystem II. *Photosynthetica* **27**, 89-98.
- Krieger, A., Rutherford, A.W., and Johnson, G.N.** (1995). On the determination of redox midpoint potential of the primary quinone electron transfer acceptor, Q_A, in photosystem II. *Biochim. Biophys. Acta* **1229**, 193-201.
- Krieger-Liszkay, A., and Rutherford, A.W.** (1998). Influence of herbicide binding on the redox potential of the quinone acceptor in photosystem II: relevance to photodamage and phytotoxicity. *Biochemistry* **37**, 17339-17344.
- Kwa, S.L.S., Newell, W.R., van Grondelle, R., and Dekker, J.P.** (1992). The reaction center of photosystem II studied with polarized fluorescence spectroscopy. *Biochim. Biophys. Acta* **1099**, 193-202.
- Lakshmi, K.V., Poluektov, O.G., Reifler, M.J., Wagner, A.M., Thurnauer, M.C., and Brudvig, G.W.** (2003). Pulsed high-frequency EPR study on the location of carotenoid and chlorophyll cation radicals in photosystem II. *J. Am. Chem. Soc.* **125**, 5005-5014.
- Leibl, W., Toupance, B., and Breton, J.** (1995). Photoelectric characterization of forward electron transfer to iron-sulfur centers in photosystem I. *Biochemistry* **34**, 10237-10244.
- Li, J., Takahashi, E., and Gunner, M.R.** (2000). $-\Delta G^{\circ}_{AB}$ and pH dependence of the electron transfer from P⁺Q_A⁻Q_B to P⁺Q_AQ_B⁻ in *Rhodobacter sphaeroides* reaction centers. *Biochemistry* **39**, 7445-7454.
- Li, Z.-L., and Burnap, R.L.** (2001). Mutations of arginine 64 within the putative Ca²⁺-binding lumenal interhelical a-b loop of the photosystem II D1 protein disrupt binding of the manganese stabilizing protein and cytochrome c₅₅₀ in *Synechocystis* sp. PCC6803. *Biochemistry* **40**, 10350-10359.
- Loll, B., Kern, J., Saenger, W., Zouni, A., and Biesiadka, J.** (2005). Towards complete cofactor arrangement in the 3.0 Å resolution structure of photosystem II. *Nature*, in press.
- Lüneberg, J., Fromme, P., Jekow, P., and Schlodder, E.** (1994). Spectroscopic characterization of PS I core complexes from thermophilic *Synechococcus* sp: Identical reoxidation kinetics of A₁⁻ before and after removal of the iron-sulfur-clusters F_A and F_B. *FEBS Lett.* **338**, 197-202.
- MacKerell, A.D., Jr., Bashford, D., Bellott, R.L., Dunbrack, R.L., Jr., Evanseck, J.D., Field, M.J., Fischer, S., Gao, J., Guo, H., Ha, S., Joseph-McCarthy, D., Kuchnir, L., Kuczera, K., Lau, F.T.K., Mattos, C., Michnick, S., Ngo, T., Nguyen, D.T., Prodhom, B., Reiher, W.E., III, Roux, B., Schlenkrich, M., Smith, J.C., Stote, R., Straub, J., Watanabe, M., Wiorkiewicz-Kuczera, J., Yin, D., and Karplus, M.** (1998). All-atom empirical potential for molecular modeling and dynamics studies of proteins. *J. Phys. Chem. B* **102**, 3586-3616.
- Mäenpää, P., Miranda, T., Tyystjärvi, E., Tyystjärvi, T., Govindjee, Ducruet, J.M., Etienne, A.L., and Kirilovsky, D.** (1995). A mutation in the D-de loop of D₁ modifies the stability of the S₂Q_A⁻ and S₂Q_B⁻ states in photosystem II. *Plant Physiol.* **107**, 187-197.
- Maggiora, L.L., Petke, J.D., Gopal, D., Iwamoto, R.T., and Maggiora, G.M.** (1985). Experimental and theoretical studies of Schiff basechlorophylls. *Photochem. Photobiol.* **42**, 69-75.
- Manna, P., LoBrutto, R., Eijkelhoff, C., Dekker, J.P., and Vermaas, W.** (1998). Role of Arg180 of the D2 protein in photosystem II structure and function. *Eur. J. Biochem.* **251**, 142-154.
- Maróti, P., Hanson, D.K., Baciou, L., Schiffer, M., and Sebban, P.** (1994). Proton conduction within the reaction centers of *Rhodobacter capsulatus*: the electrostatic role of the protein. *Proc. Natl. Acad. Sci. USA* **91**, 5617-5621.
- McComb, J.C., Stein, R.R., and Wraight, C.A.** (1990). Investigations on the influence of headgroup substitution and isoprene side-chain length in the function of primary and secondary quinones of bacterial reaction centers. *Biochim. Biophys. Acta* **1015**, 156-171.

- McEvoy, J.P., and Brudvig, G.W.** (2004). Structure-based mechanism of photosynthetic water oxidation. *Phys. Chem. Chem. Phys.* **6**, 4754-4763.
- Michel, H., and Deisenhofer, J.** (1988). Relevance of the photosynthetic reaction center from purple bacteria to the structure of photosystem II. *Biochemistry* **27**, 1-7.
- Minagawa, J., Narusaka, Y., Inoue, Y., and Satoh, K.** (1999). Electron transfer between Q_A and Q_B in photosystem II is thermodynamically perturbed in phototolerant mutants of *Synechocystis* sp. PCC 6803. *Biochemistry* **38**, 770-775.
- Molina-Heredia, F.P., Wastl, J., Navarro, J.A., Bendall, D.S., Hervas, M., Howe, C.J., and De la Rosa, M.A.** (2003). A new function for an old cytochrome? *Nature* **424**, 33-34.
- Motoki, A., Usui, M., Shimazu, T., Hirano, M., and Katoh, S.** (2002). A domain of the manganese-stabilizing protein from *Synechococcus elongatus* involved in functional binding to photosystem II. *J. Biol. Chem.* **277**, 14747-14756.
- Mulkijanian, A.Y.** (1999). Photosystem II of green plants: on the possible role of retarded protonic relaxation in water oxidation. *Biochim. Biophys. Acta* **1410**, 1-6.
- Munge, B., Das, S.K., Ilagan, R., Pendon, Z., Yang, J., Frank, H.A., and Rusling, J.F.** (2003). Electron transfer reactions of redox cofactors in spinach photosystem I reaction center protein in lipid films on electrodes. *J. Am. Chem. Soc.* **125**, 12457-12463.
- Nabedryk, E., Breton, J., Hienerwadel, R., Fogel, C., Mäntele, W., Paddock, M.L., and Okamura, M.Y.** (1995). Fourier transform infrared difference spectroscopy of secondary quinone acceptor photoreduction in proton transfer mutants of *Rhodobacter sphaeroides*. *Biochemistry* **34**, 14722-14732.
- Nabedryk, E., Breton, J., Okamura, M.Y., and Paddock, M.L.** (1998). Proton uptake by carboxylic acid groups upon photoreduction of the secondary quinone (Q_B) in bacterial reaction centers from *Rhodobacter sphaeroides*: FTIR studies on the effects of replacing Glu H173. *Biochemistry* **37**, 14457-14462.
- Nabedryk, E., Breton, J., Okamura, M.Y., and Paddock, M.L.** (2001). Simultaneous replacement of Asp-L210 and Asp-M17 with Asn Increases proton uptake by Glu-L212 upon first electron transfer to Q_B in reaction centers from *Rhodobacter sphaeroides*. *Biochemistry* **40**, 13826-13832.
- Nabedryk, E., Breton, J., Okamura, M.Y., and Paddock, M.L.** (2004). Identification of a novel protonation pattern for carboxylic acids upon Q_B photoreduction in *Rhodobacter sphaeroides* reaction center mutants at Asp-L213 and Glu-L212 sites. *Biochemistry* **43**, 7236-7243.
- Nabedryk, E., Paddock, M.L., Okamura, M.Y., and Breton, J.** (2005). An isotope-edited FTIR investigation of the role of Ser-L223 in binding quinone (Q_B) and semiquinone (Q_B^-) in the reaction center from *Rhodobacter sphaeroides*. *Biochemistry*, in press.
- Noguchi, T., Tomo, T., and Inoue, Y.** (1998). Fourier transform infrared study of the cation radical of P680 in the photosystem II reaction center: evidence for charge delocalization on the chlorophyll dimer. *Biochemistry* **37**, 13614-13625.
- Nugent, J.H.A., Corrie, A.R., Demetriou, C., Evans, M.C.W., and Lockett, C.J.** (1988). Bicarbonate binding and the properties of photosystem II electron acceptors. *FEBS Lett.* **235**, 71-75.
- Nugent, J.H.A.** (1996). Oxygenic photosynthesis. *Eur. J. Biochem.* **237**, 519-531.
- Ohad, N., and Hirschberg, J.** (1992). Mutations in the D1 subunit of photosystem II distinguish between quinone and herbicide binding sites. *Plant Cell* **4**, 273-282.
- Okamura, M.Y., Paddock, M.L., Graige, M.S., and Feher, G.** (2000). Proton and electron transfer in bacterial reaction centers. *Biochim. Biophys. Acta* **1458**, 148-163.
- Paddock, M.L., Rongey, S.H., Feher, G., and Okamura, M.Y.** (1989). Pathway of proton transfer in bacterial reaction centers: replacement of glutamic acid 212 in the L subunit by glutamine inhibits quinone (secondary acceptor) turnover. *Proc. Natl. Acad. Sci. USA* **86**, 6602-6606.
- Paddock, M.L., Rongey, S.H., McPherson, P.H., Juth, A., Feher, G., and Okamura, M.Y.** (1994). Pathway of proton transfer in bacterial reaction centers: role of aspartate-L213 in proton transfers associated with reduction of quinone to dihydroquinone. *Biochemistry* **33**, 734-745.

- Paddock, M.L., Feher, G., and Okamura, M.Y.** (1995). Pathway of proton transfer in bacterial reaction centers: further investigations on the role of Ser-L223 studied by site-directed mutagenesis. *Biochemistry* **34**, 15742-15750.
- Paddock, M.L., Senft, M.E., Graige, M.S., Rongey, S.H., Turanchik, T., Feher, G., and Okamura, M.Y.** (1998). Characterization of second site mutations show that first proton transfer to Q_B^- is restored in bacterial reaction centers of *Rhodobacter sphaeroides* containing the Asp-L213 \rightarrow Asn lesion. *Photosynth. Res.* **55**, 281-291.
- Paddock, M.L., Graige, M.S., Feher, G., and Okamura, M.Y.** (1999). Identification of the proton pathway in bacterial reaction centers: inhibition of proton transfer by binding of Zn^{2+} or Cd^{2+} . *Proc. Natl. Acad. Sci. USA* **96**, 6183-6188.
- Paddock, M.L., Feher, G., and Okamura, M.Y.** (2000). Identification of the proton pathway in bacterial reaction centers: replacement of Asp-M17 and Asp-L210 with Asn reduces the proton transfer rate in the presence of Cd^{2+} . *Proc. Natl. Acad. Sci. USA* **97**, 1548-1553.
- Paddock, M.L., Adelroth, P., Feher, G., Okamura, M.Y., and Beatty, J.T.** (2002). Determination of proton transfer rates by chemical rescue: application to bacterial reaction centers. *Biochemistry* **41**, 14716-14725.
- Paddock, M.L., Feher, G., and Okamura, M.Y.** (2003a). Proton transfer pathway and mechanism in bacterial reaction centers. *FEBS Lett.* **555**, 45-50.
- Paddock, M.L., Sagle, L., Tehrani, A., Beatty, J.T., Feher, G., and Okamura, M.Y.** (2003b). Mechanism of proton transfer inhibition by Cd^{2+} binding to bacterial reaction centers: determination of the pK_A of functionally important histidine residues. *Biochemistry* **42**, 9626-9632.
- Paddock, M.L., Flores, M., Isaacson, R., Chang, C., Selvaduray, P., Feher, G., and Okamura, M.Y.** (2005). Hydrogen bond reorientation upon Q_B reduction revealed by ENDOR spectroscopy in reaction centers from *Rhodobacter sphaeroides*. *Biophys. J.* **88**, 204A.
- Page, C.C., Moser, C.C., Chen, X., and Dutton, P.L.** (1999). Natural engineering principles of electron tunnelling in biological oxidation-reduction. *Nature* **402**, 47-52.
- Parrett, K.G., Mehari, T., Warren, P.G., and Golbeck, J.H.** (1989). Purification and properties of the intact P-700 and F_X -containing photosystem I core protein. *Biochim. Biophys. Acta* **973**, 324-332.
- Pascal, A.A., Caron, L., Rousseau, B., Lapouge, K., Duval, J.-C., and Robert, B.** (1998). Resonance Raman spectroscopy of a light-harvesting protein from the brown alga *Laminaria saccharina*. *Biochemistry* **37**, 2450-2457.
- Petrouleas, V., and Diner, B.A.** (1986). Identification of Q_{400} , a high-potential electron acceptor of Photosystem II, with the iron of the quinone-iron acceptor complex. *Biochim. Biophys. Acta* **849**, 264-275.
- Petrouleas, V., and Diner, B.A.** (1987). Light-induced oxidation of the acceptor-side Fe(II) of Photosystem II by exogenous quinones acting through the Q_B binding site. I. Quinones, kinetics and pH-dependence. *Biochim. Biophys. Acta* **893**, 126-137.
- Petrouleas, V., Deligiannakis, Y., and Diner, B.A.** (1994). Binding of carboxylate anions at the non-heme Fe(II) of PSII. II. Competition with bicarbonate and effects on the Q_A/Q_B electron transfer rate. *Biochim. Biophys. Acta* **1188**, 271-277.
- Pokkuluri, P.R., Laible, P.D., Deng, Y.-L., Wong, T.N., Hanson, D.K., and Schiffer, M.** (2002). The structure of a mutant photosynthetic reaction center shows unexpected changes in main chain orientations and quinone position. *Biochemistry* **41**, 5998-6007.
- Prince, R.C., and Dutton, P.L.** (1976). The primary acceptor of bacterial photosynthesis: its operating midpoint potential? *Arch. Biochem. Biophys.* **172**, 329-334.
- Prince, R.C., Dutton, P.L., and Bruce, J.M.** (1983). Electrochemistry of ubiquinones: menaquinones and plastoquinones in aprotic solvents. *FEBS Lett.* **160**, 273-276.
- Prince, R.C., Lloyd-Williams, P., Bruce, J.M., and Dutton, P.L.** (1986). Voltammetric measurements of quinones. *Methods Enzymol.* **125**, 109-119.
- Prokhorenko, V.I., and Holzwarth, A.R.** (2000). Primary process and structure of the photosystem II reaction center: a photon echo study. *J. Phys. Chem. B* **104**, 11563-11578.

- Purton, S., Stevens, D.R., Muhiuddin, I.P., Evans, M.C.W., Carter, S., Rigby, S.E.J., and Heathcote, P.** (2001). Site-directed mutagenesis of PsaA residue W693 affects phylloquinone binding and function in the photosystem I reaction center of *Chlamydomonas reinhardtii*. *Biochemistry* **40**, 2167-2175.
- Qian, M., Dao, L., Debus, R.J., and Burnap, R.L.** (1999). Impact of mutations within the putative Ca²⁺-binding luminal interhelical a-b loop of the photosystem II D1 protein on the kinetics of photoactivation and H₂O-oxidation in *Synechocystis* sp. PCC6803. *Biochemistry* **38**, 6070-6081.
- Rabenstein, B., Ullmann, G.M., and Knapp, E.W.** (1998). Calculation of protonation patterns in proteins with structural relaxation and molecular ensembles - application to the photosynthetic reaction center. *Eur. Biophys. J.* **27**, 626-637.
- Rabenstein, B.** (1999). Karlsberg online manual, <http://agknapp.chemie.fu-berlin.de/karlsberg/>.
- Rabenstein, B., Ullmann, G.M., and Knapp, E.W.** (2000). Electron transfer between the quinones in the photosynthetic reaction center and its coupling to conformational changes. *Biochemistry* **39**, 10487-10496.
- Rappaport, F., Guergova-Kuras, M., Nixon, P.J., Diner, B.A., and Lavergne, J.** (2002). Kinetics and pathways of charge recombination in photosystem II. *Biochemistry* **41**, 8518-8527.
- Remy, A., and Gerwert, K.** (2003). Coupling of light-induced electron transfer to proton uptake in photosynthesis. *Nat. Struct. Biol.* **10**, 637-644.
- Robinson, H.H., and Crofts, A.R.** (1983). Kinetics of the oxidation-reduction reactions of the photosystem II quinone acceptor complex, and the pathway for deactivation. *FEBS Lett.* **153**, 221-226.
- Robinson, H.H., and Crofts, A.R.** (1984). Kinetics of proton uptake and the oxidation-reduction reactions of the quinone acceptor complex of photosystem II from pea chloroplasts. in *Advances in Photosynthesis Research* (Sybesma, C. Ed.) Vol. 1, pp 477-480, Martinus Nijhoff/Dr. W. Junk Publishers, The Hague.
- Roncel, M., Boussac, A., Zurita, J.L., Bottin, H., Sugiura, M., Kirilovsky, D., and Ortega, J.M.** (2003). Redox properties of the photosystem II cytochromes b559 and c550 in the cyanobacterium *Thermosynechococcus elongatus*. *J. Biol. Inorg. Chem.* **8**, 206-216.
- Rongey, S.H., Paddock, M.L., Feher, G., and Okamura, M.Y.** (1993). Pathway of proton transfer in bacterial reaction centers: second-site mutation Asn-M44 → Asp restores electron and proton transfer in reaction centers from the photosynthetically deficient Asp-L213 → Asn mutant of *Rhodobacter sphaeroides*. *Proc. Natl. Acad. Sci. USA* **90**, 1325-1329.
- Rutherford, A.W., and Zimmermann, J.-L.** (1984). A new EPR signal attributed to the primary plastoquinone acceptor in Photosystem II. *Biochim. Biophys. Acta* **767**, 168-175.
- Rutherford, A.W., and Krieger-Liszkay, A.** (2001). Herbicide-induced oxidative stress in photosystem II. *Trends Biochem. Sci.* **26**, 648-653.
- Rutherford, A.W., and Faller, P.** (2003). Photosystem II: evolutionary perspectives. *Phil. Trans. R. Soc. Lond. B* **358**, 245-253.
- Schlodder, E., Falkenberg, K., Gergeleit, M., and Brettel, K.** (1998). Temperature dependence of forward and reverse electron transfer from A₁⁻, the reduced secondary electron acceptor in photosystem I. *Biochemistry* **37**, 9466-9476.
- Sebban, P., Maróti, P., and Hanson, D.K.** (1995a). Electron and proton transfer to the quinones in bacterial photosynthetic reaction centers: insight from combined approaches of molecular genetics and biophysics. *Biochimie* **77**, 677-694.
- Sebban, P., Maróti, P., Schiffer, M., and Hanson, D.K.** (1995b). Electrostatic dominoes: long distance propagation of mutational effects in photosynthetic reaction centers of *Rhodobacter capsulatus*. *Biochemistry* **34**, 8390-8397.
- Seidler, A.** (1996). The extrinsic polypeptides of Photosystem II. *Biochim. Biophys. Acta* **1277**, 35-60.
- Semenov, A.Y., Vassiliev, I.R., van der Est, A., Mamedov, M.D., Zybailov, B., Shen, G., Stehlik, D., Diner, B.A., Chitnis, P.R., and Golbeck, J.H.** (2000). Recruitment of a

- foreign quinone into the A₁ site of photosystem I. *J. Biol. Chem.* **275**, 23429-23438.
- Sétif, P., Bottin, H., and Brettel, K.** (1990). in Proceedings of the 8th International Conference on Photosynthesis, Stockholm, Sweden, August 6-11, 1989 (Baltscheffsky, M., Ed.) Vol. 2, pp 539-546, Kluwer Academic Publishers, Dordrecht, Netherlands.
- Sétif, P., and Brettel, K.** (1993). Forward electron transfer from phylloquinone A₁ to iron-sulfur centers in spinach photosystem I. *Biochemistry* **32**, 7846-7854.
- Shen, G., and Vermaas, W.F.J.** (1994). Mutation of chlorophyll ligands in the chlorophyll-binding CP47 protein as studied in a *Synechocystis* sp. PCC 6803 photosystem I-less background. *Biochemistry* **33**, 7379-7388.
- Shen, G., Antonkine, M.L., van der Est, A., Vassiliev, I.R., Brettel, K., Bittl, R., Zech, S.G., Zhao, J., Stehlik, D., Bryant, D.A., and Golbeck, J.H.** (2002a). Assembly of photosystem I. II. Rubredoxin is required for the in vivo assembly of F_X in *Synechococcus* sp. PCC 7002 as shown by optical and EPR spectroscopy. *J. Biol. Chem.* **277**, 20355-20366.
- Shen, G., Zhao, J., Reimer, S.K., Antonkine, M.L., Cai, Q., Weiland, S.M., Golbeck, J.H., and Bryant, D.A.** (2002b). Assembly of photosystem I. I. Inactivation of the *rubA* gene encoding a membrane-associated rubredoxin in the cyanobacterium *Synechococcus* sp. PCC 7002 causes a loss of photosystem I activity. *J. Biol. Chem.* **277**, 20343-20354.
- Shinkarev, V., Vassiliev, I., and Golbeck, J.H.** (2000). A kinetic assessment of the sequence of electron transfer from F_X to F_A and further to F_B in photosystem I: the value of the equilibrium constant between F_X and F_A. *Biophys. J.* **78**, 363-372.
- Shipton, C.A., Marder, J.B., and Barber, J.** (1989). Determination of catabolism of the photosystem II D1 subunit by structural motifs in the polypeptide sequence. *Z. Naturforsch.* **45c**, 388-394.
- Shopes, R.J., and Wraight, C.A.** (1987). Charge recombination from the P⁺Q_A⁻ state in reaction centers from *Rhodospseudomonas viridis*. *Biochim. Biophys. Acta* **893**, 409-425.
- Sigfridsson, K.G.V., Bernat, B., Mamedov, F., and Styring, S.** (2004). Molecular interference of Cd²⁺ with Photosystem II. *Biochim. Biophys. Acta* **1659**, 19-31.
- Stewart, D.H., Cua, A., Chisholm, D.A., Diner, B.A., Bocian, D.F., and Brudvig, G.W.** (1998). Identification of histidine 118 in the D1 polypeptide of photosystem II as the axial ligand to chlorophyll Z. *Biochemistry* **37**, 10040-10046.
- Stowell, M.H.B., McPhillips, T.M., Rees, D.C., Solitis, S.M., Abresch, E., and Feher, E.** (1997). Light-induced structural changes in photosynthetic reaction center: implications for mechanism of electron-proton transfer. *Science* **276**, 812-816.
- Suorsa, M., Regel, R.E., Paakkarinen, V., Battchikova, N., Herrmann, R.G., and Aro, E.-M.** (2004). Protein assembly of photosystem II and accumulation of subcomplexes in the absence of low molecular mass subunits PsbL and PsbJ. *Eur. J. Biochem.* **271**, 96-107.
- Svensson, B., Etchebest, C., Tuffery, P., van Kan, P., Smith, J., and Styring, S.** (1996). A model for the photosystem II reaction center core including the structure of the primary donor P₆₈₀. *Biochemistry* **35**, 14486-14502.
- Takahashi, E., and Wraight, C.A.** (1992). Proton and electron transfer in the acceptor quinone complex of *Rhodobacter sphaeroides* reaction centers: characterization of site-directed mutants of the two ionizable residues, Glu^{L212} and Asp^{L213}, in the Q_B binding site. *Biochemistry* **31**, 855-866.
- Takahashi, E., and Wraight, C.A.** (1996). Potentiation of proton transfer function by electrostatic interactions in photosynthetic reaction centers from *Rhodobacter sphaeroides*: first results from site-directed mutation of the H subunit. *Proc. Natl. Acad. Sci. USA* **93**, 2640-2645.
- Takahashi, Y., Hansson, Ö., Mathis, P., and Satoh, K.** (1987). Primary radical pair in the Photosystem II reaction centre. *Biochim. Biophys. Acta* **893**, 49-59.
- Telfer, A.** (2002). What is β-carotene doing in the photosystem II reaction centre? *Phil. Trans. R. Soc. Lond. B* **357**, 1431-1440.
- Telfer, A., Frolov, D., Barber, J., Robert, B., and Pascal, A.** (2003). Oxidation of the two β-carotene molecules in the photosystem II reaction center. *Biochemistry* **42**,

1008-1015.

- Thielen, A.P.G.M., and van Gorkom, H.J.** (1981). Redox potentials of electron acceptors in photosystem II α and II β . *FEBS Lett.* **129**, 205-209.
- Thompson, L.K., and Brudvig, G.W.** (1988). Cytochrome b-559 may function to protect photosystem II from photoinhibition. *Biochemistry* **27**, 6653-6658.
- Tomo, T., Mimuro, M., Iwaki, M., Kobayashi, M., Itoh, S., and Satoh, K.** (1997). Topology of pigments in the isolated Photosystem II reaction center studied by selective extraction. *Biochim. Biophys. Acta* **1321**, 21-30.
- Tracewell, C.A., Cua, A., Stewart, D.H., Bocian, D.F., and Brudvig, G.W.** (2001). Characterization of carotenoid and chlorophyll photooxidation in photosystem II. *Biochemistry* **40**, 193-203.
- Tracewell, C.A., and Brudvig, G.W.** (2003). Two redox-active β -carotene molecule in photosystem II. *Biochemistry* **42**, 9127-9136.
- Trebst, A.** (1987). The three-dimensional structure of the herbicide binding niche on the reaction center polypeptides of photosystem II. *Z. Naturforsch.* **42c**, 742-750.
- Ullmann, G.M., and Knapp, E.W.** (1999). Electrostatic models for computing protonation and redox equilibria in proteins. *Eur. Biophys. J.* **28**, 533-551.
- Utschig, L.M., Ohigashi, Y., Thurnauer, M.C., and Tiede, D.M.** (1998). A new metal-binding site in photosynthetic bacterial reaction centers that modulates Q_A to Q_B electron transfer. *Biochemistry* **37**, 8278-8281.
- van der Est, A., Bock, C., Golbeck, J., Brettel, K., Sétif, P., and Stehlik, D.** (1994). Electron transfer from the acceptor A₁ to the iron-sulfur centers in photosystem I as studied by transient EPR spectroscopy. *Biochemistry* **33**, 11789-11797.
- van Dorsen, R.J., Breton, J., Plijter, J.J., Satoh, K., van Gorkom, H.J., and Amez, J.** (1987). Spectroscopic properties of the reaction center and of the 47 kDa chlorophyll protein of Photosystem II. *Biochim. Biophys. Acta* **893**, 267-274.
- Vermaas, W.F.J., Renger, G., and Dohnt, G.** (1984). The reduction of the oxygen-evolving system in chloroplasts by thylakoid components. *Biochim. Biophys. Acta* **764**, 194-202.
- Vrettos, J.S., and Brudvig, G.W.** (2002). Water oxidation chemistry of photosystem II. *Phil. Trans. R. Soc. Lond. B* **357**, 1395-1405.
- Wang, J., Gosztola, D., Ruffle, S.V., Hemann, C., Seibert, M., Wasielewski, M.R., Hille, R., Gustafson, T.L., and Sayre, R.T.** (2002). Functional asymmetry of photosystem II D1 and D2 peripheral chlorophyll mutants of *Chlamydomonas reinhardtii*. *Proc. Natl. Acad. Sci. USA* **99**, 4091-4096.
- Watanabe, T., Kobayashi, M., Hongu, A., Nakazato, M., Hiyama, T., and Murata, N.** (1985). Evidence that a chlorophyll a' dimer constitutes the photochemical reaction centre 1 (P700) in photosynthetic apparatus. *FEBS Lett.* **191**, 252-256.
- Watanabe, T., and Kobayashi, M.** (1991). Electrochemistry of chlorophylls. in *Chlorophylls* (Scheer, H., Ed.), pp 287-303, CRC Press, Boca Raton, FL.
- Webber, A.N., and Lubitz, W.** (2001). P700: the primary electron donor of photosystem I. *Biochim. Biophys. Acta* **1507**, 61-79.
- Williams, J.C., Alden, R.G., Murchison, H.A., Peloquin, J.M., Woodbury, N.W., and Allen, J.P.** (1992). Effects of mutations near the bacteriochlorophylls in reaction centers from *Rhodobacter sphaeroides*. *Biochemistry* **31**, 11029-11037.
- Wraight, C.A.** (1985). Modulation of herbicide-binding by the redox state of Q₄₀₀, an endogenous component of photosystem II. *Biochim. Biophys. Acta* **809**, 320-330.
- Xiong, J., Subramaniam, A., and Govindjee.** (1996). Modeling of the D1/D2 proteins and cofactors of the photosystem II reaction center: implications for herbicide and bicarbonate binding. *Protein Sci.* **5**, 2054-2073.
- Xiong, J., Hutchison, R.S., Sayre, R.T., and Govindjee.** (1997). Modification of the photosystem II acceptor side function in a D1 mutant (arginine-269-glycine) of *Chlamydomonas reinhardtii*. *Biochim. Biophys. Acta* **1322**, 60-76.
- Xiong, J., Subramaniam, A., and Govindjee.** (1998). A knowledge-based three dimensional model of the photosystem II reaction center of *Chlamydomonas reinhardtii*. *Photosynth. Res.* **56**, 229-254.

- Xu, Q., Axelrod, H.L., Abresch, E.C., Paddock, M.L., Okamura, M.Y., and Feher, G.** (2004). X-ray structure determination of three mutants of the bacterial photosynthetic reaction centers from *Rb. sphaeroides*: altered proton transfer pathways. *Structure* **12**, 703-715.
- Xu, W., Chitnis, P., Valieva, A., van der Est, A., Pushkar, Y.N., Krzystyniak, M., Teutloff, C., Zech, S.G., Bittl, R., Stehlik, D., Zybailov, B., Shen, G., and Golbeck, J.H.** (2003a). Electron transfer in cyanobacterial photosystem I: I. Physiological and spectroscopic characterization of site-directed mutants in a putative electron transfer pathway from A₀ through A₁ to F_X. *J. Biol. Chem.* **278**, 27864-27875.
- Xu, W., Chitnis, P.R., Valieva, A., van der Est, A., Brettel, K., Guergova-Kuras, M., Pushkar, Y.N., Zech, S.G., Stehlik, D., Shen, G., Zybailov, B., and Golbeck, J.H.** (2003b). Electron transfer in cyanobacterial photosystem I: II. Determination of forward electron transfer rates of site-directed mutants in a putative electron transfer pathway from A₀ through A₁ to F_X. *J. Biol. Chem.* **278**, 27876-27887.
- Yang, F., Shen, G., Schluchter, W.M., Zybailov, B.L., Ganago, A.O., Vassiliev, I.R., Bryant, D.A., and Golbeck, J.H.** (1998). Deletion of the PsaF polypeptide modifies the environment of the redox-active phylloquinone (A₁). Evidence for unidirectionality of electron transfer in photosystem I. *J. Phys. Chem. B* **102**, 8288-8299.
- Yeates, T.O., Komiya, H., Chirino, A., Rees, D.C., Allen, J.P., and Feher, G.** (1988). Structure of the reaction center from *Rhodobacter sphaeroides* R-26 and 2.4.1: protein-cofactor (bacteriochlorophyll, bacteriopheophytin, and carotenoid) interactions. *Proc. Natl. Acad. Sci. USA* **85**, 7993-7997.
- Yu, J., Smart, L.B., Jung, Y.S., Golbeck, J., and McIntosh, L.** (1995). Absence of PsaC subunit allows assembly of photosystem I core but prevents the binding of PsaD and PsaE in *Synechocystis* sp. PCC6803. *Plant Mol. Biol.* **29**, 331-342.
- Zech, S.G., Hofbauer, W., Kamlowski, A., Fromme, P., Stehlik, D., Lubitz, W., and Bittl, R.** (2000). A structural model for the charge separated state P₇₀₀⁺A₁⁻ in photosystem I from the orientation of the magnetic interaction tensors. *J. Phys. Chem. B* **104**, 9728-9739.
- Zheleva, D., Sharma, J., Panico, M., Morris, H.R., and Barber, J.** (1998). Isolation and characterization of monomeric and dimeric CP47-reaction center photosystem II complexes. *J. Biol. Chem.* **273**, 16122-16127.
- Zhu, Z., and Gunner, M.R.** (2005). Energetics of quinone-dependent electron and proton transfers in *Rhodobacter sphaeroides* photosynthetic reaction centers. *Biochemistry* **44**, 82-96.
- Zimmermann, J.-L., and Rutherford, A.W.** (1986). Photoreductant-induced oxidation of Fe²⁺ in the electron-acceptor complex of Photosystem II. *Biochim. Biophys. Acta* **851**, 416-423.
- Zouni, A., Witt, H.T., Kern, J., Fromme, P., Krauß, N., Saenger, W., and Orth, P.** (2001). Crystal structure of photosystem II from *Synechococcus elongatus* at 3.8 Å resolution. *Nature* **409**, 739-743.
- Zurawski, G., Bohnert, H.J., Whitfeld, P.R., and Bottomley, W.** (1982). Nucleotide sequence of the gene for the M_r 32,000 thylakoid membrane protein from *Spinacia oleracea* and *Nicotiana debneyi* predicts a totally conserved primary translation product of M_r 38,950. *Proc. Natl. Acad. Sci. USA* **79**, 7699-7703.